

Primary diagnosis: 4 character, 2003-04

For the 2003-04 financial year, Hospital Episode Statistics (HES) has collected more than 51 million records detailing outpatient appointments, delivered by NHS hospitals in England.

The latest HES data are available via the internet from the Freely available data section of the HESonline website [www.hesonline.nhs.uk]. For data breakdowns beyond the scope of the tables available, such as a count of appointments split by strategic health authority (SHA), please contact the HES team: Tel. 0845 300 6016, email hes.questions@ic.nhs.uk.

Please note that in order to avoid undue delay in the publication of these tables, the counts have not been adjusted to account for shortfalls in the number of records received from NHS trusts, or for missing/invalid clinical data (ie diagnosis and operation codes) – hence the label 'Ungrossed data' in each table.

You must exercise great care when comparing HES figures for different years. Fluctuations in the data can occur for a number of reasons, eg organisational changes, reviews of best practice within the medical community, the adoption of new coding schemes and data quality problems that are often year specific. These variations can lead to false assumptions about trends. We advise users of time series data to carefully explore the relevant issues before drawing any conclusions about the reasons for year-on-year changes.

Data quality

The HES database is assembled from records originally generated by the patient administration systems within more than five hundred separate NHS trusts. While the HES team liaise closely with the NHS in order to maintain data quality and consistency, it is inevitable in such a complex undertaking that a few errors will occur. Users of the data who discover apparent anomalies should feel free to contact the HES team, so that they may investigate.

Primary diagnosis: 4 character

Primary diagnosis

The primary diagnosis, recorded using ICD-10, is the main condition treated or investigated during the outpatient appointment.

- **4 character**

The Primary diagnosis: 4-character table provides a complete breakdown of all the 4-character primary diagnosis codes, giving an extremely detailed breakdown. The codes consist of a letter followed by two numbers with a single decimal point (eg A12.3) and are accompanied by a complete description of the diagnosis. The 4-character codes are a direct breakdown of the 3-character codes.

Table column definitions

This section contains descriptions of the column headers found in the free data tables that you can download from the HESonline website.

Attended First Appointment

This provides a count of those who attended their first outpatient appointment.

Attended Subsequent Appointment

This provides a count of those who attended an outpatient appointment, but it was a follow up appointment rather than their first appointment.

All (including first/subsequent unknown)

This provides a count of all outpatient attendances, including first, subsequent appointments as well as appointments where it is unknown.

Percentage of all attendances

This provides the all attendances count as a percentage of the total number of all attendances (including first/subsequent and unknown).

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Total	12,399,831	29,931,821	42,457,322	100.0000
A02.0 Salmonella enteritis	1		1	0.0000%
A04.7 Enterocolitis due to Clostridium difficile	1	2	3	0.0000%
A04.8 Other specified bacterial intestinal infections	34	8	42	0.0001%
A08.4 Viral intestinal infection unspecified		1	1	0.0000%
A09.X Diarrhoea and gastroenteritis of presumed infectious origin	4		4	0.0000%
A16.2 TB lung without mention of bact or histological confirm		1	1	0.0000%
A16.9 Resp TB unspec without mention of bact or hist confirm	7	10	17	0.0000%
A18.0 Tuberculosis of bones and joints		1	1	0.0000%
A18.3 Tuberculosis of intestines peritoneum and mesenteric glands	1		1	0.0000%
A18.8 Tuberculosis of other specified organs	1		1	0.0000%
A30.0 Indeterminate leprosy		3	3	0.0000%
A31.1 Cutaneous mycobacterial infection		2	2	0.0000%
A31.9 Mycobacterial infection unspecified		7	7	0.0000%
A37.9 Whooping cough unspecified	1		1	0.0000%
A39.0 Meningococcal meningitis	1	1	2	0.0000%
A41.9 Septicaemia unspecified	1		1	0.0000%
A49.1 Streptococcal infection unspecified	1		1	0.0000%
A51.0 Primary genital syphilis		1	1	0.0000%
A63.0 Anogenital (venereal) warts	6	11	17	0.0000%
A69.2 Lyme disease	2	1	3	0.0000%
A69.9 Spirochaetal infection unspecified		1	1	0.0000%
A74.0 Chlamydial conjunctivitis	2		2	0.0000%
A80.9 Acute poliomyelitis unspecified	1		1	0.0000%
A99.X Unspecified viral haemorrhagic fever	1		1	0.0000%
B00.1 Herpesviral vesicular dermatitis		1	1	0.0000%
B00.3 Herpesviral meningitis		1	1	0.0000%
B00.5 Herpesviral ocular disease	51	255	306	0.0007%
B00.9 Herpesviral infection unspecified	6	15	21	0.0000%
B01.9 Varicella without complication		2	2	0.0000%
B02.2 Zoster with other nervous system involvement	8	7	15	0.0000%
B02.3 Zoster ocular disease	32	77	109	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
B02.8 Zoster with other complications		1 2	3	0.0000%
B02.9 Zoster without complication		17 24	41	0.0001%
B07.X Viral warts		146 216	362	0.0009%
B08.0 Other orthopoxvirus infections		1	1	0.0000%
B08.1 Molluscum contagiosum		8 9	17	0.0000%
B08.3 Erythema infectiosum [fifth disease]		2	2	0.0000%
B16.9 Acute hep B without delta-agent and without hepat coma		2	2	0.0000%
B17.1 Acute hepatitis C		1 2	3	0.0000%
B18.1 Chronic viral hepatitis B without delta-agent		3 7	10	0.0000%
B18.2 Chronic viral hepatitis C		14 47	61	0.0001%
B18.9 Chronic viral hepatitis unspecified		4	4	0.0000%
B21.3 HIV dis result oth mal neo lymphoid haematopoietic rel tis		2	2	0.0000%
B24.X Unspecified human immunodeficiency virus [HIV] disease		1 1	2	0.0000%
B27.8 Other infectious mononucleosis		1	1	0.0000%
B27.9 Infectious mononucleosis unspecified		2	2	0.0000%
B30.0 Keratoconjunctivitis due to adenovirus		4 2	6	0.0000%
B30.1 Conjunctivitis due to adenovirus		1	1	0.0000%
B30.9 Viral conjunctivitis unspecified		72 72	144	0.0003%
B34.4 Papovavirus infection unspecified		1 3	4	0.0000%
B34.8 Other viral infections of unspecified site		1	1	0.0000%
B34.9 Viral infection unspecified		10 24	34	0.0001%
B35.0 Tinea barbae and tinea capitis		1	1	0.0000%
B35.1 Tinea unguium		1 1	2	0.0000%
B35.3 Tinea pedis		17	17	0.0000%
B35.4 Tinea corporis		1	1	0.0000%
B35.8 Other dermatophytoses		1	1	0.0000%
B35.9 Dermatophytosis unspecified		1	1	0.0000%
B36.0 Pityriasis versicolor		5 3	8	0.0000%
B36.9 Superficial mycosis unspecified		2 4	6	0.0000%
B37.0 Candidal stomatitis		5 10	15	0.0000%
B37.3 Candidiasis of vulva and vagina		1 2	3	0.0000%
B37.8 Candidiasis of other sites		43 7	50	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
B37.9 Candidiasis unspecified		35 10	45	0.0001%
B49.X Unspecified mycosis			4	0.0000%
B50.9 Plasmodium falciparum malaria unspecified		1 6	7	0.0000%
B54.X Unspecified malaria		2	2	0.0000%
B55.1 Cutaneous leishmaniasis		1 1	2	0.0000%
B55.9 Leishmaniasis unspecified			1	0.0000%
B57.2 Chagas' disease (chronic) with heart involvement			3	0.0000%
B58.0 Toxoplasma oculopathy		4 14	18	0.0000%
B58.9 Toxoplasmosis unspecified			4	0.0000%
B80.X Enterobiasis		4 3	7	0.0000%
B86.X Scabies		3 4	7	0.0000%
B96.8 Other spec bact agents as cause of dis class oth chaps		6 1	7	0.0000%
B97.7 Papillomavirus as cause of diseases classif oth chaps		1 4	5	0.0000%
B99.X Other and unspecified infectious diseases		93 247	340	0.0008%
C00.0 Malignant neoplasm of external upper lip			10	0.0000%
C00.1 Malignant neoplasm of external lower lip			25	0.0001%
C00.6 Malignant neoplasm of commissure of lip			5	0.0000%
C00.9 Malignant neoplasm of lip unspecified		2 22	24	0.0001%
C01.X Malignant neoplasm of base of tongue		17 167	184	0.0004%
C02.0 Malignant neoplasm of dorsal surface tongue		1 2	3	0.0000%
C02.1 Malignant neoplasm of border of tongue		7 95	102	0.0002%
C02.2 Malignant neoplasm of ventral surface of tongue		2 5	7	0.0000%
C02.3 Malignant neo of anterior two-thirds of tongue part uns		4 16	20	0.0000%
C02.4 Malignant neoplasm of lingual tonsil		3 4	7	0.0000%
C02.8 Malignant neoplasm of overlapping lesion of tongue			5	0.0000%
C02.9 Malignant neoplasm of tongue unspecified		16 507	523	0.0012%
C03.0 Malignant neoplasm of upper gum		2	2	0.0000%
C03.1 Malignant neoplasm of lower gum		5 28	33	0.0001%
C03.9 Malignant neoplasm of gum unspecified		3 16	19	0.0000%
C04.0 Malignant neoplasm of floor of anterior floor of mouth		2 22	24	0.0001%
C04.9 Malignant neoplasm of floor of mouth floor of mouth unspec		14 132	146	0.0003%
C05.0 Malignant neoplasm of hard palate		3 26	29	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C05.1 Malignant neoplasm of soft palate	6	83	89	0.0002%
C05.2 Malignant neoplasm of uvula	2	3	5	0.0000%
C05.8 Malignant neoplasm overlapping lesion of palate		4	4	0.0000%
C05.9 Malignant neoplasm of palate unspecified	3	17	20	0.0000%
C06.0 Malignant neoplasm cheek mucosa	9	69	78	0.0002%
C06.1 Malignant neoplasm of vestibule of mouth		5	5	0.0000%
C06.2 Malignant neoplasm of retromolar area	4	85	89	0.0002%
C06.8 Malignant neoplasm overlap lesion of oral & unsp part of mouth		1	1	0.0000%
C06.9 Malignant neoplasm of part of mouth unspecified	8	50	58	0.0001%
C07.X Malignant neoplasm of parotid gland	15	197	212	0.0005%
C08.0 Malignant neoplasm of submandibular gland		9	9	0.0000%
C08.9 Malignant neoplasm of major salivary gland unspecified		15	15	0.0000%
C09.0 Malignant neoplasm tonsillar fossa	8	33	41	0.0001%
C09.1 Malignant neoplasm of tonsillar pillar (anterior)(posterior)	1	15	16	0.0000%
C09.8 Malignant neoplasm of overlapping lesion of tonsil	1		1	0.0000%
C09.9 Malignant neoplasm of tonsil unspecified	48	611	659	0.0016%
C10.0 Malignant neoplasm of vallecula	1	19	20	0.0000%
C10.1 Malignant neoplasm of anterior surface of epiglottis		1	1	0.0000%
C10.3 Malignant neoplasm of posterior wall of oropharynx	1		1	0.0000%
C10.8 Malignant neoplasm overlapping lesion of oropharynx		5	5	0.0000%
C10.9 Malignant neoplasm of oropharynx unspecified	6	91	97	0.0002%
C11.0 Malignant neoplasm of superior wall of nasopharynx	1	4	5	0.0000%
C11.1 Malignant neoplasm of posterior wall of nasopharynx	1	8	9	0.0000%
C11.2 Malignant neoplasm of lateral wall of nasopharynx	4	5	9	0.0000%
C11.3 Malignant neoplasm of anterior wall of nasopharynx		14	14	0.0000%
C11.8 Malignant neoplasm overlapping lesion of nasopharynx	1		1	0.0000%
C11.9 Malignant neoplasm of nasopharynx unspecified	16	277	293	0.0007%
C12.X Malignant neoplasm of pyriform sinus	18	175	193	0.0005%
C13.0 Malignant neoplasm of hypopharynx postcricoid region	4	6	10	0.0000%
C13.1 Malignant neoplasm aryepiglottic fold hypopharyngeal aspect		10	10	0.0000%
C13.9 Malignant neoplasm of hypopharynx unspecified	5	61	66	0.0002%
C14.0 Malignant neoplasm of pharynx unsp	7	59	66	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C14.8 Malig neo overlapping lesion of lip oral cavity & pharynx	57	166	223	0.0005%
C15.1 Malignant neoplasm of thoracic part of oesophagus	1	1	2	0.0000%
C15.2 Malignant neo of abdominal part of oesophagus	8	35	43	0.0001%
C15.3 Malignant neoplasm of upper third of oesophagus	12	57	69	0.0002%
C15.4 Malignant neoplasm of middle third of oesophagus	39	106	145	0.0003%
C15.5 Malignant neoplasm of lower third of oesophagus	140	387	527	0.0012%
C15.8 Malignant neoplasm overlapping lesion of oesophagus	2	3	5	0.0000%
C15.9 Malignant neoplasm of oesophagus unspecified	244	1,451	1,695	0.0040%
C16.0 Malignant neoplasm of cardia of stomach	60	358	418	0.0010%
C16.1 Malignant neoplasm of fundus of stomach	5	24	29	0.0001%
C16.2 Malignant neoplasm of body of stomach	9	50	59	0.0001%
C16.3 Malignant neoplasm of pyloric antrum	3	45	48	0.0001%
C16.4 Malignant neoplasm of pylorus	1	30	31	0.0001%
C16.5 Malignant neoplasm of lesser curvature of stomach unsp	24	48	72	0.0002%
C16.6 Malignant neoplasm of greater curvature of stomach unsp	3	4	7	0.0000%
C16.8 Malignant neoplasm overlapping lesion of stomach	4	32	36	0.0001%
C16.9 Malignant neoplasm of stomach unspecified	128	633	761	0.0018%
C17.0 Malignant neoplasm of small intestine duodenum	10	69	79	0.0002%
C17.1 Malignant neoplasm of small intestine jejunum	1	21	22	0.0001%
C17.2 Malignant neoplasm of small intestine ileum		9	9	0.0000%
C17.3 Malignant neoplasm of small intestine Meckel's diverticulum		1	1	0.0000%
C17.8 Malignant neoplasm overlapping lesion of small intestine		6	6	0.0000%
C17.9 Malignant neoplasm of small intestine unspecified	2	51	53	0.0001%
C18.0 Malignant neoplasm of caecum	77	717	794	0.0019%
C18.1 Malignant neoplasm of appendix	2	19	21	0.0000%
C18.2 Malignant neoplasm of ascending colon	37	164	201	0.0005%
C18.3 Malignant neoplasm of hepatic flexure	8	56	64	0.0002%
C18.4 Malignant neoplasm of transverse colon	17	159	176	0.0004%
C18.5 Malignant neoplasm of splenic flexure	13	143	156	0.0004%
C18.6 Malignant neoplasm of descending colon	13	71	84	0.0002%
C18.7 Malignant neoplasm of sigmoid colon	130	924	1,054	0.0025%
C18.8 Malignant neoplasm overlapping lesion of colon	4	8	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C18.9 Malignant neoplasm of colon unspecified	400	2,178	2,578	0.0061%
C19.X Malignant neoplasm of rectosigmoid junction	60	548	608	0.0014%
C20.X Malignant neoplasm of rectum	433	3,038	3,471	0.0082%
C21.0 Malignant neoplasm of anus unspecified	25	328	353	0.0008%
C21.1 Malignant neoplasm of anal canal	13	106	119	0.0003%
C21.2 Malignant neoplasm of cloacogenic zone		2	2	0.0000%
C21.8 Malig neo overlapping lesion of rectum anus and anal canal	9	119	128	0.0003%
C22.0 Malignant neoplasm liver cell carcinoma	18	160	178	0.0004%
C22.1 Malignant neoplasm intrahep bile duct carcinoma	8	70	78	0.0002%
C22.9 Malignant neoplasm liver unspecified		2	2	0.0000%
C23.X Malignant neoplasm of gallbladder	9	42	51	0.0001%
C24.0 Malignant neoplasm of extrahepatic bile duct	11	62	73	0.0002%
C24.1 Malignant neoplasm of Ampulla of Vater	6	93	99	0.0002%
C24.9 Malignant neoplasm of biliary tract unspecified	2	1	3	0.0000%
C25.0 Malignant neoplasm of head of pancreas	45	299	344	0.0008%
C25.1 Malignant neoplasm of body of pancreas	4	24	28	0.0001%
C25.2 Malignant neoplasm of tail of pancreas	4	10	14	0.0000%
C25.4 Malignant neoplasm of endocrine pancreas	3	20	23	0.0001%
C25.7 Malignant neoplasm of other parts of pancreas	2	3	5	0.0000%
C25.8 Malignant neoplasm overlapping lesion of pancreas	3	17	20	0.0000%
C25.9 Malignant neoplasm of pancreas unspecified	83	823	906	0.0021%
C26.0 Malignant neoplasm of intestinal tract part unsp	2	55	57	0.0001%
C26.1 Malignant neoplasm of spleen	2	3	5	0.0000%
C26.8 Malignant neoplasm overlapping lesion of digestive system	1	3	4	0.0000%
C26.9 Malignant neoplasm of ill-def sites within digestive system	39	78	117	0.0003%
C30.0 Malignant neoplasm of nasal cavity	8	42	50	0.0001%
C30.1 Malignant neoplasm of middle ear	1	22	23	0.0001%
C31.0 Malignant neoplasm of maxillary sinus	3	35	38	0.0001%
C31.1 Malignant neoplasm of ethmoidal sinus	2	13	15	0.0000%
C31.3 Malignant neoplasm of sphenoidal sinus	1	4	5	0.0000%
C31.8 Malignant neoplasm overlapping lesion accessory sinuses		5	5	0.0000%
C31.9 Malignant neoplasm of accessory sinus unsp		5	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
C32.0 Malignant neoplasm of glottis		74 613	687	0.0016%
C32.1 Malignant neoplasm of supraglottis		20 113	133	0.0003%
C32.2 Malignant neoplasm of subglottis		4 4	8	0.0000%
C32.3 Malignant neoplasm of laryngeal cartilage			18	0.0000%
C32.8 Malignant neoplasm overlapping lesion of larynx		1 11	12	0.0000%
C32.9 Malignant neoplasm of larynx unspecified		30 350	380	0.0009%
C34.0 Malignant neoplasm of main bronchus		33 244	277	0.0007%
C34.1 Malignant neoplasm of upper lobe bronchus or lung		206 1,842	2,048	0.0048%
C34.2 Malignant neoplasm of middle lobe bronchus or lung		22 174	196	0.0005%
C34.3 Malignant neoplasm of lower lobe bronchus or lung		69 641	710	0.0017%
C34.8 Malignant neoplasm of overlap les of bronchus & lung		4 21	25	0.0001%
C34.9 Malignant neoplasm of bronchus or lung unsp		804 3,868	4,672	0.0110%
C37.X Malignant neoplasm of thymus		7 31	38	0.0001%
C38.0 Malignant neoplasm of heart mediastinum & pleura heart		3 40	43	0.0001%
C38.1 Malignant neoplasm of anterior mediastinum			1	0.0000%
C38.2 Malignant neoplasm of posterior mediastinum			2	0.0000%
C38.3 Malignant neoplasm of heart mediastinum & pleura mediastinum part unsp		3 75	78	0.0002%
C38.4 Malignant neoplasm of pleura		31 39	70	0.0002%
C40.0 Malignant neoplasm of scapula and long bones of upper limb		7 52	59	0.0001%
C40.1 Malignant neoplasm of short bones of upper limb		1 4	5	0.0000%
C40.2 Malignant neoplasm of long bones of lower limb		6 86	92	0.0002%
C40.3 Malignant neoplasm of short bones of lower limb			4	0.0000%
C41.0 Malignant neoplasm of bones of skull and face		10 86	96	0.0002%
C41.1 Malignant neoplasm of mandible		1 19	20	0.0000%
C41.2 Malignant neoplasm of vertebral column		5 76	81	0.0002%
C41.3 Malignant neoplasm of ribs sternum and clavicle		2 29	31	0.0001%
C41.4 Malignant neoplasm of sacrum and coccyx		7 100	107	0.0003%
C41.9 Malignant neoplasm of bone and articular cartilage unsp		9 97	106	0.0002%
C43.0 Malignant melanoma of lip		1 2	3	0.0000%
C43.1 Malignant melanoma of eyelid including canthus			5	0.0000%
C43.2 Malignant melanoma of ear and ext auricular canal		3 26	29	0.0001%
C43.3 Malignant melanoma of other and unspecified parts of face		3 112	115	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
C43.4 Malignant melanoma of scalp and neck		41	45	0.0001%
C43.5 Malignant melanoma of trunk	23	294	317	0.0007%
C43.6 Malignant melanoma of upper limb including shoulder	25	226	251	0.0006%
C43.7 Malignant melanoma of lower limb including hip	41	578	619	0.0015%
C43.8 Malignant melanoma of skin		6	6	0.0000%
C43.9 Malignant melanoma of skin unsp	54	977	1,031	0.0024%
C44.0 Other malignant neoplasms of skin of lip	32	155	187	0.0004%
C44.1 Other malignant neoplasms of skin of eyelid incl canthus	172	436	608	0.0014%
C44.2 Oth malignant neoplasms of skin of ear & ext auricular canal	80	462	542	0.0013%
C44.3 Oth malignant neoplasm of skin of oth & unsp parts of face	796	2,966	3,762	0.0089%
C44.4 Other malignant neoplasms of skin of scalp and neck	109	503	612	0.0014%
C44.5 Other malignant neoplasms of skin of trunk	95	475	570	0.0013%
C44.6 Oth malignant neoplasms of skin of upper limb incl shoulder	62	216	278	0.0007%
C44.7 Other malignant neoplasms of skin of lower limb incl hip	74	354	428	0.0010%
C44.9 Other malignant neoplasms of skin unspecified	842	2,498	3,340	0.0079%
C45.0 Mesothelioma of pleura	60	439	499	0.0012%
C45.1 Mesothelioma of peritoneum	1		1	0.0000%
C45.9 Mesothelioma unspecified	1	55	56	0.0001%
C46.0 Kaposi's sarcoma of skin		11	11	0.0000%
C46.9 Kaposi's sarcoma unspecified	1	23	24	0.0001%
C47.0 Malignant neoplasm of peripheral nerve of head face & neck	3	12	15	0.0000%
C47.2 Malignant neoplasm of peripheral nerve of low limb incl hip		3	3	0.0000%
C47.3 Malignant neoplasm of peripheral nerve of thorax		3	3	0.0000%
C47.4 Malignant neoplasm of peripheral nerve of abdomen		5	5	0.0000%
C47.5 Malignant neoplasm of peripheral nerve of pelvis	1		1	0.0000%
C47.9 Malignant neoplasm periph nerve & autonomic ns unspec	2	7	9	0.0000%
C48.0 Malignant neoplasm of retroperitoneum	29	245	274	0.0006%
C48.1 Malignant neoplasm of spec parts of peritoneum		49	49	0.0001%
C48.2 Malignant neoplasm of peritoneum unsp	20	288	308	0.0007%
C49.0 Malignant neoplasm of conn and soft tiss head face & neck	7	103	110	0.0003%
C49.1 Malignant neoplasm of conn and soft tiss upp limb inc should	17	219	236	0.0006%
C49.2 Malignant neoplasm of conn and soft tiss lower limb inc hip	63	551	614	0.0014%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C49.3 Malignant neoplasm of conn and soft tiss of thorax	9	102	111	0.0003%
C49.4 Malignant neoplasm of conn and soft tiss of abdomen	9	155	164	0.0004%
C49.5 Malignant neoplasm of conn and soft tiss of pelvis	23	206	229	0.0005%
C49.6 Malignant neoplasm of conn and soft tiss of trunk unsp	4	5	9	0.0000%
C49.8 Malignant neoplasm overlap lesion connective & soft tiss	1	18	19	0.0000%
C49.9 Malignant neoplasm of connective and soft tissue unsp	38	617	655	0.0015%
C50.0 Malignant neoplasm of nipple and areola	7	55	62	0.0001%
C50.1 Malignant neoplasm of central portion of breast	20	149	169	0.0004%
C50.2 Malignant neoplasm of upper-inner quadrant of breast	33	202	235	0.0006%
C50.3 Malignant neoplasm of lower-inner quadrant of breast	18	95	113	0.0003%
C50.4 Malignant neoplasm of upper-outer quadrant of breast	114	824	938	0.0022%
C50.5 Malignant neoplasm of lower-outer quadrant of breast	17	121	138	0.0003%
C50.6 Malignant neoplasm of axillary tail of breast	484	2,324	2,808	0.0066%
C50.8 Malignant neoplasm overlapping lesion of breast	5	81	86	0.0002%
C50.9 Malignant neoplasm of breast unspecified	2,238	26,367	28,605	0.0674%
C51.0 Malignant neoplasm of labium majus	1	24	25	0.0001%
C51.1 Malignant neoplasm of labium minus	1	1	2	0.0000%
C51.8 Malignant neoplasm of overlapping lesion of vulva	9	17	26	0.0001%
C51.9 Malignant neoplasm of vulva unspecified	38	367	405	0.0010%
C52.X Malignant neoplasm of vagina	18	203	221	0.0005%
C53.0 Malignant neoplasm of endocervix	9	28	37	0.0001%
C53.8 Malignant neoplasm overlapping lesion of cervix uteri		2	2	0.0000%
C53.9 Malignant neoplasm of cervix uteri unsp	176	1,585	1,761	0.0041%
C54.0 Malignant neoplasm of isthmus uteri		1	1	0.0000%
C54.1 Malignant neoplasm of endometrium	174	1,951	2,125	0.0050%
C54.8 Malignant neoplasm overlapping lesion of corpus uteri		6	6	0.0000%
C54.9 Malignant neoplasm of corpus uteri unsp	52	109	161	0.0004%
C55.X Malignant neoplasm of uterus part unspecified	25	105	130	0.0003%
C56.X Malignant neoplasm of ovary	227	4,763	4,990	0.0118%
C57.0 Malignant neoplasm of fallopian tube	4	74	78	0.0002%
C57.1 Malignant neoplasm of broad ligament	1	5	6	0.0000%
C57.3 Malignant neoplasm of parametrium		4	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C57.8 Malignant neoplasm overlapping lesion female genital organs	1	5	6	0.0000%
C57.9 Malignant neoplasm of female genital organ unspecified	3	32	35	0.0001%
C60.0 Malignant neoplasm of prepuce		5	5	0.0000%
C60.1 Malignant neoplasm of glans penis		6	6	0.0000%
C60.9 Malignant neoplasm of penis unspecified	13	40	53	0.0001%
C61.X Malignant neoplasm of prostate	1,407	10,454	11,861	0.0279%
C62.0 Malignant neoplasm of undescended testis		11	11	0.0000%
C62.1 Malignant neoplasm of descended testis	9	246	255	0.0006%
C62.9 Malignant neoplasm of testis unspecified	168	2,369	2,537	0.0060%
C63.0 Malignant neoplasm of epididymis		1	1	0.0000%
C63.1 Malignant neoplasm of spermatic cord	2	6	8	0.0000%
C63.2 Malignant neoplasm of scrotum		23	23	0.0001%
C63.9 Malignant neoplasm of male genital organ unspecified	5	4	9	0.0000%
C64.X Malignant neoplasm of kidney except renal pelvis	157	1,711	1,868	0.0044%
C65.X Malignant neoplasm of renal pelvis	5	22	27	0.0001%
C66.X Malignant neoplasm of ureter	5	46	51	0.0001%
C67.0 Malignant neoplasm of trigone of bladder	1	11	12	0.0000%
C67.1 Malignant neoplasm of dome of bladder	4	23	27	0.0001%
C67.2 Malignant neoplasm of lateral wall of bladder	11	135	146	0.0003%
C67.3 Malignant neoplasm of anterior wall of bladder	4	12	16	0.0000%
C67.4 Malignant neoplasm of posterior wall of bladder	4	43	47	0.0001%
C67.5 Malignant neoplasm of bladder neck	4	32	36	0.0001%
C67.6 Malignant neoplasm of ureteric orifice	3	24	27	0.0001%
C67.8 Malignant neoplasm overlapping lesion of bladder	4	46	50	0.0001%
C67.9 Malignant neoplasm of bladder unspecified	346	1,931	2,277	0.0054%
C68.0 Malignant neoplasm of urethra	4	51	55	0.0001%
C68.9 Malignant neoplasm of urinary organ unspecified	23	38	61	0.0001%
C69.0 Malignant neoplasm of conjunctiva	3	16	19	0.0000%
C69.2 Malignant neoplasm of retina	1	1	2	0.0000%
C69.3 Malignant neoplasm of choroid	5	7	12	0.0000%
C69.4 Malignant neoplasm of ciliary body		37	37	0.0001%
C69.5 Malignant neoplasm of lacrimal gland and duct	1	11	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C69.6 Malignant neoplasm of orbit	1	11	12	0.0000%
C69.9 Malignant neoplasm of eye unspecified	10	53	63	0.0001%
C70.0 Malignant neoplasm of cerebral meninges	1	5	6	0.0000%
C70.1 Malignant neoplasm of spinal meninges		5	5	0.0000%
C70.9 Malignant neoplasm of meninges unspecified	1		1	0.0000%
C71.0 Malignant neoplasm of cerebrum except lobes & ventricles	43	883	926	0.0022%
C71.1 Malignant neoplasm of cerebrum frontal lobe	18	243	261	0.0006%
C71.2 Malignant neoplasm of cerebrum temporal lobe	25	180	205	0.0005%
C71.3 Malignant neoplasm of cerebrum parietal lobe	16	92	108	0.0003%
C71.4 Malignant neoplasm of cerebrum occipital lobe	7	56	63	0.0001%
C71.5 Malignant neoplasm of cerebrum cerebral ventricle	1	10	11	0.0000%
C71.6 Malignant neoplasm of cerebrum cerebellum	2	111	113	0.0003%
C71.7 Malignant neoplasm of cerebrum brain stem	7	90	97	0.0002%
C71.8 Malignant neoplasm of cerebrum overlapping lesion of brain	5	33	38	0.0001%
C71.9 Malignant neoplasm of cerebrum brain unspecified	34	271	305	0.0007%
C72.0 Malignant neoplasm of spinal cord	3	38	41	0.0001%
C72.3 Malignant neoplasm of Optic nerve		3	3	0.0000%
C72.5 Malignant neoplasm of other and unspecified cranial nerves	2	46	48	0.0001%
C72.9 Malignant neoplasm of Central Nervous System unspecified	1	1	2	0.0000%
C73.X Malignant neoplasm of thyroid gland	114	1,427	1,541	0.0036%
C74.0 Malignant neoplasm of cortex of adrenal gland		4	4	0.0000%
C74.1 Malignant neoplasm of medulla of adrenal gland		2	2	0.0000%
C74.9 Malignant neoplasm of adrenal gland unsp	9	130	139	0.0003%
C75.0 Malignant neoplasm of parathyroid gland		5	5	0.0000%
C75.1 Malignant neoplasm of pituitary gland	2	9	11	0.0000%
C75.3 Malignant neoplasm of pineal gland	2	31	33	0.0001%
C75.4 Malignant neoplasm of carotid body		3	3	0.0000%
C75.9 Malignant neoplasm of endocrine gland unspecified		5	5	0.0000%
C76.0 Malignant neoplasm of head face & neck	40	239	279	0.0007%
C76.1 Malignant neoplasm of thorax	2	30	32	0.0001%
C76.2 Malignant neoplasm of abdomen	5	85	90	0.0002%
C76.3 Malignant neoplasm of pelvis	4	75	79	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C76.4 Malignant neoplasm of upper limb	4	31	35	0.0001%
C76.5 Malignant neoplasm of lower limb	1	39	40	0.0001%
C77.0 Sec & uns malig neoplasm of lymph nodes of head face & neck	46	294	340	0.0008%
C77.1 Sec & uns malignant neoplasm of intrathoracic lymph nodes	4	182	186	0.0004%
C77.2 Sec & uns malignant neoplasm of intra-abdominal lymph nodes	7	279	286	0.0007%
C77.3 Sec & uns malig neoplasm of axillary & upp limb lymph nodes	9	165	174	0.0004%
C77.4 Sec & uns malig neoplasm of inguinal & low limb lymph nodes	10	185	195	0.0005%
C77.5 Sec & uns malignant neoplasm of intrapelvic lymph nodes	1	81	82	0.0002%
C77.9 Sec & uns malignant neoplasm of lymph node unspecified	4	169	173	0.0004%
C78.0 Secondary malignant neoplasm of lung	33	885	918	0.0022%
C78.2 Secondary malignant neoplasm of pleura	2	95	97	0.0002%
C78.3 Secondary malignant neoplasm of oth & unsp respiratory orgs		5	5	0.0000%
C78.4 Secondary malignant neoplasm of small intestine		15	15	0.0000%
C78.5 Secondary malignant neoplasm of large intest & rectum	2	13	15	0.0000%
C78.6 Secondary malignant neoplasm of retroperitoneum & peritoneum	12	421	433	0.0010%
C78.7 Secondary malignant neoplasm of liver	33	704	737	0.0017%
C78.8 Secondary malignant neoplasm of other & unsp digestive orgs	2	31	33	0.0001%
C79.1 Secondary malignant neoplasm of oth & uns urinary organs		2	2	0.0000%
C79.2 Secondary malignant neoplasm of skin	5	98	103	0.0002%
C79.3 Secondary malignant neoplasm of brain & cerebral meninges	41	219	260	0.0006%
C79.4 Secondary malignant neoplasm of oth & unsp parts nervous sys	4	25	29	0.0001%
C79.5 Secondary malignant neoplasm of bone and bone marrow	137	1,320	1,457	0.0034%
C79.6 Secondary malignant neoplasm of ovary	2	29	31	0.0001%
C79.7 Secondary malignant neoplasm of adrenal gland	1	17	18	0.0000%
C79.8 Secondary malignant neoplasm of other specified sites	12	83	95	0.0002%
C80.X Malignant neoplasm without specification of site	196	1,309	1,505	0.0035%
C81.0 Hodgkin's disease lymphocytic predominance	4	31	35	0.0001%
C81.1 Hodgkin's disease nodular sclerosis	31	684	715	0.0017%
C81.2 Hodgkin's disease mixed cellularity	12	107	119	0.0003%
C81.3 Hodgkin's disease lymphocytic depletion		14	14	0.0000%
C81.7 Hodgkin's disease other Hodgkin's disease	1	16	17	0.0000%
C81.9 Hodgkin's disease Hodgkin's disease unspecified	58	1,214	1,272	0.0030%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
C82.1 Follicular non-Hodg mixed sml cleavd & lge cell lymphoma		24	24	0.0001%
C82.2 Follicular non-Hodgkin's large cell lymphoma		7	7	0.0000%
C82.7 Follicular non-Hodgkin's other types of lymphoma	7	273	280	0.0007%
C82.9 Follicular non-Hodgkin's unspecified lymphoma	27	610	637	0.0015%
C83.0 Diffuse non-Hodgkin's small cell (diffuse)lymphoma	5	334	339	0.0008%
C83.1 Diffuse non-Hodgkin's small cleaved cell (diffuse) lymphoma	2	21	23	0.0001%
C83.2 Diffuse non-Hodgkin mixed sml & lge cell (diffuse) lymphoma		7	7	0.0000%
C83.3 Diffuse non-Hodgkin's large cell (diffuse) lymphoma	49	652	701	0.0017%
C83.4 Diffuse non-Hodgkin's immunoblastic (diffuse) lymphoma		1	1	0.0000%
C83.5 Diffuse non-Hodgkin's lymphoblastic (diffuse) lymphoma	3	29	32	0.0001%
C83.6 Diffuse non-Hodgkin's lymphoma undifferentiated (diffuse)		1	1	0.0000%
C83.7 Diffuse non-Hodgkin's lymphoma Burkitt's tumour		48	48	0.0001%
C83.8 Other types of diffuse non-Hodgkin's lymphoma	8	197	205	0.0005%
C83.9 Diffuse non-Hodgkin's lymphoma unspecified	1	10	11	0.0000%
C84.0 Peripheral and cutaneous T-cell lymphomas mycosis fungoides	4	83	87	0.0002%
C84.1 Peripheral and cutaneous T-cell lymphomas Sezary's disease	1		1	0.0000%
C84.4 Periph & cutan T-cell lymphomas peripheral T-cell lymphoma	5	73	78	0.0002%
C84.5 Periph & cutan T-cell lymphomas oth & unsp T-cell lymphomas	7	123	130	0.0003%
C85.0 Oth & unsp types of non-Hodgkin's lymphoma lymphosarcoma		17	17	0.0000%
C85.1 Oth & unsp types non-Hodgkin's B-cell lymphoma unsp	15	302	317	0.0007%
C85.7 Oth specified types of non-Hodgkin's lymphoma	7	57	64	0.0002%
C85.9 Non-Hodgkin's lymphoma unspecified type	161	4,062	4,223	0.0099%
C88.0 Waldenstrom's macroglobulinaemia	6	133	139	0.0003%
C90.0 Multiple myeloma	161	3,575	3,736	0.0088%
C90.1 Plasma cell leukaemia		3	3	0.0000%
C90.2 Malignant plasma cell neoplasm extramedullary plasmacytoma	9	150	159	0.0004%
C91.0 Acute lymphoblastic leukaemia	43	1,420	1,463	0.0034%
C91.1 Chronic lymphocytic leukaemia	39	1,595	1,634	0.0038%
C91.2 Subacute lymphocytic leukaemia		19	19	0.0000%
C91.3 Prolymphocytic leukaemia		39	39	0.0001%
C91.4 Hairy-cell leukaemia	3	193	196	0.0005%
C91.9 Lymphoid leukaemia unspecified	2	40	42	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C92.0 Acute myeloid leukaemia	28	1,494	1,522	0.0036%
C92.1 Chronic myeloid leukaemia	9	445	454	0.0011%
C92.2 Subacute myeloid leukaemia		1	1	0.0000%
C92.3 Myeloid sarcoma		2	2	0.0000%
C92.4 Acute promyelocytic leukaemia		29	29	0.0001%
C92.5 Acute myelomonocytic leukaemia		3	3	0.0000%
C92.7 Other myeloid leukaemia		16	16	0.0000%
C92.9 Myeloid leukaemia unspecified	1		1	0.0000%
C93.0 Acute monocytic leukaemia		1	1	0.0000%
C93.1 Chronic monocytic leukaemia	2	12	14	0.0000%
C94.0 Acute erythraemia & erythroleukaemia		1	1	0.0000%
C95.0 Acute leukaemia of unsp cell type		10	10	0.0000%
C95.1 Chronic leukaemia unsp cell type		4	4	0.0000%
C95.7 Other leukaemia unspecified cell type		1	1	0.0000%
C95.9 Leukaemia unspecified	2	28	30	0.0001%
C96.9 Malig neop lymphoid haematopoietic and related tissue unsp	9	207	216	0.0005%
D00.0 Carcinoma in situ of lip oral cavity and pharynx	3	38	41	0.0001%
D00.1 Carcinoma in situ oesophagus	2	2	4	0.0000%
D00.2 Carcinoma in situ stomach		1	1	0.0000%
D02.0 Carcinoma in situ larynx	5	63	68	0.0002%
D02.2 Carcinoma in situ bronchus and lung		5	5	0.0000%
D03.0 Melanoma in situ of lip	1	3	4	0.0000%
D03.1 Melanoma in situ of eyelid including canthus		7	7	0.0000%
D03.2 Melanoma in situ of ear and external auricular canal		2	2	0.0000%
D03.3 Melanoma in situ of other and unspecified parts of face	10	45	55	0.0001%
D03.4 Melanoma in situ of scalp and neck		5	5	0.0000%
D03.5 Melanoma in situ of trunk	6	16	22	0.0001%
D03.6 Melanoma in situ of upper limb including shoulder		18	18	0.0000%
D03.7 Melanoma in situ of lower limb including hip	4	7	11	0.0000%
D03.8 Melanoma in situ of other sites		4	4	0.0000%
D03.9 Melanoma in situ unspecified	2	15	17	0.0000%
D04.0 Carcinoma in situ of skin of lip		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D04.1 Carcinoma in situ of skin of eyelid including canthus	6	2	8	0.0000%
D04.2 Carcinoma in situ of skin of ear & external auricular canal	4	28	32	0.0001%
D04.3 Carcinoma in situ of skin of other & unsp parts of face	7	41	48	0.0001%
D04.4 Carcinoma in situ of skin of scalp and neck	5	21	26	0.0001%
D04.5 Carcinoma in situ of skin of trunk	6	35	41	0.0001%
D04.6 Carcinoma in situ of skin of upper limb including shoulder	14	51	65	0.0002%
D04.7 Carcinoma in situ of skin of lower limb including hip	42	251	293	0.0007%
D04.8 Carcinoma in situ of skin of other sites		1	1	0.0000%
D04.9 Carcinoma in situ of skin unspecified	1	28	29	0.0001%
D05.0 Lobular carcinoma in situ	1	1	2	0.0000%
D05.1 Intraductal carcinoma in situ	21	168	189	0.0004%
D05.9 Carcinoma in situ of breast unspecified	156	1,863	2,019	0.0048%
D06.1 Carcinoma in situ of exocervix	8		8	0.0000%
D06.9 Carcinoma in situ of cervix unspecified	75	159	234	0.0006%
D07.1 Carcinoma in situ of vulva	4	39	43	0.0001%
D07.2 Carcinoma in situ of vagina	1	38	39	0.0001%
D07.3 Carcinoma in situ of other and unsp female genital organs	1	5	6	0.0000%
D07.4 Carcinoma in situ of penis		3	3	0.0000%
D07.5 Carcinoma in situ of prostate	1	45	46	0.0001%
D07.6 Carcinoma in situ of other and unsp male genital organs	1	3	4	0.0000%
D09.0 Carcinoma in situ of bladder	3	48	51	0.0001%
D09.7 Carcinoma in situ of other specified sites		1	1	0.0000%
D09.9 Carcinoma in situ unspecified		7	7	0.0000%
D10.0 Benign neoplasm of lip	8	22	30	0.0001%
D10.1 Benign neoplasm of tongue	10	20	30	0.0001%
D10.2 Benign neoplasm of floor of mouth	1	2	3	0.0000%
D10.3 Benign neoplasm of other and unsp parts of mouth	2	17	19	0.0000%
D11.0 Benign neoplasm of parotid gland	8	88	96	0.0002%
D11.9 Benign neoplasm of major salivary gland unspecified	1	8	9	0.0000%
D12.0 Benign neoplasm of caecum	64	41	105	0.0002%
D12.1 Benign neoplasm of appendix		7	7	0.0000%
D12.2 Benign neoplasm of ascending colon	70	36	106	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D12.3 Benign neoplasm of transverse colon		106 50	156	0.0004%
D12.4 Benign neoplasm of descending colon		104 62	166	0.0004%
D12.5 Benign neoplasm of sigmoid colon		396 268	664	0.0016%
D12.6 Benign neoplasm of colon unspecified		235 331	566	0.0013%
D12.7 Benign neoplasm of rectosigmoid junction		15 12	27	0.0001%
D12.8 Benign neoplasm of rectum		88 110	198	0.0005%
D12.9 Benign neoplasm of anus and anal canal		1 1	2	0.0000%
D13.0 Benign neoplasm of oesophagus		24 111	135	0.0003%
D13.1 Benign neoplasm of stomach		213 103	316	0.0007%
D13.2 Benign neoplasm of duodenum		25 10	35	0.0001%
D13.3 Benign neoplasm of other and unsp parts of small intestine		2 4	6	0.0000%
D13.4 Benign neoplasm of liver		2 3	5	0.0000%
D13.5 Benign neoplasm of extrahepatic bile ducts		1 1	2	0.0000%
D13.6 Benign neoplasm of pancreas		4 2	6	0.0000%
D13.9 Benign neoplasm of ill-defined site within the digestive sys		11	11	0.0000%
D14.0 Benign neoplasm of mid ear nasal cav & accessory sinus		1	1	0.0000%
D14.1 Benign neoplasm of larynx		1 5	6	0.0000%
D14.3 Benign neoplasm of bronchus and lung		1	1	0.0000%
D15.0 Benign neoplasm of thymus		2 58	60	0.0001%
D15.2 Benign neoplasm of mediastinum		8	8	0.0000%
D16.0 Benign neoplasm of scapula and long bones of upper limb		4 11	15	0.0000%
D16.2 Benign neoplasm of long bones of lower limb		1 1	2	0.0000%
D16.4 Benign neoplasm of bones of skull and face		9	9	0.0000%
D16.5 Benign neoplasm of lower jaw bone		1 26	27	0.0001%
D16.6 Benign neoplasm of vertebral column		9 25	34	0.0001%
D16.9 Benign neoplasm of bone and articular cartilage unsp		1	1	0.0000%
D17.0 Benign lipomatous neop skin/subcut tis head face & neck		41 27	68	0.0002%
D17.1 Benign lipomatous neoplasm skin and subcut tissue of trunk		74 104	178	0.0004%
D17.2 Benign lipomatous neoplasm skin and subcut tissue of limbs		54 47	101	0.0002%
D17.3 Benign lipomatous neop skin/subcut tis other/unspec sites		3 4	7	0.0000%
D17.4 Benign lipomatous neoplasm of intrathoracic organs		5 7	12	0.0000%
D17.5 Benign lipomatous neoplasm of intra-abdominal organs		4 1	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D17.7 Benign lipomatous neoplasm of other sites	10	8	18	0.0000%
D17.9 Benign lipomatous neoplasm unspecified	9	58	67	0.0002%
D18.0 Haemangioma any site	59	173	232	0.0005%
D18.1 Lymphangioma any site	3	7	10	0.0000%
D20.0 Benign neoplasm of conn & soft tiss of retroperitoneum		3	3	0.0000%
D21.0 Benign neoplasm of conn & soft tiss of head face and neck	18	49	67	0.0002%
D21.1 Benign neoplasm of conn & soft tiss of upp limb inc should	30	55	85	0.0002%
D21.2 Benign neoplasm of conn & soft tiss of lower limb inc hip	3	1	4	0.0000%
D21.3 Benign neoplasm of conn & soft tiss of thorax		4	4	0.0000%
D21.4 Benign neoplasm of conn & soft tiss of abdomen	1	5	6	0.0000%
D21.5 Benign neoplasm of conn & soft tiss of pelvis	3	10	13	0.0000%
D21.9 Benign neoplasm of conn & soft tiss unspecified	10	118	128	0.0003%
D22.0 Melanocytic naevi of lip	17	50	67	0.0002%
D22.1 Melanocytic naevi of eyelid including canthus	16	25	41	0.0001%
D22.2 Melanocytic naevi of ear and external auricular canal	3	8	11	0.0000%
D22.3 Melanocytic naevi of other and unspecified parts of face	202	465	667	0.0016%
D22.4 Melanocytic naevi of scalp and neck	64	55	119	0.0003%
D22.5 Melanocytic naevi of trunk	174	371	545	0.0013%
D22.6 Melanocytic naevi of upper limb including shoulder	45	89	134	0.0003%
D22.7 Melanocytic naevi of lower limb including hip	30	112	142	0.0003%
D22.9 Melanocytic naevi unspecified	363	306	669	0.0016%
D23.0 Other benign neoplasms of skin of lip	4	7	11	0.0000%
D23.1 Other benign neoplasms of skin of eyelid including canthus	160	110	270	0.0006%
D23.2 Other benign neoplasms of skin of ear & ext auricular canal	1	18	19	0.0000%
D23.3 Other benign neoplasms of skin of oth & unsp parts of face	68	113	181	0.0004%
D23.4 Other benign neoplasms of skin of scalp and neck	29	69	98	0.0002%
D23.5 Other benign neoplasms of skin of trunk	67	86	153	0.0004%
D23.6 Other benign neoplasms of skin of upper limb incl shoulder	31	62	93	0.0002%
D23.7 Other benign neoplasms of skin of lower limb incl hip	29	66	95	0.0002%
D23.9 Other benign neoplasms of skin unspecified	429	283	712	0.0017%
D24.X Benign neoplasm of breast	2,659	1,321	3,980	0.0094%
D25.9 Leiomyoma of uterus unspecified	3	15	18	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D26.0 Other benign neoplasms of cervix uteri		1	1	0.0000%
D26.9 Other benign neoplasms of uterus unspecified		1	1	0.0000%
D27.X Benign neoplasm of ovary		9	103	0.0003%
D28.0 Benign neoplasm of vulva			7	0.0000%
D28.1 Benign neoplasm of vagina		1	3	0.0000%
D29.0 Benign neoplasm of penis			2	0.0000%
D29.1 Benign neoplasm of prostate		1	11	0.0000%
D29.2 Benign neoplasm of testis		1	9	0.0000%
D29.4 Benign neoplasm of scrotum			3	0.0000%
D30.0 Benign neoplasm of kidney		1	4	0.0000%
D30.2 Benign neoplasm of ureter		1	3	0.0000%
D30.3 Benign neoplasm of bladder		6	8	0.0000%
D30.4 Benign neoplasm of urethra			1	0.0000%
D31.0 Benign neoplasm of conjunctiva		1	1	0.0000%
D31.1 Benign neoplasm of cornea		1	3	0.0000%
D31.2 Benign neoplasm of retina		3	5	0.0000%
D31.3 Benign neoplasm of choroid		44	160	0.0005%
D31.4 Benign neoplasm of ciliary body		5	18	0.0001%
D31.6 Benign neoplasm of orbit unspecified			16	0.0000%
D31.9 Benign neoplasm of eye unspecified		42	44	0.0002%
D32.0 Benign neoplasm of cerebral meninges		32	319	0.0008%
D32.1 Benign neoplasm of spinal meninges			3	0.0000%
D32.9 Benign neoplasm of meninges unspecified		4	2	0.0000%
D33.0 Benign neoplasm of brain supratentorial		4	29	0.0001%
D33.1 Benign neoplasm of brain infratentorial			15	0.0000%
D33.2 Benign neoplasm of brain unspecified		21	160	0.0004%
D33.3 Benign neoplasm of cranial nerves		8	5	0.0000%
D33.9 Benign neoplasm of central nervous system unspecified			1	0.0000%
D34.X Benign neoplasm of thyroid gland		2	4	0.0000%
D35.0 Benign neoplasm of adrenal gland			5	0.0000%
D35.2 Benign neoplasm of pituitary gland		18	162	0.0004%
D35.5 Benign neoplasm of carotid body			1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D35.6 Benign neoplasm of aortic body and other paraganglia		1	1	0.0000%
D36.1 Benign neoplasm of periph nerves & autonomic nervous system	9	23	32	0.0001%
D36.7 Benign neoplasm of other specified sites	9	23	32	0.0001%
D36.9 Benign neoplasm of unspecified site		31	31	0.0001%
D37.0 Neoplasm uncert / unkn behav lip oral cavity and pharynx	5	14	19	0.0000%
D37.1 Neoplasm uncert / unkn behav stomach	22	237	259	0.0006%
D37.2 Neoplasm uncert / unkn behav small intestine	11	66	77	0.0002%
D37.3 Neoplasm uncert / unkn behav appendix	3	13	16	0.0000%
D37.4 Neoplasm uncert / unkn behav colon	75	58	133	0.0003%
D37.5 Neoplasm uncert / unkn behav rectum	46	48	94	0.0002%
D37.6 Neo uncert / unkn behav liver gallbladder and bile ducts	2	9	11	0.0000%
D37.7 Neoplasm uncert / unkn behav other digestive organs	27	46	73	0.0002%
D37.9 Neoplasm uncert / unkn behav digestive organ unspecified	1	49	50	0.0001%
D38.1 Neoplasm uncert / unkn behav trachea bronchus and lung	1	24	25	0.0001%
D38.2 Neoplasm uncert / unkn behav pleura		1	1	0.0000%
D38.3 Neoplasm uncert / unkn behav mediastinum	1		1	0.0000%
D38.5 Neoplasm uncert / unkn behav other respiratory organs		1	1	0.0000%
D39.0 Neoplasm uncert / unkn behav uterus		4	4	0.0000%
D39.1 Neoplasm uncert / unkn behav ovary	12	132	144	0.0003%
D39.7 Neoplasm uncert / unkn behav other female genital organs		8	8	0.0000%
D40.0 Neoplasm uncert / unkn behav prostate		7	7	0.0000%
D40.1 Neoplasm uncert / unkn behav testis	3	36	39	0.0001%
D40.9 Neoplasm uncert / unkn behav male genital organ unspecified		1	1	0.0000%
D41.0 Neoplasm uncert / unkn behav kidney		3	3	0.0000%
D41.2 Neoplasm uncert / unkn behav ureter		1	1	0.0000%
D41.3 Neoplasm uncert / unkn behav urethra		5	5	0.0000%
D41.4 Neoplasm uncert / unkn behav bladder	29	69	98	0.0002%
D41.9 Neoplasm uncert / unkn behav urinary organ unspecified	1		1	0.0000%
D42.0 Neoplasm uncert / unkn behav cerebral meninges		2	2	0.0000%
D43.0 Neoplasm uncert / unkn behav brain supratentorial	1	7	8	0.0000%
D43.1 Neoplasm uncert / unkn behav brain infratentorial	1	12	13	0.0000%
D43.2 Neoplasm uncert / unkn behav brain unspecified	5	4	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D43.4 Neoplasm uncert / unkn behav spinal cord			3	3 0.0000%
D44.1 Neoplasm uncert / unkn behav adrenal gland	1		1	0.0000%
D44.3 Neoplasm uncert / unkn behav pituitary gland	8	50	58	0.0001%
D44.4 Neoplasm uncert / unkn behav craniopharyngeal duct	2	89	91	0.0002%
D44.5 Neoplasm uncert / unkn behav pineal gland		11	11	0.0000%
D44.6 Neoplasm uncert / unkn behav carotid body		1	1	0.0000%
D44.7 Neoplasm uncert / unkn behav aortic body & oth paraganglia	1	9	10	0.0000%
D44.8 Neoplasm uncert / unkn behav pluriglandular involvement	4	17	21	0.0000%
D45.X Polycythaemia vera	23	384	407	0.0010%
D46.1 Refractory anaemia with sideroblasts	4	32	36	0.0001%
D46.2 Refractory anaemia with excess of blasts		20	20	0.0000%
D46.4 Refractory anaemia unspecified		17	17	0.0000%
D46.7 Other myelodysplastic syndromes		7	7	0.0000%
D46.9 Myelodysplastic syndrome unspecified	13	370	383	0.0009%
D47.0 Histiocytic and mast cell tumours uncert and unkn behaviour		1	1	0.0000%
D47.1 Chronic myeloproliferative disease	7	206	213	0.0005%
D47.2 Monoclonal gammopathy	17	209	226	0.0005%
D47.3 Essential (haemorrhagic) thrombocythaemia	9	303	312	0.0007%
D47.9 Neop uncert/unkn behaviour lymphoid/haematop'ic rel tis	1	68	69	0.0002%
D48.0 Neoplasm uncert or unknown behaviour of bone & artic cart	1	11	12	0.0000%
D48.1 Neoplasm uncert or unknown behaviour of conn & oth soft tis	25	184	209	0.0005%
D48.2 Peripheral nerves and autonomic nervous system		1	1	0.0000%
D48.3 Neoplasm uncert or unknown behaviour of retroperitoneum		5	5	0.0000%
D48.4 Neoplasm uncert or unknown behaviour of peritoneum	2	33	35	0.0001%
D48.5 Neoplasm uncert or unknown behaviour of skin	7	47	54	0.0001%
D48.6 Neoplasm uncert or unknown behaviour of breast	1,219	516	1,735	0.0041%
D48.7 Neoplasm uncert or unknown behaviour of oth spec sites	31	132	163	0.0004%
D48.9 Neoplasm of uncertain or unknown behaviour unspecified	11	294	305	0.0007%
D50.0 Iron deficiency anaemia secondary to blood loss (chronic)	3	17	20	0.0000%
D50.1 Sideropenic dysphagia		5	5	0.0000%
D50.8 Other iron deficiency anaemias	273	183	456	0.0011%
D50.9 Iron deficiency anaemia unspecified	173	223	396	0.0009%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D51.0 Vitamin B12 defic anaemia due to intrinsic factor deficiency	4	14	18	0.0000%
D51.1 Vit B12 def anaem select vit B12 malabsorp with proteinuria		1	1	0.0000%
D51.3 Other dietary vitamin B12 deficiency anaemia	1	1	2	0.0000%
D51.9 Vitamin B12 deficiency anaemia unspecified	12	18	30	0.0001%
D52.9 Folate deficiency anaemia unspecified	8	15	23	0.0001%
D53.9 Nutritional anaemia unspecified	1	21	22	0.0001%
D55.0 Anaemia due to glucose-6-phosphate dehydrogenase deficiency		1	1	0.0000%
D56.0 Alpha thalassaemia	1	1	2	0.0000%
D56.1 Beta thalassaemia	3	46	49	0.0001%
D56.3 Thalassaemia trait	1		1	0.0000%
D56.4 Hereditary persistence of fetal haemoglobin [HPFH]		1	1	0.0000%
D56.8 Other thalassaemias	1	5	6	0.0000%
D56.9 Thalassaemia unspecified	6	21	27	0.0001%
D57.0 Sickle-cell anaemia with crisis	3	14	17	0.0000%
D57.1 Sickle-cell anaemia without crisis	9	141	150	0.0004%
D57.2 Double heterozygous sickling disorders		13	13	0.0000%
D57.8 Other sickle-cell disorders		1	1	0.0000%
D58.0 Hereditary spherocytosis	2	7	9	0.0000%
D58.1 Hereditary elliptocytosis		2	2	0.0000%
D58.2 Other haemoglobinopathies		3	3	0.0000%
D58.9 Hereditary haemolytic anaemia unspecified		12	12	0.0000%
D59.1 Other autoimmune haemolytic anaemias		117	117	0.0003%
D59.3 Haemolytic-uraemic syndrome		63	63	0.0001%
D59.4 Other nonautoimmune haemolytic anaemias		5	5	0.0000%
D59.9 Acquired haemolytic anaemia unspecified		5	5	0.0000%
D60.0 Chronic acquired pure red cell aplasia		7	7	0.0000%
D60.9 Acquired pure red cell aplasia unspecified	1	25	26	0.0001%
D61.0 Constitutional aplastic anaemia	1	4	5	0.0000%
D61.8 Other specified aplastic anaemias	3	10	13	0.0000%
D61.9 Aplastic anaemia unspecified	5	95	100	0.0002%
D64.0 Hereditary sideroblastic anaemia	1		1	0.0000%
D64.3 Other sideroblastic anaemias	1	32	33	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D64.4 Congenital dyserythropoietic anaemia		2	2	0.0000%
D64.8 Other specified anaemias		18	18	0.0000%
D64.9 Anaemia unspecified	682	659	1,341	0.0032%
D66.X Hereditary factor VIII deficiency		4	4	0.0000%
D68.0 Von Willebrand's disease	2	10	12	0.0000%
D68.1 Hereditary factor XI deficiency	1		1	0.0000%
D68.2 Hereditary deficiency of other clotting factors	2	4	6	0.0000%
D68.8 Other specified coagulation defects	2	57	59	0.0001%
D68.9 Coagulation defect unspecified	1	1	2	0.0000%
D69.0 Allergic purpura		10	10	0.0000%
D69.2 Other nonthrombocytopenic purpura	2	2	4	0.0000%
D69.3 Idiopathic thrombocytopenic purpura	6	287	293	0.0007%
D69.4 Other primary thrombocytopenia		9	9	0.0000%
D69.6 Thrombocytopenia unspecified	24	220	244	0.0006%
D69.8 Other specified haemorrhagic conditions	1		1	0.0000%
D69.9 Haemorrhagic condition unspecified	1	2	3	0.0000%
D70.X Agranulocytosis	25	98	123	0.0003%
D72.1 Eosinophilia	4	12	16	0.0000%
D72.8 Other specified disorders of white blood cells	18	46	64	0.0002%
D72.9 Disorder of white blood cells unspecified		3	3	0.0000%
D73.1 Hypersplenism		2	2	0.0000%
D73.9 Disease of spleen unspecified	3	4	7	0.0000%
D75.0 Familial erythrocytosis	21	207	228	0.0005%
D75.1 Secondary polycythaemia	16	182	198	0.0005%
D75.2 Essential thrombocytosis	9	56	65	0.0002%
D75.8 Other specified diseases of blood and blood-forming organs	6	23	29	0.0001%
D75.9 Disease of blood and blood-forming organs unspecified		16	16	0.0000%
D76.0 Langerhans' cell histiocytosis not elsewhere classified	1	27	28	0.0001%
D76.3 Other histiocytosis syndromes	1	16	17	0.0000%
D80.0 Hereditary hypogammaglobulinaemia		6	6	0.0000%
D80.1 Nonfamilial hypogammaglobulinaemia	1	71	72	0.0002%
D80.6 Antibod def with near-norm imunoglob/hyperimmunoglobulinaem		16	16	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D82.1 Di George's syndrome		1	1	0.0000%
D82.3 Immunodef follow hereditary defect respon Epstein-Barr vir			1	0.0000%
D83.9 Common variable immunodeficiency unspecified			22	0.0001%
D84.1 Defects in the complement system			3	0.0000%
D84.9 immunodeficiency unspecified			1	0.0000%
D86.0 Sarcoidosis of lung			1	0.0000%
D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes			1	0.0000%
D86.3 Sarcoidosis of skin			25	0.0001%
D86.8 Sarcoidosis of other and combined sites	1	7	8	0.0000%
D86.9 Sarcoidosis unspecified	4	56	60	0.0001%
D89.0 Polyclonal hypergammaglobulinaemia		6	6	0.0000%
D89.1 Cryoglobulinaemia		1	1	0.0000%
D89.2 Hypergammaglobulinaemia unspecified	6	86	92	0.0002%
E03.0 Congenital hypothyroidism with diffuse goitre	1	2	3	0.0000%
E03.1 Congenital hypothyroidism without goitre		3	3	0.0000%
E03.9 Hypothyroidism unspecified	39	54	93	0.0002%
E04.1 Nontoxic single thyroid nodule	2	17	19	0.0000%
E04.2 Nontoxic multinodular goitre	4	37	41	0.0001%
E04.9 Nontoxic goitre unspecified	14	28	42	0.0001%
E05.0 Thyrotoxicosis with diffuse goitre	46	349	395	0.0009%
E05.2 Thyrotoxicosis with toxic multinodular goitre	6	19	25	0.0001%
E05.8 Other thyrotoxicosis		2	2	0.0000%
E05.9 Thyrotoxicosis unspecified	96	920	1,016	0.0024%
E06.0 Acute thyroiditis	47	119	166	0.0004%
E06.2 Chronic thyroiditis with transient thyrotoxicosis	1	1	2	0.0000%
E06.3 Autoimmune thyroiditis	1	9	10	0.0000%
E06.9 Thyroiditis unspecified	1	4	5	0.0000%
E07.8 Other specified disorders of thyroid	26	77	103	0.0002%
E07.9 Disorder of thyroid unspecified	3	23	26	0.0001%
E10.1 Insulin-dependent diabetes mellitus with ketoacidosis		5	5	0.0000%
E10.2 Insulin-dependent diabetes mellitus with renal complications		1	1	0.0000%
E10.3 Insulin-dependent diabetes mellitus with ophthalmic comps	61	966	1,027	0.0024%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
E10.4 Insulin-dependent diabetes mellitus with neurological comps	7	6	13	0.0000%
E10.9 Insulin-dependent diabetes mellitus without complications	2	116	118	0.0003%
E11.0 Non-insulin-dependent diabetes mellitus with coma		1	1	0.0000%
E11.2 Non-insulin-dependent diabetes mellitus with renal comps		4	4	0.0000%
E11.3 Non-insulin-dependent diabetes mellitus with ophthalm comps	208	2,226	2,434	0.0057%
E11.4 Non-insulin-dependent diabetes mellitus with neuro comps		13	13	0.0000%
E11.6 Non-insulin-depend diabetes mellitus with other spec comp	1		1	0.0000%
E11.7 Non-insulin-dependent diabetes mellitus with multiple comps		3	3	0.0000%
E11.8 Non-insulin-dependent diabetes mellitus with unspec comps		1	1	0.0000%
E11.9 Non-insulin-depend diabetes mellitus without complication	25	255	280	0.0007%
E13.3 Other specified diabetes mellitus with ophthalmic comps	3	21	24	0.0001%
E13.9 Other specified diabetes mellitus without complications		1	1	0.0000%
E14.2 Unspecified diabetes mellitus with renal complications	19	65	84	0.0002%
E14.3 Unspecified diabetes mellitus with ophthalmic complications	262	6,159	6,421	0.0151%
E14.4 Unspecified diabetes mellitus with neurological comps	3	5	8	0.0000%
E14.5 Unspecified diabetes mellitus with periph circulatory comps	1	13	14	0.0000%
E14.6 Unspecified diabetes mellitus with other specified comps	128	831	959	0.0023%
E14.9 Unspecified diabetes mellitus without complications	71	284	355	0.0008%
E15.X Nondiabetic hypoglycaemic coma	1		1	0.0000%
E16.1 Other hypoglycaemia	1		1	0.0000%
E16.2 Hypoglycaemia unspecified	2		2	0.0000%
E21.0 Primary hyperparathyroidism		1	1	0.0000%
E21.3 Hyperparathyroidism unspecified		5	5	0.0000%
E22.0 Acromegaly and pituitary gigantism	4	19	23	0.0001%
E22.1 Hyperprolactinaemia	4	9	13	0.0000%
E23.0 Hypopituitarism	1		1	0.0000%
E23.2 Diabetes insipidus	3	4	7	0.0000%
E23.6 Other disorders of pituitary gland	5	15	20	0.0000%
E23.7 Disorder of pituitary gland unspecified	1	3	4	0.0000%
E24.0 Pituitary-dependent Cushing's disease	1	4	5	0.0000%
E24.1 Nelson's syndrome		1	1	0.0000%
E24.9 Cushing's syndrome unspecified	4	5	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
E25.0 Congenital adrenogenital disorders associated enzyme def		1	1	0.0000%
E26.8 Other hyperaldosteronism		1	1	0.0000%
E27.1 Primary adrenocortical insufficiency	3	3	6	0.0000%
E28.2 Polycystic ovarian syndrome	13	39	52	0.0001%
E29.1 Testicular hypofunction	4	13	17	0.0000%
E29.9 Testicular dysfunction unspecified		1	1	0.0000%
E30.0 Delayed puberty	1	4	5	0.0000%
E30.9 Disorder of puberty unspecified	6	9	15	0.0000%
E34.0 Carcinoid syndrome		13	13	0.0000%
E34.3 Short stature not elsewhere classified	5		5	0.0000%
E34.8 Other specified endocrine disorders	5	9	14	0.0000%
E34.9 Endocrine disorder unspecified	3	45	48	0.0001%
E53.1 Pyridoxine deficiency		1	1	0.0000%
E53.8 Deficiency of other specified B group vitamins	6	1	7	0.0000%
E54.X Ascorbic acid deficiency	1		1	0.0000%
E55.0 Rickets active		2	2	0.0000%
E61.1 Iron deficiency	2	17	19	0.0000%
E63.8 Other specified nutritional deficiencies	1		1	0.0000%
E65.X Localized adiposity	17	25	42	0.0001%
E66.9 Obesity unspecified	7	4	11	0.0000%
E70.3 Albinism	1	10	11	0.0000%
E71.3 Disorders of fatty-acid metabolism		1	1	0.0000%
E75.2 Other sphingolipidosis		1	1	0.0000%
E75.4 Neuronal ceroid lipofuscinosis	1	1	2	0.0000%
E78.0 Pure hypercholesterolaemia		1	1	0.0000%
E80.1 Porphyria cutanea tarda	6	7	13	0.0000%
E80.2 Other porphyria		13	13	0.0000%
E80.4 Gilbert's syndrome		2	2	0.0000%
E80.6 Other disorders of bilirubin metabolism	1	1	2	0.0000%
E83.0 Disorders of copper metabolism	2		2	0.0000%
E83.1 Disorders of iron metabolism	14	228	242	0.0006%
E83.4 Disorders of magnesium metabolism		5	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
E83.5 Disorders of calcium metabolism	4	8	12	0.0000%
E84.9 Cystic fibrosis unspecified	6	9	23	0.0001%
E85.4 Organ-limited amyloidosis		16	16	0.0000%
E85.9 Amyloidosis unspecified		1	1	0.0000%
E86.X Volume depletion		2	2	0.0000%
E87.1 Hypo-osmolality and hyponatraemia		4	4	0.0000%
E87.6 Hypokalaemia	2		2	0.0000%
E88.0 Disorders of plasma-protein metabolism NEC		2	3	0.0000%
E88.9 Metabolic disorder unspecified	4	6	10	0.0000%
E89.3 Postprocedural hypopituitarism		2	2	0.0000%
E89.4 Postprocedural ovarian failure	1	1	2	0.0000%
E89.5 Postprocedural testicular hypofunction		1	1	0.0000%
F00.0 Dementia in Alzheimer's disease with early onset	8	61	73	0.0002%
F00.1 Dementia in Alzheimer's disease with late onset	43	152	213	0.0005%
F00.2 Dementia in Alzheimer's disease atypical or mixed type	5	9	14	0.0000%
F00.9 Dementia in Alzheimer's disease unspecified	4	10	14	0.0000%
F01.0 Vascular dementia of acute onset	5	14	26	0.0001%
F01.1 Multi-infarct dementia	34	67	109	0.0003%
F01.2 Subcortical vascular dementia		11	11	0.0000%
F01.3 Mixed cortical and subcortical vascular dementia	3	1	4	0.0000%
F01.8 Other vascular dementia	1	10	11	0.0000%
F01.9 Vascular dementia unspecified	29	77	108	0.0003%
F02.0 Dementia in Pick's disease	1	3	4	0.0000%
F02.2 Dementia in Huntington's disease	2	5	7	0.0000%
F02.3 Dementia in Parkinson's disease	5	17	23	0.0001%
F02.4 Dementia in human immunodef virus [HIV] disease	1	1	2	0.0000%
F02.8 Dementia in other specified diseases classified elsewhere	1	3	7	0.0000%
F03.X Unspecified dementia	44	82	130	0.0003%
F05.0 Delirium not superimposed on dementia so described	2	2	4	0.0000%
F05.1 Delirium superimposed on dementia	3	8	12	0.0000%
F05.8 Other delirium			1	0.0000%
F05.9 Delirium unspecified	3	5	13	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances	
		First appointment	Subsequent appointment			
F06.0	Organic hallucinosis		2	5	7	0.0000%
F06.1	Organic catatonic disorder			3	3	0.0000%
F06.2	Organic delusional [schizophrenia-like] disorder		1	12	17	0.0000%
F06.3	Organic mood [affective] disorders		3	28	31	0.0001%
F06.4	Organic anxiety disorder		3	1	4	0.0000%
F06.6	Organic emotionally labile [asthenic] disorder		1	1	2	0.0000%
F06.7	Mild cognitive disorder		2	8	10	0.0000%
F06.8	Oth sp mental disord brain damag and dysfunction/physical d		4	14	23	0.0001%
F06.9	Unsp mental disord brain damag and dysfunction/physical d		2	25	27	0.0001%
F07.0	Organic personality disorder		5	19	25	0.0001%
F07.1	Postencephalitic syndrome			1	1	0.0000%
F07.8	Oth organ personality behav disord brain dis dam dysfunc		2	10	12	0.0000%
F07.9	Unspec organ personality behav disorder brain dam dysfunc		43	15	58	0.0001%
F09.X	Unspecified organic or symptomatic mental disorder		3	14	17	0.0000%
F10.0	Mental & behav dis due to use of alcohol: acute intoxication		77	201	287	0.0007%
F10.1	Mental and behav dis due to use of alcohol: harmful use		47	120	171	0.0004%
F10.2	Mental and behav dis due to use of alcohol: dependence synd		269	903	1,201	0.0028%
F10.3	Mental and behav dis due to use of alcohol: withdrawal state		2	14	20	0.0000%
F10.4	Men & behav dis due alcohol: withdrawl state with delirium		3	12	15	0.0000%
F10.5	Mental & behav dis due to use of alcohol: psychotic disorder		12	44	56	0.0001%
F10.6	Mental and behav dis due to use of alcohol: amnesic syndrome		6	14	20	0.0000%
F10.7	Men & behav dis due use alc: resid & late-onset psychot dis			1	2	0.0000%
F10.8	Men & behav dis due to use of alcohol: oth men & behav dis		3	3	6	0.0000%
F10.9	Ment & behav dis due use alcohol: unsp ment & behav dis		21	157	182	0.0004%
F11.0	Mental & behav dis due to use of opioids; acute intoxication		3	11	14	0.0000%
F11.1	Mental & behav dis due to use of opioids; harmful use		5	18	24	0.0001%
F11.2	Mental & behav dis due to use of opioids; dependence syndrome		185	203	388	0.0009%
F11.5	Mental & behav dis due to use of opioids; psychotic disorder		1	35	36	0.0001%
F11.9	Mental & behav dis due use opioids; unsp mental & behav dis		8	19	27	0.0001%
F12.0	Mental & behav dis due use cannabinoids; acute intoxication		5	13	20	0.0000%
F12.1	Mental & behav dis due use cannabinoids; harmful use		1	12	13	0.0000%
F12.2	Mental & behav dis due use cannabinoids; dependence syndrome			10	10	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F12.4 Men & beh dis due use cannabis; withdraw state with delirium	1	9	10	0.0000%
F12.5 Mental & behav dis due use cannabinoids; psychotic disorder	15	35	51	0.0001%
F12.9 Mental & behav dis due cannabinoids; unsp mental & behav dis	5	8	13	0.0000%
F13.1 Men & behav dis due use seds/hypnotics: harmful use	2		2	0.0000%
F13.2 Men & behav dis due use seds/hypnotics: dependence syndrome	2	9	11	0.0000%
F13.3 Men & behav dis due use seds/hypnotics: withdrawal state		1	2	0.0000%
F13.9 Men & behav dis due seds/hypnotics: unsp men & behav dis		1	1	0.0000%
F14.0 Mental & behav dis due use cocaine: acute intoxication	1		1	0.0000%
F14.1 Mental & behav dis due use cocaine: harmful use	1		1	0.0000%
F14.2 Mental & behav dis due use cocaine: dependence syndrome	5	7	12	0.0000%
F14.3 Mental & behav dis due use cocaine: withdrawal state	1		1	0.0000%
F14.9 Mental & behav dis due use cocaine: unsp mental & behav dis	3	6	9	0.0000%
F15.0 Men & behav dis due oth stims inc cafein: acute intoxication			2	0.0000%
F15.1 Men & behav dis due use oth stims inc caffeine: harmful use	1	7	8	0.0000%
F15.2 Men & behav dis due oth stims inc caffeine: dependence synd	3	5	8	0.0000%
F15.4 Men & beh dis due oth stims inc caff: withdraw stat + delir	1	5	6	0.0000%
F15.5 Men & behav dis due oth stims inc caffeine: psychotic dis	3	9	12	0.0000%
F15.9 Men & beh dis due oth stims inc caffeine: unsp men & beh dis	1	1	2	0.0000%
F16.0 Men & behav dis due use hallucinogens: acute intoxication	2	4	6	0.0000%
F16.5 Men & behav dis due use hallucinogens: psychotic disorder		4	5	0.0000%
F17.0 Men & behav dis due use tobacco: acute intoxication		2	2	0.0000%
F18.1 Men & behav dis due use volatil solvs: harmful use	1	1	2	0.0000%
F19.0 Men & behav dis multiple/psychoact drug: acute intox	4	15	23	0.0001%
F19.1 Men & behav dis multiple/psychoact drug: harmful use	9	16	25	0.0001%
F19.2 Men & behav dis multiple/psychoact drug: dependence syndrome	13	30	43	0.0001%
F19.3 Men & behav dis multiple/psychoact drug: withdrawl state	1		1	0.0000%
F19.4 Men & behav dis multiple/psychoact drug: withdrawl stat + de		4	4	0.0000%
F19.5 Men & behav dis multiple/psychoact drug: psychotic disorder	13	68	85	0.0002%
F19.7 Men & behav dis multiple/psychoact drug: res & late-ons psy		1	1	0.0000%
F19.8 Men & behav dis multiple/psychoact drug: oth men & behav dis		1	1	0.0000%
F19.9 Men & behav dis multiple/psychoact drug: unsp men & behav di	10	37	47	0.0001%
F20.0 Paranoid schizophrenia	304	2,189	2,713	0.0064%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
F20.1 Hebephrenic schizophrenia		6 91	104	0.0002%
F20.2 Catatonic schizophrenia			10 17	0.0000%
F20.3 Undifferentiated schizophrenia		5 38	45	0.0001%
F20.4 Post-schizophrenic depression		1 14	15	0.0000%
F20.5 Residual schizophrenia		10 143	155	0.0004%
F20.6 Simple schizophrenia		11 36	48	0.0001%
F20.8 Other schizophrenia		2 24	26	0.0001%
F20.9 Schizophrenia unspecified		103 844	962	0.0023%
F21.X Schizotypal disorder		16 51	70	0.0002%
F22.0 Delusional disorder		57 239	312	0.0007%
F22.8 Other persistent delusional disorders		1 1	2	0.0000%
F22.9 Persistent delusional disorder unspecified		10 87	102	0.0002%
F23.0 Acute polymorphic psychot disord without symp of schizoph'a		15 83	103	0.0002%
F23.1 Acute polymorphic psychot disord with symp of schizophrenia		17 31	55	0.0001%
F23.2 Acute schizophrenia-like psychotic disorder		11 40	57	0.0001%
F23.3 Other acute predominantly delusional psychotic disorders		9 49	64	0.0002%
F23.8 Other acute and transient psychotic disorders		4 29	38	0.0001%
F23.9 Acute and transient psychotic disorder unspecified		57 215	283	0.0007%
F24.X Induced delusional disorder			5 5	0.0000%
F25.0 Schizoaffective disorder manic type		20 183	226	0.0005%
F25.1 Schizoaffective disorder depressive type		46 180	235	0.0006%
F25.2 Schizoaffective disorder mixed type		7 100	116	0.0003%
F25.8 Other schizoaffective disorders		3 13	17	0.0000%
F25.9 Schizoaffective disorder unspecified		35 336	382	0.0009%
F28.X Other nonorganic psychotic disorders			29 29	0.0001%
F29.X Unspecified nonorganic psychosis		8 67	75	0.0002%
F30.0 Hypomania		20 135	170	0.0004%
F30.1 Mania without psychotic symptoms		2 33	36	0.0001%
F30.2 Mania with psychotic symptoms		19 75	113	0.0003%
F30.9 Manic episode unspecified		15 84	100	0.0002%
F31.0 Bipolar affective disorder current episode hypomanic		85 684	846	0.0020%
F31.1 Bipolar affect disord cur epi manic without psychotic symp		75 229	326	0.0008%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
F31.2 Bipolar affect disorder cur epi manic with psychotic symp	40	251	311	0.0007%
F31.3 Bipolar affect disorder cur epi mild or moderate depression	37	425	481	0.0011%
F31.4 Bipolar affect disord cur epi sev depres without psyc symp	5	98	113	0.0003%
F31.5 Bipolar affect disord cur epi severe depres with psyc symp	10	67	84	0.0002%
F31.6 Bipolar affective disorder current episode mixed	25	129	164	0.0004%
F31.7 Bipolar affective disorder currently in remission	26	374	406	0.0010%
F31.8 Other bipolar affective disorders		8	8	0.0000%
F31.9 Bipolar affective disorder unspecified	52	757	816	0.0019%
F32.0 Mild depressive episode	102	607	775	0.0018%
F32.1 Moderate depressive episode	230	986	1,313	0.0031%
F32.2 Severe depressive episode without psychotic symptoms	71	415	522	0.0012%
F32.3 Severe depressive episode with psychotic symptoms	95	483	613	0.0014%
F32.8 Other depressive episodes	11	31	42	0.0001%
F32.9 Depressive episode unspecified	198	1,381	1,585	0.0037%
F33.0 Recurrent depressive disorder current episode mild	60	479	556	0.0013%
F33.1 Recurrent depressive disorder current episode moderate	90	499	627	0.0015%
F33.2 Recurrent depress disorder cur epi severe without psyc symp	22	222	259	0.0006%
F33.3 Recurrent depress disorder cur epi severe with psyc symp	30	207	255	0.0006%
F33.4 Recurrent depressive disorder currently in remission	17	157	174	0.0004%
F33.8 Other recurrent depressive disorders	1	19	20	0.0000%
F33.9 Recurrent depressive disorder unspecified	49	317	370	0.0009%
F34.0 Cyclothymia	5	26	33	0.0001%
F34.1 Dysthymia	18	88	114	0.0003%
F34.8 Other persistent mood [affective] disorders		8	8	0.0000%
F34.9 Persistent mood [affective] disorder unspecified	2	13	15	0.0000%
F38.0 Other single mood [affective] disorders	2	18	20	0.0000%
F38.1 Other recurrent mood [affective] disorders	1	17	19	0.0000%
F38.8 Other specified mood [affective] disorders		1	1	0.0000%
F39.X Unspecified mood [affective] disorder	7	104	113	0.0003%
F40.0 Agoraphobia	12	49	64	0.0002%
F40.1 Social phobias	6	32	38	0.0001%
F40.2 Specific (isolated) phobias	2	7	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F40.8 Other phobic anxiety disorders	1	6	8	0.0000%
F40.9 Phobic anxiety disorder unspecified	3	20	23	0.0001%
F41.0 Panic disorder [episodic paroxysmal anxiety]	8	73	87	0.0002%
F41.1 Generalized anxiety disorder	28	122	160	0.0004%
F41.2 Mixed anxiety and depressive disorder	104	529	674	0.0016%
F41.3 Other mixed anxiety disorders		7	11	0.0000%
F41.8 Other specified anxiety disorders	1	11	12	0.0000%
F41.9 Anxiety disorder unspecified	59	119	181	0.0004%
F42.0 Predominantly obsessional thoughts or ruminations	8	45	61	0.0001%
F42.1 Predominantly compulsive acts [obsessional rituals]	13	16	31	0.0001%
F42.2 Mixed obsessional thoughts and acts	2	21	24	0.0001%
F42.8 Other obsessive-compulsive disorders	5	11	16	0.0000%
F42.9 Obsessive-compulsive disorder unspecified	7	90	99	0.0002%
F43.0 Acute stress reaction	28	88	133	0.0003%
F43.1 Post-traumatic stress disorder	23	160	188	0.0004%
F43.2 Adjustment disorders	144	548	753	0.0018%
F43.8 Other reactions to severe stress	3	3	6	0.0000%
F43.9 Reaction to severe stress unspecified	16	63	81	0.0002%
F44.0 Dissociative amnesia	1	5	7	0.0000%
F44.1 Dissociative fugue	1	2	3	0.0000%
F44.3 Trance and possession disorders	1		1	0.0000%
F44.4 Dissociative motor disorders		1	1	0.0000%
F44.5 Dissociative convulsions	7	33	41	0.0001%
F44.8 Other dissociative [conversion] disorders	1		1	0.0000%
F44.9 Dissociative [conversion] disorder unspecified	6	9	16	0.0000%
F45.0 Somatization disorder	4	36	40	0.0001%
F45.1 Undifferentiated somatoform disorder		11	12	0.0000%
F45.2 Hypochondriacal disorder		12	12	0.0000%
F45.3 Somatoform autonomic dysfunction	1	1	2	0.0000%
F45.4 Persistent somatoform pain disorder	1	1	3	0.0000%
F45.8 Other somatoform disorders	64	1	65	0.0002%
F45.9 Somatoform disorder unspecified	5	10	15	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character						
NHS Hospitals, England, 2003-04						
			Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
			First appointment	Subsequent appointment		
F48.0	Neurasthenia		1	1	2	0.0000%
F48.8	Other specified neurotic disorders		2		2	0.0000%
F48.9	Neurotic disorder unspecified			5	5	0.0000%
F50.0	Anorexia nervosa		24	285	312	0.0007%
F50.1	Atypical anorexia nervosa			12	12	0.0000%
F50.2	Bulimia nervosa		7	19	27	0.0001%
F50.3	Atypical bulimia nervosa		1	1	2	0.0000%
F50.9	Eating disorder unspecified		2	4	8	0.0000%
F51.0	Nonorganic insomnia		1		2	0.0000%
F51.1	Nonorganic hypersomnia		1		1	0.0000%
F51.3	Sleepwalking [somnambulism]		2		2	0.0000%
F52.2	Failure of genital response		101	63	164	0.0004%
F52.7	Excessive sexual drive			2	2	0.0000%
F53.0	Mild mental and behav disord assoc with the puerperium NEC		4	18	22	0.0001%
F53.1	Severe mental and behav disorder ass with puerperium NEC		2	11	13	0.0000%
F53.8	Oth mental and behav disord assoc with the puerperium NEC		1	1	2	0.0000%
F55.X	Abuse of non-dependence-producing substances		2	2	4	0.0000%
F60.0	Paranoid personality disorder		4	37	47	0.0001%
F60.1	Schizoid personality disorder		5	24	29	0.0001%
F60.2	Dissocial personality disorder		12	39	53	0.0001%
F60.3	Emotionally unstable personality disorder		146	512	702	0.0017%
F60.4	Histrionic personality disorder		2	5	13	0.0000%
F60.5	Anankastic personality disorder		1	3	4	0.0000%
F60.6	Anxious [avoidant] personality disorder		7	30	39	0.0001%
F60.7	Dependent personality disorder		20	56	91	0.0002%
F60.8	Other specific personality disorders		3	37	40	0.0001%
F60.9	Personality disorder unspecified		45	188	245	0.0006%
F61.X	Mixed and other personality disorders		2	17	21	0.0000%
F62.1	Enduring personality change after psychiatric illness			4	4	0.0000%
F62.8	Other enduring personality changes			1	2	0.0000%
F62.9	Enduring personality change unspecified		1	3	4	0.0000%
F63.3	Trichotillomania			7	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
F63.8 Other habit and impulse disorders		1	1	0.0000%
F63.9 Habit and impulse disorder unspecified			10	0.0000%
F64.0 Transsexualism		3	7	0.0000%
F65.9 Disorder of sexual preference unspecified			1	0.0000%
F68.1 Intent product/feign of symptom/disab eith physical/psychol		2	2	0.0000%
F68.8 Other specified disorders of adult personality and behaviour			1	0.0000%
F69.X Unspecified disorder of adult personality and behaviour		5	7	0.0000%
F70.0 Mld mental retard with statement no or min impair behav		2	60	0.0002%
F70.1 Mld mental retard sig impairment behav req attent /treat		6	20	0.0001%
F70.9 Mild mental retardation without mention of impairment behav		5	14	0.0000%
F71.0 Mod mental retard with statement no or min impair behav		2	31	0.0001%
F71.1 Mod mental retard sig impair of behav req attent /treat		5	27	0.0001%
F71.8 Moderate mental retardation other impairments of behaviour			5	0.0000%
F71.9 Mod mental retard without mention of impairment of behav			23	0.0001%
F72.0 Sev mental retard with statement no or min impair behav		10	59	0.0002%
F72.1 Sev mental retard sign impair behav req attent /treatment		9	44	0.0001%
F72.9 Severe mental retard without mention of impairment of behav		2	25	0.0001%
F73.0 Prof mental retard with statement no or min impair behav		1		0.0000%
F73.1 Prof mental retard sig impair behav req attent/treatment			1	0.0000%
F79.0 Unspec mental retard with statement no or min impair behav		1		0.0000%
F79.8 Unspec mental retardation			2	0.0000%
F79.9 Unspec mental retard without mention of impairment of behav		1	9	0.0000%
F80.0 Specific speech articulation disorder			3	0.0000%
F80.1 Expressive language disorder			1	0.0000%
F80.9 Developmental disorder of speech and language unspecified		2	15	0.0000%
F81.0 Specific reading disorder			4	0.0000%
F81.8 Other developmental disorders of scholastic skills			5	0.0000%
F81.9 Developmental disorder of scholastic skills unspecified		13	80	0.0002%
F82.X Specific developmental disorder of motor function		1	6	0.0000%
F84.0 Childhood autism		6	36	0.0001%
F84.1 Atypical autism		2	10	0.0000%
F84.2 Rett's syndrome		1	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
F84.3 Other childhood disintegrative disorder		2	2	0.0000%
F84.5 Asperger's syndrome	11	39	50	0.0001%
F84.9 Pervasive developmental disorder unspecified	2	18	20	0.0000%
F88.X Other disorders of psychological development	1		1	0.0000%
F89.X Unspecified disorder of psychological development		5	5	0.0000%
F90.0 Disturbance of activity and attention	7	38	45	0.0001%
F90.1 Hyperkinetic conduct disorder		5	5	0.0000%
F90.9 Hyperkinetic disorder unspecified	1		1	0.0000%
F91.1 Unsocialized conduct disorder	4	2	6	0.0000%
F91.3 Oppositional defiant disorder	4	1	5	0.0000%
F91.8 Other conduct disorders	1	2	3	0.0000%
F91.9 Conduct disorder unspecified	12	24	36	0.0001%
F92.0 Depressive conduct disorder	2	15	17	0.0000%
F92.9 Mixed disorder of conduct and emotions unspecified		5	5	0.0000%
F93.8 Other childhood emotional disorders	1	1	2	0.0000%
F93.9 Childhood emotional disorder unspecified	7		7	0.0000%
F94.2 Disinhibited attachment disorder of childhood	2		2	0.0000%
F95.1 Chronic motor or vocal tic disorder			1	0.0000%
F95.2 Combined vocal multip motor tic disorder [de la Tourette]	3	2	6	0.0000%
F95.9 Tic disorder unspecified	2		2	0.0000%
F98.0 Nonorganic enuresis	1	8	9	0.0000%
F98.1 Nonorganic encopresis		1	1	0.0000%
F98.2 Feeding disorder of infancy and childhood		2	2	0.0000%
F98.8 Ot spc behav emotion disord onst usual ocur childhd adoles	2	6	8	0.0000%
F98.9 Unspec behav emotion disord onst usual ocur childhd adoles	23	8	31	0.0001%
F99.X Mental disorder not otherwise specified	1,241	4,023	8,932	0.0210%
G03.9 Meningitis unspecified	1	4	5	0.0000%
G04.9 Encephalitis myelitis and encephalomyelitis unspecified	4	2	6	0.0000%
G06.0 Intracranial abscess and granuloma		1	1	0.0000%
G06.2 Extradural and subdural abscess unspecified		1	1	0.0000%
G08.X Intracranial and intraspinal phlebitis and thrombophlebitis	1	2	3	0.0000%
G10.X Huntington's disease	4	16	20	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
NHS Hospitals, England, 2003-04		First appointment	Subsequent appointment		
G11.1	Early-onset cerebellar ataxia	1	7	8	0.0000%
G11.2	Late-onset cerebellar ataxia	3	4	7	0.0000%
G11.4	Hereditary spastic paraplegia	1	2	3	0.0000%
G11.8	Other hereditary ataxias	1		1	0.0000%
G11.9	Hereditary ataxia unspecified	3	7	10	0.0000%
G12.2	Motor neuron disease	62	124	186	0.0004%
G12.9	Spinal muscular atrophy unspecified		1	1	0.0000%
G20.X	Parkinson's disease	195	470	665	0.0016%
G24.1	Idiopathic familial dystonia	3		3	0.0000%
G24.3	Spasmodic torticollis		1	1	0.0000%
G24.5	Blepharospasm	14	149	163	0.0004%
G24.8	Other dystonia	3		3	0.0000%
G24.9	Dystonia unspecified	48	43	91	0.0002%
G25.0	Essential tremor	54	13	67	0.0002%
G25.2	Other specified forms of tremor	5		5	0.0000%
G25.3	Myoclonus		1	1	0.0000%
G25.8	Other specified extrapyramidal and movement disorders	10	4	14	0.0000%
G25.9	Extrapyramidal and movement disorder unspecified	123	79	202	0.0005%
G30.1	Alzheimer's disease with late onset	2	1	3	0.0000%
G30.8	Other Alzheimer's disease		5	5	0.0000%
G30.9	Alzheimer's disease unspecified	16	20	36	0.0001%
G31.2	Degeneration of nervous system due to alcohol	1	3	4	0.0000%
G31.8	Other specified degenerative diseases of nervous system	1	5	6	0.0000%
G31.9	Degenerative disease of nervous system unspecified		3	3	0.0000%
G35.X	Multiple sclerosis	279	592	871	0.0021%
G36.0	Neuromyelitis optica [Devic]	1	1	2	0.0000%
G37.3	Acute transverse myelitis in demyelinating disease of CNS	2	10	12	0.0000%
G37.9	Demyelinating disease of central nervous system unspecified	8	11	19	0.0000%
G40.0	Locl-rel(foc)(part)idiop epilep/ epilptic syn seiz locl ons		11	11	0.0000%
G40.1	Locl-rel(foc)part)symp epilep/ epilptic syn simple part seiz	163	964	1,127	0.0027%
G40.2	Locl-rel(foc)part)symp epilep/epilptic syn complex part seiz	9	31	40	0.0001%
G40.3	Generalized idiopathic epilepsy and epileptic syndromes	52	253	305	0.0007%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
G40.4 Other generalized epilepsy and epileptic syndromes		6	6	0.0000%
G40.8 Other epilepsy	22	11	33	0.0001%
G40.9 Epilepsy unspecified	174	244	418	0.0010%
G43.1 Migraine with aura [classical migraine]	17	3	20	0.0000%
G43.8 Other migraine	9	6	15	0.0000%
G43.9 Migraine unspecified	351	234	585	0.0014%
G44.0 Cluster headache syndrome	20	24	44	0.0001%
G44.1 Vascular headache not elsewhere classified		1	1	0.0000%
G44.2 Tension-type headache	63	26	89	0.0002%
G44.3 Chronic post-traumatic headache	1		1	0.0000%
G44.4 Drug-induced headache not elsewhere classified		1	1	0.0000%
G44.8 Other specified headache syndromes	1	1	2	0.0000%
G45.0 Vertebro-basilar artery syndrome	14		14	0.0000%
G45.1 Carotid artery syndrome (hemispheric)	36	2	38	0.0001%
G45.3 Amaurosis fugax	46	17	63	0.0001%
G45.4 Transient global amnesia	6	4	10	0.0000%
G45.8 Other transient cerebral ischaemic attacks and related synd	1		1	0.0000%
G45.9 Transient cerebral ischaemic attack unspecified	150	85	235	0.0006%
G46.8 Oth vascular syndromes of brain in cerebrovascular dis		1	1	0.0000%
G47.0 Disorders of initiating and maintaining sleep [insomnias]	40	38	78	0.0002%
G47.1 Disorders of excessive somnolence [hypersomnias]	3	2	5	0.0000%
G47.3 Sleep apnoea	10	2	12	0.0000%
G47.4 Narcolepsy and cataplexy	26	37	63	0.0001%
G47.8 Other sleep disorders	42	30	72	0.0002%
G47.9 Sleep disorder unspecified	2		2	0.0000%
G50.0 Trigeminal neuralgia	53	78	131	0.0003%
G50.1 Atypical facial pain	16	26	42	0.0001%
G50.8 Other disorders of trigeminal nerve	3	7	10	0.0000%
G50.9 Disorder of trigeminal nerve unspecified		1	1	0.0000%
G51.0 Bell's palsy	54	88	142	0.0003%
G51.3 Clonic hemifacial spasm	14	129	143	0.0003%
G51.9 Disorder of facial nerve unspecified	1	3	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances	
		First appointment	Subsequent appointment			
G52.0	Disorders of olfactory nerve		1		1	0.0000%
G52.9	Cranial nerve disorder unspecified		8	3	11	0.0000%
G54.0	Brachial plexus disorders		3		3	0.0000%
G54.1	Lumbosacral plexus disorders			2	2	0.0000%
G54.5	Neuralgic amyotrophy		3	5	8	0.0000%
G54.9	Nerve root and plexus disorder unspecified		1	6	7	0.0000%
G56.0	Carpal tunnel syndrome		705	977	1,682	0.0040%
G56.1	Other lesions of median nerve			5	5	0.0000%
G56.2	Lesion of ulnar nerve		35	44	79	0.0002%
G56.3	Lesion of radial nerve		1		1	0.0000%
G56.8	Other mononeuropathies of upper limb		146	24	170	0.0004%
G56.9	Mononeuropathy of upper limb unspecified			4	4	0.0000%
G57.0	Lesion of sciatic nerve			1	1	0.0000%
G57.1	Meralgia paraesthetica		4	6	10	0.0000%
G57.5	Tarsal tunnel syndrome		1		1	0.0000%
G57.6	Lesion of plantar nerve		10	34	44	0.0001%
G57.8	Other mononeuropathies of lower limb			1	1	0.0000%
G57.9	Mononeuropathy of lower limb unspecified		51	36	87	0.0002%
G58.8	Other specified mononeuropathies		4	9	13	0.0000%
G58.9	Mononeuropathy unspecified		130	117	247	0.0006%
G60.0	Hereditary motor and sensory neuropathy		2	3	5	0.0000%
G60.1	Refsum's disease			1	1	0.0000%
G60.8	Other hereditary and idiopathic neuropathies		4	7	11	0.0000%
G60.9	Hereditary and idiopathic neuropathy unspecified		8	12	20	0.0000%
G61.0	Guillain-Barre syndrome		2	31	33	0.0001%
G61.8	Other inflammatory polyneuropathies		1	3	4	0.0000%
G61.9	Inflammatory polyneuropathy unspecified		6	37	43	0.0001%
G62.8	Other specified polyneuropathies		4	12	16	0.0000%
G62.9	Polyneuropathy unspecified		40	21	61	0.0001%
G63.6	Polyneuropathy in other musculoskeletal disorders		1		1	0.0000%
G70.0	Myasthenia gravis		46	292	338	0.0008%
G70.2	Congenital and developmental myasthenia		7	9	16	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
G70.9 Myoneural disorder unspecified		2015	35	0.0001%
G71.0 Muscular dystrophy		1975	94	0.0002%
G71.1 Myotonic disorders		1999	118	0.0003%
G71.3 Mitochondrial myopathy not elsewhere classified			3	0.0000%
G71.8 Other primary disorders of muscles		2	2	0.0000%
G72.0 Drug-induced myopathy		1	1	0.0000%
G72.1 Alcoholic myopathy		1	1	0.0000%
G72.8 Other specified myopathies		17	8	0.0000%
G72.9 Myopathy unspecified		3	3	0.0000%
G80.0 Spastic cerebral palsy		11	2	0.0000%
G80.1 Spastic diplegia		524	29	0.0001%
G80.2 Infantile hemiplegia			1	0.0000%
G80.3 Dyskinetic cerebral palsy		11	2	0.0000%
G80.8 Other infantile cerebral palsy		12	3	0.0000%
G80.9 Infantile cerebral palsy unspecified		719	26	0.0001%
G81.9 Hemiplegia unspecified		19	10	0.0000%
G82.1 Spastic paraplegia		32	5	0.0000%
G82.2 Paraplegia unspecified		215	17	0.0000%
G82.4 Spastic tetraplegia		11	2	0.0000%
G82.5 Tetraplegia unspecified		229	31	0.0001%
G83.2 Monoplegia of upper limb		1	1	0.0000%
G83.4 Cauda equina syndrome		12	3	0.0000%
G83.9 Paralytic syndrome unspecified		1	1	0.0000%
G90.2 Horner's syndrome		52	7	0.0000%
G90.3 Multi-system degeneration		612	18	0.0000%
G91.2 Normal-pressure hydrocephalus			2	0.0000%
G91.9 Hydrocephalus unspecified		13108	121	0.0003%
G93.0 Cerebral cysts		312	15	0.0000%
G93.2 Benign intracranial hypertension		1739	56	0.0001%
G93.3 Postviral fatigue syndrome		571	76	0.0002%
G93.4 Encephalopathy unspecified			1	0.0000%
G93.8 Other specified disorders of brain			2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G93.9 Disorder of brain unspecified	1	1	2	0.0000%
G95.0 Syringomyelia and syringobulbia		8	8	0.0000%
G95.2 Cord compression unspecified		1	1	0.0000%
G95.8 Other specified diseases of spinal cord	1		1	0.0000%
G95.9 Disease of spinal cord unspecified	54	51	105	0.0002%
G96.0 Cerebrospinal fluid leak	1		1	0.0000%
G98.X Other disorders of nervous system not elsewhere classified	22	10	32	0.0001%
H00.0 Hordeolum and other deep inflammation of eyelid	295	263	558	0.0013%
H00.1 Chalazion	402	251	653	0.0015%
H01.0 Blepharitis	250	252	502	0.0012%
H01.1 Noninfectious dermatoses of eyelid	12	22	34	0.0001%
H01.8 Other specified inflammation of eyelid	9	13	22	0.0001%
H01.9 Inflammation of eyelid unspecified	1	2	3	0.0000%
H02.0 Entropion and trichiasis of eyelid	123	333	456	0.0011%
H02.1 Ectropion of eyelid	97	138	235	0.0006%
H02.2 Lagophthalmos	2	6	8	0.0000%
H02.3 Blepharochalasis	6	15	21	0.0000%
H02.4 Ptosis of eyelid	121	208	329	0.0008%
H02.5 Other disorders affecting eyelid function	3	20	23	0.0001%
H02.6 Xanthelasma of eyelid	26	91	117	0.0003%
H02.7 Other degenerative disorders of eyelid and periocular area	1	2	3	0.0000%
H02.8 Other specified disorders of eyelid	333	96	429	0.0010%
H02.9 Disorder of eyelid unspecified	137	343	480	0.0011%
H04.1 Other disorders of lacrimal gland	177	470	647	0.0015%
H04.2 Epiphora	205	254	459	0.0011%
H04.3 Acute and unspecified inflammation of lacrimal passages	17	15	32	0.0001%
H04.4 Chronic inflammation of lacrimal passages	2		2	0.0000%
H04.5 Stenosis and insufficiency of lacrimal passages	56	128	184	0.0004%
H04.6 Other changes in lacrimal passages	3	6	9	0.0000%
H04.8 Other disorders of lacrimal system	9	22	31	0.0001%
H04.9 Disorder of lacrimal system unspecified	108	655	763	0.0018%
H05.0 Acute inflammation of orbit	10	18	28	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H05.1 Chronic inflammatory disorders of orbit	7	4	11	0.0000%
H05.2 Exophthalmic conditions	7	8	15	0.0000%
H05.4 Enophthalmos		1	1	0.0000%
H05.8 Other disorders of orbit	1		1	0.0000%
H05.9 Disorder of orbit unspecified	1	5	6	0.0000%
H06.2 Dysthyroid exophthalmos	9		9	0.0000%
H10.0 Mucopurulent conjunctivitis	3	12	15	0.0000%
H10.1 Acute atopic conjunctivitis	64	121	185	0.0004%
H10.2 Other acute conjunctivitis	2	1	3	0.0000%
H10.3 Acute conjunctivitis unspecified	35	2	37	0.0001%
H10.4 Chronic conjunctivitis	13	15	28	0.0001%
H10.5 Blepharoconjunctivitis	48	66	114	0.0003%
H10.8 Other conjunctivitis	8	8	16	0.0000%
H10.9 Conjunctivitis unspecified	70	33	103	0.0002%
H11.0 Pterygium	54	61	115	0.0003%
H11.1 Conjunctival degenerations and deposits	19	15	34	0.0001%
H11.2 Conjunctival scars	4	1	5	0.0000%
H11.3 Conjunctival haemorrhage	39	30	69	0.0002%
H11.4 Other conjunctival vascular disorders and cysts	29	25	54	0.0001%
H11.8 Other specified disorders of conjunctiva	4	2	6	0.0000%
H11.9 Disorder of conjunctiva unspecified	13	165	178	0.0004%
H15.0 Scleritis	26	108	134	0.0003%
H15.1 Episcleritis	38	55	93	0.0002%
H15.8 Other disorders of sclera		1	1	0.0000%
H15.9 Disorder of sclera unspecified	18	1	19	0.0000%
H16.0 Corneal ulcer	88	173	261	0.0006%
H16.1 Other superficial keratitis without conjunctivitis	4	3	7	0.0000%
H16.2 Keratoconjunctivitis	14	21	35	0.0001%
H16.3 Interstitial and deep keratitis	3	4	7	0.0000%
H16.4 Corneal neovascularization		3	3	0.0000%
H16.8 Other keratitis	7	17	24	0.0001%
H16.9 Keratitis unspecified	165	260	425	0.0010%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H17.1 Other central corneal opacity		5 4	9	0.0000%
H17.8 Other corneal scars and opacities		147 88	235	0.0006%
H17.9 Corneal scar and opacity unspecified		25 56	81	0.0002%
H18.0 Corneal pigmentations and deposits		57 4	61	0.0001%
H18.1 Bullous keratopathy		7 19	26	0.0001%
H18.2 Other corneal oedema		3 11	14	0.0000%
H18.3 Changes in corneal membranes		3 9	12	0.0000%
H18.4 Corneal degeneration		27 66	93	0.0002%
H18.5 Hereditary corneal dystrophies		59 139	198	0.0005%
H18.6 Keratoconus		53 130	183	0.0004%
H18.7 Other corneal deformities			1	0.0000%
H18.8 Other specified disorders of cornea		29 85	114	0.0003%
H18.9 Disorder of cornea unspecified		27 355	382	0.0009%
H19.3 Keratitis and keratoconjunctivitis in other diseases EC		14 1	15	0.0000%
H20.0 Acute and subacute iridocyclitis		143 404	547	0.0013%
H20.1 Chronic iridocyclitis		11 34	45	0.0001%
H20.8 Other iridocyclitis		3 57	60	0.0001%
H20.9 Iridocyclitis unspecified		99 381	480	0.0011%
H21.0 Hyphaema		13 47	60	0.0001%
H21.1 Other vascular disorders of iris and ciliary body		1 16	17	0.0000%
H21.2 Degeneration of iris and ciliary body			1	0.0000%
H21.3 Cyst of iris ciliary body and anterior chamber		1 8	9	0.0000%
H21.4 Pupillary membranes		1 5	6	0.0000%
H21.5 Other adhesions and disruptions of iris and ciliary body		3 11	14	0.0000%
H21.8 Other specified disorders of iris and ciliary body			5	0.0000%
H21.9 Disorder of iris and ciliary body unspecified		30 49	79	0.0002%
H25.0 Senile incipient cataract		7 14	21	0.0000%
H25.1 Senile nuclear cataract		20 32	52	0.0001%
H25.8 Other senile cataract			27	0.0001%
H25.9 Senile cataract unspecified		688 561	1,249	0.0029%
H26.0 Infantile juvenile and presenile cataract		7 16	23	0.0001%
H26.1 Traumatic cataract		12 13	25	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H26.2 Complicated cataract		4	4	0.0000%
H26.4 After-cataract	814	1,608	2,422	0.0057%
H26.8 Other specified cataract	325	280	605	0.0014%
H26.9 Cataract unspecified	1,630	5,426	7,056	0.0166%
H27.0 Aphakia	12	51	63	0.0001%
H27.1 Dislocation of lens	4	4	8	0.0000%
H27.8 Other specified disorders of lens	134	64	198	0.0005%
H27.9 Disorder of lens unspecified	4	16	20	0.0000%
H30.0 Focal chorioretinal inflammation		3	3	0.0000%
H30.2 Posterior cyclitis	5	22	27	0.0001%
H30.8 Other chorioretinal inflammations		1	1	0.0000%
H30.9 Chorioretinal inflammation unspecified	5	27	32	0.0001%
H31.0 Chorioretinal scars	12	17	29	0.0001%
H31.1 Choroidal degeneration	1	1	2	0.0000%
H31.2 Hereditary choroidal dystrophy		1	1	0.0000%
H31.3 Choroidal haemorrhage and rupture	1	1	2	0.0000%
H31.4 Choroidal detachment	1	1	2	0.0000%
H31.8 Other specified disorders of choroid	1	35	36	0.0001%
H31.9 Disorder of choroid unspecified	5	5	10	0.0000%
H32.0 Chorioretinal inflammation infectious and parasitic dis EC	1		1	0.0000%
H33.0 Retinal detachment with retinal break	64	261	325	0.0008%
H33.1 Retinoschisis and retinal cysts	24	25	49	0.0001%
H33.2 Serous retinal detachment	32	224	256	0.0006%
H33.3 Retinal breaks without detachment	63	178	241	0.0006%
H33.4 Traction detachment of retina	1		1	0.0000%
H33.5 Other retinal detachments	272	335	607	0.0014%
H34.1 Central retinal artery occlusion	18	56	74	0.0002%
H34.2 Other retinal artery occlusions	43	140	183	0.0004%
H34.8 Other retinal vascular occlusions	215	984	1,199	0.0028%
H34.9 Retinal vascular occlusion unspecified	1	3	4	0.0000%
H35.0 Background retinopathy and retinal vascular changes	159	1,004	1,163	0.0027%
H35.1 Retinopathy of prematurity	8	22	30	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H35.2 Other proliferative retinopathy		1 3	4	0.0000%
H35.3 Degeneration of macula and posterior pole		990 3,810	4,800	0.0113%
H35.4 Peripheral retinal degeneration		31 42	73	0.0002%
H35.5 Hereditary retinal dystrophy		22 47	69	0.0002%
H35.6 Retinal haemorrhage		8 28	36	0.0001%
H35.7 Separation of retinal layers		55 143	198	0.0005%
H35.8 Other specified retinal disorders		116 586	702	0.0017%
H35.9 Retinal disorder unspecified		115 754	869	0.0020%
H36.0 Diabetic retinopathy		30 2	32	0.0001%
H40.0 Glaucoma suspect		486 1,827	2,313	0.0054%
H40.1 Primary open-angle glaucoma		361 4,421	4,782	0.0113%
H40.2 Primary angle-closure glaucoma		55 368	423	0.0010%
H40.3 Glaucoma secondary to eye trauma		4 31	35	0.0001%
H40.4 Glaucoma secondary to eye inflammation		4 33	37	0.0001%
H40.5 Glaucoma secondary to other eye disorders		18 139	157	0.0004%
H40.6 Glaucoma secondary to drugs		3 8	11	0.0000%
H40.8 Other glaucoma		22 95	117	0.0003%
H40.9 Glaucoma unspecified		488 2,736	3,224	0.0076%
H43.0 Vitreous prolapse			1	0.0000%
H43.1 Vitreous haemorrhage		50 132	182	0.0004%
H43.2 Crystalline deposits in vitreous body		6 1	7	0.0000%
H43.3 Other vitreous opacities		36 48	84	0.0002%
H43.8 Other disorders of vitreous body		368 144	512	0.0012%
H43.9 Disorder of vitreous body unspecified		23 15	38	0.0001%
H44.0 Purulent endophthalmitis		4 8	12	0.0000%
H44.1 Other endophthalmitis		2 11	13	0.0000%
H44.2 Degenerative myopia		4 22	26	0.0001%
H44.4 Hypotony of eye		43 18	61	0.0001%
H44.5 Degenerated conditions of globe			1	0.0000%
H44.8 Other disorders of globe		1	1	0.0000%
H44.9 Disorder of globe unspecified		2 1	3	0.0000%
H46.X Optic neuritis		50 99	149	0.0004%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H47.0 Disorders of optic nerve not elsewhere classified	40	78	118	0.0003%
H47.1 Papilloedema unspecified	9	18	27	0.0001%
H47.2 Optic atrophy	17	54	71	0.0002%
H47.3 Other disorders of optic disc	26	66	92	0.0002%
H47.5 Disorders of other visual pathways	2		2	0.0000%
H47.6 Disorders of visual cortex	4	2	6	0.0000%
H47.7 Disorder of visual pathways unspecified	2		2	0.0000%
H49.0 Third [oculomotor] nerve palsy	54	85	139	0.0003%
H49.1 Fourth [trochlear] nerve palsy	63	118	181	0.0004%
H49.2 Sixth [abducent] nerve palsy	103	167	270	0.0006%
H49.3 Total (external) ophthalmoplegia		2	2	0.0000%
H49.8 Other paralytic strabismus	12	12	24	0.0001%
H49.9 Paralytic strabismus unspecified	11	11	22	0.0001%
H50.0 Convergent concomitant strabismus	396	2,568	2,964	0.0070%
H50.1 Divergent concomitant strabismus	295	1,022	1,317	0.0031%
H50.2 Vertical strabismus	9	9	18	0.0000%
H50.3 Intermittent heterotropia	6	9	15	0.0000%
H50.4 Other and unspecified heterotropia	48	205	253	0.0006%
H50.5 Heterophoria	776	2,051	2,827	0.0067%
H50.6 Mechanical strabismus	20	47	67	0.0002%
H50.8 Other specified strabismus	25	51	76	0.0002%
H50.9 Strabismus unspecified	424	429	853	0.0020%
H51.0 Palsy of conjugate gaze	4	11	15	0.0000%
H51.1 Convergence insufficiency and excess	42	71	113	0.0003%
H51.2 Internuclear ophthalmoplegia	9	17	26	0.0001%
H51.8 Other specified disorders of binocular movement	4	2	6	0.0000%
H51.9 Disorder of binocular movement unspecified	1	2	3	0.0000%
H52.0 Hypermetropia	93	601	694	0.0016%
H52.1 Myopia	75	143	218	0.0005%
H52.2 Astigmatism	29	120	149	0.0004%
H52.3 Anisometropia and aniseikonia	47	163	210	0.0005%
H52.4 Presbyopia	9	5	14	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H52.5 Disorders of accommodation		12 6	18	0.0000%
H52.6 Other disorders of refraction		3 1	4	0.0000%
H52.7 Disorder of refraction unspecified		39 39	78	0.0002%
H53.0 Amblyopia ex anopsia		73 230	303	0.0007%
H53.1 Subjective visual disturbances		8 12	20	0.0000%
H53.2 Diplopia		48 45	93	0.0002%
H53.4 Visual field defects		124 145	269	0.0006%
H53.5 Colour vision deficiencies		3 1	4	0.0000%
H53.6 Night blindness			1	0.0000%
H53.8 Other visual disturbances		21 23	44	0.0001%
H53.9 Visual disturbance unspecified		23 6	29	0.0001%
H54.0 Blindness both eyes		3 3	6	0.0000%
H54.2 Low vision both eyes		78 54	132	0.0003%
H54.3 Unqualified visual loss both eyes		2	2	0.0000%
H54.4 Blindness one eye		1 5	6	0.0000%
H54.5 Low vision one eye		50 35	85	0.0002%
H54.6 Unqualified visual loss one eye		1 1	2	0.0000%
H54.7 Unspecified visual loss		13 14	27	0.0001%
H55.X Nystagmus and other irregular eye movements		35 121	156	0.0004%
H57.0 Anomalies of pupillary function		22 8	30	0.0001%
H57.1 Ocular pain		18 19	37	0.0001%
H57.8 Other specified disorders of eye and adnexa		249 389	638	0.0015%
H57.9 Disorder of eye and adnexa unspecified		293 314	607	0.0014%
H59.0 Vitreous syndrome following cataract surgery		2 2	4	0.0000%
H59.8 Other postprocedural disorders of eye and adnexa		10 349	359	0.0008%
H59.9 Postprocedural disorder of eye and adnexa unspecified		6 77	83	0.0002%
H60.0 Abscess of external ear		1 1	2	0.0000%
H60.4 Cholesteatoma of external ear			5	0.0000%
H60.9 Otitis externa unspecified		71 30	101	0.0002%
H61.0 Perichondritis of external ear		9 45	54	0.0001%
H61.1 Noninfective disorders of pinna			2	0.0000%
H61.2 Impacted cerumen		118 445	563	0.0013%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances	
NHS Hospitals, England, 2003-04		First appointment	Subsequent appointment			
H61.8	Other specified disorders of external ear			4	4	0.0000%
H61.9	Disorder of external ear unspecified	1		9	10	0.0000%
H65.0	Acute serous otitis media			1	1	0.0000%
H65.2	Chronic serous otitis media	8			8	0.0000%
H65.3	Chronic mucoid otitis media	58	2		60	0.0001%
H65.4	Other chronic nonsuppurative otitis media	27	8		35	0.0001%
H65.9	Nonsuppurative otitis media unspecified	25			25	0.0001%
H66.2	Chronic atticoantral suppurative otitis media	1			1	0.0000%
H66.3	Other chronic suppurative otitis media	20	7		27	0.0001%
H66.4	Suppurative otitis media unspecified	1			1	0.0000%
H66.9	Otitis media unspecified	532	430		962	0.0023%
H69.9	Eustachian tube disorder unspecified	1			1	0.0000%
H71.X	Cholesteatoma of middle ear	4	5		9	0.0000%
H72.9	Perforation of tympanic membrane unspecified		3		3	0.0000%
H73.8	Other specified disorders of tympanic membrane		2		2	0.0000%
H74.0	Tympanosclerosis		1		1	0.0000%
H74.4	Polyp of middle ear	2	4		6	0.0000%
H74.9	Disorder of middle ear and mastoid unspecified		1		1	0.0000%
H80.9	Otosclerosis unspecified		1		1	0.0000%
H81.0	Meniere's disease	1			1	0.0000%
H81.1	Benign paroxysmal vertigo	1			1	0.0000%
H81.3	Other peripheral vertigo	2			2	0.0000%
H83.0	Labyrinthitis	3			3	0.0000%
H83.3	Noise effects on inner ear	28			28	0.0001%
H90.0	Conductive hearing loss bilateral	67	88		155	0.0004%
H90.1	Conduct hear loss unilat unrestric hearing contralat side	42	24		66	0.0002%
H90.3	Sensorineural hearing loss bilateral	114	2		116	0.0003%
H90.4	Sensneurl hear loss unilat unrestrict hear contralat side	2	2		4	0.0000%
H90.5	Sensorineural hearing loss unspecified	187	2		189	0.0004%
H90.6	Mixed conductive and sensorineural hearing loss bilateral		1		1	0.0000%
H90.8	Mixed conductive and sensorineural hearing loss unspecified		1		1	0.0000%
H91.1	Presbycusis	209			209	0.0005%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H91.2 Sudden idiopathic hearing loss			2	2 0.0000%
H91.8 Other specified hearing loss	1	1	2	0.0000%
H91.9 Hearing loss unspecified	915	643	1,558	0.0037%
H92.0 Otalgia	1	5	6	0.0000%
H92.1 Otorrhoea	3	7	10	0.0000%
H93.1 Tinnitus	219	50	269	0.0006%
H93.2 Other abnormal auditory perceptions	2		2	0.0000%
H93.9 Disorder of ear unspecified		2	2	0.0000%
H95.0 Recurrent cholesteatoma of postmastoidectomy cavity	1		1	0.0000%
H95.1 Other disorders following mastoidectomy		27	27	0.0001%
H95.8 Other postprocedural disorders of ear and mastoid process		2	2	0.0000%
H95.9 Postprocedural disorder of ear and mastoid process unspec		4	4	0.0000%
I05.0 Mitral stenosis	1		1	0.0000%
I05.8 Other mitral valve diseases	3		3	0.0000%
I05.9 Mitral valve disease unspecified	5		5	0.0000%
I07.8 Other tricuspid valve diseases	1		1	0.0000%
I08.2 Disorders of both aortic and tricuspid valves	6		6	0.0000%
I10.X Essential (primary) hypertension	69	153	222	0.0005%
I12.0 Hypertensive renal disease with renal failure		1	1	0.0000%
I12.9 Hypertensive renal disease without renal failure	1	2	3	0.0000%
I15.9 Secondary hypertension unspecified	1		1	0.0000%
I20.9 Angina pectoris unspecified	65	85	150	0.0004%
I21.1 Acute transmural myocardial infarction of inferior wall		1	1	0.0000%
I21.9 Acute myocardial infarction unspecified	9	10	19	0.0000%
I22.1 Subsequent myocardial infarction of inferior wall		1	1	0.0000%
I25.1 Atherosclerotic heart disease	4	4	8	0.0000%
I25.2 Old myocardial infarction		1	1	0.0000%
I25.9 Chronic ischaemic heart disease unspecified	22	1	23	0.0001%
I26.9 Pulmonary embolism without mention of acute cor pulmonale	5	164	169	0.0004%
I27.0 Primary pulmonary hypertension	5	11	21	0.0000%
I31.3 Pericardial effusion (noninflammatory)	1	2	3	0.0000%
I33.0 Acute and subacute infective endocarditis	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
I35.0 Aortic (valve) stenosis		5 9	14	0.0000%
I35.8 Other aortic valve disorders		1	1	0.0000%
I35.9 Aortic valve disorder unspecified		29 1	30	0.0001%
I37.0 Pulmonary valve stenosis			1	0.0000%
I42.0 Dilated cardiomyopathy			1	0.0000%
I42.9 Cardiomyopathy unspecified		1	1	0.0000%
I47.2 Ventricular tachycardia		1	1	0.0000%
I48.X Atrial fibrillation and flutter	75	324	399	0.0009%
I50.0 Congestive heart failure	10	11	21	0.0000%
I50.1 Left ventricular failure	22	35	57	0.0001%
I50.9 Heart failure unspecified	20	26	46	0.0001%
I51.6 Cardiovascular disease unspecified	1	4	5	0.0000%
I51.8 Other ill-defined heart diseases		1	1	0.0000%
I51.9 Heart disease unspecified	59	52	111	0.0003%
I60.9 Subarachnoid haemorrhage unspecified	5	4	9	0.0000%
I61.3 Intracerebral haemorrhage in brain stem	1		1	0.0000%
I61.4 Intracerebral haemorrhage in cerebellum	1		1	0.0000%
I61.5 Intracerebral haemorrhage intraventricular	1		1	0.0000%
I61.8 Other intracerebral haemorrhage	1		1	0.0000%
I61.9 Intracerebral haemorrhage unspecified	5	3	8	0.0000%
I62.0 Subdural haemorrhage (acute)(nontraumatic)	1		1	0.0000%
I63.9 Cerebral infarction unspecified	98	28	126	0.0003%
I64.X Stroke not specified as haemorrhage or infarction	162	116	278	0.0007%
I65.2 Occlusion and stenosis of carotid artery	17	1	18	0.0000%
I66.9 Occlusion and stenosis of unspecified cerebral artery	1		1	0.0000%
I67.0 Dissection of cerebral arteries nonruptured	2	2	4	0.0000%
I67.1 Cerebral aneurysm nonruptured	22	144	166	0.0004%
I67.6 Nonpyogenic thrombosis of intracranial venous system		1	1	0.0000%
I67.7 Cerebral arteritis not elsewhere classified		1	1	0.0000%
I67.8 Other specified cerebrovascular diseases		1	1	0.0000%
I67.9 Cerebrovascular disease unspecified	50	15	65	0.0002%
I69.4 Sequelae of stroke not spec as haemorrhage or infarction		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
I72.0 Aneurysm of carotid artery		2	2	0.0000%
I72.4 Aneurysm of artery of lower extremity		1	1	0.0000%
I72.8 Aneurysm of other specified arteries	2	12	14	0.0000%
I72.9 Aneurysm of unspecified site		1	1	0.0000%
I73.0 Raynaud's syndrome	9	31	40	0.0001%
I73.9 Peripheral vascular disease unspecified	7	2	9	0.0000%
I74.2 Embolism and thrombosis of arteries of upper extremities		7	7	0.0000%
I74.3 Embolism and thrombosis of arteries of lower extremities	7	39	46	0.0001%
I77.6 Arteritis unspecified	6	27	33	0.0001%
I78.0 Hereditary haemorrhagic telangiectasia	1	19	20	0.0000%
I78.1 Naevus non-neoplastic	15	25	40	0.0001%
I78.8 Other diseases of capillaries		1	1	0.0000%
I78.9 Disease of capillaries unspecified	4		4	0.0000%
I80.1 Phlebitis and thrombophlebitis of femoral vein	5	37	42	0.0001%
I80.2 Phlebitis/thrombophlebitis of deep vessels low extremities	21	211	232	0.0005%
I80.3 Phlebitis and thrombophlebitis of lower extremities unspecified		4	4	0.0000%
I80.8 Phlebitis and thrombophlebitis of other sites	2		2	0.0000%
I80.9 Phlebitis and thrombophlebitis of unspecified site	1	1	2	0.0000%
I81.X Portal vein thrombosis	1		1	0.0000%
I82.8 Embolism and thrombosis of other specified veins	2	18	20	0.0000%
I82.9 Embolism and thrombosis of unspecified vein		11	11	0.0000%
I83.0 Varicose veins of lower extremities with ulcer		10	10	0.0000%
I83.1 Varicose veins of lower extremities with inflammation	7	8	15	0.0000%
I83.2 Varicose veins low extremities with both ulcer and inflammation		5	5	0.0000%
I83.9 Varicose veins low extremities without ulcer or inflammation	280	156	436	0.0010%
I84.0 Internal thrombosed haemorrhoids	2		2	0.0000%
I84.1 Internal haemorrhoids with other complications	24	17	41	0.0001%
I84.2 Internal haemorrhoids without complication	146	50	196	0.0005%
I84.3 External thrombosed haemorrhoids	1	2	3	0.0000%
I84.4 External haemorrhoids with other complications	3	3	6	0.0000%
I84.5 External haemorrhoids without complication	12	6	18	0.0000%
I84.6 Residual haemorrhoidal skin tags	12	7	19	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
I84.7 Unspecified thrombosed haemorrhoids		3 1	4	0.0000%
I84.8 Unspecified haemorrhoids with other complications		115 92	207	0.0005%
I84.9 Unspecified haemorrhoids without complication		685 474	1,159	0.0027%
I85.0 Oesophageal varices with bleeding		1 1	2	0.0000%
I85.9 Oesophageal varices without bleeding		98 91	189	0.0004%
I86.1 Scrotal varices			2	0.0000%
I86.4 Gastric varices		12 9	21	0.0000%
I88.0 Nonspecific mesenteric lymphadenitis			2	0.0000%
I88.9 Nonspecific lymphadenitis unspecified		13 11	24	0.0001%
I89.0 Lymphoedema not elsewhere classified		333 1,013	1,346	0.0032%
I89.9 Noninfective disord lymphatic vessl and lymph node unspec		3 1	4	0.0000%
I95.9 Hypotension unspecified		2 2	4	0.0000%
I97.2 Postmastectomy lymphoedema syndrome		9 444	453	0.0011%
I97.8 Other postprocedural disorders of circulatory system NEC		12 588	600	0.0014%
I99.X Other and unspecified disorders of circulatory system		460 456	916	0.0022%
J00.X Acute nasopharyngitis [common cold]			3	0.0000%
J01.9 Acute sinusitis unspecified		1	1	0.0000%
J02.9 Acute pharyngitis unspecified		8 13	21	0.0000%
J03.9 Acute tonsillitis unspecified		27 7	34	0.0001%
J04.0 Acute laryngitis			1	0.0000%
J05.0 Acute obstructive laryngitis [croup]		1 15	16	0.0000%
J06.0 Acute laryngopharyngitis			3	0.0000%
J06.9 Acute upper respiratory infection unspecified		18 45	63	0.0001%
J13.X Pneumonia due to Streptococcus pneumoniae			1	0.0000%
J18.0 Bronchopneumonia unspecified		1 1	2	0.0000%
J18.1 Lobar pneumonia unspecified			4	0.0000%
J18.9 Pneumonia unspecified		1 5	6	0.0000%
J21.0 Acute bronchiolitis due to respiratory syncytial virus			2	0.0000%
J21.9 Acute bronchiolitis unspecified			31	0.0001%
J22.X Unspecified acute lower respiratory infection		6 33	39	0.0001%
J30.4 Allergic rhinitis unspecified		22 2	24	0.0001%
J31.0 Chronic rhinitis		70 19	89	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
J31.1 Chronic nasopharyngitis		1	1	0.0000%
J31.2 Chronic pharyngitis			1	0.0000%
J32.0 Chronic maxillary sinusitis			5	0.0000%
J32.2 Chronic ethmoidal sinusitis		1	1	0.0000%
J32.4 Chronic pansinusitis		1	1	0.0000%
J32.8 Other chronic sinusitis		13	13	0.0000%
J32.9 Chronic sinusitis unspecified		21	27	0.0001%
J33.9 Nasal polyp unspecified		46	53	0.0001%
J34.0 Abscess furuncle and carbuncle of nose		1	3	0.0000%
J34.2 Deviated nasal septum		30	36	0.0001%
J34.8 Other specified disorders of nose and nasal sinuses		831	1,102	0.0046%
J35.0 Chronic tonsillitis		105	105	0.0002%
J35.3 Hypertrophy of tonsils with hypertrophy of adenoids		228	299	0.0007%
J35.8 Other chronic diseases of tonsils and adenoids			2	0.0000%
J35.9 Chronic disease of tonsils and adenoids unspecified			1	0.0000%
J36.X Peritonsillar abscess			2	0.0000%
J38.1 Polyp of vocal cord and larynx			1	0.0000%
J38.2 Nodules of vocal cords		1	1	0.0000%
J38.3 Other diseases of vocal cords			2	0.0000%
J38.7 Other diseases of larynx			16	0.0000%
J39.2 Other diseases of pharynx		696	295	0.0023%
J39.8 Other specified diseases of upper respiratory tract			1	0.0000%
J39.9 Disease of upper respiratory tract unspecified			2	0.0000%
J40.X Bronchitis not specified as acute or chronic		2	2	0.0000%
J42.X Unspecified chronic bronchitis		1	2	0.0000%
J43.9 Emphysema unspecified		16	33	0.0001%
J44.1 Chron obstruct pulmonary dis wth acute exacerbation unspec		1	2	0.0000%
J44.8 Other specified chronic obstructive pulmonary disease		2	3	0.0000%
J44.9 Chronic obstructive pulmonary disease unspecified		39	210	0.0005%
J45.9 Asthma unspecified		71	320	0.0008%
J47.X Bronchiectasis		5	25	0.0001%
J63.2 Berylliosis			2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
J67.2 Bird fancier's lung		1	1	0.0000%
J67.9 Hypersensitivity pneumonitis due to unspecified organic dust	1	10	12	0.0000%
J70.9 Respiratory conditions due to unspecified external agent		1	1	0.0000%
J82.X Pulmonary eosinophilia not elsewhere classified		1	1	0.0000%
J84.1 Other interstitial pulmonary diseases with fibrosis	22	66	102	0.0002%
J84.9 Interstitial pulmonary disease unspecified	1	4	5	0.0000%
J90.X Pleural effusion not elsewhere classified		13	13	0.0000%
J94.8 Other specified pleural conditions	2		2	0.0000%
J94.9 Pleural condition unspecified	1	1	2	0.0000%
J96.0 Acute respiratory failure		6	6	0.0000%
J98.0 Diseases of bronchus not elsewhere classified	1	2	3	0.0000%
J98.1 Pulmonary collapse	2	10	12	0.0000%
J98.4 Other disorders of lung	13	29	42	0.0001%
J98.6 Disorders of diaphragm		1	1	0.0000%
J98.8 Other specified respiratory disorders	1	1	2	0.0000%
J98.9 Respiratory disorder unspecified	60	36	96	0.0002%
K00.0 Anodontia	1		1	0.0000%
K00.1 Supernumerary teeth	10	3	13	0.0000%
K00.2 Abnormalities of size and form of teeth	11		11	0.0000%
K00.6 Disturbances in tooth eruption	3	3	6	0.0000%
K00.8 Other disorders of tooth development	7	11	18	0.0000%
K00.9 Disorder of tooth development unspecified	20	2	22	0.0001%
K01.0 Embedded teeth	12	4	16	0.0000%
K01.1 Impacted teeth	1,173	897	2,070	0.0049%
K02.3 Arrested dental caries	1		1	0.0000%
K02.8 Other dental caries	10	15	25	0.0001%
K02.9 Dental caries unspecified	345	816	1,161	0.0027%
K03.2 Erosion of teeth	3	19	22	0.0001%
K03.5 Ankylosis of teeth	1		1	0.0000%
K03.9 Disease of hard tissues of teeth unspecified		2	2	0.0000%
K04.0 Pulpitis	6	20	26	0.0001%
K04.4 Acute apical periodontitis of pulpal origin	1	6	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K04.5 Chronic apical periodontitis		7 60	67	0.0002%
K04.6 Periapical abscess with sinus			24	0.0001%
K04.7 Periapical abscess without sinus	144	278	422	0.0010%
K04.8 Radicular cyst	11	119	130	0.0003%
K04.9 Other and unspec diseases of pulp and periapical tissues	8	25	33	0.0001%
K05.0 Acute gingivitis	2		2	0.0000%
K05.1 Chronic gingivitis	4	9	13	0.0000%
K05.2 Acute periodontitis	2	8	10	0.0000%
K05.3 Chronic periodontitis	26	218	244	0.0006%
K05.4 Periodontosis	3		3	0.0000%
K05.5 Other periodontal diseases	2		2	0.0000%
K05.6 Periodontal disease unspecified	24	37	61	0.0001%
K06.1 Gingival enlargement		5	5	0.0000%
K06.2 Gingival and edentulous alveolar ridge les assoc with traum	2	6	8	0.0000%
K06.8 Oth spec disorder of gingiva and edentulous alveolar ridge	10	29	39	0.0001%
K06.9 Disorder of gingiva and edentulous alveolar ridge unspec	847	437	1,284	0.0030%
K07.0 Major anomalies of jaw size	1		1	0.0000%
K07.1 Anomalies of jaw-cranial base relationship	47		47	0.0001%
K07.2 Anomalies of dental arch relationship	41		41	0.0001%
K07.3 Anomalies of tooth position	43	16	59	0.0001%
K07.4 Malocclusion unspecified	4	3	7	0.0000%
K07.6 Temporomandibular joint disorders	251	177	428	0.0010%
K07.8 Other dentofacial anomalies	2	1	3	0.0000%
K07.9 Dentofacial anomaly unspecified	698	836	1,534	0.0036%
K08.1 Loss of teeth accident extraction or local periodontal dis	24	4	28	0.0001%
K08.2 Atrophy of edentulous alveolar ridge		2	2	0.0000%
K08.3 Retained dental root	140	282	422	0.0010%
K08.8 Other specified disorders of teeth and supporting structures	31	298	329	0.0008%
K08.9 Disorder of teeth and supporting structures unspecified	18	75	93	0.0002%
K09.0 Developmental odontogenic cysts	2	1	3	0.0000%
K09.1 Developmental (nonodontogenic) cysts of oral region	1	2	3	0.0000%
K09.2 Other cysts of jaw	2	14	16	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K09.8 Other cysts of oral region not elsewhere classified	2	11	13	0.0000%
K09.9 Cyst of oral region unspecified	4	6	10	0.0000%
K10.0 Developmental disorders of jaws	1	2	3	0.0000%
K10.1 Giant cell granuloma central		1	1	0.0000%
K10.2 Inflammatory conditions of jaws	1	1	2	0.0000%
K10.3 Alveolitis of jaws		2	2	0.0000%
K10.8 Other specified diseases of jaws		7	7	0.0000%
K10.9 Disease of jaws unspecified		6	6	0.0000%
K11.1 Hypertrophy of salivary gland	17	3	20	0.0000%
K11.2 Sialoadenitis	3	5	8	0.0000%
K11.5 Sialolithiasis	2	10	12	0.0000%
K11.6 Mucocele of salivary gland	3	10	13	0.0000%
K11.7 Disturbances of salivary secretion	2	2	4	0.0000%
K11.8 Other diseases of salivary glands	1	4	5	0.0000%
K11.9 Disease of salivary gland unspecified	107	151	258	0.0006%
K12.0 Recurrent oral aphthae	3	1	4	0.0000%
K12.1 Other forms of stomatitis	22	31	53	0.0001%
K12.2 Cellulitis and abscess of mouth	3	5	8	0.0000%
K13.0 Diseases of lips	53	223	276	0.0007%
K13.1 Cheek and lip biting	1		1	0.0000%
K13.2 Leukoplakia and oth disturbance oral epithelium incl tongue	15	24	39	0.0001%
K13.4 Granuloma and granuloma-like lesions of oral mucosa	2	4	6	0.0000%
K13.5 Oral submucous fibrosis		2	2	0.0000%
K13.6 Irritative hyperplasia of oral mucosa	2	5	7	0.0000%
K13.7 Other and unspecified lesions of oral mucosa	73	311	384	0.0009%
K14.0 Glossitis	6	61	67	0.0002%
K14.1 Geographic tongue	2		2	0.0000%
K14.2 Median rhomboid glossitis	1		1	0.0000%
K14.3 Hypertrophy of tongue papillae	2	4	6	0.0000%
K14.8 Other diseases of tongue	12	80	92	0.0002%
K14.9 Disease of tongue unspecified	18	103	121	0.0003%
K20.X Oesophagitis	810	150	960	0.0023%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K21.0 Gastro-oesophageal reflux disease with oesophagitis	724	297	1,021	0.0024%
K21.9 Gastro-oesophageal reflux disease without oesophagitis	427	118	545	0.0013%
K22.0 Achalasia of cardia	22	27	49	0.0001%
K22.1 Ulcer of oesophagus	1,300	685	1,985	0.0047%
K22.2 Oesophageal obstruction	258	209	467	0.0011%
K22.3 Perforation of oesophagus		1	1	0.0000%
K22.4 Dyskinesia of oesophagus	24	32	56	0.0001%
K22.5 Diverticulum of oesophagus acquired	13	7	20	0.0000%
K22.6 Gastro-oesophageal laceration-haemorrhage syndrome	25	2	27	0.0001%
K22.8 Other specified diseases of oesophagus	121	34	155	0.0004%
K22.9 Disease of oesophagus unspecified	88	20	108	0.0003%
K25.0 Gastric ulcer acute with haemorrhage	9	3	12	0.0000%
K25.2 Gastric ulcer acute with both haemorrhage and perforation	1		1	0.0000%
K25.3 Gastric ulcer acute without haemorrhage or perforation	25	5	30	0.0001%
K25.4 Gastric ulcer chronic or unspecified with haemorrhage	24	8	32	0.0001%
K25.5 Gastric ulcer chronic or unspecified with perforation	6		6	0.0000%
K25.6 Chronic or unspecified with both haemorrhage and perforation	1	1	2	0.0000%
K25.7 Gastric ulcer chronic without haemorrhage or perforation	82	34	116	0.0003%
K25.9 Unspec as acute or chronic w/out haemorrhage or perforation	365	164	529	0.0012%
K26.0 Duodenal ulcer acute with haemorrhage	8	1	9	0.0000%
K26.2 Duodenal ulcer acute with both haemorrhage and perforation	1		1	0.0000%
K26.3 Duodenal ulcer acute without haemorrhage or perforation	37	14	51	0.0001%
K26.4 Duodenal ulcer chronic or unspecified with haemorrhage	34	1	35	0.0001%
K26.6 Chronic or unspecified with both haemorrhage and perforation	3	1	4	0.0000%
K26.7 Duodenal ulcer chronic without haemorrhage or perforation	75	13	88	0.0002%
K26.9 Unspec as acute or chronic w/out haemorrhage or perforation	183	28	211	0.0005%
K27.0 Peptic ulcer acute with haemorrhage	1		1	0.0000%
K27.7 Peptic ulcer chronic without haemorrhage or perforation	1	2	3	0.0000%
K27.9 Unspec as acute or chronic w/out haemorrhage or perforation	5	4	9	0.0000%
K29.0 Acute haemorrhagic gastritis	23	4	27	0.0001%
K29.1 Other acute gastritis	8	4	12	0.0000%
K29.2 Alcoholic gastritis	3		3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character						
NHS Hospitals, England, 2003-04						
			Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
			First appointment	Subsequent appointment		
K29.3	Chronic superficial gastritis		16	8	24	0.0001%
K29.4	Chronic atrophic gastritis		8	1	9	0.0000%
K29.5	Chronic gastritis unspecified		198	17	215	0.0005%
K29.6	Other gastritis		164	57	221	0.0005%
K29.7	Gastritis unspecified		1,549	530	2,079	0.0049%
K29.8	Duodenitis		328	101	429	0.0010%
K29.9	Gastroduodenitis unspecified		148	35	183	0.0004%
K30.X	Dyspepsia		1,573	410	1,983	0.0047%
K31.0	Acute dilatation of stomach		1		1	0.0000%
K31.1	Adult hypertrophic pyloric stenosis		16	20	36	0.0001%
K31.4	Gastric diverticulum		7	2	9	0.0000%
K31.5	Obstruction of duodenum		5	10	15	0.0000%
K31.8	Other specified diseases of stomach and duodenum		153	44	197	0.0005%
K31.9	Disease of stomach and duodenum unspecified		204	224	428	0.0010%
K35.9	Acute appendicitis unspecified			1	1	0.0000%
K38.3	Fistula of appendix		1		1	0.0000%
K38.8	Other specified diseases of appendix			1	1	0.0000%
K40.2	Bilateral inguinal hernia without obstruction or gangrene		1		1	0.0000%
K40.9	Unilat or unspec inguin hernia without obstruct or gangrene		30	6	36	0.0001%
K41.9	Unilat or unspec fem hernia without obstruction or gangrene		1	1	2	0.0000%
K42.9	Umbilical hernia without obstruction or gangrene		11	1	12	0.0000%
K43.9	Ventral hernia without obstruction or gangrene		1		1	0.0000%
K44.0	Diaphragmatic hernia with obstruction without gangrene		1		1	0.0000%
K44.1	Diaphragmatic hernia with gangrene		1	1	2	0.0000%
K44.9	Diaphragmatic hernia without obstruction or gangrene		2,520	581	3,101	0.0073%
K45.0	Other spec abdominal hernia with obstruct without gangrene		1		1	0.0000%
K46.0	Unspec abdominal hernia with obstruction without gangrene		1		1	0.0000%
K46.9	Unspecified abdominal hernia without obstruction or gangrene		573	156	729	0.0017%
K50.0	Crohn's disease of small intestine		15	15	30	0.0001%
K50.1	Crohn's disease of large intestine		66	51	117	0.0003%
K50.8	Other Crohn's disease		1	3	4	0.0000%
K50.9	Crohn's disease unspecified		100	178	278	0.0007%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K51.0 Ulcerative (chronic) enterocolitis		4	4	0.0000%
K51.2 Ulcerative (chronic) proctitis	14	27	41	0.0001%
K51.3 Ulcerative (chronic) rectosigmoiditis	19	24	43	0.0001%
K51.4 Pseudopolyposis of colon	6	12	18	0.0000%
K51.5 Mucosal proctocolitis		1	1	0.0000%
K51.8 Other ulcerative colitis	15	10	25	0.0001%
K51.9 Ulcerative colitis unspecified	243	528	771	0.0018%
K52.0 Gastroenteritis and colitis due to radiation	10	3	13	0.0000%
K52.2 Allergic and dietetic gastroenteritis and colitis	7	2	9	0.0000%
K52.8 Other specified noninfective gastroenteritis and colitis	1	3	4	0.0000%
K52.9 Noninfective gastroenteritis and colitis unspecified	1,180	1,108	2,288	0.0054%
K55.0 Acute vascular disorders of intestine	1	4	5	0.0000%
K55.1 Chronic vascular disorders of intestine	1	1	2	0.0000%
K55.2 Angiodysplasia of colon	64	36	100	0.0002%
K55.8 Other vascular disorders of intestine	13	15	28	0.0001%
K55.9 Vascular disorder of intestine unspecified	2	1	3	0.0000%
K56.1 Intussusception		1	1	0.0000%
K56.2 Volvulus	7	1	8	0.0000%
K56.5 Intestinal adhesions [bands] with obstruction	1	1	2	0.0000%
K56.6 Other and unspecified intestinal obstruction	29	21	50	0.0001%
K56.7 Ileus unspecified	1		1	0.0000%
K57.1 Diverticular dis of small intestine without perf or abscess	20	8	28	0.0001%
K57.2 Diverticular dis of large intestine with perf and abscess	1		1	0.0000%
K57.3 Diverticular dis of large intestine without perf or abscess	895	488	1,383	0.0033%
K57.5 Divertic dis both sml and lge intest without perf or abscess	2		2	0.0000%
K57.9 Divertic dis of intest part unspec without perf or abscess	312	334	646	0.0015%
K58.0 Irritable bowel syndrome with diarrhoea	9	3	12	0.0000%
K58.9 Irritable bowel syndrome without diarrhoea	127	39	166	0.0004%
K59.0 Constipation	297	226	523	0.0012%
K59.1 Functional diarrhoea	4	6	10	0.0000%
K59.2 Neurogenic bowel not elsewhere classified	1	1	2	0.0000%
K59.3 Megacolon not elsewhere classified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K59.4 Anal spasm		1 13	14	0.0000%
K59.8 Other specified functional intestinal disorders		13 9	22	0.0001%
K59.9 Functional intestinal disorder unspecified		3 4	7	0.0000%
K60.0 Acute anal fissure		2	2	0.0000%
K60.1 Chronic anal fissure		5 1	6	0.0000%
K60.2 Anal fissure unspecified		17 7	24	0.0001%
K60.3 Anal fistula		5 2	7	0.0000%
K60.5 Anorectal fistula			1	0.0000%
K61.0 Anal abscess		1 2	3	0.0000%
K61.1 Rectal abscess		1	1	0.0000%
K61.2 Anorectal abscess		1 1	2	0.0000%
K62.0 Anal polyp		6 10	16	0.0000%
K62.1 Rectal polyp		306 208	514	0.0012%
K62.3 Rectal prolapse		15 14	29	0.0001%
K62.4 Stenosis of anus and rectum		5 5	10	0.0000%
K62.5 Haemorrhage of anus and rectum		881 535	1,416	0.0033%
K62.6 Ulcer of anus and rectum		16 23	39	0.0001%
K62.7 Radiation proctitis		10 4	14	0.0000%
K62.8 Other specified diseases of anus and rectum		76 92	168	0.0004%
K62.9 Disease of anus and rectum unspecified		8 6	14	0.0000%
K63.0 Abscess of intestine		1	1	0.0000%
K63.2 Fistula of intestine			1	0.0000%
K63.3 Ulcer of intestine		18 16	34	0.0001%
K63.4 Enteroptosis		2	2	0.0000%
K63.8 Other specified diseases of intestine		38 35	73	0.0002%
K63.9 Disease of intestine unspecified		706 702	1,408	0.0033%
K65.0 Acute peritonitis		2	2	0.0000%
K66.0 Peritoneal adhesions		1	1	0.0000%
K66.8 Other specified disorders of peritoneum			2	0.0000%
K70.1 Alcoholic hepatitis		3 6	9	0.0000%
K70.3 Alcoholic cirrhosis of liver		8 5	13	0.0000%
K70.9 Alcoholic liver disease unspecified		4 13	17	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K72.9 Hepatic failure unspecified		1	1	0.0000%
K73.2 Chronic active hepatitis not elsewhere classified			5	0.0000%
K73.9 Chronic hepatitis unspecified			1	0.0000%
K74.3 Primary biliary cirrhosis	2	5	7	0.0000%
K74.5 Biliary cirrhosis unspecified	1	1	2	0.0000%
K74.6 Other and unspecified cirrhosis of liver	12	7	19	0.0000%
K76.0 Fatty (change of) liver not elsewhere classified	1		1	0.0000%
K76.6 Portal hypertension	17	9	26	0.0001%
K76.8 Other specified diseases of liver		2	2	0.0000%
K76.9 Liver disease unspecified	7	15	22	0.0001%
K80.0 Calculus of gallbladder with acute cholecystitis	1		1	0.0000%
K80.1 Calculus of gallbladder with other cholecystitis	2		2	0.0000%
K80.2 Calculus of gallbladder without cholecystitis	67	5	72	0.0002%
K80.4 Calculus of bile duct with cholecystitis	1		1	0.0000%
K80.5 Calculus of bile duct without cholangitis or cholecystitis	48	11	59	0.0001%
K82.0 Obstruction of gallbladder	1		1	0.0000%
K82.8 Other specified diseases of gallbladder	1		1	0.0000%
K82.9 Disease of gallbladder unspecified	2		2	0.0000%
K83.0 Cholangitis	7	3	10	0.0000%
K83.1 Obstruction of bile duct	15	1	16	0.0000%
K83.3 Fistula of bile duct		1	1	0.0000%
K83.8 Other specified diseases of biliary tract	22	2	24	0.0001%
K83.9 Disease of biliary tract unspecified	267	309	576	0.0014%
K85.X Acute pancreatitis	12	10	22	0.0001%
K86.0 Alcohol-induced chronic pancreatitis		1	1	0.0000%
K86.1 Other chronic pancreatitis	3	9	12	0.0000%
K86.2 Cyst of pancreas	8	2	10	0.0000%
K86.3 Pseudocyst of pancreas	2		2	0.0000%
K86.8 Other specified diseases of pancreas	5	1	6	0.0000%
K86.9 Disease of pancreas unspecified	2	1	3	0.0000%
K90.0 Coeliac disease	58	53	111	0.0003%
K90.4 Malabsorption due to intolerance not elsewhere classified	2	11	13	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K90.9 Intestinal malabsorption unspecified	22	2	24	0.0001%
K91.3 Postoperative intestinal obstruction	2	10	12	0.0000%
K91.4 Colostomy and enterostomy malfunction	2	2	4	0.0000%
K91.5 Postcholecystectomy syndrome	1		1	0.0000%
K91.8 Other postprocedural disorders of digestive system NEC	6	5	11	0.0000%
K92.0 Haematemesis	85	19	104	0.0002%
K92.1 Melaena	111	33	144	0.0003%
K92.2 Gastrointestinal haemorrhage unspecified	40	15	55	0.0001%
K92.8 Other specified diseases of digestive system		2	2	0.0000%
K92.9 Disease of digestive system unspecified	120	175	295	0.0007%
L01.0 Impetigo [any organism] [any site]	1		1	0.0000%
L02.1 Cutaneous abscess furuncle and carbuncle of neck	2	3	5	0.0000%
L02.2 Cutaneous abscess furuncle and carbuncle of trunk	1	1	2	0.0000%
L02.3 Cutaneous abscess furuncle and carbuncle of buttock	1		1	0.0000%
L02.4 Cutaneous abscess furuncle and carbuncle of limb	1	2	3	0.0000%
L02.8 Cutaneous abscess furuncle and carbuncle of other sites		1	1	0.0000%
L02.9 Cutaneous abscess furuncle and carbuncle unspecified		2	2	0.0000%
L03.0 Cellulitis of finger and toe	1	1	2	0.0000%
L03.1 Cellulitis of other parts of limb	1	14	15	0.0000%
L03.2 Cellulitis of face		6	6	0.0000%
L03.8 Cellulitis of other sites		2	2	0.0000%
L03.9 Cellulitis unspecified	5	22	27	0.0001%
L04.0 Acute lymphadenitis of face head and neck	1		1	0.0000%
L04.3 Acute lymphadenitis of lower limb		28	28	0.0001%
L05.0 Pilonidal cyst with abscess		1	1	0.0000%
L05.9 Pilonidal cyst without abscess	49	28	77	0.0002%
L08.0 Pyoderma		3	3	0.0000%
L08.1 Erythrasma		1	1	0.0000%
L08.8 Other spec local infections of skin and subcutaneous tissue	2	5	7	0.0000%
L08.9 Local infection of skin and subcutaneous tissue unspecified	41	118	159	0.0004%
L10.0 Pemphigus vulgaris	1	9	10	0.0000%
L10.2 Pemphigus foliaceus		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L10.4 Pemphigus erythematosus		1	1	0.0000%
L10.9 Pemphigus unspecified		3	3	0.0000%
L11.0 Acquired keratosis follicularis		2	2	0.0000%
L11.8 Other specified acantholytic disorders		1	1	0.0000%
L12.0 Bullous pemphigoid		28	28	0.0001%
L12.1 Cicatricial pemphigoid	2	36	38	0.0001%
L12.9 Pemphigoid unspecified	2	14	16	0.0000%
L13.0 Dermatitis herpetiformis		10	10	0.0000%
L20.8 Other atopic dermatitis	2	68	70	0.0002%
L20.9 Atopic dermatitis unspecified	19	45	64	0.0002%
L21.8 Other seborrhoeic dermatitis	2	5	7	0.0000%
L21.9 Seborrhoeic dermatitis unspecified	3	7	10	0.0000%
L23.9 Allergic contact dermatitis unspecified cause	2	1	3	0.0000%
L24.9 Irritant contact dermatitis unspecified cause	4	10	14	0.0000%
L25.9 Unspecified contact dermatitis unspecified cause		49	49	0.0001%
L27.0 Generalized skin eruption due to drugs and medicaments	1	5	6	0.0000%
L28.0 Lichen simplex chronicus	3	19	22	0.0001%
L28.1 Prurigo nodularis	3	8	11	0.0000%
L28.2 Other prurigo		35	35	0.0001%
L29.0 Pruritus ani	4	3	7	0.0000%
L29.2 Pruritus vulvae	2	2	4	0.0000%
L29.8 Other pruritus	4	2	6	0.0000%
L29.9 Pruritus unspecified	1	16	17	0.0000%
L30.0 Nummular dermatitis	1	12	13	0.0000%
L30.1 Dyshidrosis [pompholyx]	7	2	9	0.0000%
L30.3 Infective dermatitis		10	10	0.0000%
L30.4 Erythema intertrigo		2	2	0.0000%
L30.5 Pityriasis alba	1	6	7	0.0000%
L30.9 Dermatitis unspecified	454	1,087	1,541	0.0036%
L40.0 Psoriasis vulgaris	3	145	148	0.0003%
L40.1 Generalized pustular psoriasis		33	33	0.0001%
L40.3 Pustulosis palmaris et plantaris	7	11	18	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
L40.4 Guttate psoriasis		6 4	10	0.0000%
L40.5 Arthropathic psoriasis		33 319	352	0.0008%
L40.8 Other psoriasis		1 27	28	0.0001%
L40.9 Psoriasis unspecified		234 1,204	1,438	0.0034%
L41.0 Pityriasis lichenoides et varioliformis acuta		3 4	7	0.0000%
L41.1 Pityriasis lichenoides chronica		1	1	0.0000%
L41.2 Lymphomatoid papulosis		6	6	0.0000%
L41.5 Retiform parapsoriasis		1	1	0.0000%
L41.9 Parapsoriasis unspecified		2	2	0.0000%
L42.X Pityriasis rosea		2	2	0.0000%
L43.1 Bullous lichen planus		2	2	0.0000%
L43.8 Other lichen planus		1 51	52	0.0001%
L43.9 Lichen planus unspecified		31 143	174	0.0004%
L44.0 Pityriasis rubra pilaris		2	2	0.0000%
L44.1 Lichen nitidus		1 2	3	0.0000%
L44.2 Lichen striatus		1	1	0.0000%
L44.9 Papulosquamous disorder unspecified		6 21	27	0.0001%
L50.0 Allergic urticaria		1	1	0.0000%
L50.3 Dermatographic urticaria		1	1	0.0000%
L50.8 Other urticaria		1 2	3	0.0000%
L50.9 Urticaria unspecified		42 83	125	0.0003%
L51.1 Bullous erythema multiforme		3	3	0.0000%
L51.9 Erythema multiforme unspecified		2 1	3	0.0000%
L52.X Erythema nodosum		6	6	0.0000%
L53.1 Erythema annulare centrifugum		1 2	3	0.0000%
L53.9 Erythematous condition unspecified		1 5	6	0.0000%
L56.4 Polymorphous light eruption		2 7	9	0.0000%
L56.8 Other spec acute skin changes due to ultraviolet radiation		5	5	0.0000%
L57.0 Actinic keratosis		277 894	1,171	0.0028%
L57.1 Actinic reticuloid		11	11	0.0000%
L57.3 Poikiloderma of Civatte		1 1	2	0.0000%
L57.8 Oth skin change due chron expos to nonionizing radiation		5 11	16	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
L57.9 Skin change due chron expos to nonioniz radiation unspec		175 348	523	0.0012%
L58.9 Radiodermatitis unspecified		1	1	0.0000%
L60.0 Ingrowing nail		37 17	54	0.0001%
L60.1 Onycholysis		1	1	0.0000%
L60.3 Nail dystrophy		5 2	7	0.0000%
L60.5 Yellow nail syndrome		1	1	0.0000%
L60.8 Other nail disorders		1 2	3	0.0000%
L60.9 Nail disorder unspecified		55 6	61	0.0001%
L63.0 Alopecia (capitis) totalis		1 1	2	0.0000%
L63.8 Other alopecia areata			2	0.0000%
L63.9 Alopecia areata unspecified		3 8	11	0.0000%
L64.0 Drug-induced androgenic alopecia		2 3	5	0.0000%
L64.9 Androgenic alopecia unspecified		1	1	0.0000%
L65.8 Other specified nonscarring hair loss			1	0.0000%
L65.9 Nonscarring hair loss unspecified		3 22	25	0.0001%
L66.2 Folliculitis decalvans			1	0.0000%
L68.0 Hirsutism		15 138	153	0.0004%
L70.0 Acne vulgaris		75 147	222	0.0005%
L70.1 Acne conglobata			1	0.0000%
L70.5 Acne excooriee des jeunes filles			1	0.0000%
L70.9 Acne unspecified		193 611	804	0.0019%
L71.0 Perioral dermatitis		3 2	5	0.0000%
L71.8 Other rosacea		5 23	28	0.0001%
L71.9 Rosacea unspecified		5 35	40	0.0001%
L72.0 Epidermal cyst		151 128	279	0.0007%
L72.1 Trichilemmal cyst		335 289	624	0.0015%
L72.8 Other follicular cysts of skin and subcutaneous tissue			22	0.0001%
L72.9 Follicular cyst of skin and subcutaneous tissue unspecified		87 209	296	0.0007%
L73.1 Pseudofolliculitis barbae		1	1	0.0000%
L73.2 Hidradenitis suppurativa		5 5	10	0.0000%
L73.8 Other specified follicular disorders			14	0.0000%
L73.9 Follicular disorder unspecified		9 9	18	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
L80.X Vitiligo		3 4	7	0.0000%
L81.0 Postinflammatory hyperpigmentation		3	3	0.0000%
L81.1 Chloasma			1	0.0000%
L81.2 Freckles			11	0.0000%
L81.4 Other melanin hyperpigmentation		16	104	0.0003%
L81.8 Other specified disorders of pigmentation		4	8	0.0000%
L81.9 Disorder of pigmentation unspecified		39	220	0.0006%
L82.X Seborrhoeic keratosis		299	346	0.0015%
L83.X Acanthosis nigricans		3	6	0.0000%
L84.X Corns and callosities			1	0.0000%
L85.3 Xerosis cutis			1	0.0000%
L85.8 Other specified epidermal thickening		14	91	0.0002%
L85.9 Epidermal thickening unspecified		8	30	0.0001%
L88.X Pyoderma gangrenosum			13	0.0000%
L89.X Decubitus ulcer		1	1	0.0000%
L90.0 Lichen sclerosus et atrophicus		8	81	0.0002%
L90.5 Scar conditions and fibrosis of skin		101	344	0.0010%
L90.8 Other atrophic disorders of skin		1	2	0.0000%
L90.9 Atrophic disorder of skin unspecified			3	0.0000%
L91.0 Keloid scar		72	297	0.0009%
L91.8 Other hypertrophic disorders of skin		42	51	0.0002%
L91.9 Hypertrophic disorder of skin unspecified		2	6	0.0000%
L92.0 Granuloma annulare		5	20	0.0001%
L92.1 Necrobiosis lipoidica not elsewhere classified			1	0.0000%
L92.2 Granuloma faciale [eosinophilic granuloma of skin]		1	1	0.0000%
L92.3 Foreign body granuloma of skin and subcutaneous tissue		4	6	0.0000%
L92.8 Other granulomatous disorders of skin and subcut tissue			3	0.0000%
L92.9 Granulomatous disorder of skin and subcut tissue unspec		6	24	0.0001%
L93.0 Discoid lupus erythematosus		1	57	0.0001%
L93.1 Subacute cutaneous lupus erythematosus			6	0.0000%
L94.0 Localized scleroderma [morphea]		6	16	0.0001%
L94.1 Linear scleroderma		1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
L94.8 Other specified localized connective tissue disorders		1	1	0.0000%
L95.8 Other vasculitis limited to skin	2	2	4	0.0000%
L95.9 Vasculitis limited to skin unspecified	2	6	8	0.0000%
L97.X Ulcer of lower limb not elsewhere classified	9	33	42	0.0001%
L98.0 Pyogenic granuloma	30	147	177	0.0004%
L98.1 Factitial dermatitis	1		1	0.0000%
L98.2 Febrile neutrophilic dermatosis [Sweet]		1	1	0.0000%
L98.3 Eosinophilic cellulitis [Wells]		1	1	0.0000%
L98.4 Chronic ulcer of skin not elsewhere classified	6	47	53	0.0001%
L98.8 Other specified disorders of skin and subcutaneous tissue	186	590	776	0.0018%
L98.9 Disorder of skin and subcutaneous tissue unspecified	1,676	5,832	7,508	0.0177%
M00.0 Staphylococcal arthritis and polyarthritis		2	2	0.0000%
M00.9 Pyogenic arthritis unspecified	3	11	14	0.0000%
M01.1 Tuberculous arthritis	1		1	0.0000%
M02.3 Reiter's disease	5	51	56	0.0001%
M02.9 Reactive arthropathy unspecified	1	12	13	0.0000%
M05.0 Felty's syndrome		217	217	0.0005%
M05.2 Rheumatoid vasculitis	3	54	57	0.0001%
M05.3 Rheumatoid arthritis with involvement of oth organs and sys		4	4	0.0000%
M05.8 Other seropositive rheumatoid arthritis	1	4	5	0.0000%
M05.9 Seropositive rheumatoid arthritis unspecified	16	924	940	0.0022%
M06.0 Seronegative rheumatoid arthritis	53	403	456	0.0011%
M06.1 Adult-onset Still's disease		47	47	0.0001%
M06.2 Rheumatoid bursitis		1	1	0.0000%
M06.3 Rheumatoid nodule		9	9	0.0000%
M06.4 Inflammatory polyarthropathy	41	280	321	0.0008%
M06.9 Rheumatoid arthritis unspecified	260	3,241	3,501	0.0082%
M08.0 Juvenile rheumatoid arthritis	2	4	6	0.0000%
M08.2 Juvenile arthritis with systemic onset		10	10	0.0000%
M08.3 Juvenile polyarthritis (seronegative)	1	29	30	0.0001%
M08.4 Pauciarticular juvenile arthritis		3	3	0.0000%
M08.8 Other juvenile arthritis	1	7	8	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M08.9 Juvenile arthritis unspecified		46	46	0.0001%
M10.0 Idiopathic gout	8	48	56	0.0001%
M10.9 Gout unspecified	31	65	96	0.0002%
M11.9 Crystal arthropathy unspecified		3	3	0.0000%
M12.3 Palindromic rheumatism	16	114	130	0.0003%
M13.0 Polyarthritis unspecified	4	36	40	0.0001%
M13.1 Monoarthritis not elsewhere classified	6	20	26	0.0001%
M13.8 Other specified arthritis	2	9	11	0.0000%
M13.9 Arthritis unspecified	45	151	196	0.0005%
M15.0 Primary generalized (osteo)arthrosis	21	101	122	0.0003%
M15.1 Heberden's nodes (with arthropathy)		4	4	0.0000%
M15.9 Polyarthrosis unspecified	1	20	21	0.0000%
M16.0 Primary coxarthrosis bilateral	2	21	23	0.0001%
M16.1 Other primary coxarthrosis	4	6	10	0.0000%
M16.9 Coxarthrosis unspecified	402	663	1,065	0.0025%
M17.0 Primary gonarthrosis bilateral	50	116	166	0.0004%
M17.1 Other primary gonarthrosis		8	8	0.0000%
M17.3 Other post-traumatic gonarthrosis		1	1	0.0000%
M17.9 Gonarthrosis unspecified	811	1,465	2,276	0.0054%
M18.0 Primary arthrosis of first carpometacarpal joints bilateral		7	7	0.0000%
M18.1 Other primary arthrosis of first carpometacarpal joint	67	95	162	0.0004%
M18.9 Arthrosis of first carpometacarpal joint unspecified	3	27	30	0.0001%
M19.0 Primary arthrosis of other joints	70	124	194	0.0005%
M19.1 Post-traumatic arthrosis of other joints	10	38	48	0.0001%
M19.2 Secondary arthrosis of other joints	7	11	18	0.0000%
M19.8 Other specified arthrosis	1	3	4	0.0000%
M19.9 Arthrosis unspecified	270	449	719	0.0017%
M20.0 Deformity of finger(s)		1	1	0.0000%
M20.1 Hallux valgus (acquired)	35	16	51	0.0001%
M20.2 Hallux rigidus	16	2	18	0.0000%
M20.6 Acquired deformity of toe(s) unspecified	27	14	41	0.0001%
M21.3 Wrist or foot drop (acquired)	5	1	6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M21.4 Flat foot [pes planus] (acquired)		2	2	0.0000%
M22.3 Other derangements of patella		1	1	0.0000%
M22.4 Chondromalacia patellae	1		1	0.0000%
M22.9 Disorder of patella unspecified	1		1	0.0000%
M23.1 Discoid meniscus (congenital)	1		1	0.0000%
M23.2 Derangement of meniscus due to old tear or injury	14	46	60	0.0001%
M23.3 Other meniscus derangements	1	1	2	0.0000%
M23.5 Chronic instability of knee		1	1	0.0000%
M23.6 Other spontaneous disruption of ligament(s) of knee	1	1	2	0.0000%
M23.8 Other internal derangements of knee		1	1	0.0000%
M23.9 Internal derangement of knee unspecified	1,039	1,043	2,082	0.0049%
M24.0 Loose body in joint	3	2	5	0.0000%
M24.2 Disorder of ligament	1		1	0.0000%
M24.4 Recurrent dislocation and subluxation of joint	40	63	103	0.0002%
M24.5 Contracture of joint	1	1	2	0.0000%
M24.6 Ankylosis of joint		1	1	0.0000%
M24.8 Other specific joint derangements not elsewhere classified	2	3	5	0.0000%
M25.0 Haemarthrosis	1	1	2	0.0000%
M25.4 Effusion of joint	16	127	143	0.0003%
M25.5 Pain in joint	687	1,695	2,382	0.0056%
M25.6 Stiffness of joint not elsewhere classified	6	21	27	0.0001%
M25.7 Osteophyte	1	3	4	0.0000%
M25.8 Other specified joint disorders	801	876	1,677	0.0039%
M25.9 Joint disorder unspecified	1,405	2,014	3,419	0.0081%
M30.0 Polyarteritis nodosa		3	3	0.0000%
M30.1 Polyarteritis with lung involvement [Churg-Strauss]	2	8	10	0.0000%
M31.3 Wegener's granulomatosis		10	10	0.0000%
M31.4 Aortic arch syndrome [Takayasu]		3	3	0.0000%
M31.6 Other giant cell arteritis	17	105	122	0.0003%
M31.9 Necrotizing vasculopathy unspecified	1		1	0.0000%
M32.8 Other forms of systemic lupus erythematosus	1	2	3	0.0000%
M32.9 Systemic lupus erythematosus unspecified	27	384	411	0.0010%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M33.0 Juvenile dermatomyositis		1	1	0.0000%
M33.1 Other dermatomyositis	1	65	66	0.0002%
M33.2 Polymyositis	7	47	54	0.0001%
M34.1 CR(E)ST syndrome		13	13	0.0000%
M34.8 Other forms of systemic sclerosis		1	1	0.0000%
M34.9 Systemic sclerosis unspecified	3	22	25	0.0001%
M35.0 Sicca syndrome [Sjogren]	6	86	92	0.0002%
M35.1 Other overlap syndromes	1	71	72	0.0002%
M35.2 Behcet's disease	3	26	29	0.0001%
M35.3 Polymyalgia rheumatica	44	351	395	0.0009%
M35.4 Diffuse (eosinophilic) fasciitis		3	3	0.0000%
M35.5 Multifocal fibrosclerosis		1	1	0.0000%
M35.7 Hypermobility syndrome	3	3	6	0.0000%
M35.8 Other specified systemic involvement of connective tissue		1	1	0.0000%
M35.9 Systemic involvement of connective tissue unspecified	22	118	140	0.0003%
M40.0 Postural kyphosis	1		1	0.0000%
M40.2 Other and unspecified kyphosis	1	1	2	0.0000%
M41.2 Other idiopathic scoliosis		1	1	0.0000%
M41.9 Scoliosis unspecified		8	8	0.0000%
M42.9 Spinal osteochondrosis unspecified	1		1	0.0000%
M43.1 Spondylolisthesis	2	16	18	0.0000%
M43.2 Other fusion of spine		2	2	0.0000%
M43.4 Other recurrent atlantoaxial subluxation	1	1	2	0.0000%
M43.5 Other recurrent vertebral subluxation		1	1	0.0000%
M43.6 Torticollis	8	120	128	0.0003%
M45.X Ankylosing spondylitis	25	168	193	0.0005%
M46.0 Spinal enthesopathy		1	1	0.0000%
M46.1 Sacroiliitis not elsewhere classified	1	18	19	0.0000%
M46.2 Osteomyelitis of vertebra		1	1	0.0000%
M46.4 Discitis unspecified		3	3	0.0000%
M46.9 Inflammatory spondylopathy unspecified	2	3	5	0.0000%
M47.1 Other spondylosis with myelopathy	5	4	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M47.2 Other spondylosis with radiculopathy	1		1	0.0000%
M47.8 Other spondylosis	247	366	613	0.0014%
M47.9 Spondylosis unspecified	2	30	32	0.0001%
M48.0 Spinal stenosis	8	46	54	0.0001%
M48.1 Ankylosing hyperostosis [Forestier]		3	3	0.0000%
M48.5 Collapsed vertebra not elsewhere classified		1	1	0.0000%
M48.8 Other specified spondylopathies		1	1	0.0000%
M50.0 Cervical disc disorder with myelopathy	16	70	86	0.0002%
M50.2 Other cervical disc displacement	72	107	179	0.0004%
M50.3 Other cervical disc degeneration	2		2	0.0000%
M50.8 Other cervical disc disorders		6	6	0.0000%
M50.9 Cervical disc disorder unspecified	34	13	47	0.0001%
M51.0 Lumbar and other intrvertbrl disc disord with mylopathy		8	8	0.0000%
M51.1 Lumb and oth intrvertbrl disc disorders with radiculopathy	30	51	81	0.0002%
M51.2 Other specified intervertebral disc displacement	133	258	391	0.0009%
M51.3 Other specified intervertebral disc degeneration	1	56	57	0.0001%
M51.8 Other specified intervertebral disc disorders		1	1	0.0000%
M51.9 Intervertebral disc disorder unspecified		5	5	0.0000%
M53.2 Spinal instabilities		1	1	0.0000%
M53.3 Sacrococcygeal disorders not elsewhere classified	4	31	35	0.0001%
M53.8 Other specified dorsopathies	16	8	24	0.0001%
M53.9 Dorsopathy unspecified	13	12	25	0.0001%
M54.0 Panniculitis affecting regions of neck and back		1	1	0.0000%
M54.1 Radiculopathy	179	174	353	0.0008%
M54.2 Cervicalgia	290	329	619	0.0015%
M54.3 Sciatica	44	78	122	0.0003%
M54.4 Lumbago with sciatica	10	35	45	0.0001%
M54.5 Low back pain	788	1,232	2,020	0.0048%
M54.6 Pain in thoracic spine	33	41	74	0.0002%
M54.8 Other dorsalgia		6	6	0.0000%
M54.9 Dorsalgia unspecified	413	664	1,077	0.0025%
M60.2 Foreign body granuloma of soft tissue NEC		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M60.8 Other myositis		2	2	0.0000%
M60.9 Myositis unspecified		9	9	0.0000%
M62.2 Ischaemic infarction of muscle	3	3	6	0.0000%
M62.5 Muscle wasting and atrophy not elsewhere classified	1		1	0.0000%
M62.6 Muscle strain	1	2	3	0.0000%
M62.8 Other specified disorders of muscle	2	2	4	0.0000%
M62.9 Disorder of muscle unspecified	36	51	87	0.0002%
M65.3 Trigger finger	311	257	568	0.0013%
M65.4 Radial styloid tenosynovitis [de Quervain]	42	50	92	0.0002%
M65.8 Other synovitis and tenosynovitis	1	1	2	0.0000%
M65.9 Synovitis and tenosynovitis unspecified	64	141	205	0.0005%
M66.0 Rupture of popliteal cyst		1	1	0.0000%
M66.2 Spontaneous rupture of extensor tendons	6	7	13	0.0000%
M66.3 Spontaneous rupture of flexor tendons	2	6	8	0.0000%
M67.1 Other contracture of tendon (sheath)	1		1	0.0000%
M67.2 Synovial hypertrophy not elsewhere classified	1		1	0.0000%
M67.3 Transient synovitis	38	8	46	0.0001%
M67.4 Ganglion	110	101	211	0.0005%
M67.8 Other specified disorders of synovium and tendon		2	2	0.0000%
M67.9 Disorder of synovium and tendon unspecified		1	1	0.0000%
M70.0 Chronic crepitant synovitis of hand and wrist	1	2	3	0.0000%
M70.1 Bursitis of hand		1	1	0.0000%
M70.2 Olecranon bursitis	6	8	14	0.0000%
M70.3 Other bursitis of elbow		3	3	0.0000%
M70.5 Other bursitis of knee	1	1	2	0.0000%
M70.6 Trochanteric bursitis	93	239	332	0.0008%
M70.7 Other bursitis of hip	5	19	24	0.0001%
M70.8 Oth soft tiss disorder related to use overuse and pressure	1	1	2	0.0000%
M71.0 Abscess of bursa	2		2	0.0000%
M71.2 Synovial cyst of popliteal space [Baker]		5	5	0.0000%
M71.3 Other bursal cyst	1	2	3	0.0000%
M71.4 Calcium deposit in bursa		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M71.8 Other specified bursopathies		2 5	7	0.0000%
M71.9 Bursopathy unspecified		1	1	0.0000%
M72.0 Palmar fascial fibromatosis [Dupuytren]		106 183	289	0.0007%
M72.2 Plantar fascial fibromatosis		36 72	108	0.0003%
M72.3 Nodular fasciitis			1	0.0000%
M72.4 Pseudosarcomatous fibromatosis			1	0.0000%
M72.5 Fasciitis not elsewhere classified		2 36	38	0.0001%
M72.8 Other fibroblastic disorders		1	1	0.0000%
M72.9 Fibroblastic disorder unspecified		2 1	3	0.0000%
M75.0 Adhesive capsulitis of shoulder		172 280	452	0.0011%
M75.1 Rotator cuff syndrome		129 198	327	0.0008%
M75.2 Bicipital tendinitis			3	0.0000%
M75.3 Calcific tendinitis of shoulder		12 29	41	0.0001%
M75.4 Impingement syndrome of shoulder		332 826	1,158	0.0027%
M75.5 Bursitis of shoulder		19 61	80	0.0002%
M75.8 Other shoulder lesions		182 568	750	0.0018%
M75.9 Shoulder lesion unspecified		41 37	78	0.0002%
M76.0 Gluteal tendinitis			1	0.0000%
M76.4 Tibial collateral bursitis [Pellegrini-Stieda]			1	0.0000%
M76.5 Patellar tendinitis		1 12	13	0.0000%
M76.6 Achilles tendinitis		16 23	39	0.0001%
M76.8 Other enthesopathies of lower limb excluding foot		1 2	3	0.0000%
M76.9 Enthesopathy of lower limb unspecified		5 2	7	0.0000%
M77.0 Medial epicondylitis		18 41	59	0.0001%
M77.1 Lateral epicondylitis		91 138	229	0.0005%
M77.3 Calcaneal spur			3	0.0000%
M77.4 Metatarsalgia			1	0.0000%
M77.5 Other enthesopathy of foot			4	0.0000%
M77.8 Other enthesopathies not elsewhere classified		1	1	0.0000%
M77.9 Enthesopathy unspecified		40 60	100	0.0002%
M79.0 Rheumatism unspecified		20 39	59	0.0001%
M79.1 Myalgia		9 26	35	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M79.2 Neuralgia and neuritis unspecified		33 57	90	0.0002%
M79.3 Panniculitis unspecified			7	0.0000%
M79.4 Hypertrophy of (infrapatellar) fat pad			1	0.0000%
M79.5 Residual foreign body in soft tissue		6 6	12	0.0000%
M79.6 Pain in limb		394 673	1,067	0.0025%
M79.8 Other specified soft tissue disorders		3 15	18	0.0000%
M79.9 Soft tissue disorder unspecified		100 80	180	0.0004%
M80.0 Postmenopausal osteoporosis with pathological fracture			1	0.0000%
M80.3 Postsurgical malabsorption osteoporosis with path fracture			5	0.0000%
M80.8 Other osteoporosis with pathological fracture			10	0.0000%
M80.9 Unspecified osteoporosis with pathological fracture		1 8	9	0.0000%
M81.0 Postmenopausal osteoporosis			1	0.0000%
M81.4 Drug-induced osteoporosis			12	0.0000%
M81.8 Other osteoporosis		1 1	2	0.0000%
M81.9 Osteoporosis unspecified		396 2,245	2,641	0.0062%
M83.0 Puerperal osteomalacia			6	0.0000%
M83.1 Senile osteomalacia			1	0.0000%
M83.9 Adult osteomalacia unspecified			2	0.0000%
M84.1 Nonunion of fracture [pseudarthrosis]			2	0.0000%
M85.0 Fibrous dysplasia (monostotic)			2	0.0000%
M85.2 Hyperostosis of skull		1	1	0.0000%
M85.3 Osteitis condensans		6 2	8	0.0000%
M85.8 Other specified disorders of bone density and structure		377 108	485	0.0011%
M85.9 Disorder of bone density and structure unspecified		3 7	10	0.0000%
M86.0 Acute haematogenous osteomyelitis			1	0.0000%
M86.3 Chronic multifocal osteomyelitis			1	0.0000%
M86.6 Other chronic osteomyelitis			1	0.0000%
M86.9 Osteomyelitis unspecified			3	0.0000%
M87.0 Idiopathic aseptic necrosis of bone			4	0.0000%
M87.1 Osteonecrosis due to drugs			1	0.0000%
M88.0 Paget's disease of skull		4 38	42	0.0001%
M88.8 Paget's disease of other bones			6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M88.9 Paget's disease of bone unspecified		26 182	208	0.0005%
M89.0 Algoneurodystrophy		4 39	43	0.0001%
M89.6 Osteopathy after poliomyelitis		1	1	0.0000%
M89.8 Other specified disorders of bone		15 20	35	0.0001%
M89.9 Disorder of bone unspecified		1 2	3	0.0000%
M90.2 Osteopathy in other infectious diseases classified elsewhere			1	0.0000%
M91.3 Pseudocoxalgia			1	0.0000%
M92.5 Juvenile osteochondrosis of tibia and fibula		1	1	0.0000%
M92.8 Other specified juvenile osteochondrosis		1	1	0.0000%
M93.0 Slipped upper femoral epiphysis (nontraumatic)			1	0.0000%
M93.1 Kienbock's disease of adults		2 3	5	0.0000%
M93.9 Osteochondropathy unspecified			1	0.0000%
M94.0 Chondrocostal junction syndrome [Tietze]		5 5	10	0.0000%
M94.1 Relapsing polychondritis			4	0.0000%
M94.8 Other specified disorders of cartilage		1 5	6	0.0000%
M94.9 Disorder of cartilage unspecified		20 1	21	0.0000%
M95.0 Acquired deformity of nose			1	0.0000%
M95.1 Cauliflower ear			1	0.0000%
M95.2 Other acquired deformity of head		19 11	30	0.0001%
M96.1 Postlaminectomy syndrome not elsewhere classified			2	0.0000%
N02.8 Recurrent and persistent haematuria other			1	0.0000%
N02.9 Recurrent and persistent haematuria unspecified		40 69	109	0.0003%
N03.9 Chronic nephritic syndrome unspecified			3	0.0000%
N04.9 Nephrotic syndrome unspecified			6	0.0000%
N05.9 Unspecified nephritic syndrome unspecified		4 29	33	0.0001%
N12.X Tubulo-interstitial nephritis not spec as acute or chronic		1 1	2	0.0000%
N13.0 Hydronephrosis with ureteropelvic junction obstruction		1	1	0.0000%
N13.2 Hydronephrosis with renal and ureteral calculous obstruction		2	2	0.0000%
N13.3 Other and unspecified hydronephrosis		20 30	50	0.0001%
N13.5 Kinking and stricture of ureter without hydronephrosis		1 2	3	0.0000%
N13.7 Vesicoureteral-reflux-associated uropathy			2	0.0000%
N13.8 Other obstructive and reflux uropathy		2 1	3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N13.9 Obstructive and reflux uropathy unspecified	4	23	27	0.0001%
N18.0 End-stage renal disease	2	4	6	0.0000%
N18.8 Other chronic renal failure		6	6	0.0000%
N18.9 Chronic renal failure unspecified	43	122	165	0.0004%
N19.X Unspecified renal failure		2	2	0.0000%
N20.0 Calculus of kidney	111	182	293	0.0007%
N20.1 Calculus of ureter	8	11	19	0.0000%
N20.2 Calculus of kidney with calculus of ureter	2	2	4	0.0000%
N20.9 Urinary calculus unspecified	56	69	125	0.0003%
N21.0 Calculus in bladder	11	32	43	0.0001%
N21.1 Calculus in urethra	1	4	5	0.0000%
N21.9 Calculus of lower urinary tract unspecified	2	3	5	0.0000%
N23.X Unspecified renal colic	2	7	9	0.0000%
N28.1 Cyst of kidney acquired	3	7	10	0.0000%
N28.8 Other specified disorders of kidney and ureter	3	7	10	0.0000%
N28.9 Disorder of kidney and ureter unspecified	1	7	8	0.0000%
N30.0 Acute cystitis	2	7	9	0.0000%
N30.1 Interstitial cystitis (chronic)	1	15	16	0.0000%
N30.2 Other chronic cystitis	8	23	31	0.0001%
N30.3 Trigonitis	3	2	5	0.0000%
N30.4 Irradiation cystitis	1		1	0.0000%
N30.8 Other cystitis	7	8	15	0.0000%
N30.9 Cystitis unspecified	45	424	469	0.0011%
N31.2 Flaccid neuropathic bladder not elsewhere classified		9	9	0.0000%
N31.8 Other neuromuscular dysfunction of bladder	6	25	31	0.0001%
N31.9 Neuromuscular dysfunction of bladder unspecified	11	135	146	0.0003%
N32.0 Bladder-neck obstruction	50	255	305	0.0007%
N32.1 Vesicointestinal fistula	3	2	5	0.0000%
N32.2 Vesical fistula not elsewhere classified	1	1	2	0.0000%
N32.3 Diverticulum of bladder	15	32	47	0.0001%
N32.8 Other specified disorders of bladder	90	213	303	0.0007%
N32.9 Bladder disorder unspecified	103	132	235	0.0006%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
		First appointment	Subsequent appointment		
N34.2	Other urethritis	2	5	7	0.0000%
N35.8	Other urethral stricture		3	3	0.0000%
N35.9	Urethral stricture unspecified	121	332	453	0.0011%
N36.2	Urethral caruncle	3	1	4	0.0000%
N36.3	Prolapsed urethral mucosa	1	1	2	0.0000%
N36.8	Other specified disorders of urethra	26	21	47	0.0001%
N36.9	Urethral disorder unspecified	17	18	35	0.0001%
N39.0	Urinary tract infection site not specified	690	729	1,419	0.0033%
N39.1	Persistent proteinuria unspecified	1	2	3	0.0000%
N39.3	Stress incontinence	167	699	866	0.0020%
N39.4	Other specified urinary incontinence	40	234	274	0.0006%
N39.8	Other specified disorders of urinary system	18	114	132	0.0003%
N39.9	Disorder of urinary system unspecified	589	658	1,247	0.0029%
N40.X	Hyperplasia of prostate	487	1,044	1,531	0.0036%
N41.0	Acute prostatitis	6	22	28	0.0001%
N41.1	Chronic prostatitis	9	62	71	0.0002%
N41.8	Other inflammatory diseases of prostate	2	8	10	0.0000%
N41.9	Inflammatory disease of prostate unspecified	23	36	59	0.0001%
N42.0	Calculus of prostate	1		1	0.0000%
N42.1	Congestion and haemorrhage of prostate	30	37	67	0.0002%
N42.2	Atrophy of prostate	5	4	9	0.0000%
N42.8	Other specified disorders of prostate	16	19	35	0.0001%
N42.9	Disorder of prostate unspecified	4	5	9	0.0000%
N43.3	Hydrocele unspecified	5	5	10	0.0000%
N45.9	Orchitis epididymitis and epididymo-orchitis without absces		4	4	0.0000%
N47.X	Redundant prepuce phimosis and paraphimosis	287	169	456	0.0011%
N48.1	Balanoposthitis	5	8	13	0.0000%
N48.2	Other inflammatory disorders of penis		1	1	0.0000%
N48.4	Impotence of organic origin	112	75	187	0.0004%
N48.6	Balanitis xerotica obliterans	6	8	14	0.0000%
N48.8	Other specified disorders of penis	2	6	8	0.0000%
N48.9	Disorder of penis unspecified	78	53	131	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N49.9 Inflammatory disorder of unspecified male genital organ	15	5	20	0.0000%
N50.0 Atrophy of testis		2	2	0.0000%
N50.1 Vascular disorders of male genital organs	18	56	74	0.0002%
N50.8 Other specified disorders of male genital organs	454	305	759	0.0018%
N50.9 Disorder of male genital organs unspecified	77	52	129	0.0003%
N60.0 Solitary cyst of breast	488	463	951	0.0022%
N60.1 Diffuse cystic mastopathy	430	703	1,133	0.0027%
N60.2 Fibroadenosis of breast	14	74	88	0.0002%
N60.3 Fibrosclerosis of breast	8	54	62	0.0001%
N60.4 Mammary duct ectasia	42	40	82	0.0002%
N60.8 Other benign mammary dysplasias	16	13	29	0.0001%
N60.9 Benign mammary dysplasia unspecified	257	2,978	3,235	0.0076%
N61.X Inflammatory disorders of breast	117	198	315	0.0007%
N62.X Hypertrophy of breast	162	205	367	0.0009%
N63.X Unspecified lump in breast	909	1,035	1,944	0.0046%
N64.0 Fissure and fistula of nipple	1	1	2	0.0000%
N64.1 Fat necrosis of breast	4	43	47	0.0001%
N64.4 Mastodynia	437	196	633	0.0015%
N64.5 Other signs and symptoms in breast	751	514	1,265	0.0030%
N64.8 Other specified disorders of breast	63	87	150	0.0004%
N64.9 Disorder of breast unspecified	2,073	1,831	3,904	0.0092%
N70.9 Salpingitis and oophoritis unspecified	1	1	2	0.0000%
N72.X Inflammatory disease of cervix uteri	14	28	42	0.0001%
N73.9 Female pelvic inflammatory disease unspecified	1	1	2	0.0000%
N76.0 Acute vaginitis	2	2	4	0.0000%
N76.1 Subacute and chronic vaginitis		1	1	0.0000%
N76.2 Acute vulvitis	1	6	7	0.0000%
N76.3 Subacute and chronic vulvitis		6	6	0.0000%
N76.5 Ulceration of vagina	1	2	3	0.0000%
N80.0 Endometriosis of uterus	1	1	2	0.0000%
N80.1 Endometriosis of ovary	1	4	5	0.0000%
N80.3 Endometriosis of pelvic peritoneum		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
N80.9 Endometriosis unspecified		18 2	20	0.0000%
N81.0 Female urethrocele		2 4	6	0.0000%
N81.1 Cystocele		15 67	82	0.0002%
N81.2 Incomplete uterovaginal prolapse		2 2	4	0.0000%
N81.3 Complete uterovaginal prolapse		1 4	5	0.0000%
N81.4 Uterovaginal prolapse unspecified		11 11	22	0.0001%
N81.6 Rectocele		3 5	8	0.0000%
N81.8 Other female genital prolapse		1 2	3	0.0000%
N81.9 Female genital prolapse unspecified		418 293	711	0.0017%
N82.1 Other female urinary-genital tract fistulae			2 2	0.0000%
N82.3 Fistula of vagina to large intestine		1 3	4	0.0000%
N82.9 Female genital tract fistula unspecified			1 1	0.0000%
N83.2 Other and unspecified ovarian cysts		16 32	48	0.0001%
N84.0 Polyp of corpus uteri		30 28	58	0.0001%
N84.1 Polyp of cervix uteri		46 18	64	0.0002%
N84.2 Polyp of vagina		1	1	0.0000%
N84.9 Polyp of female genital tract unspecified		1	1	0.0000%
N85.0 Endometrial glandular hyperplasia		2 9	11	0.0000%
N85.1 Endometrial adenomatous hyperplasia			1 1	0.0000%
N85.2 Hypertrophy of uterus		1 1	2	0.0000%
N85.8 Other specified noninflammatory disorders of uterus			4 4	0.0000%
N85.9 Noninflammatory disorder of uterus unspecified		57 38	95	0.0002%
N86.X Erosion and ectropion of cervix uteri		42 31	73	0.0002%
N87.0 Mild cervical dysplasia		186 254	440	0.0010%
N87.1 Moderate cervical dysplasia		127 129	256	0.0006%
N87.2 Severe cervical dysplasia not elsewhere classified		23 12	35	0.0001%
N87.9 Dysplasia of cervix uteri unspecified		35 89	124	0.0003%
N88.2 Stricture and stenosis of cervix uteri		1 5	6	0.0000%
N88.8 Other specified noninflammatory disorders of cervix uteri		28 14	42	0.0001%
N88.9 Noninflammatory disorder of cervix uteri unspecified		251 94	345	0.0008%
N89.0 Mild vaginal dysplasia			4 4	0.0000%
N89.1 Moderate vaginal dysplasia			5 5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

N89.2	Severe vaginal dysplasia not elsewhere classified	1		1	0.0000%
N89.3	Dysplasia of vagina unspecified	1		1	0.0000%
N89.8	Other specified noninflammatory disorders of vagina	41	21	62	0.0001%
N89.9	Noninflammatory disorder of vagina unspecified	4		4	0.0000%
N90.0	Mild vulvar dysplasia	1	3	4	0.0000%
N90.3	Dysplasia of vulva unspecified	2	3	5	0.0000%
N90.4	Leukoplakia of vulva	2	7	9	0.0000%
N90.5	Atrophy of vulva	1	1	2	0.0000%
N90.7	Vulvar cyst		1	1	0.0000%
N90.8	Other spec noninflammatory disord of vulva and perineum	4	4	8	0.0000%
N90.9	Noninflammatory disorder of vulva and perineum unspecified	87	13	100	0.0002%
N91.2	Amenorrhoea unspecified	16	1	17	0.0000%
N91.5	Oligomenorrhoea unspecified	1		1	0.0000%
N92.0	Excessive and frequent menstruation with regular cycle	184	207	391	0.0009%
N92.1	Excessive and frequent menstruation with irregular cycle	5	17	22	0.0001%
N92.3	Ovulation bleeding	10	27	37	0.0001%
N92.4	Excessive bleeding in the premenopausal period	2		2	0.0000%
N92.6	Irregular menstruation unspecified	1,274	667	1,941	0.0046%
N93.0	Postcoital and contact bleeding	36	28	64	0.0002%
N93.8	Other specified abnormal uterine and vaginal bleeding	31	9	40	0.0001%
N93.9	Abnormal uterine and vaginal bleeding unspecified	8	6	14	0.0000%
N94.1	Dyspareunia	9	3	12	0.0000%
N94.3	Premenstrual tension syndrome	3		3	0.0000%
N94.4	Primary dysmenorrhoea		1	1	0.0000%
N94.5	Secondary dysmenorrhoea		1	1	0.0000%
N94.6	Dysmenorrhoea unspecified	2	2	4	0.0000%
N94.8	Oth spec conds ass with fem gen organs and mens cycle	709	514	1,223	0.0029%
N94.9	Unsp condition ass with fem gen organs and mens cycle	349	316	665	0.0016%
N95.0	Postmenopausal bleeding	583	478	1,061	0.0025%
N95.1	Menopausal and female climacteric states	11	3	14	0.0000%
N95.2	Postmenopausal atrophic vaginitis	4	6	10	0.0000%
N95.3	States associated with artificial menopause	2	113	115	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
N95.8 Other specified menopausal and perimenopausal disorders		1	1	0.0000%
N95.9 Menopausal and perimenopausal disorder unspecified		7	7	0.0000%
N97.1 Female infertility of tubal origin	1		1	0.0000%
N97.2 Female infertility of uterine origin	14		14	0.0000%
N97.3 Female infertility of cervical origin	1	2	3	0.0000%
N97.4 Female infertility associated with male factors	6	1	7	0.0000%
N97.8 Female infertility of other origin	3	2	5	0.0000%
N97.9 Female infertility unspecified	408	536	944	0.0022%
N98.8 Other complications associated with artificial fertilization	1	2	3	0.0000%
N98.9 Complication assoc with artificial fertilization unspecified	1		1	0.0000%
N99.0 Postprocedural renal failure	1		1	0.0000%
N99.1 Postprocedural urethral stricture		1	1	0.0000%
N99.8 Other postprocedural disorders of genitourinary system		1	1	0.0000%
O00.1 Tubal pregnancy	1		1	0.0000%
O00.9 Ectopic pregnancy unspecified	8	11	19	0.0000%
O01.9 Hydatidiform mole unspecified	1	1	2	0.0000%
O02.0 Blighted ovum and nonhydatidiform mole	24	18	42	0.0001%
O02.1 Missed abortion	81	37	118	0.0003%
O03.4 Incomplete spont abort without complication	57	64	121	0.0003%
O03.9 Complete or unsp spont abort comp without complication	212	224	436	0.0010%
O04.1 Incomplete med abort comp by delay/excess haemor'ge	1		1	0.0000%
O04.4 Incomplete med abort without complication		2	2	0.0000%
O04.6 Complete or unspec med abort comp by delay/excess haemor'ge	23		23	0.0001%
O04.7 Complete or unspec med abort comp by by embolism	1		1	0.0000%
O04.8 Complete or unspec med abort comp by with other & unsp comp	58	287	345	0.0008%
O04.9 Complete or unspec med abort comp by without complication	2,055	10	2,065	0.0049%
O08.0 Gen tract and pelv infect follow abort/ectop and molar preg	1		1	0.0000%
O10.0 Pre-exist essen hypertens comp preg childbirth and puerp	4	3	7	0.0000%
O10.9 Unspec pre-exist hypertens compl pregn childbth puerprum	188	513	704	0.0017%
O12.0 Gestational oedema		1	1	0.0000%
O13.X Gest [pregnancy-induced] hypertens without sig proteinuria	14	14	28	0.0001%
O14.0 Moderate pre-eclampsia	9	8	17	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
O16.X Unspecified maternal hypertension		1 10	11	0.0000%
O20.0 Threatened abortion		4 7	11	0.0000%
O20.9 Haemorrhage in early pregnancy unspecified		259 244	503	0.0012%
O21.0 Mild hyperemesis gravidarum		1 9	10	0.0000%
O21.9 Vomiting of pregnancy unspecified			46	0.0001%
O22.3 Deep phlebothrombosis in pregnancy		1 3	4	0.0000%
O23.1 Infections of bladder in pregnancy			1	0.0000%
O23.4 Unspecified infection of urinary tract in pregnancy		1 31	32	0.0001%
O23.5 Infections of the genital tract in pregnancy			1	0.0000%
O24.0 Pre-existing diabetes mellitus insulin-dependent		85 145	230	0.0005%
O24.1 Pre-existing diabetes mellitus non-insulin-dependent		3 14	17	0.0000%
O24.4 Diabetes mellitus arising in pregnancy		18 81	99	0.0002%
O24.9 Diabetes mellitus in pregnancy unspecified		1 1	2	0.0000%
O26.6 Liver disorders in pregnancy childbirth and the puerperium		1 93	94	0.0002%
O26.8 Other specified pregnancy-related conditions		63 288	351	0.0008%
O26.9 Pregnancy-related condition unspecified		4 206	210	0.0005%
O28.8 Other abnormal findings on antenatal screening of mother			1	0.0000%
O30.0 Twin pregnancy		11 81	92	0.0002%
O32.1 Maternal care for breech presentation		70 100	170	0.0004%
O32.2 Maternal care for transverse and oblique lie		2 6	8	0.0000%
O32.9 Maternal care for malpresentation of fetus unspecified			32	0.0001%
O34.0 Maternal care for congenital malformation of uterus		2	2	0.0000%
O34.3 Maternal care for cervical incompetence		1 2	3	0.0000%
O34.7 Maternal care for abnormality of vulva and perineum			1	0.0000%
O35.1 Mat care for (suspected) chromosomal abnormality in fetus		1 2	3	0.0000%
O35.6 Maternal care for (suspected) damage to fetus by radiation		2 1	3	0.0000%
O35.8 Mat care for other (suspected) fetal abnormality and damage		1	1	0.0000%
O35.9 Mat care for (suspected) fet abnormality and damage		616 260	876	0.0021%
O36.0 Maternal care for rhesus isoimmunization		73 122	195	0.0005%
O36.2 Maternal care for hydrops fetalis		1	1	0.0000%
O36.4 Maternal care for intrauterine death			2	0.0000%
O36.5 Maternal care for poor fetal growth		362 1,783	2,156	0.0051%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
O36.6 Maternal care for excessive fetal growth		1 42	43	0.0001%
O36.7 Maternal care for viable fetus in abdominal pregnancy		39 62	101	0.0002%
O36.8 Maternal care for other specified fetal problems		312 781	1,093	0.0026%
O36.9 Maternal care for fetal problem unspecified		129 171	300	0.0007%
O40.X Polyhydramnios			4	0.0000%
O41.0 Oligohydramnios			1	0.0000%
O41.8 Other specified disorders of amniotic fluid and membranes		1 96	97	0.0002%
O42.9 Premature rupture of membranes unspecified		9 1,177	1,186	0.0028%
O44.0 Placenta praevia specified as without haemorrhage		1 2	3	0.0000%
O46.8 Other antepartum haemorrhage			1	0.0000%
O46.9 Antepartum haemorrhage unspecified		3 191	194	0.0005%
O47.0 False labour before 37 completed weeks of gestation			74	0.0002%
O47.1 False labour at or after 37 completed weeks of gestation			89	0.0002%
O47.9 False labour unspecified			1	0.0000%
O48.X Prolonged pregnancy		88 140	228	0.0005%
O62.0 Primary inadequate contractions		1 213	214	0.0005%
O70.0 First degree perineal laceration during delivery			1	0.0000%
O70.1 Second degree perineal laceration during delivery			1	0.0000%
O71.6 Obstetric damage to pelvic joints and ligaments			1	0.0000%
O72.2 Delayed and secondary postpartum haemorrhage			15	0.0000%
O86.0 Infection of obstetric surgical wound			1	0.0000%
O89.4 Spinal/epidural anaesth-induced headache during puerp			1	0.0000%
O90.1 Disruption of perineal obstetric wound			3	0.0000%
O90.9 Complication of the puerperium unspecified		1 18	19	0.0000%
O92.6 Galactorrhoea			1	0.0000%
O98.3 Oth infect predom sex mode trans comp preg/childbth/puerp		1	1	0.0000%
O99.1 Oth dis blood/form organ imm mech comp preg/bth/puerp		1	1	0.0000%
O99.2 Endocrine nutritional metabolic dis comp preg birth puerp		1	1	0.0000%
O99.4 Dis circulatory sys comp pregnancy childbirth/puerperium		41 4	45	0.0001%
O99.6 Dis of the digestive sys comp preg childbirth and puerp			1	0.0000%
O99.8 Other spec dis and conditions comp preg childbirth puerp		2 21	23	0.0001%
P02.6 Fetus and newborn affect oth unspec conds of umbilical cord		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
P05.0 Light for gestational age	3		3	0.0000%
P05.1 Small for gestational age	3		3	0.0000%
P05.9 Slow fetal growth unspecified	2		2	0.0000%
P07.2 Extreme immaturity	2	17	19	0.0000%
P07.3 Other preterm infants	28	8	36	0.0001%
P13.4 Fracture of clavicle due to birth injury		1	1	0.0000%
P14.0 Erb's paralysis due to birth injury	1		1	0.0000%
P15.4 Birth injury to face	1		1	0.0000%
P28.8 Other specified respiratory conditions of newborn		2	2	0.0000%
P36.5 Sepsis of newborn due to anaerobes		1	1	0.0000%
P39.1 Neonatal conjunctivitis and dacryocystitis		1	1	0.0000%
P52.2 Intraventric (nontraumatic) haemorrhage grade 3 fet newborn	1		1	0.0000%
P56.9 Hydrops fetalis due to other and unspec haemolytic disease	1		1	0.0000%
P59.0 Neonatal jaundice associated with preterm delivery	2	2	4	0.0000%
P59.9 Neonatal jaundice unspecified	2	17	19	0.0000%
P91.8 Other specified disturbances of cerebral status of newborn	6	2	8	0.0000%
P94.2 Congenital hypotonia		2	2	0.0000%
Q01.8 Encephalocele of other sites		1	1	0.0000%
Q01.9 Encephalocele unspecified		1	1	0.0000%
Q03.9 Congenital hydrocephalus unspecified		3	3	0.0000%
Q04.2 Holoprosencephaly		2	2	0.0000%
Q04.6 Congenital cerebral cysts		2	2	0.0000%
Q05.4 Unspecified spina bifida with hydrocephalus		1	1	0.0000%
Q05.9 Spina bifida unspecified		9	9	0.0000%
Q06.8 Other specified congenital malformations of spinal cord	1	5	6	0.0000%
Q07.0 Arnold-Chiari syndrome	12	32	44	0.0001%
Q07.8 Other specified congenital malformations of nervous system	6	13	19	0.0000%
Q10.0 Congenital ptosis	1		1	0.0000%
Q10.3 Other congenital malformations of eyelid	3	1	4	0.0000%
Q10.5 Congenital stenosis and stricture of lacrimal duct		1	1	0.0000%
Q10.7 Congenital malformation of orbit		1	1	0.0000%
Q11.1 Other anophthalmos		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character <i>NHS Hospitals, England, 2003-04</i>		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
		First appointment	Subsequent appointment		
Q11.2	Microphthalmos	2	3	5	0.0000%
Q12.0	Congenital cataract	30	52	82	0.0002%
Q12.1	Congenital displaced lens	1	2	3	0.0000%
Q12.9	Congenital lens malformation unspecified	1	2	3	0.0000%
Q13.0	Coloboma of iris	7	23	30	0.0001%
Q13.2	Other congenital malformations of iris	2	9	11	0.0000%
Q13.4	Other congenital corneal malformations	1	2	3	0.0000%
Q13.8	Other congenital malformations of anterior segment of eye	1		1	0.0000%
Q14.0	Congenital malformation of vitreous humour		3	3	0.0000%
Q14.1	Congenital malformation of retina	14	13	27	0.0001%
Q14.2	Congenital malformation of optic disc	1	2	3	0.0000%
Q14.3	Congenital malformation of choroid		1	1	0.0000%
Q14.9	Congenital malformation of posterior segment of eye unspec	1		1	0.0000%
Q15.0	Congenital glaucoma	4	26	30	0.0001%
Q17.5	Prominent ear	17	31	48	0.0001%
Q17.9	Congenital malformation of ear unspecified		1	1	0.0000%
Q18.0	Sinus fistula and cyst of branchial cleft		1	1	0.0000%
Q18.1	Preauricular sinus and cyst	2	3	5	0.0000%
Q18.9	Congenital malformation of face and neck unspecified		9	9	0.0000%
Q21.0	Ventricular septal defect	11	3	14	0.0000%
Q21.1	Atrial septal defect	2	2	8	0.0000%
Q21.3	Tetralogy of Fallot	1		1	0.0000%
Q21.8	Other congenital malformations of cardiac septa		13	17	0.0000%
Q22.0	Pulmonary valve atresia			1	0.0000%
Q22.1	Congenital pulmonary valve stenosis	1		1	0.0000%
Q23.0	Congenital stenosis of aortic valve	1		1	0.0000%
Q24.6	Congenital heart block		1	1	0.0000%
Q24.9	Congenital malformation of heart unspecified		2	5	0.0000%
Q25.0	Patent ductus arteriosus	3		3	0.0000%
Q25.1	Coarctation of aorta	1		1	0.0000%
Q25.3	Stenosis of aorta	2		2	0.0000%
Q25.6	Stenosis of pulmonary artery	4		4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q27.3 Peripheral arteriovenous malformation	1		1	0.0000%
Q28.0 Arteriovenous malformation of precerebral vessels	1	2	3	0.0000%
Q28.2 Arteriovenous malformation of cerebral vessels	8	49	57	0.0001%
Q28.9 Congenital malformation of circulatory system unspecified	1	9	10	0.0000%
Q32.1 Other congenital malformations of trachea	1		1	0.0000%
Q32.3 Congenital stenosis of bronchus		1	1	0.0000%
Q35.9 Cleft palate unspecified unilateral	1	12	13	0.0000%
Q37.1 Cleft hard palate with cleft lip unilateral		1	1	0.0000%
Q37.9 Unspecified cleft palate with cleft lip unilateral	4	31	35	0.0001%
Q38.0 Congenital malformations of lips not elsewhere classified		2	2	0.0000%
Q38.1 Ankyloglossia	5	7	12	0.0000%
Q38.5 Congenital malformations of palate not elsewhere classified		7	7	0.0000%
Q38.7 Pharyngeal pouch	1	4	5	0.0000%
Q39.4 Oesophageal web	5	7	12	0.0000%
Q39.6 Diverticulum of oesophagus		1	1	0.0000%
Q40.1 Congenital hiatus hernia	1		1	0.0000%
Q41.0 Congenital absence atresia and stenosis of duodenum	1	3	4	0.0000%
Q43.1 Hirschsprung's disease		1	1	0.0000%
Q44.1 Other congenital malformations of gallbladder	1		1	0.0000%
Q44.7 Other congenital malformations of liver		2	2	0.0000%
Q45.3 Other cong malformations of pancreas and pancreatic duct	1		1	0.0000%
Q45.9 Congenital malformation of digestive system unspecified		5	5	0.0000%
Q53.1 Undescended testicle unilateral		9	9	0.0000%
Q53.2 Undescended testicle bilateral	1	3	4	0.0000%
Q53.9 Undescended testicle unspecified	21	6	27	0.0001%
Q54.1 Hypospadias penile		1	1	0.0000%
Q54.9 Hypospadias unspecified	2	1	3	0.0000%
Q55.0 Absence and aplasia of testis	1	1	2	0.0000%
Q55.9 Congenital malformation of male genital organ unspecified		1	1	0.0000%
Q61.3 Polycystic kidney unspecified	6	17	23	0.0001%
Q61.5 Medullary cystic kidney		2	2	0.0000%
Q61.9 Cystic kidney disease unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q62.0 Congenital hydronephrosis			1	1 0.0000%
Q62.5 Duplication of ureter	1		1	1 0.0000%
Q62.7 Congenital vesico-uretero-renal reflux	3		3	3 0.0000%
Q64.3 Other atresia and stenosis of urethra and bladder neck		1	1	1 0.0000%
Q65.0 Congenital dislocation of hip unilateral	1		1	1 0.0000%
Q65.5 Congenital subluxation of hip unspecified	41	98	139	0.0003%
Q65.8 Other congenital deformities of hip	1		1	1 0.0000%
Q65.9 Congenital deformity of hip unspecified	1,719	212	1,931	0.0045%
Q66.1 Talipes calcaneovarus		1	1	1 0.0000%
Q66.4 Talipes calcaneovalgus	1		1	1 0.0000%
Q66.9 Congenital deformity of feet unspecified		8	8	8 0.0000%
Q67.3 Plagiocephaly		1	1	1 0.0000%
Q67.4 Other congenital deformities of skull face and jaw	1	1	2	2 0.0000%
Q68.1 Congenital deformity of hand	21	24	45	0.0001%
Q69.0 Accessory finger(s)		1	1	1 0.0000%
Q69.9 Polydactyly unspecified	1		1	1 0.0000%
Q74.0 Oth cong malformation of upper limb(s) inc shoulder girdle	1	9	10	0.0000%
Q74.8 Other specified congenital malformations of limb(s)		1	1	1 0.0000%
Q75.1 Craniofacial dysostosis		1	1	1 0.0000%
Q76.0 Spina bifida occulta	1		1	1 0.0000%
Q76.1 Klippel-Feil syndrome		2	2	2 0.0000%
Q76.4 Oth cong malformation of spine not associated with scoliosis		2	2	2 0.0000%
Q77.3 Chondrodysplasia punctata		44	44	0.0001%
Q78.0 Osteogenesis imperfecta		14	14	0.0000%
Q78.1 Polyostotic fibrous dysplasia		5	5	0.0000%
Q78.8 Other specified osteochondrodysplasias		1	1	1 0.0000%
Q78.9 Osteochondrodysplasia unspecified		2	2	2 0.0000%
Q81.9 Epidermolysis bullosa unspecified		1	1	1 0.0000%
Q82.0 Hereditary lymphoedema	2	1	4	0.0000%
Q82.1 Xeroderma pigmentosum	1		1	1 0.0000%
Q82.2 Mastocytosis		19	19	0.0000%
Q82.4 Ectodermal dysplasia (anhidrotic)		2	2	2 0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Q82.5 Congenital non-neoplastic naevus		2 7	9	0.0000%
Q82.8 Other specified congenital malformations of skin		20 3	23	0.0001%
Q82.9 Congenital malformation of skin unspecified			1	0.0000%
Q83.1 Accessory breast		4 2	6	0.0000%
Q83.3 Accessory nipple		1 10	11	0.0000%
Q83.8 Other congenital malformations of breast			1	0.0000%
Q83.9 Congenital malformation of breast unspecified		7 24	31	0.0001%
Q85.0 Neurofibromatosis (nonmalignant)		6 4	10	0.0000%
Q85.1 Tuberous sclerosis		2 5	7	0.0000%
Q85.8 Other phakomatoses not elsewhere classified			10	0.0000%
Q87.0 Cong malform syndromes predom affect facial appearance		2 1	3	0.0000%
Q87.1 Cong malform syndromes predom associat with short stature			2	0.0000%
Q87.2 Cong malformation syndromes predominantly involving limbs			2	0.0000%
Q87.4 Marfan's syndrome		1 10	11	0.0000%
Q89.2 Congenital malformations of other endocrine glands		1	1	0.0000%
Q89.7 Multiple congenital malformations not elsewhere classified			1	0.0000%
Q90.9 Down's syndrome unspecified		4 55	59	0.0001%
Q92.8 Other specified trisomies and partial trisomies of autosomes			1	0.0000%
Q96.9 Turner's syndrome unspecified		1	1	0.0000%
Q98.4 Klinefelter's syndrome unspecified			2	0.0000%
Q98.9 Sex chromosome abnormality male phenotype unspecified			1	0.0000%
Q99.2 Fragile X chromosome		1	1	0.0000%
R00.0 Tachycardia unspecified			1	0.0000%
R00.1 Bradycardia unspecified			1	0.0000%
R00.2 Palpitations		88 91	179	0.0004%
R00.8 Other and unspecified abnormalities of heart beat		5 10	15	0.0000%
R01.0 Benign and innocent cardiac murmurs		40	40	0.0001%
R01.1 Cardiac murmur unspecified		36 29	65	0.0002%
R02.X Gangrene not elsewhere classified			6	0.0000%
R03.0 Elev blood-pressure reading without diag of hypertension		2 230	232	0.0005%
R04.0 Epistaxis		108 52	160	0.0004%
R04.2 Haemoptysis		15 93	108	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
R05.X Cough		24 166	190	0.0004%
R06.0 Dyspnoea		23 51	74	0.0002%
R06.1 Stridor		1	1	0.0000%
R06.2 Wheezing		3 65	68	0.0002%
R06.4 Hyperventilation		5 2	7	0.0000%
R06.5 Mouth breathing		43 5	48	0.0001%
R06.6 Hiccough		2	2	0.0000%
R06.8 Other and unspecified abnormalities of breathing		6 14	20	0.0000%
R07.0 Pain in throat		6	6	0.0000%
R07.1 Chest pain on breathing		1	1	0.0000%
R07.2 Precordial pain		1	1	0.0000%
R07.3 Other chest pain		10 21	31	0.0001%
R07.4 Chest pain unspecified		230 242	472	0.0011%
R10.0 Acute abdomen		1 1	2	0.0000%
R10.1 Pain localized to upper abdomen		501 56	557	0.0013%
R10.2 Pelvic and perineal pain		204 15	219	0.0005%
R10.3 Pain localized to other parts of lower abdomen		73 84	157	0.0004%
R10.4 Other and unspecified abdominal pain		1,415 1,023	2,438	0.0057%
R11.X Nausea and vomiting		243 173	416	0.0010%
R12.X Heartburn		162 18	180	0.0004%
R13.X Dysphagia		404 143	547	0.0013%
R14.X Flatulence and related conditions		34 13	47	0.0001%
R15.X Faecal incontinence		15 16	31	0.0001%
R16.1 Splenomegaly not elsewhere classified		2	2	0.0000%
R17.X Unspecified jaundice		71 120	191	0.0004%
R18.X Ascites		1	1	0.0000%
R19.0 Intra-abdominal and pelvic swelling mass and lump		133 202	335	0.0008%
R19.1 Abnormal bowel sounds		1	1	0.0000%
R19.4 Change in bowel habit		368 361	729	0.0017%
R19.5 Other faecal abnormalities		10 6	16	0.0000%
R19.6 Halitosis		1	1	0.0000%
R19.8 Oth spec symptoms and signs involv digestive sys and abdomen		53 103	156	0.0004%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
R20.2 Paraesthesia of skin		10 6	16	0.0000%
R20.8 Other and unspecified disturbances of skin sensation		42 10	52	0.0001%
R21.X Rash and other nonspecific skin eruption		98 341	439	0.0010%
R22.0 Localized swelling mass and lump head		12 22	34	0.0001%
R22.1 Localized swelling mass and lump neck		281 278	559	0.0013%
R22.2 Localized swelling mass and lump trunk		6 9	15	0.0000%
R22.3 Localized swelling mass and lump upper limb		3 14	17	0.0000%
R22.4 Localized swelling mass and lump lower limb		12 34	46	0.0001%
R22.9 Localized swelling mass and lump unspecified		10 28	38	0.0001%
R23.0 Cyanosis			4	0.0000%
R23.3 Spontaneous ecchymoses		6	6	0.0000%
R23.4 Changes in skin texture		4 8	12	0.0000%
R23.8 Other and unspecified skin changes		10 25	35	0.0001%
R25.1 Tremor unspecified		11 4	15	0.0000%
R25.2 Cramp and spasm		20 64	84	0.0002%
R25.3 Fasciculation		4 1	5	0.0000%
R25.8 Other and unspecified abnormal involuntary movements		2	2	0.0000%
R26.0 Ataxic gait		3 2	5	0.0000%
R26.2 Difficulty in walking not elsewhere classified		1	1	0.0000%
R26.8 Other and unspecified abnormalities of gait and mobility		43 54	97	0.0002%
R27.0 Ataxia unspecified		28 17	45	0.0001%
R27.8 Other and unspecified lack of coordination		1 1	2	0.0000%
R29.8 Other spec symptoms signs involv nervous/musculoskel systs		9 3	12	0.0000%
R30.0 Dysuria		29 38	67	0.0002%
R30.9 Painful micturition unspecified		2 7	9	0.0000%
R31.X Unspecified haematuria		1,714 2,670	4,384	0.0103%
R32.X Unspecified urinary incontinence		157 362	519	0.0012%
R33.X Retention of urine		28 81	109	0.0003%
R35.X Polyuria		462 1,001	1,463	0.0034%
R36.X Urethral discharge		3 1	4	0.0000%
R39.1 Other difficulties with micturition		226 87	313	0.0007%
R39.8 Other and unspecf symptoms and signs involv urinary syst		178 595	773	0.0018%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
R40.2 Coma unspecified		1	1	0.0000%
R41.0 Disorientation unspecified		6	9	0.0000%
R41.3 Other amnesia		9	6	0.0000%
R41.8 Oth/unsp sympt & signs involv cognitive funct & awareness		1	1	0.0000%
R42.X Dizziness and giddiness		320	205	0.0012%
R43.1 Parosmia		1	1	0.0000%
R43.8 Other and unspecified disturbances of smell and taste		1	1	0.0000%
R44.1 Visual hallucinations		1	1	0.0000%
R44.2 Other hallucinations		1	1	0.0000%
R44.8 Oth and unspec sympt/signs inv gen sensations/percept		6	2	0.0000%
R47.0 Dysphasia and aphasia		2	3	0.0000%
R47.8 Other and unspecified speech disturbances			2	0.0000%
R48.0 Dyslexia and alexia		3	3	0.0000%
R48.2 Apraxia		2	1	0.0000%
R49.0 Dysphonia		75	8	0.0002%
R49.8 Other and unspecified voice disturbances		1	1	0.0000%
R50.1 Persistent fever		1	1	0.0000%
R50.9 Fever unspecified		27	181	0.0005%
R51.X Headache		804	451	0.0030%
R52.0 Acute pain		1	1	0.0000%
R52.1 Chronic intractable pain		1	2	0.0000%
R52.2 Other chronic pain		16	61	0.0002%
R52.9 Pain unspecified		17	12	0.0001%
R53.X Malaise and fatigue		44	30	0.0002%
R54.X Senility		13	13	0.0000%
R55.X Syncope and collapse		327	152	0.0011%
R56.0 Febrile convulsions		1	41	0.0001%
R56.8 Other and unspecified convulsions		84	63	0.0003%
R59.0 Localized enlarged lymph nodes		47	113	0.0004%
R59.1 Generalized enlarged lymph nodes		119	468	0.0014%
R59.9 Enlarged lymph nodes unspecified		35	140	0.0004%
R60.0 Localized oedema			8	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R60.9 Oedema unspecified	2	7	9	0.0000%
R61.9 Hyperhidrosis unspecified	2	9	11	0.0000%
R62.0 Delayed milestone	2		2	0.0000%
R62.8 Other lack of expected normal physiological development	7	33	40	0.0001%
R62.9 Lack of expected normal physiologic development unspec		32	32	0.0001%
R63.0 Anorexia	23	1	24	0.0001%
R63.1 Polydipsia	1		1	0.0000%
R63.3 Feeding difficulties and mismanagement	71	10	81	0.0002%
R63.4 Abnormal weight loss	273	128	401	0.0009%
R63.5 Abnormal weight gain	5		5	0.0000%
R63.8 Other symptoms and signs concerning food and fluid intake	3		3	0.0000%
R68.1 Nonspecific symptoms peculiar to infancy		3	3	0.0000%
R68.2 Dry mouth unspecified		2	2	0.0000%
R68.8 Other specified general symptoms and signs	439	485	924	0.0022%
R69.X Unknown and unspecified causes of morbidity	12,243,283	29,485,700	41,849,579	98.5686%
R70.0 Elevated erythrocyte sedimentation rate	7	14	21	0.0000%
R71.X Abnormality of red blood cells	3	24	27	0.0001%
R72.X Abnormality of white blood cells not elsewhere classified	6	9	15	0.0000%
R73.0 Abnormal glucose tolerance test		1	1	0.0000%
R74.8 Abnormal levels of other serum enzymes	42	201	243	0.0006%
R74.9 Abnormal level of unspecified serum enzyme		1	1	0.0000%
R76.0 Raised antibody titre	1	2	3	0.0000%
R76.8 Other specified abnormal immunological findings in serum	30	7	37	0.0001%
R76.9 Abnormal immunological finding in serum unspecified	2		2	0.0000%
R77.2 Abnormality of alphafetoprotein	1		1	0.0000%
R77.8 Other specified abnormalities of plasma proteins	4	3	7	0.0000%
R77.9 Abnormality of plasma protein unspecified		1	1	0.0000%
R78.7 Finding of abnormal level of heavy metals in blood	1		1	0.0000%
R78.9 Finding of unspec substance not normally found in blood	1		1	0.0000%
R79.8 Other specified abnormal findings of blood chemistry	40	31	71	0.0002%
R79.9 Abnormal finding of blood chemistry unspecified	3	2	5	0.0000%
R80.X Isolated proteinuria	3	4	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
R82.8 Abnorm find on cytological and histological examin of urine		1	1	0.0000%
R82.9 Other and unspecified abnormal findings in urine		1	1	0.0000%
R84.8 Other abnormal findings in specimens from resp orgs & thorax			1	0.0000%
R85.5 Abn find specs fm dig org & abdom cavity abn microbiol find		1	1	0.0000%
R85.7 Abn find specs fm dig org & abdom cavity abn histol find		1	2	0.0000%
R85.8 Other abn find in specs from digestive org & abdom cavity		8	17	0.0000%
R85.9 Unspec abn find in specs from digestive org & abdom cavity		17	37	0.0001%
R86.0 Abn find specs fm male genital org abn level enzymes		13	20	0.0000%
R86.1 Abn find specs fm male genital org abn level hormones		1	3	0.0000%
R86.6 Abn find specs fm male genital org abn cytol find			89	0.0002%
R86.8 Oth abn find in specs from male genital organs			12	0.0000%
R86.9 Unspec abn find in specs from male genital organs		53	230	0.0005%
R87.1 Abn find in specs from fem genital org abn lev of hormones		1	2	0.0000%
R87.3 Abn find female genital org abn lev subs chief nonmed sorce		1	1	0.0000%
R87.4 Abn find in specs from female genital org abn immunol find		2	3	0.0000%
R87.6 Abn find in specs from female genital org abn cytol findings		891	1,792	0.0042%
R87.7 Abn find in specs from female genital organs abn histol find		2	7	0.0000%
R87.9 Unspec abn find in specs from female genital organs			2	0.0000%
R89.6 Abn finds specs oth organs abn cytol finds		1	1	0.0000%
R89.7 Abn finds specs oth organs abn histol finds			2	0.0000%
R90.0 Intracranial space-occupying lesion		2	3	0.0000%
R91.X Abnormal findings on diagnostic imaging of lung		11	80	0.0002%
R93.0 Abnormal findings on diagnostic imaging of skull and head		1	3	0.0000%
R93.2 Abn findings diagnostic imaging of liver and biliary tract		2	3	0.0000%
R93.3 Abn finds diagnostic imaging of oth parts of digestive tract		51	108	0.0003%
R93.4 Abnormal findings on diagnostic imaging of urinary organs		4	13	0.0000%
R93.5 Abn finds diag imaging oth abdo region inc retroperitoneum		5	8	0.0000%
R93.8 Abn finds on diag imaging of other spec body structures			4	0.0000%
R94.5 Abnormal results of liver function studies		148	226	0.0005%
R94.8 Abn results of function studies of other organs and systems			2	0.0000%
R98.X Unattended death		1	2	0.0000%
S00.1 Contusion of eyelid and periocular area		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S00.2 Other superficial injuries of eyelid and periocular area	3		3	0.0000%
S00.4 Superficial injury of ear	2	34	36	0.0001%
S00.5 Superficial injury of lip and oral cavity		1	1	0.0000%
S00.8 Superficial injury of other parts of head	1	5	6	0.0000%
S01.1 Open wound of eyelid and periocular area	11	8	19	0.0000%
S01.3 Open wound of ear	1	11	12	0.0000%
S01.4 Open wound of cheek and temporomandibular area		1	1	0.0000%
S01.5 Open wound of lip and oral cavity		1	1	0.0000%
S02.2 Fracture of nasal bones	2	1	3	0.0000%
S02.3 Fracture of orbital floor	17	8	25	0.0001%
S02.4 Fracture of malar and maxillary bones	1	1	2	0.0000%
S02.5 Fracture of tooth	15	14	29	0.0001%
S02.6 Fracture of mandible	1	5	6	0.0000%
S02.8 Fractures of other skull and facial bones		1	1	0.0000%
S02.9 Fracture of skull and facial bones part unspecified	7	23	30	0.0001%
S03.2 Dislocation of tooth	1		1	0.0000%
S04.0 Injury of optic nerve and pathways	4		4	0.0000%
S05.0 Injury conjunctiva corneal abras without ment foreign body	198	113	311	0.0007%
S05.1 Contusion of eyeball and orbital tissues	8	6	14	0.0000%
S05.3 Ocular lacn without prolapse or loss of intraocular tissue	1		1	0.0000%
S05.4 Penetrating wound of orbit with or without foreign body		2	2	0.0000%
S05.5 Penetrating wound of eyeball with foreign body	4	5	9	0.0000%
S05.6 Penetrating wound of eyeball without foreign body	7	11	18	0.0000%
S05.7 Avulsion of eye	2	3	5	0.0000%
S05.8 Other injuries of eye and orbit	6	11	17	0.0000%
S05.9 Injury of eye and orbit part unspecified	30	39	69	0.0002%
S06.4 Epidural haemorrhage	1		1	0.0000%
S06.5 Traumatic subdural haemorrhage	1	5	6	0.0000%
S06.6 Traumatic subarachnoid haemorrhage		1	1	0.0000%
S06.8 Other intracranial injuries	1	4	5	0.0000%
S06.9 Intracranial injury unspecified	4	4	8	0.0000%
S09.0 Injury of blood vessels of head not elsewhere classified	4	1	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
S09.9 Unspecified injury of head		55 33	88	0.0002%
S12.1 Fracture of second cervical vertebra			1	0.0000%
S13.1 Dislocation of cervical vertebra			2	0.0000%
S13.4 Sprain and strain of cervical spine	1	1	2	0.0000%
S14.1 Other and unspecified injuries of cervical spinal cord		1	1	0.0000%
S14.3 Injury of brachial plexus	10	10	20	0.0000%
S15.2 Injury of external jugular vein	1	8	9	0.0000%
S20.0 Contusion of breast	1		1	0.0000%
S20.2 Contusion of thorax	1		1	0.0000%
S21.8 Open wound of other parts of thorax		3	3	0.0000%
S22.4 Multiple fractures of ribs		3	3	0.0000%
S30.9 Superficial inj of abdomen lower back and pelvis part unspec		3	3	0.0000%
S32.4 Fracture of acetabulum		1	1	0.0000%
S32.5 Fracture of pubis	1		1	0.0000%
S32.8 Fracture of oth and unspec parts of lumbar spine and pelvis		1	1	0.0000%
S33.6 Sprain and strain of sacroiliac joint		2	2	0.0000%
S33.7 Sprain and strain oth and unspec parts lumbar spine pelvis		1	1	0.0000%
S37.8 Injury of other pelvic organs		1	1	0.0000%
S39.9 Unspecified injury of abdomen lower back and pelvis	1	1	2	0.0000%
S42.0 Fracture of clavicle	2	6	8	0.0000%
S42.1 Fracture of scapula		1	1	0.0000%
S42.2 Fracture of upper end of humerus	1	6	7	0.0000%
S42.3 Fracture of shaft of humerus		6	6	0.0000%
S42.4 Fracture of lower end of humerus	1	5	6	0.0000%
S43.1 Dislocation of acromioclavicular joint	6	9	15	0.0000%
S43.2 Dislocation of sternoclavicular joint	2	1	3	0.0000%
S43.7 Sprain and strain of oth and unspec part of shoulder girdle	1		1	0.0000%
S46.1 Injury of muscle and tendon of long head of biceps	4	3	7	0.0000%
S50.9 Superficial injury of forearm unspecified	1	2	3	0.0000%
S51.0 Open wound of elbow		1	1	0.0000%
S51.7 Multiple open wounds of forearm		2	2	0.0000%
S52.0 Fracture of upper end of ulna	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S52.1 Fracture of upper end of radius	1	1	2	0.0000%
S52.5 Fracture of lower end of radius	5	2	7	0.0000%
S52.7 Multiple fractures of forearm		1	1	0.0000%
S52.8 Fracture of other parts of forearm		1	1	0.0000%
S53.3 Traumatic rupture of ulnar collateral ligament	1	2	3	0.0000%
S56.0 Injury of flexor muscle and tendon of thumb at forearm level		2	2	0.0000%
S60.8 Other superficial injuries of wrist and hand		4	4	0.0000%
S60.9 Superficial injury of wrist and hand unspecified		7	7	0.0000%
S61.1 Open wound of finger(s) with damage to nail	1		1	0.0000%
S62.0 Fracture of navicular [scaphoid] bone of hand	6	24	30	0.0001%
S62.2 Fracture of first metacarpal bone	1	5	6	0.0000%
S63.1 Dislocation of finger		1	1	0.0000%
S63.3 Traumatic rupture of ligament of wrist and carpus	3	4	7	0.0000%
S63.6 Sprain and strain of finger(s)	10	2	12	0.0000%
S64.0 Injury of ulnar nerve at wrist and hand level		2	2	0.0000%
S69.9 Unspecified injury of wrist and hand	1		1	0.0000%
S70.1 Contusion of thigh		1	1	0.0000%
S71.8 Open wound of other and unspecified parts of pelvic girdle	1		1	0.0000%
S72.0 Fracture of neck of femur		1	1	0.0000%
S72.3 Fracture of shaft of femur		1	1	0.0000%
S73.1 Sprain and strain of hip		1	1	0.0000%
S79.9 Unspecified injury of hip and thigh	1		1	0.0000%
S82.3 Fracture of lower end of tibia		1	1	0.0000%
S83.5 Sprain and strain involving (ant)(post) cruciate lig knee	5	2	7	0.0000%
S86.0 Injury of Achilles tendon		6	6	0.0000%
S89.9 Unspecified injury of lower leg	1		1	0.0000%
S90.3 Contusion of other and unspecified parts of foot		1	1	0.0000%
S91.0 Open wound of ankle		1	1	0.0000%
S91.3 Open wound of other parts of foot		1	1	0.0000%
S93.4 Sprain and strain of ankle	1		1	0.0000%
S99.8 Other specified injuries of ankle and foot	1		1	0.0000%
T09.3 Injury of spinal cord level unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T14.0 Superficial injury of unspecified body region	2	6	8	0.0000%
T14.1 Open wound of unspecified body region		1	1	0.0000%
T14.2 Fracture of unspecified body region		1	1	0.0000%
T14.3 Dislocation sprain and strain of unspecified body region		1	1	0.0000%
T14.9 Injury unspecified		7	7	0.0000%
T15.0 Foreign body in cornea	173	41	214	0.0005%
T15.1 Foreign body in conjunctival sac	6	1	7	0.0000%
T15.8 Foreign body in other and multiple parts of external eye	1		1	0.0000%
T15.9 Foreign body on external eye part unspecified	22	17	39	0.0001%
T16.X Foreign body in ear		1	1	0.0000%
T17.2 Foreign body in pharynx		1	1	0.0000%
T17.9 Foreign body in respiratory tract part unspecified	1		1	0.0000%
T18.1 Foreign body in oesophagus	2		2	0.0000%
T18.2 Foreign body in stomach	2		2	0.0000%
T18.4 Foreign body in colon	1		1	0.0000%
T18.9 Foreign body in alimentary tract part unspecified	1		1	0.0000%
T20.2 Burn of second degree of head and neck		14	14	0.0000%
T26.0 Burn of eyelid and periocular area	10	6	16	0.0000%
T26.1 Burn of cornea and conjunctival sac	13	6	19	0.0000%
T26.4 Burn of eye and adnexa part unspecified	6	4	10	0.0000%
T26.5 Corrosion of eyelid and periocular area	6		6	0.0000%
T26.6 Corrosion of cornea and conjunctival sac	1		1	0.0000%
T26.9 Corrosion of eye and adnexa part unspecified	1	4	5	0.0000%
T29.0 Burns of multiple regions unspecified degree		1	1	0.0000%
T39.0 Poisoning by Salicylates		3	3	0.0000%
T39.1 Poisoning by 4-Aminophenol derivatives	2	6	8	0.0000%
T40.4 Poisoning by other synthetic narcotics		1	1	0.0000%
T42.6 Poisoning by other antiepileptic and sedative-hypnotic drugs		1	1	0.0000%
T43.2 Poisoning by other and unspecified antidepressants		11	11	0.0000%
T43.6 Poisoning by psychostimulants with abuse potential		1	1	0.0000%
T50.9 Poisoning by oth & unsp drugs medicaments & biological subs	1	8	9	0.0000%
T51.9 Toxic effect of alcohol unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T54.9 Toxic effect of corrosive substance unspecified		2	2	0.0000%
T56.8 Toxic effect of other metals		1	1	0.0000%
T59.1 Toxic effect of sulfur dioxide	1	2	3	0.0000%
T65.8 Toxic effect of other specified substances		1	1	0.0000%
T65.9 Toxic effect of unspecified substance		1	1	0.0000%
T66.X Unspecified effects of radiation	2	25	27	0.0001%
T69.1 Chilblains	2		2	0.0000%
T74.1 Physical abuse		1	1	0.0000%
T75.4 Effects of electric current		1	1	0.0000%
T78.3 Angioneurotic oedema		2	2	0.0000%
T78.4 Allergy unspecified	3	13	16	0.0000%
T79.3 Post-traumatic wound infection not elsewhere classified	2	8	10	0.0000%
T79.6 Traumatic ischaemia of muscle		1	1	0.0000%
T81.0 Haemorrhage and haematoma complicating a procedure NEC	2	3	5	0.0000%
T81.3 Disruption of operation wound not elsewhere classified	3	17	20	0.0000%
T81.4 Infection following a procedure not elsewhere classified	3	45	48	0.0001%
T81.5 FB accident left in body cav or op wound following a proced	1	7	8	0.0000%
T81.8 Other complications of procedures not elsewhere classified	2	10	12	0.0000%
T81.9 Unspecified complication of procedure		17	17	0.0000%
T82.3 Mechanical complication of other vascular grafts	1		1	0.0000%
T82.7 Infect inflamm reac due oth card vasc devs implant and graft		1	1	0.0000%
T82.8 Oth comps of cardic & vasc prosthet devs implants & grafts		1	1	0.0000%
T83.0 Mechanical complication of urinary (indwelling) catheter	2	6	8	0.0000%
T83.1 Mechanical complication of other urinary devices and implant	1	5	6	0.0000%
T83.3 Mechanical complication of intrauterine contraceptive device		1	1	0.0000%
T83.8 Oth comps genitourinary prosth devs implants & grafts		1	1	0.0000%
T83.9 Unspec comp genitourinary prosth dev implant & graft		3	3	0.0000%
T84.0 Mechanical complication of internal joint prosthesis	30	72	102	0.0002%
T84.2 Mechanical comp of internal fixation device of other bones		1	1	0.0000%
T84.5 Infect and inflammatory reaction due to internal joint pros		11	11	0.0000%
T84.6 Infect and inflamm react due int fixation dev [any site]		4	4	0.0000%
T84.8 Oth comps int orthopaedic prosth devs implants & grafts	15	35	50	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
T84.9 Unsp comp int othopaedic prosth dev implant & graft		4	4	0.0000%
T85.2 Mechanical complication of intraocular lens	157	40	197	0.0005%
T85.3 Mech comp oth ocular prosthetic devs implants & grafts	6	4	10	0.0000%
T85.4 Mechanical complication of breast prosthesis and implant	1	1	2	0.0000%
T85.5 Mech comp gastrointestinal prosth devs implants & grafts	6	7	13	0.0000%
T85.6 Mech comp oth spec int prosthetic devs implants & grafts	4	2	6	0.0000%
T85.7 Inf inflamm react due oth int prosth devs implants & grafts	2	3	5	0.0000%
T85.8 Oth comps int prosthetic devs implants & grafts NEC	3	29	32	0.0001%
T85.9 Unspec comp internal prosthetic device implant & graft		4	4	0.0000%
T86.0 Bone-marrow transplant rejection		1	1	0.0000%
T86.8 Failure and reject of other transplanted organs and tissues	1	14	15	0.0000%
T86.9 Failure and reject of unspec transplanted organ and tissue		5	5	0.0000%
T87.3 Neuroma of amputation stump		6	6	0.0000%
T88.1 Other complications following immunization NEC		3	3	0.0000%
T88.4 Failed or difficult intubation	1		1	0.0000%
T88.7 Unspecified adverse effect of drug or medicament		2	2	0.0000%
T88.8 Oth spec complications of surgical and medical care NEC	1	1	2	0.0000%
T90.1 Sequelae of open wound of head		2	2	0.0000%
T92.2 Sequelae of fracture at wrist and hand level		1	1	0.0000%
Z00.0 General medical examination	10	151	161	0.0004%
Z00.1 Routine child health examination	2	1	3	0.0000%
Z00.3 Examination for adolescent development state	1		1	0.0000%
Z00.4 General psychiatric examination not elsewhere classified	11	17	28	0.0001%
Z00.6 Exam normal comparison and control in clin research program	1	1	2	0.0000%
Z00.8 Other general examinations	60	30	90	0.0002%
Z01.0 Examination of eyes and vision	1,680	5,322	7,002	0.0165%
Z01.2 Dental examination	59	101	160	0.0004%
Z01.3 Examination of blood pressure		6	6	0.0000%
Z01.4 Gynaecological examination (general)(routine)	884	887	1,771	0.0042%
Z01.5 Diagnostic skin and sensitization tests	1	12	13	0.0000%
Z01.6 Radiological examination not elsewhere classified	4,304	473	4,777	0.0113%
Z01.7 Laboratory examination	6	345	351	0.0008%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Z01.8 Other specified special examinations		221 335	556	0.0013%
Z01.9 Special examination unspecified		110 70	180	0.0004%
Z02.4 Examination for driving licence		1 1	2	0.0000%
Z02.9 Examination for administrative purposes unspecified			2	0.0000%
Z03.0 Observation for suspected tuberculosis		1	1	0.0000%
Z03.1 Observation for suspected malignant neoplasm		8 1,086	1,094	0.0026%
Z03.2 Observation for suspected mental and behavioural disorders		7 5	12	0.0000%
Z03.5 Observation for other suspected cardiovascular diseases		394 513	907	0.0021%
Z03.6 Observation for suspected toxic effect from ingested subs			4	0.0000%
Z03.8 Observation for other suspected diseases and conditions		774 295	1,069	0.0025%
Z03.9 Observation for suspected disease or condition unspecified		83 183	266	0.0006%
Z04.6 General psychiatric examination requested by authority		1	1	0.0000%
Z04.8 Examination and observation for other specified reasons		4 4	8	0.0000%
Z04.9 Examination and observation for unspecified reason		5 7	12	0.0000%
Z08.0 Follow-up examination after surgery for malignant neoplasm		260 2,776	3,036	0.0072%
Z08.1 Follow-up examin after radiotherapy for malignant neoplasm		2 7	9	0.0000%
Z08.2 Follow-up exam after chemotherapy for malignant neoplasm		3 8	11	0.0000%
Z08.7 Follow-up exam after combined treatment for malig neoplasm			121	0.0003%
Z08.8 Follow-up exam after other treatment for malignant neoplasm			21	0.0000%
Z08.9 Follow-up exam after unspec treatment for malignant neoplasm		30 53	83	0.0002%
Z09.0 Follow-up examination after surgery for other conditions		290 6,348	6,638	0.0156%
Z09.2 Follow-up examination after chemotherapy for oth conditions		30 10	40	0.0001%
Z09.3 Follow-up examination after psychotherapy			2	0.0000%
Z09.7 Follow-up exam after combined treatment for other conditions			1	0.0000%
Z09.8 Follow-up exam after other treatment for other conditions		240 240	480	0.0011%
Z09.9 Follow-up exam after unspec treatment for other conditions		178 351	529	0.0012%
Z10.2 Routine general health check-up of armed forces			1	0.0000%
Z11.0 Special screening exam for intestinal infectious diseases		5 2	7	0.0000%
Z11.2 Special screening examination for other bacterial diseases		62 27	89	0.0002%
Z11.8 Spec screen exam for oth infectious and parasitic diseases		1	1	0.0000%
Z12.0 Special screening examination for neoplasm of stomach		2 1	3	0.0000%
Z12.1 Special screening examin for neoplasm of intestinal tract		122 61	183	0.0004%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Z12.3 Special screening examination for neoplasm of breast	96	1,097	1,193	0.0028%
Z12.4 Special screening examination for neoplasm of cervix	10	34	44	0.0001%
Z12.6 Special screening examination for neoplasm of bladder	23	12	35	0.0001%
Z12.8 Special screening examination for neoplasms of other sites	20	49	69	0.0002%
Z12.9 Special screening examination for neoplasm unspecified	2		2	0.0000%
Z13.1 Special screening examination for diabetes mellitus	656	102	758	0.0018%
Z13.2 Special screening examination for nutritional disorders	3		3	0.0000%
Z13.4 Spec screen exam certain development disorders in childhood	1	1	2	0.0000%
Z13.5 Special screening examination for eye and ear disorders	36	956	992	0.0023%
Z13.7 Sp screening exam for cong malfs deform'ns & chromos'l abn's	4	1	5	0.0000%
Z13.8 Special screening exam for oth spec diseases and disorders	41	373	414	0.0010%
Z13.9 Special screening examination unspecified	18	56	74	0.0002%
Z20.8 Contact with and exposure to other communicable diseases		1	1	0.0000%
Z25.1 Need for immunization against influenza		5	5	0.0000%
Z26.9 Need for immunization against unspecified infectious disease		2	2	0.0000%
Z27.1 Need immuniz against diphtheria-tetanus-pertussis comb [DTP]		2	2	0.0000%
Z27.3 Need immuniz against diphth-tetanus-pertussis with polio		1	1	0.0000%
Z27.4 Need for immunization against measles-mumps-rubella [MMR]	1	8	9	0.0000%
Z29.8 Other specified prophylactic measures	1	12	13	0.0000%
Z29.9 Prophylactic measure unspecified	1	4	5	0.0000%
Z30.0 General counselling and advice on contraception	1		1	0.0000%
Z30.1 Insertion of (intrauterine) contraceptive device	2	35	37	0.0001%
Z30.2 Sterilization	627	133	760	0.0018%
Z30.3 Menstrual extraction	174	25	199	0.0005%
Z30.5 Surveillance of (intrauterine) contraceptive device	4	3	7	0.0000%
Z31.0 Tuboplasty or vasoplasty after previous sterilization	9	2	11	0.0000%
Z31.1 Artificial insemination	3	98	101	0.0002%
Z31.2 In vitro fertilization	8	77	85	0.0002%
Z31.4 Procreative investigation and testing		127	127	0.0003%
Z31.5 Genetic counselling	42	9	51	0.0001%
Z31.6 General counselling and advice on procreation	64	84	148	0.0003%
Z31.8 Other procreative management	1	25	26	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Z32.0 Pregnancy not (yet) confirmed		299 82	381	0.0009%
Z32.1 Pregnancy confirmed		574 145	719	0.0017%
Z34.0 Supervision of normal first pregnancy		1 2	3	0.0000%
Z34.8 Supervision of other normal pregnancy		1 1	2	0.0000%
Z34.9 Supervision of normal pregnancy unspecified		1,683 3,434	5,117	0.0121%
Z35.1 Supervision of pregnancy with history of abortive outcome			12	0.0000%
Z35.2 Supervision of pregnancy with oth poor repro or obstet hist		380 239	620	0.0015%
Z35.4 Supervision of pregnancy with grand multiparity		10 18	28	0.0001%
Z35.7 Supervision of high-risk pregnancy due to social problems			1	0.0000%
Z35.8 Supervision of other high-risk pregnancies			1	0.0000%
Z35.9 Supervision of high-risk pregnancy unspecified		573 1,947	2,520	0.0059%
Z36.0 Antenatal screening for chromosomal anomalies		105 50	155	0.0004%
Z36.1 Antenatal screening for raised alphafetoprotein level		34 6	40	0.0001%
Z36.4 A/N screen fetal gwth retard using ultrasound oth phys meth		24 16	40	0.0001%
Z36.8 Other antenatal screening		2	2	0.0000%
Z36.9 Antenatal screening unspecified		5 26	31	0.0001%
Z37.0 Single live birth			1	0.0000%
Z38.0 Singleton born in hospital			1	0.0000%
Z39.2 Routine postpartum follow-up		47 18	65	0.0002%
Z40.8 Other prophylactic surgery		2	2	0.0000%
Z40.9 Prophylactic surgery unspecified		1	1	0.0000%
Z41.1 Other plastic surgery for unacceptable cosmetic appearance		2 4	6	0.0000%
Z41.9 Proc for purposes other than remedying health state		1	1	0.0000%
Z42.0 Follow-up care involving plastic surgery of head and neck			4	0.0000%
Z42.1 Follow-up care involving plastic surgery of breast		14 139	153	0.0004%
Z42.2 Follow-up care involving plastic surgery oth parts of trunk		1 8	9	0.0000%
Z42.4 Follow-up care involving plastic surgery of lower extremity			4	0.0000%
Z42.8 Follow-up care involving plastic surgery of other body part			2	0.0000%
Z42.9 Follow-up care involving plastic surgery unspecified		34 27	61	0.0001%
Z43.0 Attention to tracheostomy			2	0.0000%
Z43.1 Attention to gastrostomy		55 27	82	0.0002%
Z43.2 Attention to ileostomy		2 2	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character NHS Hospitals, England, 2003-04		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
		First appointment	Subsequent appointment		
Z43.3	Attention to colostomy	3	3	6	0.0000%
Z43.4	Attention to other artificial openings of digestive tract	1	9	10	0.0000%
Z43.5	Attention to cystostomy	1	31	32	0.0001%
Z43.6	Attention to other artificial openings of urinary tract	2	34	36	0.0001%
Z43.9	Attention to unspecified artificial opening		1	1	0.0000%
Z44.2	Fitting and adjustment of artificial eye		19	19	0.0000%
Z45.1	Adjustment and management of infusion pump	1		1	0.0000%
Z45.2	Adjustment and management of vascular access device	1	2	3	0.0000%
Z45.8	Adjustment and management of other implanted devices	4	18	22	0.0001%
Z45.9	Adjustment and management of unspecified implanted device	1	93	94	0.0002%
Z46.2	Fit and adjust oth devs related to nervous sys and spec sens		1	1	0.0000%
Z46.3	Fitting and adjustment of dental prosthetic device		33	33	0.0001%
Z46.5	Fit and adjustment ileostomy and oth intestinal appliances	13	10	23	0.0001%
Z46.6	Fitting and adjustment of urinary device	25	403	428	0.0010%
Z46.8	Fitting and adjustment of other specified devices	1	1	2	0.0000%
Z46.9	Fitting and adjustment of unspecified device		5	5	0.0000%
Z47.0	Follow-up care invol remov fract plate oth int fixation dev	21	513	534	0.0013%
Z47.8	Other specified orthopaedic follow-up care		25	25	0.0001%
Z48.0	Attention to surgical dressings and sutures	52	1,740	1,792	0.0042%
Z48.8	Other specified surgical follow-up care	3	114	117	0.0003%
Z48.9	Surgical follow-up care unspecified	5	198	203	0.0005%
Z49.0	Preparatory care for dialysis		8	8	0.0000%
Z50.0	Cardiac rehabilitation	2		2	0.0000%
Z50.1	Other physical therapy	3	86	89	0.0002%
Z50.2	Alcohol rehabilitation		4	4	0.0000%
Z51.0	Radiotherapy session	903	43,163	44,066	0.1038%
Z51.1	Chemotherapy session for neoplasm	137	16,550	16,687	0.0393%
Z51.2	Other chemotherapy		7	7	0.0000%
Z51.3	Blood transfusion without reported diagnosis		20	20	0.0000%
Z51.4	Preparatory care for subsequent treatment NEC	1,822	3,124	4,946	0.0116%
Z51.5	Palliative care		2	2	0.0000%
Z51.8	Other specified medical care	1	16	17	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z51.9 Medical care unspecified	1	16	17	0.0000%
Z52.3 Bone marrow donor	9	9	18	0.0000%
Z53.0 Procedure not carried out because of contraindication	53	26	79	0.0002%
Z53.1 Proc not carried out; pat's decision reasons belief/gp press		1	1	0.0000%
Z53.2 Proc not carried out because pat's dec oth unspec reasons	4	10	14	0.0000%
Z53.8 Procedure not carried out for other reasons	82	2,015	2,097	0.0049%
Z53.9 Procedure not carried out unspecified reason	24	32	56	0.0001%
Z55.4 Education maladjust and discord with teachers and classmates	2	1	3	0.0000%
Z55.9 Problem related to education and literacy unspecified		1	1	0.0000%
Z60.0 Problems of adjustment to life-cycle transitions	3		3	0.0000%
Z60.2 Living alone	1		1	0.0000%
Z60.8 Other problems related to social environment	2	2	4	0.0000%
Z60.9 Problem related to social environment unspecified	2		2	0.0000%
Z61.2 Altered pattern of family relationships in childhood		3	3	0.0000%
Z61.3 Events resulting in loss of self-esteem in childhood	1		1	0.0000%
Z62.5 Other problems related to neglect in upbringing		1	1	0.0000%
Z62.9 Problem related to upbringing unspecified		2	2	0.0000%
Z63.0 Problems in relationship with spouse or partner	2	8	10	0.0000%
Z63.4 Disappearance and death of family member	1		1	0.0000%
Z63.9 Problem related to primary support group unspecified	1	1	2	0.0000%
Z64.0 Problems related to unwanted pregnancy	1		1	0.0000%
Z71.0 Person consulting on behalf of another person	2		2	0.0000%
Z71.1 Person with feared complaint in whom no diagnosis is made	482	317	799	0.0019%
Z71.2 Person consulting for explanation of investigation findings	10	4	14	0.0000%
Z71.3 Dietary counselling and surveillance	2	14	16	0.0000%
Z71.5 Drug abuse counselling and surveillance	1		1	0.0000%
Z71.6 Tobacco abuse counselling	1		1	0.0000%
Z71.8 Other specified counselling	1,105	83	1,188	0.0028%
Z71.9 Counselling unspecified	1,574	51	1,625	0.0038%
Z72.0 Tobacco use		2	2	0.0000%
Z72.1 Alcohol use		12	12	0.0000%
Z72.8 Other problems related to lifestyle		4	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

Primary diagnosis: 4 character		Attended		All (inc first/subsequent unknown)	Percentage of All Attendances	
NHS Hospitals, England, 2003-04		First appointment	Subsequent appointment			
Z73.3	Stress not elsewhere classified		2	2	4	0.0000%
Z73.9	Problem related to life-management difficulty unspecified		1	2	3	0.0000%
Z75.5	Holiday relief care		8	23	31	0.0001%
Z76.8	Persons encountering health servs in oth spec circumstances		3	4	7	0.0000%
Z80.0	Family history of malignant neoplasm of digestive organs		42	40	82	0.0002%
Z80.3	Family history of malignant neoplasm of breast		290	3,370	3,660	0.0086%
Z80.4	Family history of malignant neoplasm of genital organs			9	9	0.0000%
Z80.8	Family history of malignant neoplasm of other organs or sys		5	148	153	0.0004%
Z80.9	Family history of malignant neoplasm unspecified		13	239	252	0.0006%
Z82.1	Family history of blindness and visual loss		1		1	0.0000%
Z83.2	Fam hist did blood/bd frm orgs & cer dis inv immune mech			1	1	0.0000%
Z83.7	Family history of diseases of the digestive system		1	2	3	0.0000%
Z85.0	Personal history of malignant neoplasm of digestive organs		28	49	77	0.0002%
Z85.1	Personal history of malig neoplasm trachea bronchus & lung		1		1	0.0000%
Z85.3	Personal history of malignant neoplasm of breast			1	1	0.0000%
Z85.4	Personal history of malignant neoplasm of genital organs			3	3	0.0000%
Z85.5	Personal history of malignant neoplasm of urinary tract			9	9	0.0000%
Z85.8	Personal history of malig neoplasms of other organs and sys			1	1	0.0000%
Z86.0	Personal history of other neoplasms		57	218	275	0.0006%
Z86.1	Personal history of infectious and parasitic diseases			3	3	0.0000%
Z86.7	Personal history of diseases of the circulatory system			2	2	0.0000%
Z87.1	Personal history of diseases of the digestive system		15	34	49	0.0001%
Z87.4	Personal history of diseases of the genitourinary system		9	25	34	0.0001%
Z90.0	Acquired absence of part of head and neck		1		1	0.0000%
Z90.1	Acquired absence of breast(s)			4	4	0.0000%
Z90.3	Acquired absence of part of stomach		6	5	11	0.0000%
Z91.5	Personal history of self-harm		4	24	28	0.0001%
Z92.3	Personal history of irradiation			2	2	0.0000%
Z92.4	Personal history of major surgery not elsewhere classified		1	2	3	0.0000%
Z93.1	Gastrostomy status		9	4	13	0.0000%
Z93.2	Ileostomy status		2	1	3	0.0000%
Z93.3	Colostomy status		1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2003-04*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z93.4 Other artificial openings of gastrointestinal tract status	2	1	3	0.0000%
Z93.6 Other artificial openings of urinary tract status		1	1	0.0000%
Z94.0 Kidney transplant status	19	3	22	0.0001%
Z94.4 Liver transplant status		9	9	0.0000%
Z95.0 Presence of cardiac pacemaker		1	1	0.0000%
Z95.2 Presence of prosthetic heart valve	2	35	37	0.0001%
Z95.4 Presence of other heart-valve replacement		15	15	0.0000%
Z96.1 Presence of intraocular lens	48	269	317	0.0007%
Z96.2 Presence of otological and audiological implants		1	1	0.0000%
Z96.8 Presence of other specified functional implants	2		2	0.0000%
Z97.0 Presence of artificial eye		5	5	0.0000%
Z98.0 Intestinal bypass and anastomosis status	5	8	13	0.0000%
Z98.8 Other specified postsurgical states		1	1	0.0000%
Z99.9 Dependence on unspecified enabling machine and device	1	1	2	0.0000%