

Primary diagnosis: 4 character, 2004-05

For the 2004-05 financial year, Hospital Episode Statistics (HES) has collected more than 54 million records detailing outpatient appointments, delivered by NHS hospitals in England.

The latest HES data are available via the internet from the Freely available data section of the HESonline website [www.hesonline.nhs.uk]. For data breakdowns beyond the scope of the tables available, such as a count of appointments split by strategic health authority (SHA), please contact the HES team: Tel. 0845 300 6016, email hes.questions@ic.nhs.uk.

Please note that in order to avoid undue delay in the publication of these tables, the counts have not been adjusted to account for shortfalls in the number of records received from NHS trusts, or for missing/invalid clinical data (ie diagnosis and operation codes) – hence the label 'Ungrossed data' in each table.

You must exercise great care when comparing HES figures for different years. Fluctuations in the data can occur for a number of reasons, eg organisational changes, reviews of best practice within the medical community, the adoption of new coding schemes and data quality problems that are often year specific. These variations can lead to false assumptions about trends. We advise users of time series data to carefully explore the relevant issues before drawing any conclusions about the reasons for year-on-year changes.

Data quality

The HES database is assembled from records originally generated by the patient administration systems within more than five hundred separate NHS trusts. While the HES team liaise closely with the NHS in order to maintain data quality and consistency, it is inevitable in such a complex undertaking that a few errors will occur. Users of the data who discover apparent anomalies should feel free to contact the HES team, so that they may investigate.

Primary diagnosis: 4 character

Primary diagnosis

The primary diagnosis, recorded using ICD-10, is the main condition treated or investigated during the outpatient appointment.

- **4 character**

The Primary diagnosis: 4-character table provides a complete breakdown of all the 4-character primary diagnosis codes, giving an extremely detailed breakdown. The codes consist of a letter followed by two numbers with a single decimal point (eg A12.3) and are accompanied by a complete description of the diagnosis. The 4-character codes are a direct breakdown of the 3-character codes.

Table column definitions

This section contains descriptions of the column headers found in the free data tables that you can download from the HESonline website.

Attended First Appointment

This provides a count of those who attended their first outpatient appointment.

Attended Subsequent Appointment

This provides a count of those who attended an outpatient appointment, but it was a follow up appointment rather than their first appointment.

All (including first/subsequent unknown)

This provides a count of all outpatient attendances, including first, subsequent appointments as well as appointments where it is unknown.

Percentage of all attendances

This provides the all attendances count as a percentage of the total number of all attendances (including first/subsequent and unknown).

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Total	13,150,085	31,553,005	44,837,935	100%
A02.0 Salmonella enteritis		1	1	0.0000%
A03.2 Shigellosis due to Shigella boydii		1	1	0.0000%
A04.7 Enterocolitis due to Clostridium difficile	1		1	0.0000%
A04.8 Other specified bacterial intestinal infections	44	14	58	0.0001%
A05.9 Bacterial foodborne intoxication, unspecified	1	2	3	0.0000%
A07.1 Giardiasis [lambliasis]	1	1	2	0.0000%
A08.4 Viral intestinal infection, unspecified	2	5	7	0.0000%
A09.X Diarrhoea and gastroenteritis of presumed infectious origin	6	9	15	0.0000%
A15.2 Tuberculosis of lung, confirmed histologically	1		1	0.0000%
A16.9 Resp TB unspec without mention of bact or hist confirm	3	22	25	0.0001%
A17.0 Tuberculous meningitis		1	1	0.0000%
A18.2 Tuberculous peripheral lymphadenopathy	1	9	10	0.0000%
A18.8 Tuberculosis of other specified organs	1		1	0.0000%
A19.9 Miliary tuberculosis, unspecified	1		1	0.0000%
A20.3 Plague meningitis		1	1	0.0000%
A28.2 Extraintestinal yersiniosis	1		1	0.0000%
A30.0 Indeterminate leprosy		2	2	0.0000%
A31.1 Cutaneous mycobacterial infection		3	3	0.0000%
A31.9 Mycobacterial infection, unspecified		2	2	0.0000%
A32.1 Listerial meningitis and meningoencephalitis		2	2	0.0000%
A39.9 Meningococcal infection, unspecified		1	1	0.0000%
A41.9 Septicaemia, unspecified	3	3	6	0.0000%
A42.8 Other forms of actinomycosis		1	1	0.0000%
A44.1 Cutaneous and mucocutaneous bartonellosis	1		1	0.0000%
A49.0 Staphylococcal infection, unspecified		1	1	0.0000%
A52.2 Asymptomatic neurosyphilis	1		1	0.0000%
A53.9 Syphilis, unspecified		1	1	0.0000%
A56.0 Chlamydial infection of lower genitourinary tract		1	1	0.0000%
A56.1 Chlamydial inf of pelviperitoneum oth genitourinary organs		1	1	0.0000%
A60.0 Herpesviral infection of genitalia and urogenital tract		1	1	0.0000%
A63.0 Anogenital (venereal) warts	4	8	12	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
A66.9 Yaws, unspecified		1	1	0.0000%
A68.9 Relapsing fever, unspecified	1	1	2	0.0000%
A69.2 Lyme disease	1		1	0.0000%
A69.9 Spirochaetal infection, unspecified		2	2	0.0000%
A80.9 Acute poliomyelitis, unspecified	1	7	8	0.0000%
A84.1 Central European tick-borne encephalitis		3	3	0.0000%
A85.8 Other specified viral encephalitis	1		1	0.0000%
A90.X Dengue fever [classical dengue]	1		1	0.0000%
B00.0 Eczema herpeticum	1		1	0.0000%
B00.2 Herpesviral gingivostomatitis and pharyngotonsillitis	1		1	0.0000%
B00.5 Herpesviral ocular disease	64	143	207	0.0005%
B00.9 Herpesviral infection, unspecified	3	4	7	0.0000%
B01.2 Varicella pneumonia		1	1	0.0000%
B01.9 Varicella without complication	2	1	3	0.0000%
B02.0 Zoster encephalitis	1		1	0.0000%
B02.2 Zoster with other nervous system involvement	13	10	23	0.0001%
B02.3 Zoster ocular disease	50	113	163	0.0004%
B02.8 Zoster with other complications	1	3	4	0.0000%
B02.9 Zoster without complication	3	35	38	0.0001%
B05.9 Measles without complication		1	1	0.0000%
B07.X Viral warts	91	215	306	0.0007%
B08.1 Molluscum contagiosum	10	7	17	0.0000%
B16.9 Acute hep B without delta-agent and without hepat coma		8	8	0.0000%
B17.1 Acute hepatitis C	1	11	12	0.0000%
B18.1 Chronic viral hepatitis B without delta-agent	3	11	14	0.0000%
B18.2 Chronic viral hepatitis C	7	61	68	0.0002%
B21.1 HIV disease resulting in Burkitt's lymphoma	1		1	0.0000%
B21.3 HIV dis result oth mal neo lymphoid haematopoietic rel tis		1	1	0.0000%
B23.0 Acute HIV infection syndrome		3	3	0.0000%
B23.1 HIV dis result (persistent) generalized lymphadenopathy		2	2	0.0000%
B30.0 Keratoconjunctivitis due to adenovirus	2		2	0.0000%
B30.1 Conjunctivitis due to adenovirus	2	2	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
B30.2 Viral pharyngoconjunctivitis		1	1	0.0000%
B30.9 Viral conjunctivitis, unspecified	14	37	51	0.0001%
B34.4 Papovavirus infection, unspecified		2	2	0.0000%
B34.8 Other viral infections of unspecified site	1		1	0.0000%
B34.9 Viral infection, unspecified	21	25	46	0.0001%
B35.1 Tinea unguium	1	3	4	0.0000%
B35.3 Tinea pedis		4	4	0.0000%
B35.4 Tinea corporis	2		2	0.0000%
B35.9 Dermatophytosis, unspecified		1	1	0.0000%
B36.0 Pityriasis versicolor	5	1	6	0.0000%
B36.9 Superficial mycosis, unspecified		4	4	0.0000%
B37.0 Candidal stomatitis	2	8	10	0.0000%
B37.3 Candidiasis of vulva and vagina	2		2	0.0000%
B37.8 Candidiasis of other sites	76	21	97	0.0002%
B37.9 Candidiasis, unspecified	11	6	17	0.0000%
B44.8 Other forms of aspergillosis		1	1	0.0000%
B44.9 Aspergillosis, unspecified		1	1	0.0000%
B49.X Unspecified mycosis		3	3	0.0000%
B50.9 Plasmodium falciparum malaria, unspecified	1	2	3	0.0000%
B54.X Unspecified malaria		1	1	0.0000%
B58.0 Toxoplasma oculopathy	3	6	9	0.0000%
B58.8 Toxoplasmosis with other organ involvement		1	1	0.0000%
B58.9 Toxoplasmosis, unspecified	3	9	12	0.0000%
B59.X Pneumocystosis		1	1	0.0000%
B65.9 Schistosomiasis, unspecified		1	1	0.0000%
B82.9 Intestinal parasitism, unspecified		1	1	0.0000%
B85.0 Pediculosis due to Pediculus humanus capitis	1		1	0.0000%
B86.X Scabies	5	1	6	0.0000%
B90.8 Sequelae of tuberculosis of other organs	1		1	0.0000%
B91.X Sequelae of poliomyelitis	1	1	2	0.0000%
B94.8 Sequelae of other spec infectious and parasitic diseases		1	1	0.0000%
B95.8 Unspec staphy as cause of dis classif to other chapters	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
B96.8 Other spec bact agents as cause of dis class oth chaps		1	1	0.0000%
B97.7 Papillomavirus as cause of diseases classif oth chaps	2	2	4	0.0000%
B99.X Other and unspecified infectious diseases	118	368	486	0.0011%
C00.0 Malignant neoplasm of external upper lip	3	17	20	0.0000%
C00.1 Malignant neoplasm of external lower lip	9	68	77	0.0002%
C00.6 Malignant neoplasm of commissure of lip		1	1	0.0000%
C00.9 Malignant neoplasm of lip, unspecified	2	23	25	0.0001%
C01.X Malignant neoplasm of base of tongue	39	483	522	0.0012%
C02.1 Malignant neoplasm of border of tongue	11	153	164	0.0004%
C02.2 Malignant neoplasm of ventral surface of tongue		3	3	0.0000%
C02.3 Malignant neo of anterior two-thirds of tongue, part uns	4	71	75	0.0002%
C02.4 Malignant neoplasm of lingual tonsil	2	9	11	0.0000%
C02.8 Malignant neoplasm of overlapping lesion of tongue		4	4	0.0000%
C02.9 Malignant neoplasm of tongue, unspecified	57	703	760	0.0017%
C03.0 Malignant neoplasm of upper gum	1		1	0.0000%
C03.1 Malignant neoplasm of lower gum	3	35	38	0.0001%
C03.9 Malignant neoplasm of gum unspecified	2	14	16	0.0000%
C04.0 Malignant neoplasm of floor of anterior floor of mouth	3	55	58	0.0001%
C04.9 Malignant neoplasm of floor of mouth, floor of mouth, unspec	19	238	257	0.0006%
C05.0 Malignant neoplasm of hard palate		30	30	0.0001%
C05.1 Malignant neoplasm of soft palate	12	167	179	0.0004%
C05.2 Malignant neoplasm of uvula	2	19	21	0.0000%
C05.8 Malignant neoplasm, overlapping lesion of palate		1	1	0.0000%
C05.9 Malignant neoplasm of palate, unspecified	4	64	68	0.0002%
C06.0 Malignant neoplasm cheek mucosa	16	129	145	0.0003%
C06.1 Malignant neoplasm of vestibule of mouth	3	33	36	0.0001%
C06.2 Malignant neoplasm of retromolar area	3	98	101	0.0002%
C06.9 Malignant neoplasm of part of mouth, unspecified	18	274	292	0.0007%
C07.X Malignant neoplasm of parotid gland	30	272	302	0.0007%
C08.0 Malignant neoplasm of submandibular gland	5	34	39	0.0001%
C08.9 Malignant neoplasm of major salivary gland, unspecified	5	64	69	0.0002%
C09.0 Malignant neoplasm tonsillar fossa	3	57	60	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C09.1 Malig neo of tonsillar pillar (anterior)(posterior)	1	34	35	0.0001%
C09.9 Malignant neoplasm of tonsil unspecified	81	1,032	1,113	0.0025%
C10.0 Malignant neoplasm of vallecula		4	4	0.0000%
C10.1 Malignant neoplasm of anterior surface of epiglottis		9	9	0.0000%
C10.8 Malignant neoplasm overlapping lesion of oropharynx		4	4	0.0000%
C10.9 Malignant neoplasm of oropharynx unspecified	32	359	391	0.0009%
C11.0 Malignant neoplasm of superior wall of nasopharynx		5	5	0.0000%
C11.1 Malignant neoplasm of posterior wall of nasopharynx		5	5	0.0000%
C11.2 Malignant neoplasm of lateral wall of nasopharynx	1	50	51	0.0001%
C11.3 Malignant neoplasm of anterior wall of nasopharynx		5	5	0.0000%
C11.8 Malignant neoplasm overlapping lesion of nasopharynx	2	48	50	0.0001%
C11.9 Malignant neoplasm of nasopharynx unspecified	25	537	562	0.0013%
C12.X Malignant neoplasm of pyriform sinus	23	409	432	0.0010%
C13.0 Malignant neoplasm of hypopharynx, postcricoid region	2	58	60	0.0001%
C13.1 Malig neoplasm aryepiglottic fold, hypopharyngeal aspect	1	7	8	0.0000%
C13.9 Malignant neoplasm of hypopharynx unspecified	1	48	49	0.0001%
C14.0 Malignant neoplasm of pharynx, unsp	12	142	154	0.0003%
C14.8 Malig neo, overlapping lesion of lip, oral cavity & pharynx	49	165	214	0.0005%
C15.0 Malignant neoplasm of cervical part of oesophagus	2	3	5	0.0000%
C15.1 Malignant neoplasm of thoracic part of oesophagus		10	10	0.0000%
C15.2 Malignant neo of abdominal part of oesophagus		32	32	0.0001%
C15.3 Malignant neoplasm of upper third of oesophagus	18	91	109	0.0002%
C15.4 Malignant neoplasm of middle third of oesophagus	25	248	273	0.0006%
C15.5 Malignant neoplasm of lower third of oesophagus	112	692	804	0.0018%
C15.8 Malignant neoplasm overlapping lesion of oesophagus		2	2	0.0000%
C15.9 Malignant neoplasm of oesophagus unspecified	310	1,713	2,023	0.0045%
C16.0 Malignant neoplasm of cardia of stomach	60	520	580	0.0013%
C16.1 Malignant neoplasm of fundus of stomach	1	13	14	0.0000%
C16.2 Malignant neoplasm of body of stomach	5	59	64	0.0001%
C16.3 Malignant neoplasm of pyloric antrum	5	56	61	0.0001%
C16.4 Malignant neoplasm of pylorus	2	30	32	0.0001%
C16.5 Malignant neoplasm of lesser curvature of stomach, unsp	9	37	46	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
C16.6 Malignant neoplasm of greater curvature of stomach, unsp	4	28	32	0.0001%
C16.8 Malignant neoplasm overlapping lesion of stomach	8	93	101	0.0002%
C16.9 Malignant neoplasm of stomach, unspecified	116	906	1,022	0.0023%
C17.0 Malignant neoplasm of small intestine, duodenum	10	31	41	0.0001%
C17.1 Malignant neoplasm of small intestine, jejunum	5	70	75	0.0002%
C17.2 Malignant neoplasm of small intestine, ileum	1	5	6	0.0000%
C17.8 Malignant neoplasm overlapping lesion of small intestine		4	4	0.0000%
C17.9 Malignant neoplasm of small intestine, unspecified	4	26	30	0.0001%
C18.0 Malignant neoplasm of caecum	65	1,026	1,091	0.0024%
C18.1 Malignant neoplasm of appendix	4	20	24	0.0001%
C18.2 Malignant neoplasm of ascending colon	36	385	421	0.0009%
C18.3 Malignant neoplasm of hepatic flexure	5	139	144	0.0003%
C18.4 Malignant neoplasm of transverse colon	14	231	245	0.0005%
C18.5 Malignant neoplasm of splenic flexure	9	270	279	0.0006%
C18.6 Malignant neoplasm of descending colon	17	124	141	0.0003%
C18.7 Malignant neoplasm of sigmoid colon	133	1,343	1,476	0.0033%
C18.8 Malignant neoplasm overlapping lesion of colon		8	8	0.0000%
C18.9 Malignant neoplasm of colon, unspecified	344	2,158	2,502	0.0056%
C19.X Malignant neoplasm of rectosigmoid junction	61	1,202	1,263	0.0028%
C20.X Malignant neoplasm of rectum	537	6,013	6,550	0.0146%
C21.0 Malignant neoplasm of anus, unspecified	36	434	470	0.0010%
C21.1 Malignant neoplasm of anal canal	22	240	262	0.0006%
C21.2 Malignant neoplasm of cloacogenic zone		2	2	0.0000%
C21.8 Malig neo, overlapping lesion of rectum, anus and anal canal	8	138	146	0.0003%
C22.0 Malignant neoplasm, liver cell carcinoma	16	157	173	0.0004%
C22.1 Malignant neoplasm, intrahep bile duct carcinoma	3	125	128	0.0003%
C22.9 Malignant neoplasm, liver, unspecified	2	4	6	0.0000%
C23.X Malignant neoplasm of gallbladder	7	94	101	0.0002%
C24.0 Malignant neoplasm of extrahepatic bile duct	13	125	138	0.0003%
C24.1 Malignant neoplasm of Ampulla of Vater	7	175	182	0.0004%
C24.8 Malignant neoplasm overlapping lesion of biliary tract	1		1	0.0000%
C24.9 Malignant neoplasm of biliary tract, unspecified	5	26	31	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C25.0 Malignant neoplasm of head of pancreas	24	574	598	0.0013%
C25.1 Malignant neoplasm of body of pancreas	5	67	72	0.0002%
C25.2 Malignant neoplasm of tail of pancreas	2	25	27	0.0001%
C25.3 Malignant neoplasm of pancreatic duct	1		1	0.0000%
C25.4 Malignant neoplasm of endocrine pancreas		52	52	0.0001%
C25.7 Malignant neoplasm of other parts of pancreas	1	17	18	0.0000%
C25.8 Malignant neoplasm, overlapping lesion of pancreas	2	35	37	0.0001%
C25.9 Malignant neoplasm of pancreas, unspecified	77	901	978	0.0022%
C26.0 Malignant neoplasm of intestinal tract, part unsp	6	98	104	0.0002%
C26.1 Malignant neoplasm of spleen		1	1	0.0000%
C26.9 Malignant neoplasm of ill-def sites within digestive system	4	66	70	0.0002%
C30.0 Malignant neoplasm of nasal cavity	16	121	137	0.0003%
C30.1 Malignant neoplasm of middle ear	1	23	24	0.0001%
C31.0 Malignant neoplasm of maxillary sinus	6	81	87	0.0002%
C31.1 Malignant neoplasm of ethmoidal sinus	8	103	111	0.0002%
C31.3 Malignant neoplasm of sphenoidal sinus		8	8	0.0000%
C31.8 Malignant neoplasm, overlapping lesion accessory sinuses		8	8	0.0000%
C31.9 Malignant neoplasm of accessory sinus, unsp	4	51	55	0.0001%
C32.0 Malignant neoplasm of glottis	119	1,611	1,730	0.0039%
C32.1 Malignant neoplasm of supraglottis	32	394	426	0.0010%
C32.2 Malignant neoplasm of subglottis	2	31	33	0.0001%
C32.3 Malignant neoplasm of laryngeal cartilage		6	6	0.0000%
C32.8 Malignant neoplasm, overlapping lesion of larynx	4	49	53	0.0001%
C32.9 Malignant neoplasm of larynx, unspecified	78	834	912	0.0020%
C33.X Malignant neoplasm of trachea	2	15	17	0.0000%
C34.0 Malignant neoplasm of main bronchus	34	417	451	0.0010%
C34.1 Malignant neoplasm of upper lobe, bronchus or lung	232	3,445	3,677	0.0082%
C34.2 Malignant neoplasm of middle lobe, bronchus or lung	22	330	352	0.0008%
C34.3 Malignant neoplasm of lower lobe, bronchus or lung	97	1,095	1,192	0.0027%
C34.8 Malignant neoplasm of overlap les of bronchus & lung	3	21	24	0.0001%
C34.9 Malignant neoplasm of bronchus or lung, unspec	1,048	6,528	7,576	0.0169%
C37.X Malignant neoplasm of thymus	6	77	83	0.0002%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C38.0 Malignant neoplasm of heart, mediastinum & pleura, heart	1	20	21	0.0000%
C38.1 Malignant neoplasm of anterior mediastinum	3	46	49	0.0001%
C38.2 Malignant neoplasm of posterior mediastinum		1	1	0.0000%
C38.3 Malig neo heart, mediastinum & pleura,mediastinum,part unsp	8	134	142	0.0003%
C38.4 Malignant neoplasm of pleura	33	66	99	0.0002%
C40.0 Malignant neoplasm of scapula and long bones of upper limb	8	67	75	0.0002%
C40.1 Malignant neoplasm of short bones of upper limb		8	8	0.0000%
C40.2 Malignant neoplasm of long bones of lower limb	8	120	128	0.0003%
C40.9 Malignant neoplasm of bone and artic cart of limb, unsp	1	3	4	0.0000%
C41.0 Malignant neoplasm of bones of skull and face	12	136	148	0.0003%
C41.1 Malignant neoplasm of mandible	9	71	80	0.0002%
C41.2 Malignant neoplasm of vertebral column	6	116	122	0.0003%
C41.3 Malignant neoplasm of ribs, sternum and clavicle	2	26	28	0.0001%
C41.4 Malignant neoplasm of sacrum and coccyx	5	43	48	0.0001%
C41.9 Malignant neoplasm of bone and articular cartilage, unsp	29	172	201	0.0004%
C43.1 Malignant melanoma of eyelid, including canthus		2	2	0.0000%
C43.2 Malignant melanoma of ear and ext auricular canal	4	26	30	0.0001%
C43.3 Malignant melanoma of other and unspecified parts of face	11	156	167	0.0004%
C43.4 Malignant melanoma of scalp and neck	10	51	61	0.0001%
C43.5 Malignant melanoma of trunk	62	396	458	0.0010%
C43.6 Malignant melanoma of upper limb, including shoulder	26	353	379	0.0008%
C43.7 Malignant melanoma of lower limb, including hip	59	643	702	0.0016%
C43.8 Malignant melanoma of skin		3	3	0.0000%
C43.9 Malignant melanoma of skin, unsp	74	988	1,062	0.0024%
C44.0 Other malignant neoplasms of skin of lip	28	120	148	0.0003%
C44.1 Other malignant neoplasms of skin of eyelid, incl canthus	206	438	644	0.0014%
C44.2 Oth malignant neoplasms of skin of ear & ext auricular canal	87	559	646	0.0014%
C44.3 Oth malignant neoplasm of skin of oth & unsp parts of face	1,074	3,793	4,867	0.0109%
C44.4 Other malignant neoplasms of skin of scalp and neck	151	664	815	0.0018%
C44.5 Other malignant neoplasms of skin of trunk	81	625	706	0.0016%
C44.6 Oth malignant neoplasms of skin of upper limb, incl shoulder	45	258	303	0.0007%
C44.7 Other malignant neoplasms of skin of lower limb, incl hip	75	368	443	0.0010%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C44.8 Other malignant neoplasms, overlapping lesion of skin	10	12	22	0.0000%
C44.9 Other malignant neoplasms of skin, unspecified	974	2,500	3,474	0.0077%
C45.0 Mesothelioma of pleura	88	553	641	0.0014%
C45.1 Mesothelioma of peritoneum	2	17	19	0.0000%
C45.9 Mesothelioma, unspecified	10	12	22	0.0000%
C46.0 Kaposi's sarcoma of skin		5	5	0.0000%
C46.9 Kaposi's sarcoma, unspecified	2	9	11	0.0000%
C47.0 Malignant neoplasm of peripheral nerve of head, face & neck		2	2	0.0000%
C47.2 Malignant neoplasm of peripheral nerve of low limb, incl hip	1	19	20	0.0000%
C47.3 Malignant neoplasm of peripheral nerve of thorax		2	2	0.0000%
C47.4 Malignant neoplasm of peripheral nerve of abdomen		7	7	0.0000%
C47.9 Malignant neoplasm periph nerve & autonomic ns, unspec	5	14	19	0.0000%
C48.0 Malignant neoplasm of retroperitoneum	40	361	401	0.0009%
C48.1 Malignant neoplasm of spec parts of peritoneum	3	72	75	0.0002%
C48.2 Malignant neoplasm of peritoneum, unsp	11	293	304	0.0007%
C49.0 Malignant neoplasm of conn and soft tiss head, face & neck	4	157	161	0.0004%
C49.1 Malignant neoplasm of conn and soft tiss upp limb,inc should	35	238	273	0.0006%
C49.2 Malignant neoplasm of conn and soft tiss,lower limb,inc hip	66	772	838	0.0019%
C49.3 Malignant neoplasm of conn and soft tiss of thorax	12	203	215	0.0005%
C49.4 Malignant neoplasm of conn and soft tiss of abdomen	11	135	146	0.0003%
C49.5 Malignant neoplasm of conn and soft tiss of pelvis	32	327	359	0.0008%
C49.6 Malignant neoplasm of conn and soft tiss of trunk, unsp	1	21	22	0.0000%
C49.8 Malignant neoplasm, overlap lesion connective & soft tiss	3	19	22	0.0000%
C49.9 Malignant neoplasm of connective and soft tissue, unsp	58	854	912	0.0020%
C50.0 Malignant neoplasm of nipple and areola	15	133	148	0.0003%
C50.1 Malignant neoplasm of central portion of breast	260	551	811	0.0018%
C50.2 Malignant neoplasm of upper-inner quadrant of breast	47	403	450	0.0010%
C50.3 Malignant neoplasm of lower-inner quadrant of breast	12	234	246	0.0005%
C50.4 Malignant neoplasm of upper-outer quadrant of breast	105	1,582	1,687	0.0038%
C50.5 Malignant neoplasm of lower-outer quadrant of breast	25	203	228	0.0005%
C50.6 Malignant neoplasm of axillary tail of breast	409	1,694	2,103	0.0047%
C50.8 Malignant neoplasm, overlapping lesion of breast	14	292	306	0.0007%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C50.9 Malignant neoplasm of breast, unspecified	2,769	42,315	45,084	0.1005%
C51.0 Malignant neoplasm of labium majus	2	16	18	0.0000%
C51.8 Malignant neoplasm of overlapping lesion of vulva		2	2	0.0000%
C51.9 Malignant neoplasm of vulva, unspecified	39	346	385	0.0009%
C52.X Malignant neoplasm of vagina	17	241	258	0.0006%
C53.0 Malignant neoplasm of endocervix	9	148	157	0.0004%
C53.8 Malignant neoplasm, overlapping lesion of cervix uteri	1	2	3	0.0000%
C53.9 Malignant neoplasm of cervix uteri, unsp	205	2,762	2,967	0.0066%
C54.0 Malignant neoplasm of isthmus uteri		4	4	0.0000%
C54.1 Malignant neoplasm of endometrium	182	2,667	2,849	0.0064%
C54.2 Malignant neoplasm of myometrium	3	22	25	0.0001%
C54.9 Malignant neoplasm of corpus uteri, unsp	87	800	887	0.0020%
C55.X Malignant neoplasm of uterus, part unspecified	34	247	281	0.0006%
C56.X Malignant neoplasm of ovary	237	6,071	6,308	0.0141%
C57.0 Malignant neoplasm of fallopian tube	10	145	155	0.0003%
C57.1 Malignant neoplasm of broad ligament		8	8	0.0000%
C57.3 Malignant neoplasm of parametrium		3	3	0.0000%
C57.8 Malignant neoplasm, overlapping lesion female genital organs		4	4	0.0000%
C57.9 Malignant neoplasm of female genital organ, unspecified	2	29	31	0.0001%
C60.0 Malignant neoplasm of prepuce	2	21	23	0.0001%
C60.1 Malignant neoplasm of glans penis		4	4	0.0000%
C60.9 Malignant neoplasm of penis, unspecified	6	45	51	0.0001%
C61.X Malignant neoplasm of prostate	1,795	22,032	23,827	0.0531%
C62.0 Malignant neoplasm of undescended testis		12	12	0.0000%
C62.1 Malignant neoplasm of descended testis	15	356	371	0.0008%
C62.9 Malignant neoplasm of testis, unspecified	170	2,801	2,971	0.0066%
C63.0 Malignant neoplasm of epididymis	1	9	10	0.0000%
C63.1 Malignant neoplasm of spermatic cord		12	12	0.0000%
C63.2 Malignant neoplasm of scrotum		16	16	0.0000%
C63.9 Malignant neoplasm of male genital organ, unspecified	5	5	10	0.0000%
C64.X Malignant neoplasm of kidney, except renal pelvis	209	2,213	2,422	0.0054%
C65.X Malignant neoplasm of renal pelvis	4	13	17	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C66.X Malignant neoplasm of ureter	8	126	134	0.0003%
C67.0 Malignant neoplasm of trigone of bladder	4	106	110	0.0002%
C67.1 Malignant neoplasm of dome of bladder	2	38	40	0.0001%
C67.2 Malignant neoplasm of lateral wall of bladder	21	255	276	0.0006%
C67.3 Malignant neoplasm of anterior wall of bladder	2	59	61	0.0001%
C67.4 Malignant neoplasm of posterior wall of bladder	5	53	58	0.0001%
C67.5 Malignant neoplasm of bladder neck	3	42	45	0.0001%
C67.6 Malignant neoplasm of ureteric orifice	10	72	82	0.0002%
C67.7 Malignant neoplasm of urachus		1	1	0.0000%
C67.8 Malignant neoplasm, overlapping lesion of bladder	7	75	82	0.0002%
C67.9 Malignant neoplasm of bladder, unspecified	380	3,277	3,657	0.0082%
C68.0 Malignant neoplasm of urethra	3	49	52	0.0001%
C68.9 Malignant neoplasm of urinary organ, unspecified	15	50	65	0.0001%
C69.0 Malignant neoplasm of conjunctiva	3	9	12	0.0000%
C69.2 Malignant neoplasm of retina		1	1	0.0000%
C69.3 Malignant neoplasm of choroid	9	18	27	0.0001%
C69.4 Malignant neoplasm of ciliary body	2		2	0.0000%
C69.6 Malignant neoplasm of orbit	2	13	15	0.0000%
C69.9 Malignant neoplasm of eye, unspecified	8	49	57	0.0001%
C70.0 Malignant neoplasm of, cerebral meninges	5	26	31	0.0001%
C70.1 Malignant neoplasm of spinal meninges		11	11	0.0000%
C70.9 Malignant neoplasm of meninges, unspecified	3	22	25	0.0001%
C71.0 Malignant neoplasm of cerebrum, except lobes & ventricles	109	1,109	1,218	0.0027%
C71.1 Malignant neoplasm of cerebrum, frontal lobe	30	285	315	0.0007%
C71.2 Malignant neoplasm of cerebrum, temporal lobe	25	456	481	0.0011%
C71.3 Malignant neoplasm of cerebrum, parietal lobe	30	214	244	0.0005%
C71.4 Malignant neoplasm of cerebrum, occipital lobe	1	69	70	0.0002%
C71.5 Malignant neoplasm of cerebrum, cerebral ventricle	1	17	18	0.0000%
C71.6 Malignant neoplasm of cerebrum, cerebellum	4	100	104	0.0002%
C71.7 Malignant neoplasm of cerebrum, brain stem	6	111	117	0.0003%
C71.8 Malignant neoplasm of cerebrum, overlapping lesion of brain	10	195	205	0.0005%
C71.9 Malignant neoplasm of cerebrum, brain, unspecified	78	584	662	0.0015%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C72.0 Malignant neoplasm of spinal cord	7	53	60	0.0001%
C72.2 Malignant neoplasm of Olfactory nerve	1		1	0.0000%
C72.3 Malignant neoplasm of Optic nerve	1	7	8	0.0000%
C72.5 Malignant neoplasm of other and unspecified cranial nerves	1	57	58	0.0001%
C72.9 Malignant neoplasm of Central Nervous System, unspecified		1	1	0.0000%
C73.X Malignant neoplasm of thyroid gland	111	1,715	1,826	0.0041%
C74.0 Malignant neoplasm of cortex of adrenal gland	1	2	3	0.0000%
C74.9 Malignant neoplasm of adrenal gland, unsp	13	182	195	0.0004%
C75.0 Malignant neoplasm of parathyroid gland	1	25	26	0.0001%
C75.1 Malignant neoplasm of pituitary gland	3	7	10	0.0000%
C75.3 Malignant neoplasm of pineal gland	3	36	39	0.0001%
C75.9 Malignant neoplasm of endocrine gland, unspecified		7	7	0.0000%
C76.0 Malignant neoplasm of head, face & neck	94	516	610	0.0014%
C76.1 Malignant neoplasm of thorax	1	37	38	0.0001%
C76.2 Malignant neoplasm of abdomen	20	190	210	0.0005%
C76.3 Malignant neoplasm of pelvis	3	73	76	0.0002%
C76.4 Malignant neoplasm of upper limb	4	25	29	0.0001%
C76.5 Malignant neoplasm of lower limb	7	33	40	0.0001%
C77.0 Sec & uns malig neoplasm of lymph nodes of head, face & neck	36	523	559	0.0012%
C77.1 Sec & uns malignant neoplasm of intrathoracic lymph nodes	5	280	285	0.0006%
C77.2 Sec & uns malignant neoplasm of intra-abdominal lymph nodes	9	437	446	0.0010%
C77.3 Sec & uns malig neoplasm of axillary & upp limb lymph nodes	11	347	358	0.0008%
C77.4 Sec & uns malig neoplasm of inguinal & low limb lymph nodes	9	194	203	0.0005%
C77.5 Sec & uns malignant neoplasm of intrapelvic lymph nodes	1	46	47	0.0001%
C77.9 Sec & uns malignant neoplasm of lymph node, unspecified	21	153	174	0.0004%
C78.0 Secondary malignant neoplasm of lung	101	1,323	1,424	0.0032%
C78.1 Secondary malignant neoplasm of mediastinum	2		2	0.0000%
C78.2 Secondary malignant neoplasm of pleura	5	125	130	0.0003%
C78.3 Secondary malignant neoplasm of oth & unsp respiratory orgs		2	2	0.0000%
C78.4 Secondary malignant neoplasm of small intestine	1	29	30	0.0001%
C78.5 Secondary malignant neoplasm of large intest & rectum	12	83	95	0.0002%
C78.6 Secondary malignant neoplasm of retroperitoneum & peritoneum	20	522	542	0.0012%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
C78.7 Secondary malignant neoplasm of liver	96	993	1,089	0.0024%
C78.8 Secondary malignant neoplasm of other & unsp digestive orgs	10	46	56	0.0001%
C79.0 Secondary malignant neoplasm of kidney & renal pelvis	20	99	119	0.0003%
C79.1 Secondary malignant neoplasm of oth & uns urinary organs	3	4	7	0.0000%
C79.2 Secondary malignant neoplasm of skin	16	198	214	0.0005%
C79.3 Secondary malignant neoplasm of brain & cerebral meninges	65	394	459	0.0010%
C79.4 Secondary malignant neoplasm of oth & unsp parts nervous sys	4	53	57	0.0001%
C79.5 Secondary malignant neoplasm of bone and bone marrow	271	2,256	2,527	0.0056%
C79.6 Secondary malignant neoplasm of ovary	4	37	41	0.0001%
C79.7 Secondary malignant neoplasm of adrenal gland	8	31	39	0.0001%
C79.8 Secondary malignant neoplasm of other specified sites	70	347	417	0.0009%
C80.X Malignant neoplasm without specification of site	306	2,047	2,353	0.0052%
C81.0 Hodgkin's disease, lymphocytic predominance	6	35	41	0.0001%
C81.1 Hodgkin's disease, nodular sclerosis	28	935	963	0.0021%
C81.2 Hodgkin's disease, mixed cellularity	4	143	147	0.0003%
C81.3 Hodgkin's disease, lymphocytic depletion		10	10	0.0000%
C81.7 Hodgkin's disease, other Hodgkin's disease	2	21	23	0.0001%
C81.9 Hodgkin's disease, Hodgkin's disease, unspecified	71	1,908	1,979	0.0044%
C82.0 Follicular non-Hodgkin's small cleaved cell lymphoma		4	4	0.0000%
C82.1 Follicular non-Hodg mixed sml cleavd & lge cell lymphoma	3	31	34	0.0001%
C82.2 Follicular non-Hodgkin's large cell lymphoma		10	10	0.0000%
C82.7 Follicular non-Hodgkin's other types of lymphoma	8	485	493	0.0011%
C82.9 Follicular non-Hodgkin's unspecified lymphoma	66	1,160	1,226	0.0027%
C83.0 Diffuse non-Hodgkin's small cell (diffuse)lymphoma	10	475	485	0.0011%
C83.1 Diffuse non-Hodgkin's small cleaved cell (diffuse) lymphoma	1	40	41	0.0001%
C83.2 Diffuse non-Hodgkin mixed sml & lge cell (diffuse) lymphoma	2	8	10	0.0000%
C83.3 Diffuse non-Hodgkin's large cell (diffuse) lymphoma	61	1,232	1,293	0.0029%
C83.4 Diffuse non-Hodgkin's immunoblastic (diffuse) lymphoma	1	7	8	0.0000%
C83.5 Diffuse non-Hodgkin's lymphoblastic (diffuse) lymphoma	3	46	49	0.0001%
C83.7 Diffuse non-Hodgkin's lymphoma, Burkitt's tumour	3	76	79	0.0002%
C83.8 Other types of diffuse non-Hodgkin's lymphoma	10	336	346	0.0008%
C83.9 Diffuse non-Hodgkin's lymphoma, unspecified	2	29	31	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C84.0 Peripheral and cutaneous T-cell lymphomas, mycosis fungoides	4	128	132	0.0003%
C84.2 Peripheral and cutaneous T-cell lymphomas, T-zone lymphoma		1	1	0.0000%
C84.4 Periph & cutan T-cell lymphomas, peripheral T-cell lymphoma	7	121	128	0.0003%
C84.5 Periph & cutan T-cell lymphomas, oth & unsp T-cell lymphomas	10	211	221	0.0005%
C85.0 Oth & unsp types of non-Hodgkin's lymphoma, lymphosarcoma		29	29	0.0001%
C85.1 Oth & unsp types non-Hodgkin's B-cell lymphoma, unsp	23	568	591	0.0013%
C85.7 Oth specified types of non-Hodgkin's lymphoma	1	62	63	0.0001%
C85.9 Non-Hodgkin's lymphoma, unspecified type	233	4,695	4,928	0.0110%
C88.0 Waldenstrom's macroglobulinaemia	8	148	156	0.0003%
C88.2 Gamma heavy chain disease		1	1	0.0000%
C90.0 Multiple myeloma	186	4,134	4,320	0.0096%
C90.1 Plasma cell leukaemia		4	4	0.0000%
C90.2 Malignant plasma cell neoplasm, extramedullary plasmacytoma	31	297	328	0.0007%
C91.0 Acute lymphoblastic leukaemia	57	1,477	1,534	0.0034%
C91.1 Chronic lymphocytic leukaemia	65	2,197	2,262	0.0050%
C91.2 Subacute lymphocytic leukaemia		24	24	0.0001%
C91.3 Polymphocytic leukaemia		42	42	0.0001%
C91.4 Hairy-cell leukaemia	7	183	190	0.0004%
C91.5 Adult T-cell leukaemia		1	1	0.0000%
C91.7 Other lymphoid leukaemia		1	1	0.0000%
C91.9 Lymphoid leukaemia, unspecified	1	56	57	0.0001%
C92.0 Acute myeloid leukaemia	59	1,781	1,840	0.0041%
C92.1 Chronic myeloid leukaemia	24	467	492	0.0011%
C92.3 Myeloid sarcoma		2	2	0.0000%
C92.4 Acute promyelocytic leukaemia		9	9	0.0000%
C92.7 Other myeloid leukaemia	1	23	24	0.0001%
C92.9 Myeloid leukaemia, unspecified	1	2	3	0.0000%
C93.0 Acute monocytic leukaemia		3	3	0.0000%
C93.1 Chronic monocytic leukaemia		22	22	0.0000%
C93.2 Subacute monocytic leukaemia		1	1	0.0000%
C94.0 Acute erythraemia & erythroleukaemia		2	2	0.0000%
C94.5 Acute myelofibrosis		7	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C95.0 Acute leukaemia of unsp cell type		9	9	0.0000%
C95.1 Chronic leukaemia unsp cell type	1	6	7	0.0000%
C95.7 Other leukaemia unspecified cell type		1	1	0.0000%
C95.9 Leukaemia, unspecified	4	51	55	0.0001%
C96.7 Oth spec malig neop lymphoid h'poietic & related tissue		5	5	0.0000%
C96.9 Malig neop lymphoid haematopoietic and related tissue unsp	12	185	197	0.0004%
D00.0 Carcinoma in situ of lip, oral cavity and pharynx	1	63	64	0.0001%
D00.1 Carcinoma in situ oesophagus	2	13	15	0.0000%
D00.2 Carcinoma in situ stomach	1	1	2	0.0000%
D01.0 Carcinoma in situ colon		4	4	0.0000%
D01.1 Carcinoma in situ rectosigmoid junction	1		1	0.0000%
D01.2 Carcinoma in situ rectum		1	1	0.0000%
D02.0 Carcinoma in situ larynx	5	83	88	0.0002%
D02.2 Carcinoma in situ bronchus and lung	17	111	128	0.0003%
D03.1 Melanoma in situ of eyelid, including canthus		4	4	0.0000%
D03.2 Melanoma in situ of ear and external auricular canal	1	1	2	0.0000%
D03.3 Melanoma in situ of other and unspecified parts of face	11	64	75	0.0002%
D03.4 Melanoma in situ of scalp and neck	1	4	5	0.0000%
D03.5 Melanoma in situ of trunk	1	17	18	0.0000%
D03.6 Melanoma in situ of upper limb, including shoulder	2	16	18	0.0000%
D03.7 Melanoma in situ of lower limb, including hip	6	17	23	0.0001%
D03.9 Melanoma in situ, unspecified	2	16	18	0.0000%
D04.0 Carcinoma in situ of skin of lip		1	1	0.0000%
D04.1 Carcinoma in situ of skin of eyelid, including canthus	3	7	10	0.0000%
D04.2 Carcinoma in situ of skin of ear & external auricular canal	1	24	25	0.0001%
D04.3 Carcinoma in situ of skin of other & unsp parts of face	11	88	99	0.0002%
D04.4 Carcinoma in situ of skin of scalp and neck	4	29	33	0.0001%
D04.5 Carcinoma in situ of skin of trunk	5	60	65	0.0001%
D04.6 Carcinoma in situ of skin of upper limb, including shoulder	5	43	48	0.0001%
D04.7 Carcinoma in situ of skin of lower limb, including hip	30	248	278	0.0006%
D04.9 Carcinoma in situ of skin unspecified	13	22	35	0.0001%
D05.1 Intraductal carcinoma in situ	29	446	475	0.0011%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
D05.9 Carcinoma in situ of breast, unspecified	132	2,078	2,210	0.0049%
D06.0 Carcinoma in situ of endocervix	2	6	8	0.0000%
D06.1 Carcinoma in situ of exocervix	8	3	11	0.0000%
D06.9 Carcinoma in situ of cervix, unspecified	70	64	134	0.0003%
D07.0 Carcinoma in situ of endometrium	1		1	0.0000%
D07.1 Carcinoma in situ of vulva	2	9	11	0.0000%
D07.2 Carcinoma in situ of vagina		19	19	0.0000%
D07.3 Carcinoma in situ of other and unsp female genital organs		1	1	0.0000%
D07.4 Carcinoma in situ of penis		2	2	0.0000%
D07.5 Carcinoma in situ of prostate		21	21	0.0000%
D07.6 Carcinoma in situ of other and unsp male genital organs		2	2	0.0000%
D09.0 Carcinoma in situ of bladder	5	39	44	0.0001%
D09.1 Carcinoma in situ of other and unsp urinary organs	1	1	2	0.0000%
D09.2 Carcinoma in situ of eye		1	1	0.0000%
D09.9 Carcinoma in situ, unspecified		6	6	0.0000%
D10.0 Benign neoplasm of lip	7	15	22	0.0000%
D10.1 Benign neoplasm of tongue	13	22	35	0.0001%
D10.3 Benign neoplasm of other and unsp parts of mouth	7	28	35	0.0001%
D10.9 Benign neoplasm of pharynx, unspecified	1	2	3	0.0000%
D11.0 Benign neoplasm of parotid gland	9	144	153	0.0003%
D11.7 Benign neoplasm of other major salivary glands		1	1	0.0000%
D11.9 Benign neoplasm of major salivary gland, unspecified	5	35	40	0.0001%
D12.0 Benign neoplasm of caecum	29	22	51	0.0001%
D12.1 Benign neoplasm of appendix	1	5	6	0.0000%
D12.2 Benign neoplasm of ascending colon	28	21	49	0.0001%
D12.3 Benign neoplasm of transverse colon	38	42	80	0.0002%
D12.4 Benign neoplasm of descending colon	57	32	89	0.0002%
D12.5 Benign neoplasm of sigmoid colon	179	147	326	0.0007%
D12.6 Benign neoplasm of colon, unspecified	212	245	457	0.0010%
D12.7 Benign neoplasm of rectosigmoid junction	10	4	14	0.0000%
D12.8 Benign neoplasm of rectum	47	97	144	0.0003%
D12.9 Benign neoplasm of anus and anal canal	3	4	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D13.0 Benign neoplasm of oesophagus	25	105	130	0.0003%
D13.1 Benign neoplasm of stomach	82	41	123	0.0003%
D13.2 Benign neoplasm of duodenum	7	6	13	0.0000%
D13.3 Benign neoplasm of other and unsp parts of small intestine		2	2	0.0000%
D13.4 Benign neoplasm of liver		1	1	0.0000%
D13.6 Benign neoplasm of pancreas	1	8	9	0.0000%
D13.7 Benign neoplasm of endocrine pancreas	1	3	4	0.0000%
D13.9 Benign neoplasm of ill-defined site within the digestive sys	5	9	14	0.0000%
D14.0 Benign neoplasm of mid ear, nasal cav & accessory sinus	1		1	0.0000%
D14.1 Benign neoplasm of larynx	1	1	2	0.0000%
D14.3 Benign neoplasm of bronchus and lung	1	24	25	0.0001%
D15.0 Benign neoplasm of thymus	1	63	64	0.0001%
D15.1 Benign neoplasm of heart	1		1	0.0000%
D15.2 Benign neoplasm of mediastinum		5	5	0.0000%
D16.0 Benign neoplasm of scapula and long bones of upper limb	7	16	23	0.0001%
D16.4 Benign neoplasm of bones of skull and face	6	14	20	0.0000%
D16.5 Benign neoplasm of lower jaw bone	1	18	19	0.0000%
D16.6 Benign neoplasm of vertebral column	21	119	140	0.0003%
D16.7 Benign neoplasm of ribs, sternum and clavicle	1	6	7	0.0000%
D16.8 Benign neoplasm of pelvic bones, sacrum and coccyx	1		1	0.0000%
D16.9 Benign neoplasm of bone and articular cartilage, unsp	2	19	21	0.0000%
D17.0 Benign lipomatous neop skin/subcut tis head face & neck	43	57	100	0.0002%
D17.1 Benign lipomatous neoplasm skin and subcut tissue of trunk	100	129	229	0.0005%
D17.2 Benign lipomatous neoplasm skin and subcut tissue of limbs	58	111	169	0.0004%
D17.3 Benign lipomatous neop skin/subcut tis other/unspec sites	10	17	27	0.0001%
D17.4 Benign lipomatous neoplasm of intrathoracic organs	13	7	20	0.0000%
D17.5 Benign lipomatous neoplasm of intra-abdominal organs		1	1	0.0000%
D17.7 Benign lipomatous neoplasm of other sites	12	8	20	0.0000%
D17.9 Benign lipomatous neoplasm, unspecified	12	38	50	0.0001%
D18.0 Haemangioma, any site	69	173	242	0.0005%
D18.1 Lymphangioma, any site	3	8	11	0.0000%
D19.9 Benign neoplasm of mesothelial tissue unspecified	1	3	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D21.0 Benign neoplasm of conn & soft tiss of head, face and neck	32	72	104	0.0002%
D21.1 Benign neoplasm of conn & soft tiss of upp limb inc should	37	74	111	0.0002%
D21.2 Benign neoplasm of conn & soft tiss of lower limb, inc hip	4	16	20	0.0000%
D21.3 Benign neoplasm of conn & soft tiss of thorax		2	2	0.0000%
D21.4 Benign neoplasm of conn & soft tiss of abdomen	1	5	6	0.0000%
D21.5 Benign neoplasm of conn & soft tiss of pelvis	3	15	18	0.0000%
D21.9 Benign neoplasm of conn & soft tiss, unspecified	5	100	105	0.0002%
D22.0 Melanocytic naevi of lip	18	34	52	0.0001%
D22.1 Melanocytic naevi of eyelid, including canthus	17	29	46	0.0001%
D22.2 Melanocytic naevi of ear and external auricular canal	9	20	29	0.0001%
D22.3 Melanocytic naevi of other and unspecified parts of face	190	401	591	0.0013%
D22.4 Melanocytic naevi of scalp and neck	55	93	148	0.0003%
D22.5 Melanocytic naevi of trunk	106	322	428	0.0010%
D22.6 Melanocytic naevi of upper limb, including shoulder	33	94	127	0.0003%
D22.7 Melanocytic naevi of lower limb, including hip	26	86	112	0.0002%
D22.9 Melanocytic naevi, unspecified	311	249	560	0.0012%
D23.0 Other benign neoplasms of skin of lip		5	5	0.0000%
D23.1 Other benign neoplasms of skin of eyelid, including canthus	178	120	298	0.0007%
D23.2 Other benign neoplasms of skin of ear & ext auricular canal	5	13	18	0.0000%
D23.3 Other benign neoplasms of skin of oth & unsp parts of face	47	115	162	0.0004%
D23.4 Other benign neoplasms of skin of scalp and neck	20	58	78	0.0002%
D23.5 Other benign neoplasms of skin of trunk	52	95	147	0.0003%
D23.6 Other benign neoplasms of skin of upper limb, incl shoulder	25	75	100	0.0002%
D23.7 Other benign neoplasms of skin of lower limb, incl hip	30	104	134	0.0003%
D23.9 Other benign neoplasms of skin, unspecified	413	209	622	0.0014%
D24.X Benign neoplasm of breast	2,813	1,427	4,240	0.0095%
D25.0 Submucous leiomyoma of uterus		2	2	0.0000%
D25.9 Leiomyoma of uterus, unspecified	15	29	44	0.0001%
D26.0 Other benign neoplasms of cervix uteri		2	2	0.0000%
D27.X Benign neoplasm of ovary	11	99	110	0.0002%
D28.0 Benign neoplasm of vulva	1	4	5	0.0000%
D28.1 Benign neoplasm of vagina		4	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D28.2 Benign neoplasm of uterine tubes and ligaments	1	1	2	0.0000%
D29.0 Benign neoplasm of penis		3	3	0.0000%
D29.1 Benign neoplasm of prostate		16	16	0.0000%
D29.2 Benign neoplasm of testis		6	6	0.0000%
D29.4 Benign neoplasm of scrotum	3		3	0.0000%
D30.0 Benign neoplasm of kidney	3	19	22	0.0000%
D30.2 Benign neoplasm of ureter		1	1	0.0000%
D30.3 Benign neoplasm of bladder	5	14	19	0.0000%
D30.4 Benign neoplasm of urethra		1	1	0.0000%
D30.9 Benign neoplasm of urinary organ, unspecified	1		1	0.0000%
D31.0 Benign neoplasm of conjunctiva	3	4	7	0.0000%
D31.1 Benign neoplasm of cornea		1	1	0.0000%
D31.2 Benign neoplasm of retina	7	11	18	0.0000%
D31.3 Benign neoplasm of choroid	58	158	216	0.0005%
D31.4 Benign neoplasm of ciliary body	5	12	17	0.0000%
D31.6 Benign neoplasm of orbit, unspecified	1	14	15	0.0000%
D31.9 Benign neoplasm of eye, unspecified	14	18	32	0.0001%
D32.0 Benign neoplasm of cerebral meninges	69	654	723	0.0016%
D32.1 Benign neoplasm of spinal meninges	2	11	13	0.0000%
D32.9 Benign neoplasm of meninges, unspecified	7	7	14	0.0000%
D33.0 Benign neoplasm of brain, supratentorial	3	24	27	0.0001%
D33.1 Benign neoplasm of brain, infratentorial		6	6	0.0000%
D33.2 Benign neoplasm of brain, unspecified	92	720	812	0.0018%
D33.3 Benign neoplasm of cranial nerves	5	32	37	0.0001%
D33.4 Benign neoplasm of spinal cord		1	1	0.0000%
D33.9 Benign neoplasm of central nervous system, unspecified		1	1	0.0000%
D34.X Benign neoplasm of thyroid gland	4	13	17	0.0000%
D35.0 Benign neoplasm of adrenal gland	1	6	7	0.0000%
D35.2 Benign neoplasm of pituitary gland	28	309	337	0.0008%
D35.6 Benign neoplasm of aortic body and other paraganglia		1	1	0.0000%
D36.0 Benign neoplasm of lymph nodes		2	2	0.0000%
D36.1 Benign neoplasm of periph nerves & autonomic nervous system	13	34	47	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D36.7 Benign neoplasm of other specified sites	13	17	30	0.0001%
D36.9 Benign neoplasm of unspecified site	1	31	32	0.0001%
D37.0 Neoplasm uncert / unkn behav lip, oral cavity and pharynx	2	21	23	0.0001%
D37.1 Neoplasm uncert / unkn behav stomach	6	158	164	0.0004%
D37.2 Neoplasm uncert / unkn behav small intestine	4	43	47	0.0001%
D37.3 Neoplasm uncert / unkn behav appendix	1	4	5	0.0000%
D37.4 Neoplasm uncert / unkn behav colon	55	37	92	0.0002%
D37.5 Neoplasm uncert / unkn behav rectum	33	40	73	0.0002%
D37.6 Neo uncert / unkn behav liver, gallbladder and bile ducts	4	15	19	0.0000%
D37.7 Neoplasm uncert / unkn behav other digestive organs	15	26	41	0.0001%
D37.9 Neoplasm uncert / unkn behav digestive organ, unspecified	1	27	28	0.0001%
D38.0 Neoplasm uncert / unkn behav larynx	1	2	3	0.0000%
D38.1 Neoplasm uncert / unkn behav trachea, bronchus and lung	6	42	48	0.0001%
D38.3 Neoplasm uncert / unkn behav mediastinum	1	3	4	0.0000%
D38.5 Neoplasm uncert / unkn behav other respiratory organs		2	2	0.0000%
D39.0 Neoplasm uncert / unkn behav uterus	4	46	50	0.0001%
D39.1 Neoplasm uncert / unkn behav ovary	6	113	119	0.0003%
D39.7 Neoplasm uncert / unkn behav other female genital organs		5	5	0.0000%
D40.0 Neoplasm uncert / unkn behav prostate		5	5	0.0000%
D40.1 Neoplasm uncert / unkn behav testis	6	58	64	0.0001%
D41.0 Neoplasm uncert / unkn behav kidney	2	1	3	0.0000%
D41.2 Neoplasm uncert / unkn behav ureter		1	1	0.0000%
D41.3 Neoplasm uncert / unkn behav urethra		5	5	0.0000%
D41.4 Neoplasm uncert / unkn behav bladder	21	89	110	0.0002%
D41.9 Neoplasm uncert / unkn behav urinary organ, unspecified	1	8	9	0.0000%
D42.0 Neoplasm uncert / unkn behav cerebral meninges	1	29	30	0.0001%
D43.0 Neoplasm uncert / unkn behav brain, supratentorial	4	46	50	0.0001%
D43.1 Neoplasm uncert / unkn behav brain, infratentorial	1	10	11	0.0000%
D43.2 Neoplasm uncert / unkn behav brain, unspecified	18	73	91	0.0002%
D43.3 Neoplasm uncert / unkn behav cranial nerves	1	2	3	0.0000%
D43.4 Neoplasm uncert / unkn behav spinal cord	2	6	8	0.0000%
D44.0 Neoplasm uncert / unkn behav thyroid gland	2		2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D44.1 Neoplasm uncert / unkn behav adrenal gland	1	3	4	0.0000%
D44.3 Neoplasm uncert / unkn behav pituitary gland	59	345	404	0.0009%
D44.4 Neoplasm uncert / unkn behav craniopharyngeal duct	7	141	148	0.0003%
D44.5 Neoplasm uncert / unkn behav pineal gland		9	9	0.0000%
D44.6 Neoplasm uncert / unkn behav carotid body	1	1	2	0.0000%
D44.7 Neoplasm uncert / unkn behav aortic body & oth paraganglia		21	21	0.0000%
D44.8 Neoplasm uncert / unkn behav pluriglandular involvement	2	21	23	0.0001%
D45.X Polycythaemia vera	4	596	600	0.0013%
D46.0 Refractory anaemia without sideroblasts, so stated		28	28	0.0001%
D46.1 Refractory anaemia with sideroblasts	1	72	73	0.0002%
D46.2 Refractory anaemia with excess of blasts	2	10	12	0.0000%
D46.3 Refractory anaemia with excess of blasts with transformation		1	1	0.0000%
D46.4 Refractory anaemia, unspecified		12	12	0.0000%
D46.7 Other myelodysplastic syndromes		22	22	0.0000%
D46.9 Myelodysplastic syndrome, unspecified	10	464	474	0.0011%
D47.0 Histiocytic and mast cell tumours uncert and unkn behaviour		1	1	0.0000%
D47.1 Chronic myeloproliferative disease	5	248	253	0.0006%
D47.2 Monoclonal gammopathy	11	238	249	0.0006%
D47.3 Essential (haemorrhagic) thrombocythaemia	6	397	403	0.0009%
D47.7 Oth spec neo uncert-unkn behav lymphoid/haemato rel tis	3	4	7	0.0000%
D47.9 Neop uncert/unkn behaviour lymphoid/haematop'ic rel tis	8	67	75	0.0002%
D48.0 Neoplasm uncert or unknown behaviour of bone & artic cart	2	9	11	0.0000%
D48.1 Neoplasm uncert or unknown behaviour of conn & oth soft tis	25	328	354	0.0008%
D48.3 Neoplasm uncert or unknown behaviour of retroperitoneum	2	26	28	0.0001%
D48.4 Neoplasm uncert or unknown behaviour of peritoneum	2	12	14	0.0000%
D48.5 Neoplasm uncert or unknown behaviour of skin	7	58	65	0.0001%
D48.6 Neoplasm uncert or unknown behaviour of breast	1,007	502	1,509	0.0034%
D48.7 Neoplasm uncert or unknown behaviour of oth spec sites	24	116	140	0.0003%
D48.9 Neoplasm of uncertain or unknown behaviour, unspecified	33	275	308	0.0007%
D50.0 Iron deficiency anaemia secondary to blood loss (chronic)		44	44	0.0001%
D50.8 Other iron deficiency anaemias	140	118	258	0.0006%
D50.9 Iron deficiency anaemia, unspecified	175	554	729	0.0016%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D51.0 Vitamin B12 defic anaemia due to intrinsic factor deficiency	6	28	34	0.0001%
D51.8 Other vitamin B12 deficiency anaemias		2	2	0.0000%
D51.9 Vitamin B12 deficiency anaemia, unspecified	11	25	36	0.0001%
D52.0 Dietary folate deficiency anaemia	1		1	0.0000%
D52.9 Folate deficiency anaemia, unspecified	1	42	43	0.0001%
D53.1 Other megaloblastic anaemias, not elsewhere classified		1	1	0.0000%
D53.9 Nutritional anaemia, unspecified	1	14	15	0.0000%
D55.0 Anaemia due to glucose-6-phosphate dehydrogenase deficiency	2	1	3	0.0000%
D56.0 Alpha thalassaemia	2	7	9	0.0000%
D56.1 Beta thalassaemia	7	53	60	0.0001%
D56.3 Thalassaemia trait	3	8	11	0.0000%
D56.4 Hereditary persistence of fetal haemoglobin [HPFH]	2	5	7	0.0000%
D56.8 Other thalassaemias	1	8	9	0.0000%
D56.9 Thalassaemia, unspecified	6	10	16	0.0000%
D57.0 Sickle-cell anaemia with crisis	4	49	53	0.0001%
D57.1 Sickle-cell anaemia without crisis	15	119	134	0.0003%
D57.2 Double heterozygous sickling disorders		14	14	0.0000%
D57.3 Sickle-cell trait	1		1	0.0000%
D58.0 Hereditary spherocytosis	2	15	17	0.0000%
D58.1 Hereditary elliptocytosis		2	2	0.0000%
D58.2 Other haemoglobinopathies	3	7	10	0.0000%
D58.9 Hereditary haemolytic anaemia, unspecified	1	7	8	0.0000%
D59.1 Other autoimmune haemolytic anaemias	2	119	121	0.0003%
D59.5 Paroxysmal nocturnal haemoglobinuria [Marchiafava-Micheli]		13	13	0.0000%
D59.9 Acquired haemolytic anaemia, unspecified	1	6	7	0.0000%
D60.0 Chronic acquired pure red cell aplasia		19	19	0.0000%
D61.0 Constitutional aplastic anaemia	2	2	4	0.0000%
D61.3 Idiopathic aplastic anaemia		23	23	0.0001%
D61.8 Other specified aplastic anaemias		14	14	0.0000%
D61.9 Aplastic anaemia, unspecified	5	146	151	0.0003%
D62.X Acute posthaemorrhagic anaemia		2	2	0.0000%
D64.1 Secondary sideroblastic anaemia due to disease		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D64.3 Other sideroblastic anaemias		47	47	0.0001%
D64.8 Other specified anaemias	2	5	7	0.0000%
D64.9 Anaemia, unspecified	551	878	1,429	0.0032%
D65.X Dissem intravascular coagulation [defibrination syndrome]	1		1	0.0000%
D66.X Hereditary factor VIII deficiency		10	10	0.0000%
D67.X Hereditary factor IX deficiency	1	7	8	0.0000%
D68.0 Von Willebrand's disease		5	5	0.0000%
D68.2 Hereditary deficiency of other clotting factors	3	2	5	0.0000%
D68.8 Other specified coagulation defects	5	82	87	0.0002%
D68.9 Coagulation defect, unspecified	2	6	8	0.0000%
D69.0 Allergic purpura		12	12	0.0000%
D69.1 Qualitative platelet defects		6	6	0.0000%
D69.2 Other nonthrombocytopenic purpura	3		3	0.0000%
D69.3 Idiopathic thrombocytopenic purpura	6	226	232	0.0005%
D69.4 Other primary thrombocytopenia	1	13	14	0.0000%
D69.5 Secondary thrombocytopenia	1	6	7	0.0000%
D69.6 Thrombocytopenia, unspecified	29	186	215	0.0005%
D69.9 Haemorrhagic condition, unspecified		7	7	0.0000%
D70.X Agranulocytosis	20	145	165	0.0004%
D71.X Functional disorders of polymorphonuclear neutrophils		8	8	0.0000%
D72.0 Genetic anomalies of leukocytes	1	1	2	0.0000%
D72.1 Eosinophilia	8	19	27	0.0001%
D72.8 Other specified disorders of white blood cells	16	62	78	0.0002%
D72.9 Disorder of white blood cells, unspecified		4	4	0.0000%
D73.1 Hypersplenism	1	4	5	0.0000%
D73.9 Disease of spleen, unspecified		1	1	0.0000%
D75.0 Familial erythrocytosis	3	250	253	0.0006%
D75.1 Secondary polycythaemia	2	176	178	0.0004%
D75.2 Essential thrombocythosis	12	78	90	0.0002%
D75.8 Other specified diseases of blood and blood-forming organs	14	32	46	0.0001%
D75.9 Disease of blood and blood-forming organs, unspecified	1	116	117	0.0003%
D76.0 Langerhans' cell histiocytosis, not elsewhere classified	2	51	53	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D76.3 Other histiocytosis syndromes	2	26	28	0.0001%
D80.0 Hereditary hypogammaglobulinaemia		24	24	0.0001%
D80.1 Nonfamilial hypogammaglobulinaemia		92	92	0.0002%
D80.6 Antibod def with near-norm imunoglob/hyperimmunoglobulinaem		7	7	0.0000%
D80.9 immunodeficiency with predominantly antibody defects,unspec		3	3	0.0000%
D81.6 Major histocompatibility complex class I deficiency	1		1	0.0000%
D81.9 Combined immunodeficiency, unspecified	1	1	2	0.0000%
D82.0 Wiskott-Aldrich syndrome		1	1	0.0000%
D82.9 immunodeficiency associated with major defect, unspecified		1	1	0.0000%
D83.9 Common variable immunodeficiency, unspecified	1	45	46	0.0001%
D84.9 immunodeficiency, unspecified	1	3	4	0.0000%
D86.0 Sarcoidosis of lung	3	2	5	0.0000%
D86.3 Sarcoidosis of skin	1	11	12	0.0000%
D86.8 Sarcoidosis of other and combined sites		5	5	0.0000%
D86.9 Sarcoidosis, unspecified	18	55	73	0.0002%
D89.0 Polyclonal hypergammaglobulinaemia		2	2	0.0000%
D89.1 Cryoglobulinaemia		1	1	0.0000%
D89.2 Hypergammaglobulinaemia, unspecified	3	82	85	0.0002%
D89.8 Oth specified disorders involving the immune mechanism NEC	1		1	0.0000%
D89.9 Disorder involving the immune mechanism, unspecified	1		1	0.0000%
E03.0 Congenital hypothyroidism with diffuse goitre	2	4	6	0.0000%
E03.1 Congenital hypothyroidism without goitre	1	5	6	0.0000%
E03.9 Hypothyroidism, unspecified	32	60	92	0.0002%
E04.1 Nontoxic single thyroid nodule	5	37	42	0.0001%
E04.2 Nontoxic multinodular goitre	14	70	84	0.0002%
E04.9 Nontoxic goitre, unspecified	15	30	45	0.0001%
E05.0 Thyrotoxicosis with diffuse goitre	58	407	465	0.0010%
E05.2 Thyrotoxicosis with toxic multinodular goitre	3	41	44	0.0001%
E05.8 Other thyrotoxicosis		2	2	0.0000%
E05.9 Thyrotoxicosis, unspecified	146	924	1,070	0.0024%
E06.0 Acute thyroiditis	48	119	167	0.0004%
E06.1 Subacute thyroiditis		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
E06.3 Autoimmune thyroiditis		5	5	0.0000%
E06.9 Thyroiditis, unspecified	2	7	9	0.0000%
E07.8 Other specified disorders of thyroid	20	55	75	0.0002%
E07.9 Disorder of thyroid, unspecified	5	11	16	0.0000%
E10.0 Insulin-dependent diabetes mellitus with coma	1	2	3	0.0000%
E10.1 Insulin-dependent diabetes mellitus with ketoacidosis	1	8	9	0.0000%
E10.2 Insulin-dependent diabetes mellitus with renal complications		1	1	0.0000%
E10.3 Insulin-dependent diabetes mellitus with ophthalmic comps	87	764	851	0.0019%
E10.4 Insulin-dependent diabetes mellitus with neurological comps	1	4	5	0.0000%
E10.5 Insulin-dependent diabetes mellitus with periph circ comps	1		1	0.0000%
E10.7 Insulin-dependent diabetes mellitus with multiple comps	1	1	2	0.0000%
E10.9 Insulin-dependent diabetes mellitus without complications	7	136	143	0.0003%
E11.3 Non-insulin-dependent diabetes mellitus with ophthalm comps	296	1,755	2,051	0.0046%
E11.4 Non-insulin-dependent diabetes mellitus with neuro comps		6	6	0.0000%
E11.5 Non-insulin-depend diabetes mellitus with periph circ comp	2		2	0.0000%
E11.6 Non-insulin-depend diabetes mellitus with other spec comp	1	1	2	0.0000%
E11.7 Non-insulin-dependent diabetes mellitus with multiple comps		4	4	0.0000%
E11.8 Non-insulin-dependent diabetes mellitus with unspec comps	1		1	0.0000%
E11.9 Non-insulin-depend diabetes mellitus without complication	2	236	238	0.0005%
E13.3 Other specified diabetes mellitus with ophthalmic comps	1		1	0.0000%
E13.4 Other specified diabetes mellitus with neurological comps	1	2	3	0.0000%
E14.1 Unspecified diabetes mellitus with ketoacidosis	1	9	10	0.0000%
E14.2 Unspecified diabetes mellitus with renal complications	26	95	121	0.0003%
E14.3 Unspecified diabetes mellitus with ophthalmic complications	475	7,080	7,555	0.0168%
E14.4 Unspecified diabetes mellitus with neurological comps	9	8	17	0.0000%
E14.5 Unspecified diabetes mellitus with periph circulatory comps		27	27	0.0001%
E14.6 Unspecified diabetes mellitus with other specified comps	87	941	1,028	0.0023%
E14.9 Unspecified diabetes mellitus without complications	151	2,082	2,233	0.0050%
E16.0 Drug-induced hypoglycaemia without coma		1	1	0.0000%
E16.2 Hypoglycaemia, unspecified	3	12	15	0.0000%
E16.8 Other specified disorders of pancreatic internal secretion	1	4	5	0.0000%
E21.0 Primary hyperparathyroidism	1	2	3	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
E21.3 Hyperparathyroidism, unspecified	2	29	31	0.0001%
E22.0 Acromegaly and pituitary gigantism	3	27	30	0.0001%
E22.1 Hyperprolactinaemia	4	13	17	0.0000%
E23.0 Hypopituitarism	2	22	24	0.0001%
E23.2 Diabetes insipidus	5	4	9	0.0000%
E23.6 Other disorders of pituitary gland	3	17	20	0.0000%
E23.7 Disorder of pituitary gland, unspecified		3	3	0.0000%
E24.0 Pituitary-dependent Cushing's disease	1	26	27	0.0001%
E24.1 Nelson's syndrome		1	1	0.0000%
E24.9 Cushing's syndrome, unspecified	7	8	15	0.0000%
E26.0 Primary hyperaldosteronism		1	1	0.0000%
E26.8 Other hyperaldosteronism		1	1	0.0000%
E27.1 Primary adrenocortical insufficiency	7	15	22	0.0000%
E27.9 Disorder of adrenal gland, unspecified	1	1	2	0.0000%
E28.2 Polycystic ovarian syndrome	21	9	30	0.0001%
E28.3 Primary ovarian failure		2	2	0.0000%
E28.9 Ovarian dysfunction, unspecified	2		2	0.0000%
E29.1 Testicular hypofunction	10	41	51	0.0001%
E29.9 Testicular dysfunction, unspecified		1	1	0.0000%
E30.0 Delayed puberty		2	2	0.0000%
E30.1 Precocious puberty	1		1	0.0000%
E30.9 Disorder of puberty, unspecified	7	9	16	0.0000%
E31.0 Autoimmune polyglandular failure		3	3	0.0000%
E34.0 Carcinoid syndrome		18	18	0.0000%
E34.3 Short stature, not elsewhere classified		3	3	0.0000%
E34.8 Other specified endocrine disorders	9	11	20	0.0000%
E34.9 Endocrine disorder, unspecified	3	13	16	0.0000%
E50.9 Vitamin A deficiency, unspecified		1	1	0.0000%
E51.2 Wernicke's encephalopathy	2		2	0.0000%
E53.8 Deficiency of other specified B group vitamins	9	3	12	0.0000%
E53.9 Vitamin B deficiency, unspecified		1	1	0.0000%
E55.9 Vitamin D deficiency, unspecified		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
E56.9 Vitamin deficiency, unspecified		1	1	0.0000%
E61.1 Iron deficiency		3	3	0.0000%
E65.X Localized adiposity	23	20	43	0.0001%
E66.8 Other obesity	3	16	19	0.0000%
E66.9 Obesity, unspecified	5	5	10	0.0000%
E70.3 Albinism	3	10	13	0.0000%
E70.8 Other disorders of aromatic amino-acid metabolism		1	1	0.0000%
E72.0 Disorders of amino-acid transport		1	1	0.0000%
E72.5 Disorders of glycine metabolism	1		1	0.0000%
E73.1 Secondary lactase deficiency	1		1	0.0000%
E74.0 Glycogen storage disease	1	1	2	0.0000%
E75.2 Other sphingolipidosis	1		1	0.0000%
E75.5 Other lipid storage disorders		1	1	0.0000%
E78.0 Pure hypercholesterolaemia		1	1	0.0000%
E78.2 Mixed hyperlipidaemia		1	1	0.0000%
E80.1 Porphyria cutanea tarda		6	6	0.0000%
E80.2 Other porphyria		5	5	0.0000%
E80.7 Disorder of bilirubin metabolism, unspecified		1	1	0.0000%
E83.0 Disorders of copper metabolism		1	1	0.0000%
E83.1 Disorders of iron metabolism	4	371	375	0.0008%
E83.3 Disorders of phosphorus metabolism	1	4	5	0.0000%
E83.4 Disorders of magnesium metabolism		8	8	0.0000%
E83.5 Disorders of calcium metabolism	5	27	32	0.0001%
E84.1 Cystic fibrosis with intestinal manifestations	1		2	0.0000%
E84.9 Cystic fibrosis, unspecified	6	15	29	0.0001%
E85.0 Non-neuropathic hereditary familial amyloidosis	1	3	4	0.0000%
E85.3 Secondary systemic amyloidosis		1	1	0.0000%
E85.4 Organ-limited amyloidosis		4	4	0.0000%
E85.9 Amyloidosis, unspecified	1	5	6	0.0000%
E86.X Volume depletion	2	10	12	0.0000%
E87.1 Hypo-osmolality and hyponatraemia		1	1	0.0000%
E87.5 Hyperkalaemia		4	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
E88.0 Disorders of plasma-protein metabolism NEC			2	0.0000%
E88.2 Lipomatosis, not elsewhere classified		1	1	0.0000%
E88.9 Metabolic disorder, unspecified	4	5	9	0.0000%
E89.0 Postprocedural hypothyroidism		4	4	0.0000%
E89.3 Postprocedural hypopituitarism		3	3	0.0000%
E89.4 Postprocedural ovarian failure		1	1	0.0000%
E89.5 Postprocedural testicular hypofunction		5	5	0.0000%
F00.0 Dementia in Alzheimer's disease with early onset	42	271	313	0.0007%
F00.1 Dementia in Alzheimer's disease with late onset	89	272	361	0.0008%
F00.2 Dementia in Alzheimer's disease, atypical or mixed type	14	35	49	0.0001%
F00.9 Dementia in Alzheimer's disease, unspecified	25	38	63	0.0001%
F01.0 Vascular dementia of acute onset	78	151	229	0.0005%
F01.1 Multi-infarct dementia	106	181	287	0.0006%
F01.2 Subcortical vascular dementia	8	19	27	0.0001%
F01.3 Mixed cortical and subcortical vascular dementia	35	83	118	0.0003%
F01.8 Other vascular dementia	3	6	9	0.0000%
F01.9 Vascular dementia, unspecified	33	107	140	0.0003%
F02.0 Dementia in Pick's disease	4	27	31	0.0001%
F02.2 Dementia in Huntington's disease	1	12	13	0.0000%
F02.3 Dementia in Parkinson's disease	11	78	89	0.0002%
F02.4 Dementia in human immunodef virus [HIV] disease		1	1	0.0000%
F02.8 Dementia in other specified diseases classified elsewhere	3	13	16	0.0000%
F03.X Unspecified dementia	169	192	361	0.0008%
F04.X Organic amnesic synd not induced alc/oth psychoactive subs	1	4	5	0.0000%
F05.0 Delirium not superimposed on dementia, so described	8	11	19	0.0000%
F05.1 Delirium superimposed on dementia	4	4	8	0.0000%
F05.8 Other delirium	2	4	6	0.0000%
F05.9 Delirium, unspecified	7	56	63	0.0001%
F06.0 Organic hallucinosis	9	23	32	0.0001%
F06.1 Organic catatonic disorder		4	4	0.0000%
F06.2 Organic delusional [schizophrenia-like] disorder	9	36	45	0.0001%
F06.3 Organic mood [affective] disorders	5	55	60	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F06.4 Organic anxiety disorder	2	4	6	0.0000%
F06.6 Organic emotionally labile [asthenic] disorder	3	3	6	0.0000%
F06.7 Mild cognitive disorder	12	28	40	0.0001%
F06.8 Oth sp mental disord brain damag and dysfunction/physical d	4	23	27	0.0001%
F06.9 Unsp mental disord brain damag and dysfunction/physical d	20	23	43	0.0001%
F07.0 Organic personality disorder	5	24	29	0.0001%
F07.1 Postencephalitic syndrome		8	8	0.0000%
F07.2 Postconcussional syndrome	3	4	7	0.0000%
F07.8 Oth organ personality behav disord brain dis dam dysfunc	4	13	17	0.0000%
F07.9 Unspec organ personality behav disorder brain dam dysfunc	37	23	60	0.0001%
F09.X Unspecified organic or symptomatic mental disorder	11	20	31	0.0001%
F10.0 Mental & behav dis due to use of alcohol: acute intoxication	132	343	475	0.0011%
F10.1 Mental and behav dis due to use of alcohol: harmful use	48	122	170	0.0004%
F10.2 Mental and behav dis due to use of alcohol: dependence synd	416	1,229	1,645	0.0037%
F10.3 Mental and behav dis due to use of alcohol: withdrawal state	9	18	27	0.0001%
F10.4 Men & behav dis due alcohol: withdrawl state with delirium	5	13	18	0.0000%
F10.5 Mental & behav dis due to use of alcohol: psychotic disorder	18	53	71	0.0002%
F10.6 Mental and behav dis due to use of alcohol: amnesic syndrome	10	16	26	0.0001%
F10.7 Men & behav dis due use alc: resid & late-onset psychot dis	4	3	7	0.0000%
F10.8 Men & behav dis due to use of alcohol: oth men & behav dis	1	1	2	0.0000%
F10.9 Ment & behav dis due use alcohol: unsp ment & behav dis	33	140	173	0.0004%
F11.0 Mental & behav dis due to use of opioids; acute intoxication	8	16	24	0.0001%
F11.1 Mental & behav dis due to use of opioids; harmful use	6	10	16	0.0000%
F11.2 Mental & behav dis due to use of opioids; dependence syndrome	691	1,253	1,944	0.0043%
F11.5 Mental & behav dis due to use of opioids; psychotic disorder	8	32	40	0.0001%
F11.9 Mental & behav dis due use opioids; unsp mental & behav dis	7	7	14	0.0000%
F12.0 Mental & behav dis due use cannabinoids; acute intoxication	10	18	28	0.0001%
F12.1 Mental & behav dis due use cannabinoids; harmful use	2	5	7	0.0000%
F12.2 Mental & behav dis due use cannabinoids; dependence syndrome	1	10	11	0.0000%
F12.3 Mental & behav dis due use cannabinoids; withdrawal state		6	6	0.0000%
F12.4 Men & beh dis due use cannabis; withdraw state with delirium		2	2	0.0000%
F12.5 Mental & behav dis due use cannabinoids; psychotic disorder	15	66	81	0.0002%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F12.9 Mental & behav dis due cannabinoids; unsp mental & behav dis	2	11	13	0.0000%
F13.0 Men & behav dis due use seds/hypnotics: acute intoxication	5	4	9	0.0000%
F13.1 Men & behav dis due use seds/hypnotics: harmful use	5	3	8	0.0000%
F13.2 Men & behav dis due use seds/hypnotics: dependence syndrome	4	11	15	0.0000%
F13.3 Men & behav dis due use seds/hypnotics: withdrawal state		8	8	0.0000%
F14.0 Mental & behav dis due use cocaine: acute intoxication	2	3	5	0.0000%
F14.1 Mental & behav dis due use cocaine: harmful use	1	4	5	0.0000%
F14.2 Mental & behav dis due use cocaine: dependence syndrome	2	9	11	0.0000%
F14.9 Mental & behav dis due use cocaine: unsp mental & behav dis	2		2	0.0000%
F15.0 Men & behav dis due oth stims inc cafein: acute intoxication	5	4	9	0.0000%
F15.1 Men & behav dis due use oth stims inc caffeine: harmful use	2	5	7	0.0000%
F15.2 Men & behav dis due oth stims inc caffeine: dependence synd	1	9	10	0.0000%
F15.5 Men & behav dis due oth stims inc caffeine: psychotic dis	4	17	21	0.0000%
F15.8 Men & beh dis due oth stims inc caffeine:other men & beh dis	1	1	2	0.0000%
F15.9 Men & beh dis due oth stims inc caffeine: unsp men & beh dis	2	7	9	0.0000%
F16.0 Men & behav dis due use hallucinogens: acute intoxication		4	4	0.0000%
F16.2 Men & behav dis due use hallucinogens: dependence syndrome		2	2	0.0000%
F16.5 Men & behav dis due use hallucinogens: psychotic disorder		8	8	0.0000%
F16.6 Men & behav dis due use hallucinogens: amnesic syndrome		1	1	0.0000%
F17.0 Men & behav dis due use tobacco: acute intoxication		6	6	0.0000%
F19.0 Men & behav dis multiple/psychoact drug: acute intox	20	85	105	0.0002%
F19.1 Men & behav dis multiple/psychoact drug: harmful use	17	37	54	0.0001%
F19.2 Men & behav dis multiple/psychoact drug: dependence syndrome	15	35	50	0.0001%
F19.3 Men & behav dis multiple/psychoact drug: withdrawl state	3	2	5	0.0000%
F19.4 Men & behav dis multiple/psychoact drug: withdrawl stat + de		11	11	0.0000%
F19.5 Men & behav dis multiple/psychoact drug: psychotic disorder	45	115	160	0.0004%
F19.7 Men & behav dis multiple/psychoact drug: res & late-ons psy		4	4	0.0000%
F19.8 Men & behav dis multiple/psychoact drug: oth men & behav dis	2	5	7	0.0000%
F19.9 Men & behav dis multiple/psychoact drug: unsp men & behav di	19	30	49	0.0001%
F20.0 Paranoid schizophrenia	570	4,887	5,457	0.0122%
F20.1 Hebephrenic schizophrenia	10	130	140	0.0003%
F20.2 Catatonic schizophrenia	1	20	21	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F20.3 Undifferentiated schizophrenia	7	59	66	0.0001%
F20.4 Post-schizophrenic depression	3	18	21	0.0000%
F20.5 Residual schizophrenia	19	172	191	0.0004%
F20.6 Simple schizophrenia	12	33	45	0.0001%
F20.8 Other schizophrenia	10	21	31	0.0001%
F20.9 Schizophrenia, unspecified	284	1,675	1,959	0.0044%
F21.X Schizotypal disorder	8	71	79	0.0002%
F22.0 Delusional disorder	94	483	577	0.0013%
F22.8 Other persistent delusional disorders	1	24	25	0.0001%
F22.9 Persistent delusional disorder, unspecified	13	100	113	0.0003%
F23.0 Acute polymorphic psychot disord without symp of schizoph'a	36	109	145	0.0003%
F23.1 Acute polymorphic psychot disord with symp of schizophrenia	8	54	62	0.0001%
F23.2 Acute schizophrenia-like psychotic disorder	23	89	112	0.0002%
F23.3 Other acute predominantly delusional psychotic disorders	14	59	73	0.0002%
F23.8 Other acute and transient psychotic disorders	9	45	54	0.0001%
F23.9 Acute and transient psychotic disorder, unspecified	89	330	419	0.0009%
F24.X Induced delusional disorder	4	4	8	0.0000%
F25.0 Schizoaffective disorder, manic type	49	369	418	0.0009%
F25.1 Schizoaffective disorder, depressive type	26	196	222	0.0005%
F25.2 Schizoaffective disorder, mixed type	27	168	195	0.0004%
F25.8 Other schizoaffective disorders	1	16	17	0.0000%
F25.9 Schizoaffective disorder, unspecified	83	565	648	0.0014%
F28.X Other nonorganic psychotic disorders	6	35	41	0.0001%
F29.X Unspecified nonorganic psychosis	124	422	546	0.0012%
F30.0 Hypomania	44	171	215	0.0005%
F30.1 Mania without psychotic symptoms	6	20	26	0.0001%
F30.2 Mania with psychotic symptoms	15	79	94	0.0002%
F30.8 Other manic episodes	1	11	12	0.0000%
F30.9 Manic episode, unspecified	40	136	176	0.0004%
F31.0 Bipolar affective disorder, current episode hypomanic	121	1,296	1,417	0.0032%
F31.1 Bipolar affect disord cur epi manic without psychotic symp	75	413	488	0.0011%
F31.2 Bipolar affect disorder cur epi manic with psychotic symp	42	342	384	0.0009%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F31.3 Bipolar affect disorder cur epi mild or moderate depression	51	590	641	0.0014%
F31.4 Bipolar affect disord cur epi sev depres without psyc symp	16	163	179	0.0004%
F31.5 Bipolar affect disord cur epi severe depres with psyc symp	12	103	115	0.0003%
F31.6 Bipolar affective disorder, current episode mixed	22	189	211	0.0005%
F31.7 Bipolar affective disorder, currently in remission	57	908	965	0.0022%
F31.8 Other bipolar affective disorders	4	12	16	0.0000%
F31.9 Bipolar affective disorder, unspecified	239	1,481	1,720	0.0038%
F32.0 Mild depressive episode	244	1,096	1,340	0.0030%
F32.1 Moderate depressive episode	352	1,708	2,060	0.0046%
F32.2 Severe depressive episode without psychotic symptoms	91	659	750	0.0017%
F32.3 Severe depressive episode with psychotic symptoms	160	812	972	0.0022%
F32.8 Other depressive episodes	12	50	62	0.0001%
F32.9 Depressive episode, unspecified	726	3,403	4,129	0.0092%
F33.0 Recurrent depressive disorder, current episode mild	98	1,004	1,102	0.0025%
F33.1 Recurrent depressive disorder, current episode moderate	169	993	1,162	0.0026%
F33.2 Recurrent depress disorder cur epi severe without psyc symp	46	279	325	0.0007%
F33.3 Recurrent depress disorder cur epi severe with psyc symp	44	316	360	0.0008%
F33.4 Recurrent depressive disorder, currently in remission	42	416	458	0.0010%
F33.8 Other recurrent depressive disorders	4	18	22	0.0000%
F33.9 Recurrent depressive disorder, unspecified	77	475	552	0.0012%
F34.0 Cyclothymia	6	47	53	0.0001%
F34.1 Dysthymia	24	176	200	0.0004%
F34.8 Other persistent mood [affective] disorders	1	11	12	0.0000%
F34.9 Persistent mood [affective] disorder, unspecified	5	30	35	0.0001%
F38.0 Other single mood [affective] disorders	1	12	13	0.0000%
F38.1 Other recurrent mood [affective] disorders	3	20	23	0.0001%
F38.8 Other specified mood [affective] disorders	2	5	7	0.0000%
F39.X Unspecified mood [affective] disorder	11	130	141	0.0003%
F40.0 Agoraphobia	14	74	88	0.0002%
F40.1 Social phobias	12	57	69	0.0002%
F40.2 Specific (isolated) phobias	4	7	11	0.0000%
F40.8 Other phobic anxiety disorders		8	8	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F40.9 Phobic anxiety disorder, unspecified	4	43	47	0.0001%
F41.0 Panic disorder [episodic paroxysmal anxiety]	44	153	197	0.0004%
F41.1 Generalized anxiety disorder	59	264	323	0.0007%
F41.2 Mixed anxiety and depressive disorder	133	836	969	0.0022%
F41.3 Other mixed anxiety disorders	5	22	27	0.0001%
F41.8 Other specified anxiety disorders	1	16	17	0.0000%
F41.9 Anxiety disorder, unspecified	74	162	236	0.0005%
F42.0 Predominantly obsessional thoughts or ruminations	34	182	216	0.0005%
F42.1 Predominantly compulsive acts [obsessional rituals]	9	55	64	0.0001%
F42.2 Mixed obsessional thoughts and acts	9	50	59	0.0001%
F42.8 Other obsessive-compulsive disorders	1	10	11	0.0000%
F42.9 Obsessive-compulsive disorder, unspecified	15	153	168	0.0004%
F43.0 Acute stress reaction	32	153	185	0.0004%
F43.1 Post-traumatic stress disorder	41	253	294	0.0007%
F43.2 Adjustment disorders	225	731	956	0.0021%
F43.8 Other reactions to severe stress	2	6	8	0.0000%
F43.9 Reaction to severe stress, unspecified	17	95	112	0.0002%
F44.0 Dissociative amnesia		11	11	0.0000%
F44.1 Dissociative fugue		3	3	0.0000%
F44.2 Dissociative stupor	1	1	2	0.0000%
F44.3 Trance and possession disorders		1	1	0.0000%
F44.4 Dissociative motor disorders		1	1	0.0000%
F44.5 Dissociative convulsions	7	26	33	0.0001%
F44.6 Dissociative anaesthesia and sensory loss	1		1	0.0000%
F44.7 Mixed dissociative [conversion] disorders		1	1	0.0000%
F44.8 Other dissociative [conversion] disorders	6	13	19	0.0000%
F44.9 Dissociative [conversion] disorder, unspecified	1	17	18	0.0000%
F45.0 Somatization disorder	3	38	41	0.0001%
F45.1 Undifferentiated somatoform disorder		9	9	0.0000%
F45.2 Hypochondriacal disorder	3	18	21	0.0000%
F45.3 Somatoform autonomic dysfunction	1	4	5	0.0000%
F45.4 Persistent somatoform pain disorder	2	7	9	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F45.8 Other somatoform disorders	12	1	13	0.0000%
F45.9 Somatoform disorder, unspecified	4	20	24	0.0001%
F48.0 Neurasthenia	4	14	18	0.0000%
F48.8 Other specified neurotic disorders	3	4	7	0.0000%
F48.9 Neurotic disorder, unspecified	1	4	5	0.0000%
F50.0 Anorexia nervosa	42	615	657	0.0015%
F50.1 Atypical anorexia nervosa	6	61	67	0.0001%
F50.2 Bulimia nervosa	11	46	57	0.0001%
F50.3 Atypical bulimia nervosa	2	2	4	0.0000%
F50.4 Overeating associated with other psychological disturbances	1		1	0.0000%
F50.8 Other eating disorders		1	1	0.0000%
F50.9 Eating disorder, unspecified	3	24	27	0.0001%
F51.0 Nonorganic insomnia	3	1	4	0.0000%
F51.2 Nonorganic disorder of the sleep-wake schedule	1		1	0.0000%
F51.3 Sleepwalking [somnambulism]	6	1	7	0.0000%
F51.4 Sleep terrors [night terrors]	4	1	5	0.0000%
F51.5 Nightmares	2		2	0.0000%
F51.9 Nonorganic sleep disorder, unspecified		5	5	0.0000%
F52.0 Lack or loss of sexual desire	1		1	0.0000%
F52.2 Failure of genital response	82	61	143	0.0003%
F52.7 Excessive sexual drive		3	3	0.0000%
F53.0 Mild mental and behav disord assoc with the puerperium NEC	5	14	19	0.0000%
F53.1 Severe mental and behav disorder ass with puerperium NEC	5	16	21	0.0000%
F53.9 Puerperal mental disorder, unspecified	4	14	18	0.0000%
F54.X Psychological and behav factor assoc with disord or dis EC	1		1	0.0000%
F55.X Abuse of non-dependence-producing substances		2	2	0.0000%
F60.0 Paranoid personality disorder	18	84	102	0.0002%
F60.1 Schizoid personality disorder	8	24	32	0.0001%
F60.2 Dissocial personality disorder	16	65	81	0.0002%
F60.3 Emotionally unstable personality disorder	200	1,139	1,339	0.0030%
F60.4 Histrionic personality disorder	4	6	10	0.0000%
F60.5 Anankastic personality disorder	1	1	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F60.6 Anxious [avoidant] personality disorder	7	31	38	0.0001%
F60.7 Dependent personality disorder	12	80	92	0.0002%
F60.8 Other specific personality disorders	2	24	26	0.0001%
F60.9 Personality disorder, unspecified	104	408	512	0.0011%
F61.X Mixed and other personality disorders	5	38	43	0.0001%
F62.1 Enduring personality change after psychiatric illness		2	2	0.0000%
F62.8 Other enduring personality changes		4	4	0.0000%
F62.9 Enduring personality change, unspecified		3	3	0.0000%
F63.0 Pathological gambling	2	4	6	0.0000%
F63.3 Trichotillomania	1		1	0.0000%
F63.8 Other habit and impulse disorders	2	2	4	0.0000%
F63.9 Habit and impulse disorder, unspecified		11	11	0.0000%
F64.0 Transsexualism	1	7	8	0.0000%
F64.9 Gender identity disorder, unspecified	1	6	7	0.0000%
F65.0 Fetishism	1	2	3	0.0000%
F68.1 Intent product/feign of symptom/disab eith physical/psychol	1	1	2	0.0000%
F68.8 Other specified disorders of adult personality and behaviour	4	3	7	0.0000%
F69.X Unspecified disorder of adult personality and behaviour	7	35	42	0.0001%
F70.0 Mld mental retard with statement no or min impairm behav	12	110	122	0.0003%
F70.1 Mld mental retard sig impairment behav req attent /treat	13	44	57	0.0001%
F70.9 Mild mental retardation without mention of impairment behav	1	20	21	0.0000%
F71.0 Mod mental retard with statement no or min impairm behav	5	47	52	0.0001%
F71.1 Mod mental retard sig impairm of behav req attent /treat	15	51	66	0.0001%
F71.8 Moderate mental retardation, other impairments of behaviour		1	1	0.0000%
F71.9 Mod mental retard without mention of impairment of behav		36	36	0.0001%
F72.0 Sev mental retard with statement no or min impairm behav	5	60	65	0.0001%
F72.1 Sev mental retard sign impairm behav req attent /treatment	4	76	80	0.0002%
F72.8 Severe mental retardation, other impairments of behaviour		5	5	0.0000%
F72.9 Severe mental retard without mention of impairment of behav	1	14	15	0.0000%
F73.0 Prof mental retard with statement no or min impairm behav	1	21	22	0.0000%
F73.1 Prof mental retard sig impairm behav req attent/treatment	2	4	6	0.0000%
F79.0 Unspec mental retard with statement no or min impair behav		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F79.8 Unspec mental retardation		1	1	0.0000%
F79.9 Unspec mental retard without mention of impairment of behav		11	11	0.0000%
F80.1 Expressive language disorder		1	1	0.0000%
F80.9 Developmental disorder of speech and language, unspecified	4	28	32	0.0001%
F81.0 Specific reading disorder	2	5	7	0.0000%
F81.8 Other developmental disorders of scholastic skills		4	4	0.0000%
F81.9 Developmental disorder of scholastic skills, unspecified	21	92	113	0.0003%
F82.X Specific developmental disorder of motor function		4	4	0.0000%
F84.0 Childhood autism	5	57	62	0.0001%
F84.1 Atypical autism	1	15	16	0.0000%
F84.2 Rett's syndrome		1	1	0.0000%
F84.3 Other childhood disintegrative disorder		1	1	0.0000%
F84.4 Overactive disord assoc mental retard and stereotype movts	1	2	3	0.0000%
F84.5 Asperger's syndrome	16	106	122	0.0003%
F84.9 Pervasive developmental disorder, unspecified	2	17	19	0.0000%
F89.X Unspecified disorder of psychological development	2	7	9	0.0000%
F90.0 Disturbance of activity and attention	11	78	89	0.0002%
F90.1 Hyperkinetic conduct disorder	8	23	31	0.0001%
F90.9 Hyperkinetic disorder, unspecified		1	1	0.0000%
F91.0 Conduct disorder confined to the family context	4	5	9	0.0000%
F91.1 Unsocialized conduct disorder	9	11	20	0.0000%
F91.2 Socialized conduct disorder	11	12	23	0.0001%
F91.3 Oppositional defiant disorder	3		3	0.0000%
F91.8 Other conduct disorders	2		2	0.0000%
F91.9 Conduct disorder, unspecified	6	23	29	0.0001%
F92.0 Depressive conduct disorder	3	1	4	0.0000%
F92.8 Other mixed disorders of conduct and emotions	5	6	11	0.0000%
F92.9 Mixed disorder of conduct and emotions, unspecified	1	19	20	0.0000%
F93.0 Separation anxiety disorder of childhood	1	2	3	0.0000%
F93.2 Social anxiety disorder of childhood		6	6	0.0000%
F93.8 Other childhood emotional disorders	1	19	20	0.0000%
F93.9 Childhood emotional disorder, unspecified	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F94.1 Reactive attachment disorder of childhood		1	1	0.0000%
F94.2 Disinhibited attachment disorder of childhood	3	5	8	0.0000%
F94.9 Childhood disorder of social functioning, unspecified	1		1	0.0000%
F95.2 Combined vocal multip motor tic disorder [de la Tourette]	5	179	184	0.0004%
F95.9 Tic disorder, unspecified	1	5	6	0.0000%
F98.1 Nonorganic encopresis	1	23	24	0.0001%
F98.8 Ot spc behav emotion disord onst usual ocur childhd adoles		5	5	0.0000%
F98.9 Unspec behav emotion disord onst usual ocur childhd adoles	1		1	0.0000%
F99.X Mental disorder, not otherwise specified	8,205	56,665	64,870	0.1447%
G00.1 Pneumococcal meningitis	1		1	0.0000%
G03.9 Meningitis, unspecified	6	8	14	0.0000%
G04.0 Acute disseminated encephalitis		1	1	0.0000%
G04.8 Other encephalitis, myelitis and encephalomyelitis	2		2	0.0000%
G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified	5	3	8	0.0000%
G06.0 Intracranial abscess and granuloma		7	7	0.0000%
G06.1 Intraspinal abscess and granuloma		2	2	0.0000%
G06.2 Extradural and subdural abscess, unspecified		10	10	0.0000%
G08.X Intracranial and intraspinal phlebitis and thrombophlebitis	1	6	7	0.0000%
G10.X Huntington's disease	17	269	286	0.0006%
G11.1 Early-onset cerebellar ataxia	5	5	10	0.0000%
G11.2 Late-onset cerebellar ataxia		1	1	0.0000%
G11.3 Cerebellar ataxia with defective DNA repair		1	1	0.0000%
G11.4 Hereditary spastic paraplegia	5	10	15	0.0000%
G11.9 Hereditary ataxia, unspecified	7	12	19	0.0000%
G12.2 Motor neuron disease	80	175	255	0.0006%
G12.8 Other spinal muscular atrophies and related syndromes	1	2	3	0.0000%
G12.9 Spinal muscular atrophy, unspecified	5	6	11	0.0000%
G20.X Parkinson's disease	293	558	851	0.0019%
G21.1 Other drug-induced secondary parkinsonism	6		6	0.0000%
G24.1 Idiopathic familial dystonia	9	4	13	0.0000%
G24.4 Idiopathic orofacial dystonia	1		1	0.0000%
G24.5 Blepharospasm	14	215	229	0.0005%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G24.8 Other dystonia	9	4	13	0.0000%
G24.9 Dystonia, unspecified	61	110	171	0.0004%
G25.0 Essential tremor	80	25	105	0.0002%
G25.1 Drug-induced tremor		1	1	0.0000%
G25.2 Other specified forms of tremor	1	4	5	0.0000%
G25.3 Myoclonus	17	5	22	0.0000%
G25.5 Other chorea	3		3	0.0000%
G25.8 Other specified extrapyramidal and movement disorders	24	7	31	0.0001%
G25.9 Extrapyramidal and movement disorder, unspecified	102	129	231	0.0005%
G30.0 Alzheimer's disease with early onset	1	2	3	0.0000%
G30.1 Alzheimer's disease with late onset	3	19	22	0.0000%
G30.8 Other Alzheimer's disease		4	4	0.0000%
G30.9 Alzheimer's disease, unspecified	15	34	49	0.0001%
G31.2 Degeneration of nervous system due to alcohol	1	1	2	0.0000%
G31.8 Other specified degenerative diseases of nervous system	6	6	12	0.0000%
G31.9 Degenerative disease of nervous system, unspecified	10	3	13	0.0000%
G35.X Multiple sclerosis	402	1,073	1,475	0.0033%
G36.0 Neuromyelitis optica [Devic]	5	2	7	0.0000%
G37.3 Acute transverse myelitis in demyelinating disease of CNS	7	2	9	0.0000%
G37.8 Other spec demyelinating diseases of central nervous system		1	1	0.0000%
G37.9 Demyelinating disease of central nervous system, unspecified	22	12	34	0.0001%
G40.0 Loc-rel(foc)(part)idiop epilep/ epileptic syn seiz locl ons	28	48	76	0.0002%
G40.1 Loc-rel(foc)(part)symp epilep/ epileptic syn simple part seiz	161	790	951	0.0021%
G40.2 Loc-rel(foc)(part)symp epilep/epileptic syn complex part seiz	113	217	330	0.0007%
G40.3 Generalized idiopathic epilepsy and epileptic syndromes	141	308	449	0.0010%
G40.4 Other generalized epilepsy and epileptic syndromes	2	6	8	0.0000%
G40.5 Special epileptic syndromes	1	1	2	0.0000%
G40.6 Grand mal seizures, unspecified (with or without petit mal)		1	1	0.0000%
G40.7 Petit mal, unspecified, without grand mal seizures		4	4	0.0000%
G40.8 Other epilepsy	180	131	311	0.0007%
G40.9 Epilepsy, unspecified	273	442	715	0.0016%
G41.0 Grand mal status epilepticus	1	1	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G41.9 Status epilepticus, unspecified	2	2	4	0.0000%
G43.0 Migraine without aura [common migraine]	1		1	0.0000%
G43.1 Migraine with aura [classical migraine]	11	6	17	0.0000%
G43.2 Status migrainosus		1	1	0.0000%
G43.8 Other migraine	12	6	18	0.0000%
G43.9 Migraine, unspecified	807	271	1,078	0.0024%
G44.0 Cluster headache syndrome	18	32	50	0.0001%
G44.1 Vascular headache, not elsewhere classified		1	1	0.0000%
G44.2 Tension-type headache	59	28	87	0.0002%
G44.3 Chronic post-traumatic headache	5	9	14	0.0000%
G44.4 Drug-induced headache, not elsewhere classified	1		1	0.0000%
G44.8 Other specified headache syndromes	16	1	17	0.0000%
G45.0 Vertebro-basilar artery syndrome	76	2	78	0.0002%
G45.1 Carotid artery syndrome (hemispheric)	158	5	163	0.0004%
G45.3 Amaurosis fugax	86	19	105	0.0002%
G45.4 Transient global amnesia	19	2	21	0.0000%
G45.8 Other transient cerebral ischaemic attacks and related synd	4		4	0.0000%
G45.9 Transient cerebral ischaemic attack, unspecified	185	34	219	0.0005%
G47.0 Disorders of initiating and maintaining sleep [insomnias]	31	36	67	0.0001%
G47.1 Disorders of excessive somnolence [hypersomnias]	8	1	9	0.0000%
G47.3 Sleep apnoea	4	4	8	0.0000%
G47.4 Narcolepsy and cataplexy	28	35	63	0.0001%
G47.8 Other sleep disorders	40	26	66	0.0001%
G47.9 Sleep disorder, unspecified	13	2	15	0.0000%
G50.0 Trigeminal neuralgia	113	213	326	0.0007%
G50.1 Atypical facial pain	18	20	38	0.0001%
G50.8 Other disorders of trigeminal nerve		2	2	0.0000%
G50.9 Disorder of trigeminal nerve, unspecified	6	1	7	0.0000%
G51.0 Bell's palsy	38	64	102	0.0002%
G51.3 Clonic hemifacial spasm	18	355	373	0.0008%
G51.4 Facial myokymia	2	3	5	0.0000%
G51.8 Other disorders of facial nerve		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G51.9 Disorder of facial nerve, unspecified	1		1	0.0000%
G52.2 Disorders of vagus nerve	1		1	0.0000%
G52.7 Disorders of multiple cranial nerves	1		1	0.0000%
G52.9 Cranial nerve disorder, unspecified	13	15	28	0.0001%
G54.0 Brachial plexus disorders	14	14	28	0.0001%
G54.1 Lumbosacral plexus disorders	1	1	2	0.0000%
G54.2 Cervical root disorders, not elsewhere classified	1	3	4	0.0000%
G54.4 Lumbosacral root disorders, not elsewhere classified	2	1	3	0.0000%
G54.5 Neuralgic amyotrophy	8	6	14	0.0000%
G54.6 Phantom limb syndrome with pain	1	7	8	0.0000%
G54.8 Other nerve root and plexus disorders		1	1	0.0000%
G54.9 Nerve root and plexus disorder, unspecified	6	11	17	0.0000%
G56.0 Carpal tunnel syndrome	912	991	1,903	0.0042%
G56.1 Other lesions of median nerve		5	5	0.0000%
G56.2 Lesion of ulnar nerve	66	88	154	0.0003%
G56.3 Lesion of radial nerve	3		3	0.0000%
G56.4 Causalgia	1		1	0.0000%
G56.8 Other mononeuropathies of upper limb	144	26	170	0.0004%
G56.9 Mononeuropathy of upper limb, unspecified	1		1	0.0000%
G57.0 Lesion of sciatic nerve	2		2	0.0000%
G57.1 Meralgia paraesthetica	7	9	16	0.0000%
G57.2 Lesion of femoral nerve	1		1	0.0000%
G57.3 Lesion of lateral popliteal nerve	3	1	4	0.0000%
G57.4 Lesion of medial popliteal nerve	1		1	0.0000%
G57.5 Tarsal tunnel syndrome	1	1	2	0.0000%
G57.6 Lesion of plantar nerve	11	37	48	0.0001%
G57.8 Other mononeuropathies of lower limb	1	4	5	0.0000%
G57.9 Mononeuropathy of lower limb, unspecified	55	36	91	0.0002%
G58.0 Intercostal neuropathy	1		1	0.0000%
G58.8 Other specified mononeuropathies	47	16	63	0.0001%
G58.9 Mononeuropathy, unspecified	119	108	227	0.0005%
G59.0 Diabetic mononeuropathy		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G59.8 Other mononeuropathies in diseases classified elsewhere	1		1	0.0000%
G60.0 Hereditary motor and sensory neuropathy	17	29	46	0.0001%
G60.2 Neuropathy in association with hereditary ataxia	1		1	0.0000%
G60.3 Idiopathic progressive neuropathy		2	2	0.0000%
G60.8 Other hereditary and idiopathic neuropathies		11	11	0.0000%
G60.9 Hereditary and idiopathic neuropathy, unspecified	10	12	22	0.0000%
G61.0 Guillain-Barre syndrome	5	35	40	0.0001%
G61.8 Other inflammatory polyneuropathies	3	13	16	0.0000%
G61.9 Inflammatory polyneuropathy, unspecified	1	18	19	0.0000%
G62.1 Alcoholic polyneuropathy	1	1	2	0.0000%
G62.8 Other specified polyneuropathies	22	39	61	0.0001%
G62.9 Polyneuropathy, unspecified	173	76	249	0.0006%
G63.2 Diabetic polyneuropathy	1	3	4	0.0000%
G70.0 Myasthenia gravis	85	261	346	0.0008%
G70.2 Congenital and developmental myasthenia	4	3	7	0.0000%
G70.8 Other specified myoneural disorders	1	3	4	0.0000%
G70.9 Myoneural disorder, unspecified	24	11	35	0.0001%
G71.0 Muscular dystrophy	35	140	175	0.0004%
G71.1 Myotonic disorders	33	124	157	0.0004%
G71.2 Congenital myopathies		2	2	0.0000%
G71.3 Mitochondrial myopathy, not elsewhere classified		2	2	0.0000%
G71.8 Other primary disorders of muscles	2	1	3	0.0000%
G72.2 Myopathy due to other toxic agents	1		1	0.0000%
G72.3 Periodic paralysis	1		1	0.0000%
G72.4 Inflammatory myopathy, not elsewhere classified		1	1	0.0000%
G72.8 Other specified myopathies	18	39	57	0.0001%
G72.9 Myopathy, unspecified	9	9	18	0.0000%
G73.1 Eaton-Lambert syndrome		1	1	0.0000%
G80.1 Spastic diplegia	2	11	13	0.0000%
G80.2 Infantile hemiplegia	2	4	6	0.0000%
G80.3 Dyskinetic cerebral palsy	1	1	2	0.0000%
G80.8 Other infantile cerebral palsy		4	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G80.9 Infantile cerebral palsy, unspecified	15	39	54	0.0001%
G81.1 Spastic hemiplegia	1		1	0.0000%
G81.9 Hemiplegia, unspecified	16	13	29	0.0001%
G82.1 Spastic paraplegia	4	3	7	0.0000%
G82.2 Paraplegia, unspecified	2	3	5	0.0000%
G82.4 Spastic tetraplegia	5	1	6	0.0000%
G83.0 Diplegia of upper limbs	2		2	0.0000%
G83.3 Monoplegia, unspecified	1	1	2	0.0000%
G83.4 Cauda equina syndrome	5	28	33	0.0001%
G83.8 Other specified paralytic syndromes		1	1	0.0000%
G83.9 Paralytic syndrome, unspecified	3	1	4	0.0000%
G90.0 Idiopathic peripheral autonomic neuropathy		1	1	0.0000%
G90.2 Horner's syndrome	7	2	9	0.0000%
G90.3 Multi-system degeneration	9	17	26	0.0001%
G90.8 Other disorders of autonomic nervous system	2		2	0.0000%
G91.2 Normal-pressure hydrocephalus		1	1	0.0000%
G91.8 Other hydrocephalus		1	1	0.0000%
G91.9 Hydrocephalus, unspecified	63	405	468	0.0010%
G93.0 Cerebral cysts	8	33	41	0.0001%
G93.1 Anoxic brain damage, not elsewhere classified	1	1	2	0.0000%
G93.2 Benign intracranial hypertension	14	55	69	0.0002%
G93.3 Postviral fatigue syndrome	24	58	82	0.0002%
G93.4 Encephalopathy, unspecified	1		1	0.0000%
G93.8 Other specified disorders of brain		9	9	0.0000%
G93.9 Disorder of brain, unspecified	4	5	9	0.0000%
G95.0 Syringomyelia and syringobulbia	8	34	42	0.0001%
G95.1 Vascular myelopathies		4	4	0.0000%
G95.2 Cord compression, unspecified	2	1	3	0.0000%
G95.8 Other specified diseases of spinal cord	9	7	16	0.0000%
G95.9 Disease of spinal cord, unspecified	60	86	146	0.0003%
G96.0 Cerebrospinal fluid leak	1	2	3	0.0000%
G96.1 Disorders of meninges, not elsewhere classified	2		2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G96.9 Disorder of central nervous system, unspecified	1		1	0.0000%
G98.X Other disorders of nervous system, not elsewhere classified	36	12	48	0.0001%
G99.2 Myelopathy in diseases classified elsewhere	1		1	0.0000%
H00.0 Hordeolum and other deep inflammation of eyelid	141	188	329	0.0007%
H00.1 Chalazion	396	217	613	0.0014%
H01.0 Blepharitis	175	157	332	0.0007%
H01.1 Noninfectious dermatoses of eyelid	11	18	29	0.0001%
H01.8 Other specified inflammation of eyelid	7	2	9	0.0000%
H01.9 Inflammation of eyelid, unspecified	2	4	6	0.0000%
H02.0 Entropion and trichiasis of eyelid	111	214	325	0.0007%
H02.1 Ectropion of eyelid	63	103	166	0.0004%
H02.2 Lagophthalmos		3	3	0.0000%
H02.3 Blepharochalasis	8	17	25	0.0001%
H02.4 Ptosis of eyelid	100	188	288	0.0006%
H02.5 Other disorders affecting eyelid function		5	5	0.0000%
H02.6 Xanthelasma of eyelid	26	33	59	0.0001%
H02.8 Other specified disorders of eyelid	229	107	336	0.0007%
H02.9 Disorder of eyelid, unspecified	266	270	536	0.0012%
H04.0 Dacryoadenitis		2	2	0.0000%
H04.1 Other disorders of lacrimal gland	195	262	457	0.0010%
H04.2 Epiphora	191	192	383	0.0009%
H04.3 Acute and unspecified inflammation of lacrimal passages	15	10	25	0.0001%
H04.4 Chronic inflammation of lacrimal passages	2	3	5	0.0000%
H04.5 Stenosis and insufficiency of lacrimal passages	52	87	139	0.0003%
H04.6 Other changes in lacrimal passages	1	5	6	0.0000%
H04.8 Other disorders of lacrimal system	6	30	36	0.0001%
H04.9 Disorder of lacrimal system, unspecified	67	344	411	0.0009%
H05.0 Acute inflammation of orbit	5	9	14	0.0000%
H05.1 Chronic inflammatory disorders of orbit	1	14	15	0.0000%
H05.2 Exophthalmic conditions	1	4	5	0.0000%
H05.3 Deformity of orbit	1	2	3	0.0000%
H05.4 Enophthalmos		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H05.8 Other disorders of orbit		1	1	0.0000%
H05.9 Disorder of orbit, unspecified	9	21	30	0.0001%
H06.2 Dysthyroid exophthalmos	9		9	0.0000%
H10.0 Mucopurulent conjunctivitis	4	13	17	0.0000%
H10.1 Acute atopic conjunctivitis	46	75	121	0.0003%
H10.3 Acute conjunctivitis, unspecified	8		8	0.0000%
H10.4 Chronic conjunctivitis	8	5	13	0.0000%
H10.5 Blepharoconjunctivitis	53	67	120	0.0003%
H10.8 Other conjunctivitis	10	7	17	0.0000%
H10.9 Conjunctivitis, unspecified	36	36	72	0.0002%
H11.0 Pterygium	69	67	136	0.0003%
H11.1 Conjunctival degenerations and deposits	24	7	31	0.0001%
H11.2 Conjunctival scars	4	5	9	0.0000%
H11.3 Conjunctival haemorrhage	21	26	47	0.0001%
H11.4 Other conjunctival vascular disorders and cysts	38	20	58	0.0001%
H11.8 Other specified disorders of conjunctiva	8	2	10	0.0000%
H11.9 Disorder of conjunctiva, unspecified	4	90	94	0.0002%
H15.0 Scleritis	23	96	119	0.0003%
H15.1 Episcleritis	28	55	83	0.0002%
H15.8 Other disorders of sclera	1	1	2	0.0000%
H16.0 Corneal ulcer	55	208	263	0.0006%
H16.1 Other superficial keratitis without conjunctivitis	6	2	8	0.0000%
H16.2 Keratoconjunctivitis	12	36	48	0.0001%
H16.3 Interstitial and deep keratitis	3	19	22	0.0000%
H16.4 Corneal neovascularization	26	35	61	0.0001%
H16.8 Other keratitis	15	29	44	0.0001%
H16.9 Keratitis, unspecified	134	226	360	0.0008%
H17.1 Other central corneal opacity	3	7	10	0.0000%
H17.8 Other corneal scars and opacities	74	66	140	0.0003%
H17.9 Corneal scar and opacity, unspecified	18	50	68	0.0002%
H18.0 Corneal pigmentations and deposits	20	7	27	0.0001%
H18.1 Bullous keratopathy	4	12	16	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H18.2 Other corneal oedema	1	8	9	0.0000%
H18.3 Changes in corneal membranes	3	10	13	0.0000%
H18.4 Corneal degeneration	22	49	71	0.0002%
H18.5 Hereditary corneal dystrophies	43	107	150	0.0003%
H18.6 Keratoconus	60	66	126	0.0003%
H18.8 Other specified disorders of cornea	33	68	101	0.0002%
H18.9 Disorder of cornea, unspecified	42	173	215	0.0005%
H20.0 Acute and subacute iridocyclitis	131	519	650	0.0014%
H20.1 Chronic iridocyclitis	2	43	45	0.0001%
H20.8 Other iridocyclitis	6	31	37	0.0001%
H20.9 Iridocyclitis, unspecified	86	274	360	0.0008%
H21.0 Hyphaema	1	8	9	0.0000%
H21.1 Other vascular disorders of iris and ciliary body	6	10	16	0.0000%
H21.2 Degeneration of iris and ciliary body		1	1	0.0000%
H21.3 Cyst of iris, ciliary body and anterior chamber	2	5	7	0.0000%
H21.4 Pupillary membranes		1	1	0.0000%
H21.5 Other adhesions and disruptions of iris and ciliary body		3	3	0.0000%
H21.8 Other specified disorders of iris and ciliary body	5	14	19	0.0000%
H21.9 Disorder of iris and ciliary body, unspecified	11	42	53	0.0001%
H25.0 Senile incipient cataract	22	142	164	0.0004%
H25.1 Senile nuclear cataract	12	372	384	0.0009%
H25.2 Senile cataract, morgagnian type		2	2	0.0000%
H25.8 Other senile cataract	6	165	171	0.0004%
H25.9 Senile cataract, unspecified	439	395	834	0.0019%
H26.0 Infantile, juvenile and presenile cataract	4	15	19	0.0000%
H26.1 Traumatic cataract	7	25	32	0.0001%
H26.2 Complicated cataract	2		2	0.0000%
H26.3 Drug-induced cataract		3	3	0.0000%
H26.4 After-cataract	564	1,162	1,726	0.0038%
H26.8 Other specified cataract	418	457	875	0.0020%
H26.9 Cataract, unspecified	1,171	3,141	4,312	0.0096%
H27.0 Aphakia	6	34	40	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H27.1 Dislocation of lens	1	2	3	0.0000%
H27.8 Other specified disorders of lens	335	43	378	0.0008%
H27.9 Disorder of lens, unspecified		20	20	0.0000%
H30.0 Focal chorioretinal inflammation		4	4	0.0000%
H30.1 Disseminated chorioretinal inflammation	1	2	3	0.0000%
H30.2 Posterior cyclitis	4	32	36	0.0001%
H30.8 Other chorioretinal inflammations	1	3	4	0.0000%
H30.9 Chorioretinal inflammation, unspecified	3	28	31	0.0001%
H31.0 Chorioretinal scars	14	22	36	0.0001%
H31.1 Choroidal degeneration		5	5	0.0000%
H31.4 Choroidal detachment	1		1	0.0000%
H31.8 Other specified disorders of choroid		9	9	0.0000%
H31.9 Disorder of choroid, unspecified	1	4	5	0.0000%
H33.0 Retinal detachment with retinal break	42	143	185	0.0004%
H33.1 Retinoschisis and retinal cysts	28	35	63	0.0001%
H33.2 Serous retinal detachment	13	191	204	0.0005%
H33.3 Retinal breaks without detachment	72	209	281	0.0006%
H33.4 Traction detachment of retina		3	3	0.0000%
H33.5 Other retinal detachments	88	267	355	0.0008%
H34.1 Central retinal artery occlusion	9	28	37	0.0001%
H34.2 Other retinal artery occlusions	67	92	159	0.0004%
H34.8 Other retinal vascular occlusions	242	801	1,043	0.0023%
H34.9 Retinal vascular occlusion, unspecified	1	5	6	0.0000%
H35.0 Background retinopathy and retinal vascular changes	176	1,136	1,312	0.0029%
H35.1 Retinopathy of prematurity	2	22	24	0.0001%
H35.2 Other proliferative retinopathy	1	22	23	0.0001%
H35.3 Degeneration of macula and posterior pole	808	3,381	4,189	0.0093%
H35.4 Peripheral retinal degeneration	36	28	64	0.0001%
H35.5 Hereditary retinal dystrophy	44	48	92	0.0002%
H35.6 Retinal haemorrhage	9	39	48	0.0001%
H35.7 Separation of retinal layers	79	104	183	0.0004%
H35.8 Other specified retinal disorders	160	509	669	0.0015%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H35.9 Retinal disorder, unspecified	170	314	484	0.0011%
H36.0 Diabetic retinopathy	5		5	0.0000%
H40.0 Glaucoma suspect	720	1,778	2,498	0.0056%
H40.1 Primary open-angle glaucoma	412	3,419	3,831	0.0085%
H40.2 Primary angle-closure glaucoma	61	432	493	0.0011%
H40.3 Glaucoma secondary to eye trauma	5	18	23	0.0001%
H40.4 Glaucoma secondary to eye inflammation	1	18	19	0.0000%
H40.5 Glaucoma secondary to other eye disorders	21	98	119	0.0003%
H40.6 Glaucoma secondary to drugs		6	6	0.0000%
H40.8 Other glaucoma	15	116	131	0.0003%
H40.9 Glaucoma, unspecified	476	2,920	3,396	0.0076%
H43.0 Vitreous prolapse	1	6	7	0.0000%
H43.1 Vitreous haemorrhage	42	155	197	0.0004%
H43.2 Crystalline deposits in vitreous body		1	1	0.0000%
H43.3 Other vitreous opacities	42	40	82	0.0002%
H43.8 Other disorders of vitreous body	293	146	439	0.0010%
H43.9 Disorder of vitreous body, unspecified	54	31	85	0.0002%
H44.0 Purulent endophthalmitis	3	12	15	0.0000%
H44.1 Other endophthalmitis	22	45	67	0.0001%
H44.2 Degenerative myopia	1	23	24	0.0001%
H44.4 Hypotony of eye	71	22	93	0.0002%
H44.5 Degenerated conditions of globe	3	2	5	0.0000%
H44.9 Disorder of globe, unspecified	3	1	4	0.0000%
H46.X Optic neuritis	59	124	183	0.0004%
H47.0 Disorders of optic nerve, not elsewhere classified	39	56	95	0.0002%
H47.1 Papilloedema, unspecified	4	7	11	0.0000%
H47.2 Optic atrophy	8	39	47	0.0001%
H47.3 Other disorders of optic disc	34	38	72	0.0002%
H47.4 Disorders of optic chiasm	1	1	2	0.0000%
H47.5 Disorders of other visual pathways	1		1	0.0000%
H47.6 Disorders of visual cortex	1	10	11	0.0000%
H47.7 Disorder of visual pathways, unspecified	1	1	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H49.0 Third [oculomotor] nerve palsy	37	85	122	0.0003%
H49.1 Fourth [trochlear] nerve palsy	46	132	178	0.0004%
H49.2 Sixth [abducent] nerve palsy	68	162	230	0.0005%
H49.4 Progressive external ophthalmoplegia	3	5	8	0.0000%
H49.8 Other paralytic strabismus	5	12	17	0.0000%
H49.9 Paralytic strabismus, unspecified	5	14	19	0.0000%
H50.0 Convergent concomitant strabismus	345	2,320	2,665	0.0059%
H50.1 Divergent concomitant strabismus	183	937	1,120	0.0025%
H50.2 Vertical strabismus	11	20	31	0.0001%
H50.3 Intermittent heterotropia	4	13	17	0.0000%
H50.4 Other and unspecified heterotropia	54	167	221	0.0005%
H50.5 Heterophoria	716	2,068	2,784	0.0062%
H50.6 Mechanical strabismus	21	52	73	0.0002%
H50.8 Other specified strabismus	13	50	63	0.0001%
H50.9 Strabismus, unspecified	313	737	1,050	0.0023%
H51.0 Palsy of conjugate gaze	2	6	8	0.0000%
H51.1 Convergence insufficiency and excess	19	39	58	0.0001%
H51.2 Internuclear ophthalmoplegia	5	10	15	0.0000%
H51.8 Other specified disorders of binocular movement	1	4	5	0.0000%
H51.9 Disorder of binocular movement, unspecified		3	3	0.0000%
H52.0 Hypermetropia	107	891	998	0.0022%
H52.1 Myopia	68	184	252	0.0006%
H52.2 Astigmatism	22	129	151	0.0003%
H52.3 Anisometropia and aniseikonia	26	219	245	0.0005%
H52.4 Presbyopia	5	5	10	0.0000%
H52.5 Disorders of accommodation	4	17	21	0.0000%
H52.7 Disorder of refraction, unspecified	57	109	166	0.0004%
H53.0 Amblyopia ex anopsia	36	139	175	0.0004%
H53.1 Subjective visual disturbances	28	177	205	0.0005%
H53.2 Diplopia	32	34	66	0.0001%
H53.3 Other disorders of binocular vision	4	1	5	0.0000%
H53.4 Visual field defects	314	330	644	0.0014%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H53.5 Colour vision deficiencies	3	1	4	0.0000%
H53.6 Night blindness		1	1	0.0000%
H53.8 Other visual disturbances	27	48	75	0.0002%
H53.9 Visual disturbance, unspecified	20	8	28	0.0001%
H54.0 Blindness, both eyes	1	2	3	0.0000%
H54.1 Blindness, one eye, low vision other eye		1	1	0.0000%
H54.2 Low vision, both eyes	94	70	164	0.0004%
H54.3 Unqualified visual loss, both eyes	4		4	0.0000%
H54.4 Blindness, one eye	4	5	9	0.0000%
H54.5 Low vision, one eye	51	30	81	0.0002%
H54.7 Unspecified visual loss	14	12	26	0.0001%
H55.X Nystagmus and other irregular eye movements	34	136	170	0.0004%
H57.0 Anomalies of pupillary function	20	13	33	0.0001%
H57.1 Ocular pain	10	16	26	0.0001%
H57.8 Other specified disorders of eye and adnexa	131	480	611	0.0014%
H57.9 Disorder of eye and adnexa, unspecified	411	636	1,047	0.0023%
H59.8 Other postprocedural disorders of eye and adnexa	9	185	194	0.0004%
H59.9 Postprocedural disorder of eye and adnexa, unspecified	2	47	49	0.0001%
H60.4 Cholesteatoma of external ear		8	8	0.0000%
H60.5 Acute otitis externa, noninfective		5	5	0.0000%
H60.9 Otitis externa, unspecified	19	26	45	0.0001%
H61.0 Perichondritis of external ear	10	32	42	0.0001%
H61.1 Noninfective disorders of pinna		3	3	0.0000%
H61.2 Impacted cerumen	45	351	396	0.0009%
H61.3 Acquired stenosis of external ear canal		1	1	0.0000%
H61.8 Other specified disorders of external ear	1	2	3	0.0000%
H61.9 Disorder of external ear, unspecified		1	1	0.0000%
H65.2 Chronic serous otitis media	1		1	0.0000%
H65.3 Chronic mucoid otitis media	36	3	39	0.0001%
H65.4 Other chronic nonsuppurative otitis media		10	10	0.0000%
H65.9 Nonsuppurative otitis media, unspecified	17		17	0.0000%
H66.3 Other chronic suppurative otitis media	6	8	14	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
H66.9 Otitis media, unspecified		317 606	923	0.0021%
H69.9 Eustachian tube disorder, unspecified			6	0.0000%
H70.9 Mastoiditis, unspecified		1	1	0.0000%
H71.X Cholesteatoma of middle ear		2	4	0.0000%
H72.0 Central perforation of tympanic membrane			2	0.0000%
H72.9 Perforation of tympanic membrane, unspecified			2	0.0000%
H73.8 Other specified disorders of tympanic membrane		2	4	0.0000%
H73.9 Disorder of tympanic membrane, unspecified		1	1	0.0000%
H74.4 Polyp of middle ear			8	0.0000%
H74.8 Other specified disorders of middle ear and mastoid			1	0.0000%
H74.9 Disorder of middle ear and mastoid, unspecified		1	2	0.0000%
H81.0 Meniere's disease		2	2	0.0000%
H81.1 Benign paroxysmal vertigo		2	2	0.0000%
H81.2 Vestibular neuronitis		1	1	0.0000%
H81.3 Other peripheral vertigo		2	2	0.0000%
H81.4 Vertigo of central origin		2	2	0.0000%
H81.8 Other disorders of vestibular function		1	1	0.0000%
H81.9 Disorder of vestibular function, unspecified		1	1	0.0000%
H83.0 Labyrinthitis		4	4	0.0000%
H83.3 Noise effects on inner ear		8	8	0.0000%
H90.0 Conductive hearing loss, bilateral		84 88	172	0.0004%
H90.1 Conduct hear loss unilat unrestric hearing contralat side		57 50	107	0.0002%
H90.2 Conductive hearing loss, unspecified		5 1	6	0.0000%
H90.3 Sensorineural hearing loss, bilateral		19 1	20	0.0000%
H90.4 Sensneurl hear loss unilat unrestrict hear contralat side		1 3	4	0.0000%
H90.5 Sensorineural hearing loss, unspecified		37 3	40	0.0001%
H90.8 Mixed conductive and sensorineural hearing loss, unspecified		1	1	0.0000%
H91.1 Presbycusis		42	42	0.0001%
H91.2 Sudden idiopathic hearing loss			1	0.0000%
H91.8 Other specified hearing loss		3	3	0.0000%
H91.9 Hearing loss, unspecified		612 737	1,349	0.0030%
H92.0 Otagia		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H92.1 Otorrhoea	1	6	7	0.0000%
H93.1 Tinnitus	91	77	168	0.0004%
H93.8 Other specified disorders of ear	1		1	0.0000%
H93.9 Disorder of ear, unspecified	1	4	5	0.0000%
H95.1 Other disorders following mastoidectomy		33	33	0.0001%
H95.8 Other postprocedural disorders of ear and mastoid process		1	1	0.0000%
H95.9 Postprocedural disorder of ear and mastoid process unspec		10	10	0.0000%
I05.0 Mitral stenosis	6		6	0.0000%
I05.8 Other mitral valve diseases	1		1	0.0000%
I05.9 Mitral valve disease, unspecified	7	1	8	0.0000%
I08.2 Disorders of both aortic and tricuspid valves	8		8	0.0000%
I09.1 Rheumatic diseases of endocardium, valve unspecified		1	1	0.0000%
I10.X Essential (primary) hypertension	81	144	225	0.0005%
I11.0 Hypertensive heart disease with (congestive) heart failure	1		1	0.0000%
I12.9 Hypertensive renal disease without renal failure	1	3	4	0.0000%
I15.8 Other secondary hypertension		2	2	0.0000%
I15.9 Secondary hypertension, unspecified	2		2	0.0000%
I20.0 Unstable angina	8	118	126	0.0003%
I20.9 Angina pectoris, unspecified	69	157	226	0.0005%
I21.1 Acute transmural myocardial infarction of inferior wall		5	5	0.0000%
I21.9 Acute myocardial infarction, unspecified	9	22	31	0.0001%
I24.9 Acute ischaemic heart disease, unspecified		25	25	0.0001%
I25.1 Atherosclerotic heart disease	4	11	15	0.0000%
I25.8 Other forms of chronic ischaemic heart disease		1	1	0.0000%
I25.9 Chronic ischaemic heart disease, unspecified	21	5	26	0.0001%
I26.9 Pulmonary embolism without mention of acute cor pulmonale	5	113	118	0.0003%
I27.0 Primary pulmonary hypertension	4		10	0.0000%
I35.0 Aortic (valve) stenosis	8	11	19	0.0000%
I35.2 Aortic (valve) stenosis with insufficiency		1	1	0.0000%
I35.9 Aortic valve disorder, unspecified	32	1	33	0.0001%
I38.X Endocarditis, valve unspecified	1		1	0.0000%
I42.0 Dilated cardiomyopathy		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
I42.9 Cardiomyopathy, unspecified		2	2	0.0000%
I45.5 Other specified heart block		1	1	0.0000%
I46.9 Cardiac arrest, unspecified		2	2	0.0000%
I47.1 Supraventricular tachycardia		13	13	0.0000%
I47.2 Ventricular tachycardia		3	3	0.0000%
I48.X Atrial fibrillation and flutter	83	314	397	0.0009%
I49.0 Ventricular fibrillation and flutter	1		1	0.0000%
I49.4 Other and unspecified premature depolarization		1	1	0.0000%
I49.8 Other specified cardiac arrhythmias	1		1	0.0000%
I49.9 Cardiac arrhythmia, unspecified		1	1	0.0000%
I50.0 Congestive heart failure	18	23	41	0.0001%
I50.1 Left ventricular failure	51	103	154	0.0003%
I50.9 Heart failure, unspecified	20	37	57	0.0001%
I51.1 Rupture of chordae tendineae, not elsewhere classified	1	1	2	0.0000%
I51.6 Cardiovascular disease, unspecified	1		1	0.0000%
I51.7 Cardiomegaly		2	2	0.0000%
I51.9 Heart disease, unspecified	87	65	152	0.0003%
I60.8 Other subarachnoid haemorrhage		1	1	0.0000%
I60.9 Subarachnoid haemorrhage, unspecified	14	38	52	0.0001%
I61.4 Intracerebral haemorrhage in cerebellum		1	1	0.0000%
I61.9 Intracerebral haemorrhage, unspecified	10	18	28	0.0001%
I62.0 Subdural haemorrhage (acute)(nontraumatic)	5	19	24	0.0001%
I62.1 Nontraumatic extradural haemorrhage	1	2	3	0.0000%
I62.9 Intracranial haemorrhage (nontraumatic), unspecified		1	1	0.0000%
I63.3 Cerebral infarction due to thrombosis of cerebral arteries		3	3	0.0000%
I63.8 Other cerebral infarction		2	2	0.0000%
I63.9 Cerebral infarction, unspecified	149	16	165	0.0004%
I64.X Stroke, not specified as haemorrhage or infarction	214	133	347	0.0008%
I65.0 Occlusion and stenosis of vertebral artery	1	1	2	0.0000%
I65.2 Occlusion and stenosis of carotid artery	73	4	77	0.0002%
I66.9 Occlusion and stenosis of unspecified cerebral artery		3	3	0.0000%
I67.1 Cerebral aneurysm, nonruptured	124	662	786	0.0018%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
I67.5 Moyamoya disease	1		1	0.0000%
I67.6 Nonpyogenic thrombosis of intracranial venous system	1		1	0.0000%
I67.7 Cerebral arteritis, not elsewhere classified	1		1	0.0000%
I67.8 Other specified cerebrovascular diseases		1	1	0.0000%
I67.9 Cerebrovascular disease, unspecified	92	45	137	0.0003%
I69.0 Sequelae of subarachnoid haemorrhage	1		1	0.0000%
I69.4 Sequelae of stroke, not spec as haemorrhage or infarction	1	1	2	0.0000%
I71.4 Abdominal aortic aneurysm, without mention of rupture	1		1	0.0000%
I71.9 Aortic aneurysm of unspec site, without mention of rupture	3	6	9	0.0000%
I72.8 Aneurysm of other specified arteries	15	55	70	0.0002%
I72.9 Aneurysm of unspecified site	1		1	0.0000%
I73.0 Raynaud's syndrome	15	41	56	0.0001%
I73.8 Other specified peripheral vascular diseases	1	1	2	0.0000%
I73.9 Peripheral vascular disease, unspecified	6	3	9	0.0000%
I74.2 Embolism and thrombosis of arteries of upper extremities		1	1	0.0000%
I74.3 Embolism and thrombosis of arteries of lower extremities	3	15	18	0.0000%
I74.5 Embolism and thrombosis of iliac artery		1	1	0.0000%
I74.9 Embolism and thrombosis of unspecified artery		2	2	0.0000%
I77.0 Arteriovenous fistula, acquired	1	4	5	0.0000%
I77.2 Rupture of artery	1		1	0.0000%
I77.6 Arteritis, unspecified	7	57	64	0.0001%
I77.8 Other specified disorders of arteries and arterioles	4		4	0.0000%
I77.9 Disorder of arteries and arterioles, unspecified	1		1	0.0000%
I78.0 Hereditary haemorrhagic telangiectasia	3	29	32	0.0001%
I78.1 Naevus, non-neoplastic	74	71	145	0.0003%
I78.8 Other diseases of capillaries	4		4	0.0000%
I78.9 Disease of capillaries, unspecified	5	1	6	0.0000%
I80.0 Phlebitis/thrombophlebitis superfic vessels low extremities	1	4	5	0.0000%
I80.1 Phlebitis and thrombophlebitis of femoral vein		9	9	0.0000%
I80.2 Phlebitis/thrombophlebitis oth deep vessels low extremities	3	378	381	0.0008%
I80.3 Phlebitis and thrombophlebitis of lower extremities, unspec		6	6	0.0000%
I80.8 Phlebitis and thrombophlebitis of other sites		6	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
I80.9 Phlebitis and thrombophlebitis of unspecified site	1	1	2	0.0000%
I82.2 Embolism and thrombosis of vena cava		4	4	0.0000%
I82.8 Embolism and thrombosis of other specified veins		2	2	0.0000%
I82.9 Embolism and thrombosis of unspecified vein	1	4	5	0.0000%
I83.0 Varicose veins of lower extremities with ulcer	1	1	2	0.0000%
I83.1 Varicose veins of lower extremities with inflammation	2	10	12	0.0000%
I83.9 Varicose veins lower extremities without ulcer or inflamm	285	171	456	0.0010%
I84.0 Internal thrombosed haemorrhoids	7	3	10	0.0000%
I84.1 Internal haemorrhoids with other complications	19	26	45	0.0001%
I84.2 Internal haemorrhoids without complication	48	48	96	0.0002%
I84.3 External thrombosed haemorrhoids	2		2	0.0000%
I84.4 External haemorrhoids with other complications	7	1	8	0.0000%
I84.5 External haemorrhoids without complication	11	1	12	0.0000%
I84.6 Residual haemorrhoidal skin tags	9	11	20	0.0000%
I84.7 Unspecified thrombosed haemorrhoids	5	2	7	0.0000%
I84.8 Unspecified haemorrhoids with other complications	106	114	220	0.0005%
I84.9 Unspecified haemorrhoids without complication	598	366	964	0.0021%
I85.0 Oesophageal varices with bleeding	5	5	10	0.0000%
I85.9 Oesophageal varices without bleeding	77	145	222	0.0005%
I86.1 Scrotal varices	4	4	8	0.0000%
I86.4 Gastric varices	9	5	14	0.0000%
I87.8 Other specified disorders of veins		1	1	0.0000%
I87.9 Disorder of vein, unspecified	1		1	0.0000%
I88.9 Nonspecific lymphadenitis, unspecified	8	5	13	0.0000%
I89.0 Lymphoedema, not elsewhere classified	267	997	1,264	0.0028%
I89.9 Noninfective disord lymphatic vessl and lymph node unspec		1	1	0.0000%
I95.1 Orthostatic hypotension	5	12	17	0.0000%
I95.9 Hypotension, unspecified	7	4	11	0.0000%
I97.2 Postmastectomy lymphoedema syndrome	12	506	518	0.0012%
I97.8 Other postprocedural disorders of circulatory system NEC	13	633	646	0.0014%
I99.X Other and unspecified disorders of circulatory system	486	506	992	0.0022%
J00.X Acute nasopharyngitis [common cold]		3	3	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
J01.0 Acute maxillary sinusitis		2	2	0.0000%
J01.1 Acute frontal sinusitis	1		1	0.0000%
J02.9 Acute pharyngitis, unspecified	7	6	13	0.0000%
J03.0 Streptococcal tonsillitis	1		1	0.0000%
J03.9 Acute tonsillitis, unspecified	22	13	35	0.0001%
J04.0 Acute laryngitis	2		2	0.0000%
J05.0 Acute obstructive laryngitis [croup]	3	19	22	0.0000%
J06.0 Acute laryngopharyngitis		5	5	0.0000%
J06.9 Acute upper respiratory infection, unspecified	27	34	61	0.0001%
J18.1 Lobar pneumonia, unspecified	2	10	12	0.0000%
J18.9 Pneumonia, unspecified		25	25	0.0001%
J20.9 Acute bronchitis, unspecified		5	5	0.0000%
J21.0 Acute bronchiolitis due to respiratory syncytial virus	1	1	2	0.0000%
J21.9 Acute bronchiolitis, unspecified	7	17	24	0.0001%
J22.X Unspecified acute lower respiratory infection	38	172	210	0.0005%
J30.3 Other allergic rhinitis	2		2	0.0000%
J30.4 Allergic rhinitis, unspecified	11		11	0.0000%
J31.0 Chronic rhinitis	21	11	32	0.0001%
J32.0 Chronic maxillary sinusitis		2	2	0.0000%
J32.1 Chronic frontal sinusitis	1		1	0.0000%
J32.4 Chronic pansinusitis		2	2	0.0000%
J32.8 Other chronic sinusitis	6		6	0.0000%
J32.9 Chronic sinusitis, unspecified	12	1	13	0.0000%
J33.0 Polyp of nasal cavity		1	1	0.0000%
J33.9 Nasal polyp, unspecified	16	2	18	0.0000%
J34.1 Cyst and mucocele of nose and nasal sinus	2	1	3	0.0000%
J34.2 Deviated nasal septum	21	4	25	0.0001%
J34.8 Other specified disorders of nose and nasal sinuses	620	1,192	1,812	0.0040%
J35.0 Chronic tonsillitis	39	1	40	0.0001%
J35.3 Hypertrophy of tonsils with hypertrophy of adenoids	155	78	233	0.0005%
J35.8 Other chronic diseases of tonsils and adenoids	1	6	7	0.0000%
J35.9 Chronic disease of tonsils and adenoids, unspecified	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
J36.X Peritonsillar abscess	4	18	22	0.0000%
J38.0 Paralysis of vocal cords and larynx	2	5	7	0.0000%
J38.1 Polyp of vocal cord and larynx		5	5	0.0000%
J38.2 Nodules of vocal cords	1	6	7	0.0000%
J38.3 Other diseases of vocal cords	3	41	44	0.0001%
J38.4 Oedema of larynx	2	22	24	0.0001%
J38.5 Laryngeal spasm	1		1	0.0000%
J38.6 Stenosis of larynx	2	1	3	0.0000%
J38.7 Other diseases of larynx	1	10	11	0.0000%
J39.0 Retropharyngeal and parapharyngeal abscess	1	1	2	0.0000%
J39.2 Other diseases of pharynx	431	295	726	0.0016%
J39.8 Other specified diseases of upper respiratory tract	1	2	3	0.0000%
J39.9 Disease of upper respiratory tract, unspecified		8	8	0.0000%
J40.X Bronchitis, not specified as acute or chronic		4	4	0.0000%
J42.X Unspecified chronic bronchitis		5	5	0.0000%
J43.9 Emphysema, unspecified	12	5	27	0.0001%
J44.0 Chronic obstruct pulmonary dis with acute lower resp infec	3	9	12	0.0000%
J44.1 Chron obstruct pulmonary dis wth acute exacerbation, unspec	5	43	48	0.0001%
J44.8 Other specified chronic obstructive pulmonary disease		1	3	0.0000%
J44.9 Chronic obstructive pulmonary disease, unspecified	62	149	216	0.0005%
J45.0 Predominantly allergic asthma	1	3	4	0.0000%
J45.9 Asthma, unspecified	98	251	349	0.0008%
J47.X Bronchiectasis	3	18	25	0.0001%
J61.X Pneumoconiosis due to asbestos and other mineral fibres		1	1	0.0000%
J63.2 Berylliosis			1	0.0000%
J67.9 Hypersensitivity pneumonitis due to unspecified organic dust	1	9	10	0.0000%
J69.0 Pneumonitis due to food and vomit	1		1	0.0000%
J80.X Adult respiratory distress syndrome		1	1	0.0000%
J81.X Pulmonary oedema	1	1	2	0.0000%
J82.X Pulmonary eosinophilia, not elsewhere classified		1	1	0.0000%
J84.1 Other interstitial pulmonary diseases with fibrosis	35	56	116	0.0003%
J84.9 Interstitial pulmonary disease, unspecified	4	1	9	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
J90.X Pleural effusion, not elsewhere classified	1	29	30	0.0001%
J92.0 Pleural plaque with presence of asbestos		1	1	0.0000%
J93.9 Pneumothorax, unspecified	1	4	5	0.0000%
J94.2 Haemothorax		1	1	0.0000%
J96.1 Chronic respiratory failure		1	1	0.0000%
J96.9 Respiratory failure, unspecified	1	7	8	0.0000%
J98.0 Diseases of bronchus, not elsewhere classified	3	62	65	0.0001%
J98.1 Pulmonary collapse	2	6	8	0.0000%
J98.4 Other disorders of lung	49	244	294	0.0007%
J98.5 Diseases of mediastinum, not elsewhere classified		1	1	0.0000%
J98.6 Disorders of diaphragm	1	1	2	0.0000%
J98.8 Other specified respiratory disorders	2	4	6	0.0000%
J98.9 Respiratory disorder, unspecified	40	46	86	0.0002%
K00.0 Anodontia	1		1	0.0000%
K00.1 Supernumerary teeth	7	2	9	0.0000%
K00.2 Abnormalities of size and form of teeth	5		5	0.0000%
K00.4 Disturbances in tooth formation		1	1	0.0000%
K00.6 Disturbances in tooth eruption	3	14	17	0.0000%
K00.8 Other disorders of tooth development	1	5	6	0.0000%
K00.9 Disorder of tooth development, unspecified	30	5	35	0.0001%
K01.0 Embedded teeth	5	25	30	0.0001%
K01.1 Impacted teeth	1,182	711	1,893	0.0042%
K02.1 Caries of dentine	1		1	0.0000%
K02.8 Other dental caries	3	4	7	0.0000%
K02.9 Dental caries, unspecified	355	860	1,215	0.0027%
K03.2 Erosion of teeth		12	12	0.0000%
K03.5 Ankylosis of teeth		2	2	0.0000%
K03.6 Deposits [accretions] on teeth	2		2	0.0000%
K03.8 Other specified diseases of hard tissues of teeth		1	1	0.0000%
K03.9 Disease of hard tissues of teeth, unspecified	3	4	7	0.0000%
K04.0 Pulpitis	3	27	30	0.0001%
K04.4 Acute apical periodontitis of pulpal origin	2	14	16	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K04.5 Chronic apical periodontitis	11	86	97	0.0002%
K04.6 Periapical abscess with sinus	1	8	9	0.0000%
K04.7 Periapical abscess without sinus	72	210	282	0.0006%
K04.8 Radicular cyst	13	72	85	0.0002%
K04.9 Other and unspec diseases of pulp and periapical tissues	4	15	19	0.0000%
K05.0 Acute gingivitis	1	3	4	0.0000%
K05.1 Chronic gingivitis	4	11	15	0.0000%
K05.2 Acute periodontitis		12	12	0.0000%
K05.3 Chronic periodontitis	18	243	261	0.0006%
K05.5 Other periodontal diseases		2	2	0.0000%
K05.6 Periodontal disease, unspecified	30	66	96	0.0002%
K06.1 Gingival enlargement		7	7	0.0000%
K06.2 Gingival and edentulous alveolar ridge les assoc with traum	3	8	11	0.0000%
K06.8 Oth spec disorder of gingiva and edentulous alveolar ridge	9	32	41	0.0001%
K06.9 Disorder of gingiva and edentulous alveolar ridge, unspec	1,165	452	1,617	0.0036%
K07.0 Major anomalies of jaw size		2	2	0.0000%
K07.1 Anomalies of jaw-cranial base relationship	48		48	0.0001%
K07.2 Anomalies of dental arch relationship	64	1	65	0.0001%
K07.3 Anomalies of tooth position	23	28	51	0.0001%
K07.4 Malocclusion, unspecified	2	3	5	0.0000%
K07.6 Temporomandibular joint disorders	250	203	453	0.0010%
K07.8 Other dentofacial anomalies	1		1	0.0000%
K07.9 Dentofacial anomaly, unspecified	724	750	1,474	0.0033%
K08.1 Loss of teeth accident extraction or local periodontal dis	1		1	0.0000%
K08.3 Retained dental root	61	311	372	0.0008%
K08.8 Other specified disorders of teeth and supporting structures	147	469	616	0.0014%
K08.9 Disorder of teeth and supporting structures, unspecified	12	101	113	0.0003%
K09.0 Developmental odontogenic cysts	2	5	7	0.0000%
K09.1 Developmental (nonodontogenic) cysts of oral region		5	5	0.0000%
K09.2 Other cysts of jaw	1	9	10	0.0000%
K09.8 Other cysts of oral region, not elsewhere classified	3	14	17	0.0000%
K09.9 Cyst of oral region, unspecified	4	5	9	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K10.0 Developmental disorders of jaws	2	5	7	0.0000%
K10.1 Giant cell granuloma, central		2	2	0.0000%
K10.2 Inflammatory conditions of jaws	1	7	8	0.0000%
K10.8 Other specified diseases of jaws	2	5	7	0.0000%
K10.9 Disease of jaws, unspecified		4	4	0.0000%
K11.1 Hypertrophy of salivary gland	4	2	6	0.0000%
K11.2 Sialoadenitis	3	13	16	0.0000%
K11.4 Fistula of salivary gland	2	2	4	0.0000%
K11.5 Sialolithiasis		16	16	0.0000%
K11.6 Mucocele of salivary gland	5	10	15	0.0000%
K11.7 Disturbances of salivary secretion	2	6	8	0.0000%
K11.8 Other diseases of salivary glands	4	16	20	0.0000%
K11.9 Disease of salivary gland, unspecified	115	120	235	0.0005%
K12.0 Recurrent oral aphthae	2		2	0.0000%
K12.1 Other forms of stomatitis	9	26	35	0.0001%
K12.2 Cellulitis and abscess of mouth	2	6	8	0.0000%
K13.0 Diseases of lips	44	171	215	0.0005%
K13.1 Cheek and lip biting		2	2	0.0000%
K13.2 Leukoplakia and oth disturbance oral epithelium incl tongue	2	35	37	0.0001%
K13.4 Granuloma and granuloma-like lesions of oral mucosa	6	7	13	0.0000%
K13.5 Oral submucous fibrosis		6	6	0.0000%
K13.6 Irritative hyperplasia of oral mucosa	4	14	18	0.0000%
K13.7 Other and unspecified lesions of oral mucosa	103	363	466	0.0010%
K14.0 Glossitis	9	54	63	0.0001%
K14.1 Geographic tongue	1	2	3	0.0000%
K14.5 Plicated tongue		1	1	0.0000%
K14.6 Glossodynia		1	1	0.0000%
K14.8 Other diseases of tongue	2	27	29	0.0001%
K14.9 Disease of tongue, unspecified	18	106	124	0.0003%
K20.X Oesophagitis	866	228	1,094	0.0024%
K21.0 Gastro-oesophageal reflux disease with oesophagitis	792	662	1,454	0.0032%
K21.9 Gastro-oesophageal reflux disease without oesophagitis	276	198	474	0.0011%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K22.0 Achalasia of cardia	20	30	50	0.0001%
K22.1 Ulcer of oesophagus	882	859	1,741	0.0039%
K22.2 Oesophageal obstruction	175	286	461	0.0010%
K22.4 Dyskinesia of oesophagus	15	26	41	0.0001%
K22.5 Diverticulum of oesophagus, acquired	22	3	25	0.0001%
K22.6 Gastro-oesophageal laceration-haemorrhage syndrome	7	2	9	0.0000%
K22.8 Other specified diseases of oesophagus	80	41	121	0.0003%
K22.9 Disease of oesophagus, unspecified	78	40	118	0.0003%
K25.0 Gastric ulcer, acute with haemorrhage	3	1	4	0.0000%
K25.3 Gastric ulcer, acute without haemorrhage or perforation	13	6	19	0.0000%
K25.4 Gastric ulcer, chronic or unspecified with haemorrhage	13	6	19	0.0000%
K25.5 Gastric ulcer, chronic or unspecified with perforation	2	1	3	0.0000%
K25.6 Chronic or unspecified with both haemorrhage and perforation	1	1	2	0.0000%
K25.7 Gastric ulcer, chronic without haemorrhage or perforation	40	19	59	0.0001%
K25.9 Unspec as acute or chronic w/out haemorrhage or perforation	293	158	451	0.0010%
K26.0 Duodenal ulcer, acute with haemorrhage	5		5	0.0000%
K26.1 Duodenal ulcer, acute with perforation		2	2	0.0000%
K26.2 Duodenal ulcer, acute with both haemorrhage and perforation		1	1	0.0000%
K26.3 Duodenal ulcer, acute without haemorrhage or perforation	19	5	24	0.0001%
K26.4 Duodenal ulcer, chronic or unspecified with haemorrhage	10		10	0.0000%
K26.5 Duodenal ulcer, chronic or unspecified with perforation	1		1	0.0000%
K26.6 Chronic or unspecified with both haemorrhage and perforation	1	1	2	0.0000%
K26.7 Duodenal ulcer, chronic without haemorrhage or perforation	32	22	54	0.0001%
K26.9 Unspec as acute or chronic w/out haemorrhage or perforation	147	58	205	0.0005%
K27.3 Peptic ulcer, acute without haemorrhage or perforation	1	2	3	0.0000%
K27.6 Chronic or unspecified with both haemorrhage and perforation		1	1	0.0000%
K27.7 Peptic ulcer, chronic without haemorrhage or perforation	1	1	2	0.0000%
K27.9 Unspec as acute or chronic w/out haemorrhage or perforation	6	4	10	0.0000%
K28.0 Gastrojejunal ulcer, acute with haemorrhage	1		1	0.0000%
K29.0 Acute haemorrhagic gastritis	25	11	36	0.0001%
K29.1 Other acute gastritis	15	8	23	0.0001%
K29.2 Alcoholic gastritis	5	1	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K29.3 Chronic superficial gastritis	6	8	14	0.0000%
K29.4 Chronic atrophic gastritis	13	10	23	0.0001%
K29.5 Chronic gastritis, unspecified	191	145	336	0.0007%
K29.6 Other gastritis	219	170	389	0.0009%
K29.7 Gastritis, unspecified	1,414	663	2,077	0.0046%
K29.8 Duodenitis	280	115	395	0.0009%
K29.9 Gastroduodenitis, unspecified	184	86	270	0.0006%
K30.X Dyspepsia	1,025	413	1,438	0.0032%
K31.1 Adult hypertrophic pyloric stenosis	11	16	27	0.0001%
K31.4 Gastric diverticulum	2		2	0.0000%
K31.5 Obstruction of duodenum	8	7	15	0.0000%
K31.7 Polyp of stomach and duodenum	74	55	129	0.0003%
K31.8 Other specified diseases of stomach and duodenum	94	78	172	0.0004%
K31.9 Disease of stomach and duodenum, unspecified	138	217	355	0.0008%
K35.1 Acute appendicitis with peritoneal abscess		2	2	0.0000%
K35.9 Acute appendicitis, unspecified	1	4	5	0.0000%
K37.X Unspecified appendicitis	2	3	5	0.0000%
K40.1 Bilateral inguinal hernia, with gangrene	1		1	0.0000%
K40.2 Bilateral inguinal hernia, without obstruction or gangrene	3	2	5	0.0000%
K40.9 Unilat or unspec inguin hernia without obstruct or gangrene	45	15	60	0.0001%
K41.9 Unilat or unspec fem hernia without obstruction or gangrene		1	1	0.0000%
K42.9 Umbilical hernia without obstruction or gangrene	25	9	34	0.0001%
K43.9 Ventral hernia without obstruction or gangrene	2	7	9	0.0000%
K44.0 Diaphragmatic hernia with obstruction, without gangrene	3	1	4	0.0000%
K44.1 Diaphragmatic hernia with gangrene	2		2	0.0000%
K44.9 Diaphragmatic hernia without obstruction or gangrene	2,154	772	2,926	0.0065%
K45.8 Other spec abdom hernia without obstruction or gangrene	1		1	0.0000%
K46.9 Unspecified abdominal hernia without obstruction or gangrene	673	231	904	0.0020%
K50.0 Crohn's disease of small intestine	4	12	16	0.0000%
K50.1 Crohn's disease of large intestine	23	29	52	0.0001%
K50.8 Other Crohn's disease	10	6	16	0.0000%
K50.9 Crohn's disease, unspecified	74	190	264	0.0006%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K51.0 Ulcerative (chronic) enterocolitis		2	2	0.0000%
K51.1 Ulcerative (chronic) ileocolitis	1	2	3	0.0000%
K51.2 Ulcerative (chronic) proctitis	11	13	24	0.0001%
K51.3 Ulcerative (chronic) rectosigmoiditis	10	21	31	0.0001%
K51.4 Pseudopolyposis of colon	2	10	12	0.0000%
K51.5 Mucosal proctocolitis	2	1	3	0.0000%
K51.8 Other ulcerative colitis	7	11	18	0.0000%
K51.9 Ulcerative colitis, unspecified	174	453	627	0.0014%
K52.0 Gastroenteritis and colitis due to radiation	1	1	2	0.0000%
K52.2 Allergic and dietetic gastroenteritis and colitis	1		1	0.0000%
K52.8 Other specified noninfective gastroenteritis and colitis	2	4	6	0.0000%
K52.9 Noninfective gastroenteritis and colitis, unspecified	985	1,082	2,067	0.0046%
K55.0 Acute vascular disorders of intestine		2	2	0.0000%
K55.2 Angiodysplasia of colon	42	9	51	0.0001%
K55.8 Other vascular disorders of intestine	3		3	0.0000%
K55.9 Vascular disorder of intestine, unspecified	2	2	4	0.0000%
K56.1 Intussusception		1	1	0.0000%
K56.2 Volvulus	8	7	15	0.0000%
K56.4 Other impaction of intestine	3	2	5	0.0000%
K56.5 Intestinal adhesions [bands] with obstruction	2		2	0.0000%
K56.6 Other and unspecified intestinal obstruction	35	31	66	0.0001%
K57.0 Diverticular dis of small intestine with perf and abscess		1	1	0.0000%
K57.1 Diverticular dis of small intestine without perf or abscess	13	12	25	0.0001%
K57.2 Diverticular dis of large intestine with perf and abscess	1	2	3	0.0000%
K57.3 Diverticular dis of large intestine without perf or abscess	736	634	1,370	0.0031%
K57.5 Divertic dis both sml and lge intest without perf or absces	19	6	25	0.0001%
K57.9 Divertic dis of intest part unspec without perf or abscess	240	274	514	0.0011%
K58.0 Irritable bowel syndrome with diarrhoea	3	10	13	0.0000%
K58.9 Irritable bowel syndrome without diarrhoea	48	49	97	0.0002%
K59.0 Constipation	280	222	502	0.0011%
K59.1 Functional diarrhoea	8	6	14	0.0000%
K59.2 Neurogenic bowel, not elsewhere classified		4	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
K59.3 Megacolon, not elsewhere classified		1	1	0.0000%
K59.4 Anal spasm	1	4	5	0.0000%
K59.8 Other specified functional intestinal disorders	6	3	9	0.0000%
K59.9 Functional intestinal disorder, unspecified	7	2	9	0.0000%
K60.0 Acute anal fissure	1	1	2	0.0000%
K60.1 Chronic anal fissure	2	2	4	0.0000%
K60.2 Anal fissure, unspecified	14	12	26	0.0001%
K60.3 Anal fistula	2	4	6	0.0000%
K61.0 Anal abscess	2	13	15	0.0000%
K62.0 Anal polyp	6	5	11	0.0000%
K62.1 Rectal polyp	160	187	347	0.0008%
K62.2 Anal prolapse		2	2	0.0000%
K62.3 Rectal prolapse	11	6	17	0.0000%
K62.4 Stenosis of anus and rectum	6	9	15	0.0000%
K62.5 Haemorrhage of anus and rectum	643	598	1,241	0.0028%
K62.6 Ulcer of anus and rectum	9	10	19	0.0000%
K62.7 Radiation proctitis	5	3	8	0.0000%
K62.8 Other specified diseases of anus and rectum	66	94	160	0.0004%
K62.9 Disease of anus and rectum, unspecified	18	3	21	0.0000%
K63.0 Abscess of intestine	1		1	0.0000%
K63.1 Perforation of intestine (nontraumatic)		1	1	0.0000%
K63.2 Fistula of intestine		1	1	0.0000%
K63.3 Ulcer of intestine	35	17	52	0.0001%
K63.5 Polyp of colon	242	421	663	0.0015%
K63.8 Other specified diseases of intestine	29	40	69	0.0002%
K63.9 Disease of intestine, unspecified	793	768	1,561	0.0035%
K65.0 Acute peritonitis	1	1	2	0.0000%
K65.9 Peritonitis, unspecified		2	2	0.0000%
K66.0 Peritoneal adhesions		2	2	0.0000%
K66.8 Other specified disorders of peritoneum	2		2	0.0000%
K70.1 Alcoholic hepatitis	3		3	0.0000%
K70.3 Alcoholic cirrhosis of liver	17	6	23	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K70.4 Alcoholic hepatic failure	1		1	0.0000%
K70.9 Alcoholic liver disease, unspecified	12	18	30	0.0001%
K71.7 Toxic liver disease with fibrosis and cirrhosis of liver		1	1	0.0000%
K72.0 Acute and subacute hepatic failure		4	4	0.0000%
K73.2 Chronic active hepatitis, not elsewhere classified	1	6	7	0.0000%
K73.9 Chronic hepatitis, unspecified	1		1	0.0000%
K74.3 Primary biliary cirrhosis	3	5	8	0.0000%
K74.5 Biliary cirrhosis, unspecified	2		2	0.0000%
K74.6 Other and unspecified cirrhosis of liver	15	35	50	0.0001%
K75.4 Autoimmune hepatitis	1	12	13	0.0000%
K75.9 Inflammatory liver disease, unspecified	1	35	36	0.0001%
K76.0 Fatty (change of) liver, not elsewhere classified	13	3	16	0.0000%
K76.1 Chronic passive congestion of liver		1	1	0.0000%
K76.6 Portal hypertension	7	3	10	0.0000%
K76.8 Other specified diseases of liver	2	1	3	0.0000%
K76.9 Liver disease, unspecified	4	13	17	0.0000%
K80.0 Calculus of gallbladder with acute cholecystitis	1		1	0.0000%
K80.1 Calculus of gallbladder with other cholecystitis	3	8	11	0.0000%
K80.2 Calculus of gallbladder without cholecystitis	108	40	148	0.0003%
K80.3 Calculus of bile duct with cholangitis	2	1	3	0.0000%
K80.4 Calculus of bile duct with cholecystitis		1	1	0.0000%
K80.5 Calculus of bile duct without cholangitis or cholecystitis	34	24	58	0.0001%
K80.8 Other cholelithiasis		1	1	0.0000%
K81.0 Acute cholecystitis		1	1	0.0000%
K81.9 Cholecystitis, unspecified	1	12	13	0.0000%
K82.8 Other specified diseases of gallbladder	4	3	7	0.0000%
K82.9 Disease of gallbladder, unspecified	2		2	0.0000%
K83.0 Cholangitis	2	1	3	0.0000%
K83.1 Obstruction of bile duct	19	13	32	0.0001%
K83.5 Biliary cyst	1		1	0.0000%
K83.8 Other specified diseases of biliary tract	15	13	28	0.0001%
K83.9 Disease of biliary tract, unspecified	244	310	554	0.0012%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K85.X Acute pancreatitis	11	14	25	0.0001%
K86.1 Other chronic pancreatitis	3	5	8	0.0000%
K86.2 Cyst of pancreas	8	1	9	0.0000%
K86.3 Pseudocyst of pancreas		1	1	0.0000%
K86.8 Other specified diseases of pancreas	9	2	11	0.0000%
K86.9 Disease of pancreas, unspecified	10		10	0.0000%
K90.0 Coeliac disease	64	52	116	0.0003%
K90.4 Malabsorption due to intolerance, not elsewhere classified	5	6	11	0.0000%
K90.9 Intestinal malabsorption, unspecified	4	1	5	0.0000%
K91.0 Vomiting following gastrointestinal surgery		1	1	0.0000%
K91.3 Postoperative intestinal obstruction		1	1	0.0000%
K91.4 Colostomy and enterostomy malfunction	1	3	4	0.0000%
K91.8 Other postprocedural disorders of digestive system NEC	4	4	8	0.0000%
K92.0 Haematemesis	88	56	144	0.0003%
K92.1 Melaena	75	59	134	0.0003%
K92.2 Gastrointestinal haemorrhage, unspecified	31	49	80	0.0002%
K92.9 Disease of digestive system, unspecified	90	164	254	0.0006%
L01.0 Impetigo [any organism] [any site]	1	3	4	0.0000%
L01.1 Impetiginization of other dermatoses		2	2	0.0000%
L02.0 Cutaneous abscess, furuncle and carbuncle of face	2	3	5	0.0000%
L02.1 Cutaneous abscess, furuncle and carbuncle of neck		4	4	0.0000%
L02.2 Cutaneous abscess, furuncle and carbuncle of trunk	3	6	9	0.0000%
L02.3 Cutaneous abscess, furuncle and carbuncle of buttock		2	2	0.0000%
L02.4 Cutaneous abscess, furuncle and carbuncle of limb		5	5	0.0000%
L02.9 Cutaneous abscess, furuncle and carbuncle, unspecified	1	8	9	0.0000%
L03.0 Cellulitis of finger and toe	2	3	5	0.0000%
L03.1 Cellulitis of other parts of limb	2	15	17	0.0000%
L03.2 Cellulitis of face		1	1	0.0000%
L03.9 Cellulitis, unspecified	2	45	47	0.0001%
L04.0 Acute lymphadenitis of face, head and neck	1	1	2	0.0000%
L04.2 Acute lymphadenitis of upper limb	1		1	0.0000%
L05.0 Pilonidal cyst with abscess	3	1	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L05.9 Pilonidal cyst without abscess	42	21	63	0.0001%
L08.9 Local infection of skin and subcutaneous tissue, unspecified	39	126	165	0.0004%
L10.0 Pemphigus vulgaris		6	6	0.0000%
L10.4 Pemphigus erythematosus	1	1	2	0.0000%
L10.9 Pemphigus, unspecified		4	4	0.0000%
L11.0 Acquired keratosis follicularis	2	7	9	0.0000%
L12.0 Bullous pemphigoid	3	11	14	0.0000%
L12.1 Cicatricial pemphigoid	1	11	12	0.0000%
L12.9 Pemphigoid, unspecified	3	12	15	0.0000%
L13.0 Dermatitis herpetiformis	1	5	6	0.0000%
L20.8 Other atopic dermatitis	1	15	16	0.0000%
L20.9 Atopic dermatitis, unspecified	24	26	50	0.0001%
L21.0 Seborrhoea capitis		1	1	0.0000%
L21.8 Other seborrhoeic dermatitis		18	18	0.0000%
L21.9 Seborrhoeic dermatitis, unspecified	5	11	16	0.0000%
L23.9 Allergic contact dermatitis, unspecified cause	6	1	7	0.0000%
L24.9 Irritant contact dermatitis, unspecified cause	1		1	0.0000%
L25.9 Unspecified contact dermatitis, unspecified cause		49	49	0.0001%
L27.0 Generalized skin eruption due to drugs and medicaments		1	1	0.0000%
L28.0 Lichen simplex chronicus	8	19	27	0.0001%
L28.1 Prurigo nodularis	2	1	3	0.0000%
L29.0 Pruritus ani	6	3	9	0.0000%
L29.1 Pruritus scroti	1		1	0.0000%
L29.2 Pruritus vulvae	1	4	5	0.0000%
L29.8 Other pruritus	13		13	0.0000%
L29.9 Pruritus, unspecified	1	9	10	0.0000%
L30.0 Nummular dermatitis	3	3	6	0.0000%
L30.1 Dyshidrosis [pompholyx]	3		3	0.0000%
L30.3 Infective dermatitis		4	4	0.0000%
L30.4 Erythema intertrigo	2	2	4	0.0000%
L30.5 Pityriasis alba		7	7	0.0000%
L30.9 Dermatitis, unspecified	379	855	1,234	0.0028%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L40.0 Psoriasis vulgaris	1	86	87	0.0002%
L40.1 Generalized pustular psoriasis	2	1	3	0.0000%
L40.3 Pustulosis palmaris et plantaris	6	3	9	0.0000%
L40.4 Guttate psoriasis	3	1	4	0.0000%
L40.5 Arthropathic psoriasis	119	1,136	1,255	0.0028%
L40.8 Other psoriasis	5	3	8	0.0000%
L40.9 Psoriasis, unspecified	245	684	929	0.0021%
L41.0 Pityriasis lichenoides et varioliformis acuta	3	1	4	0.0000%
L41.1 Pityriasis lichenoides chronica	1	1	2	0.0000%
L41.2 Lymphomatoid papulosis		3	3	0.0000%
L41.9 Parapsoriasis, unspecified	2	20	22	0.0000%
L43.3 Subacute (active) lichen planus		1	1	0.0000%
L43.8 Other lichen planus	3	25	28	0.0001%
L43.9 Lichen planus, unspecified	37	130	167	0.0004%
L44.9 Papulosquamous disorder, unspecified		3	3	0.0000%
L50.0 Allergic urticaria		1	1	0.0000%
L50.3 Dermatographic urticaria	1		1	0.0000%
L50.8 Other urticaria		1	1	0.0000%
L50.9 Urticaria, unspecified	36	38	74	0.0002%
L51.0 Nonbullous erythema multiforme	1	1	2	0.0000%
L51.1 Bullous erythema multiforme		9	9	0.0000%
L51.9 Erythema multiforme, unspecified	1		1	0.0000%
L52.X Erythema nodosum	7	12	19	0.0000%
L53.9 Erythematous condition, unspecified	8	6	14	0.0000%
L56.0 Drug phototoxic response	1		1	0.0000%
L56.2 Photocontact dermatitis [berloque dermatitis]		1	1	0.0000%
L56.4 Polymorphous light eruption	2	12	14	0.0000%
L57.0 Actinic keratosis	253	862	1,115	0.0025%
L57.4 Cutis laxa senilis		1	1	0.0000%
L57.8 Oth skin change due chron expos to nonionizing radiation	9	16	25	0.0001%
L57.9 Skin change due chron expos to nonioniz radiation unspec	154	387	541	0.0012%
L60.0 Ingrowing nail	33	95	128	0.0003%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L60.3 Nail dystrophy	1		1	0.0000%
L60.8 Other nail disorders		2	2	0.0000%
L60.9 Nail disorder, unspecified	48	3	51	0.0001%
L63.0 Alopecia (capitis) totalis	1		1	0.0000%
L63.9 Alopecia areata, unspecified	12	1	13	0.0000%
L64.0 Drug-induced androgenic alopecia	2		2	0.0000%
L64.9 Androgenic alopecia, unspecified		1	1	0.0000%
L65.0 Telogen effluvium	2		2	0.0000%
L65.9 Nonscarring hair loss, unspecified	7	25	32	0.0001%
L66.1 Lichen planopilaris	1		1	0.0000%
L66.3 Perifolliculitis capitis abscedens		1	1	0.0000%
L66.9 Cicatricial alopecia, unspecified		2	2	0.0000%
L68.0 Hirsutism	36	259	295	0.0007%
L70.0 Acne vulgaris	65	40	105	0.0002%
L70.4 Infantile acne	1		1	0.0000%
L70.8 Other acne		1	1	0.0000%
L70.9 Acne, unspecified	161	395	556	0.0012%
L71.0 Perioral dermatitis	2		2	0.0000%
L71.1 Rhinophyma		4	4	0.0000%
L71.8 Other rosacea	5	8	13	0.0000%
L71.9 Rosacea, unspecified	12	11	23	0.0001%
L72.0 Epidermal cyst	181	296	477	0.0011%
L72.1 Trichilemmal cyst	415	358	773	0.0017%
L72.8 Other follicular cysts of skin and subcutaneous tissue	3	14	17	0.0000%
L72.9 Follicular cyst of skin and subcutaneous tissue, unspecified	64	170	234	0.0005%
L73.1 Pseudofolliculitis barbae	1		1	0.0000%
L73.2 Hidradenitis suppurativa	10	6	16	0.0000%
L73.8 Other specified follicular disorders		16	16	0.0000%
L73.9 Follicular disorder, unspecified	12	3	15	0.0000%
L80.X Vitiligo	9		9	0.0000%
L81.0 Postinflammatory hyperpigmentation	1		1	0.0000%
L81.2 Freckles		7	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L81.3 Cafe au lait spots	3	1	4	0.0000%
L81.4 Other melanin hyperpigmentation	28	90	118	0.0003%
L81.6 Other disorders of diminished melanin formation	1		1	0.0000%
L81.8 Other specified disorders of pigmentation	4	10	14	0.0000%
L81.9 Disorder of pigmentation, unspecified	14	78	92	0.0002%
L82.X Seborrhoeic keratosis	274	374	648	0.0014%
L83.X Acanthosis nigricans	3	5	8	0.0000%
L84.X Corns and callosities		3	3	0.0000%
L85.8 Other specified epidermal thickening	19	35	54	0.0001%
L85.9 Epidermal thickening, unspecified	6	28	34	0.0001%
L88.X Pyoderma gangrenosum		27	27	0.0001%
L90.0 Lichen sclerosus et atrophicus	13	53	66	0.0001%
L90.5 Scar conditions and fibrosis of skin	105	287	392	0.0009%
L90.8 Other atrophic disorders of skin	1	5	6	0.0000%
L90.9 Atrophic disorder of skin, unspecified		6	6	0.0000%
L91.0 Keloid scar	73	265	338	0.0008%
L91.8 Other hypertrophic disorders of skin	63	62	125	0.0003%
L91.9 Hypertrophic disorder of skin, unspecified		4	4	0.0000%
L92.0 Granuloma annulare	7	20	27	0.0001%
L92.1 Necrobiosis lipoidica, not elsewhere classified	2	2	4	0.0000%
L92.2 Granuloma faciale [eosinophilic granuloma of skin]		3	3	0.0000%
L92.3 Foreign body granuloma of skin and subcutaneous tissue	3	3	6	0.0000%
L92.8 Other granulomatous disorders of skin and subcut tissue		3	3	0.0000%
L92.9 Granulomatous disorder of skin and subcut tissue unspec	11	52	63	0.0001%
L93.0 Discoid lupus erythematosus	4	53	57	0.0001%
L93.1 Subacute cutaneous lupus erythematosus	2	3	5	0.0000%
L93.2 Other local lupus erythematosus	2	14	16	0.0000%
L94.0 Localized scleroderma [morphea]	10	14	24	0.0001%
L94.2 Calcinosis cutis		1	1	0.0000%
L94.8 Other specified localized connective tissue disorders	1	2	3	0.0000%
L94.9 Localized connective tissue disorder, unspecified		1	1	0.0000%
L95.0 Livedoid vasculitis	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L95.9 Vasculitis limited to skin, unspecified	5	4	9	0.0000%
L97.X Ulcer of lower limb, not elsewhere classified	15	25	40	0.0001%
L98.0 Pyogenic granuloma	18	81	99	0.0002%
L98.1 Factitial dermatitis		2	2	0.0000%
L98.4 Chronic ulcer of skin, not elsewhere classified	6	12	18	0.0000%
L98.6 Other infiltrative disorders of skin and subcutaneous tissue		3	3	0.0000%
L98.8 Other specified disorders of skin and subcutaneous tissue	65	273	338	0.0008%
L98.9 Disorder of skin and subcutaneous tissue, unspecified	999	3,079	4,078	0.0091%
M00.0 Staphylococcal arthritis and polyarthritis		2	2	0.0000%
M00.9 Pyogenic arthritis, unspecified	8	12	20	0.0000%
M01.5 Arthritis in other viral diseases classified elsewhere	3	2	5	0.0000%
M01.8 Arthritis in other infectious and parasitic diseases EC		8	8	0.0000%
M02.3 Reiter's disease	6	44	50	0.0001%
M02.8 Other reactive arthropathies	6	13	19	0.0000%
M02.9 Reactive arthropathy, unspecified	18	52	70	0.0002%
M05.0 Felty's syndrome	1	77	78	0.0002%
M05.1 Rheumatoid lung disease		5	5	0.0000%
M05.2 Rheumatoid vasculitis	2	34	36	0.0001%
M05.3 Rheumatoid arthritis with involvement of oth organs and sys		4	4	0.0000%
M05.8 Other seropositive rheumatoid arthritis	224	3,608	3,832	0.0085%
M05.9 Seropositive rheumatoid arthritis, unspecified	5	770	775	0.0017%
M06.0 Seronegative rheumatoid arthritis	88	727	815	0.0018%
M06.1 Adult-onset Still's disease	5	18	23	0.0001%
M06.3 Rheumatoid nodule	1	6	7	0.0000%
M06.4 Inflammatory polyarthropathy	57	340	397	0.0009%
M06.8 Other specified rheumatoid arthritis		1	1	0.0000%
M06.9 Rheumatoid arthritis, unspecified	208	3,069	3,277	0.0073%
M07.3 Other psoriatic arthropathies		2	2	0.0000%
M07.4 Arthropathy in Crohn's disease [regional enteritis]		1	1	0.0000%
M07.5 Arthropathy in ulcerative colitis	3	2	5	0.0000%
M08.0 Juvenile rheumatoid arthritis	1	14	15	0.0000%
M08.2 Juvenile arthritis with systemic onset		11	11	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M08.3 Juvenile polyarthritis (seronegative)	2	32	34	0.0001%
M08.4 Pauciarticular juvenile arthritis	1	6	7	0.0000%
M08.8 Other juvenile arthritis	11	70	81	0.0002%
M08.9 Juvenile arthritis, unspecified	9	46	55	0.0001%
M09.0 Juvenile arthritis in psoriasis	1		1	0.0000%
M10.0 Idiopathic gout	1	26	27	0.0001%
M10.9 Gout, unspecified	53	130	183	0.0004%
M11.1 Familial chondrocalcinosis	1	8	9	0.0000%
M11.2 Other chondrocalcinosis	4	4	8	0.0000%
M11.8 Other specified crystal arthropathies	1	4	5	0.0000%
M11.9 Crystal arthropathy, unspecified	2	4	6	0.0000%
M12.2 Villonodular synovitis (pigmented)		2	2	0.0000%
M12.3 Palindromic rheumatism	27	202	229	0.0005%
M13.0 Polyarthritis, unspecified	25	62	87	0.0002%
M13.1 Monoarthritis, not elsewhere classified	5	26	31	0.0001%
M13.8 Other specified arthritis	5	12	17	0.0000%
M13.9 Arthritis, unspecified	87	220	307	0.0007%
M15.0 Primary generalized (osteo)arthrosis	2	37	39	0.0001%
M15.1 Heberden's nodes (with arthropathy)	1	1	2	0.0000%
M15.2 Bouchard's nodes (with arthropathy)	2	1	3	0.0000%
M15.3 Secondary multiple arthrosis		1	1	0.0000%
M15.8 Other polyarthrosis	1		1	0.0000%
M15.9 Polyarthrosis, unspecified	472	863	1,335	0.0030%
M16.0 Primary coxarthrosis, bilateral	3	11	14	0.0000%
M16.1 Other primary coxarthrosis	1	22	23	0.0001%
M16.2 Coxarthrosis resulting from dysplasia, bilateral		1	1	0.0000%
M16.7 Other secondary coxarthrosis		1	1	0.0000%
M16.9 Coxarthrosis, unspecified	395	811	1,206	0.0027%
M17.0 Primary gonarthrosis, bilateral	4	56	60	0.0001%
M17.1 Other primary gonarthrosis	1	11	12	0.0000%
M17.9 Gonarthrosis, unspecified	895	2,054	2,949	0.0066%
M18.0 Primary arthrosis of first carpometacarpal joints, bilateral	1	10	11	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M18.1 Other primary arthrosis of first carpometacarpal joint	62	84	146	0.0003%
M18.9 Arthrosis of first carpometacarpal joint, unspecified	21	67	88	0.0002%
M19.0 Primary arthrosis of other joints	124	278	402	0.0009%
M19.1 Post-traumatic arthrosis of other joints	21	59	80	0.0002%
M19.2 Other secondary arthrosis	23	49	72	0.0002%
M19.8 Other specified arthrosis	2	3	5	0.0000%
M19.9 Arthrosis, unspecified	272	454	726	0.0016%
M20.0 Deformity of finger(s)	1	1	2	0.0000%
M20.1 Hallux valgus (acquired)	11	29	40	0.0001%
M20.2 Hallux rigidus	9	23	32	0.0001%
M20.4 Other hammer toe(s) (acquired)		1	1	0.0000%
M20.5 Other deformities of toe(s) (acquired)		1	1	0.0000%
M20.6 Acquired deformity of toe(s), unspecified	8	18	26	0.0001%
M21.0 Valgus deformity, not elsewhere classified		1	1	0.0000%
M21.3 Wrist or foot drop (acquired)	2	2	4	0.0000%
M21.4 Flat foot [pes planus] (acquired)		1	1	0.0000%
M21.5 Acquired clawhand, clubhand, clawfoot and clubfoot	1		1	0.0000%
M21.6 Other acquired deformities of ankle and foot	1	2	3	0.0000%
M21.8 Other specified acquired deformities of limbs		1	1	0.0000%
M22.2 Patellofemoral disorders		4	4	0.0000%
M22.9 Disorder of patella, unspecified		2	2	0.0000%
M23.2 Derangement of meniscus due to old tear or injury	63	66	129	0.0003%
M23.3 Other meniscus derangements	1	4	5	0.0000%
M23.8 Other internal derangements of knee	1	2	3	0.0000%
M23.9 Internal derangement of knee, unspecified	1,083	1,149	2,232	0.0050%
M24.0 Loose body in joint	2	6	8	0.0000%
M24.1 Other articular cartilage disorders	3		3	0.0000%
M24.2 Disorder of ligament		1	1	0.0000%
M24.4 Recurrent dislocation and subluxation of joint	77	78	155	0.0003%
M24.5 Contracture of joint	1	2	3	0.0000%
M24.8 Other specific joint derangements, not elsewhere classified	2	4	6	0.0000%
M24.9 Joint derangement, unspecified	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M25.0 Haemarthrosis	3	8	11	0.0000%
M25.1 Fistula of joint	1	1	2	0.0000%
M25.2 Flail joint		1	1	0.0000%
M25.3 Other instability of joint	1	5	6	0.0000%
M25.4 Effusion of joint	12	87	99	0.0002%
M25.5 Pain in joint	979	2,000	2,979	0.0066%
M25.6 Stiffness of joint, not elsewhere classified	9	24	33	0.0001%
M25.7 Osteophyte	1	1	2	0.0000%
M25.8 Other specified joint disorders	790	1,058	1,848	0.0041%
M25.9 Joint disorder, unspecified	1,468	2,166	3,634	0.0081%
M30.0 Polyarteritis nodosa	2	8	10	0.0000%
M30.1 Polyarteritis with lung involvement [Churg-Strauss]	1	27	28	0.0001%
M31.1 Thrombotic microangiopathy		1	1	0.0000%
M31.3 Wegener's granulomatosis	2	61	63	0.0001%
M31.4 Aortic arch syndrome [Takayasu]		6	6	0.0000%
M31.5 Giant cell arteritis with polymyalgia rheumatica		2	2	0.0000%
M31.6 Other giant cell arteritis	23	149	172	0.0004%
M32.1 Systemic lupus erythematosus with organ or sys involv		1	1	0.0000%
M32.8 Other forms of systemic lupus erythematosus	5	84	89	0.0002%
M32.9 Systemic lupus erythematosus, unspecified	35	625	660	0.0015%
M33.0 Juvenile dermatomyositis		2	2	0.0000%
M33.1 Other dermatomyositis	6	64	70	0.0002%
M33.2 Polymyositis	17	118	135	0.0003%
M34.0 Progressive systemic sclerosis		3	3	0.0000%
M34.1 CR(E)ST syndrome		16	16	0.0000%
M34.8 Other forms of systemic sclerosis		2	2	0.0000%
M34.9 Systemic sclerosis, unspecified	12	138	150	0.0003%
M35.0 Sicca syndrome [Sjogren]	21	125	146	0.0003%
M35.1 Other overlap syndromes	5	127	132	0.0003%
M35.2 Behcet's disease	6	57	63	0.0001%
M35.3 Polymyalgia rheumatica	80	498	578	0.0013%
M35.4 Diffuse (eosinophilic) fasciitis	2		2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M35.7 Hypermobility syndrome	38	17	55	0.0001%
M35.8 Other specified systemic involvement of connective tissue		2	2	0.0000%
M35.9 Systemic involvement of connective tissue, unspecified	16	83	99	0.0002%
M40.2 Other and unspecified kyphosis		1	1	0.0000%
M41.8 Other forms of scoliosis	3		3	0.0000%
M41.9 Scoliosis, unspecified	4	9	13	0.0000%
M42.0 Juvenile osteochondrosis of spine	3	1	4	0.0000%
M42.9 Spinal osteochondrosis, unspecified		1	1	0.0000%
M43.0 Spondylolysis	2	2	4	0.0000%
M43.1 Spondylolisthesis	5	15	20	0.0000%
M43.2 Other fusion of spine		3	3	0.0000%
M43.4 Other recurrent atlantoaxial subluxation	2	7	9	0.0000%
M43.6 Torticollis	6	514	520	0.0012%
M45.X Ankylosing spondylitis	100	762	862	0.0019%
M46.1 Sacroiliitis, not elsewhere classified		8	8	0.0000%
M46.2 Osteomyelitis of vertebra		3	3	0.0000%
M46.3 Infection of intervertebral disc (pyogenic)		2	2	0.0000%
M46.4 Discitis, unspecified		3	3	0.0000%
M46.9 Inflammatory spondylopathy, unspecified		4	4	0.0000%
M47.1 Other spondylosis with myelopathy	5	5	10	0.0000%
M47.2 Other spondylosis with radiculopathy	2		2	0.0000%
M47.8 Other spondylosis	244	349	593	0.0013%
M47.9 Spondylosis, unspecified	17	56	73	0.0002%
M48.0 Spinal stenosis	44	73	117	0.0003%
M48.1 Ankylosing hyperostosis [Forestier]	8	11	19	0.0000%
M48.5 Collapsed vertebra, not elsewhere classified	2	1	3	0.0000%
M48.8 Other specified spondylopathies	3	2	5	0.0000%
M48.9 Spondylopathy, unspecified	2	11	13	0.0000%
M50.0 Cervical disc disorder with myelopathy	94	289	383	0.0009%
M50.1 Cervical disc disorder with radiculopathy		10	10	0.0000%
M50.2 Other cervical disc displacement	212	279	491	0.0011%
M50.3 Other cervical disc degeneration	1	5	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M50.8 Other cervical disc disorders		2 13	15	0.0000%
M50.9 Cervical disc disorder, unspecified		71 26	97	0.0002%
M51.0 Lumbar and other intrvertbrl disc disord with mylopathy			2	0.0000%
M51.1 Lumb and oth intrvertbrl disc disorders with radiculopathy		39 73	112	0.0002%
M51.2 Other specified intervertebral disc displacement		362 634	996	0.0022%
M51.3 Other specified intervertebral disc degeneration		7 98	105	0.0002%
M51.8 Other specified intervertebral disc disorders			3	0.0000%
M51.9 Intervertebral disc disorder, unspecified		5 7	12	0.0000%
M53.1 Cervicobrachial syndrome			1	0.0000%
M53.3 Sacrococcygeal disorders, not elsewhere classified		10 57	67	0.0001%
M53.8 Other specified dorsopathies		64 20	84	0.0002%
M53.9 Dorsopathy, unspecified		15 17	32	0.0001%
M54.1 Radiculopathy		175 179	354	0.0008%
M54.2 Cervicalgia		587 814	1,401	0.0031%
M54.3 Sciatica		90 132	222	0.0005%
M54.4 Lumbago with sciatica		8 85	93	0.0002%
M54.5 Low back pain		967 2,066	3,033	0.0068%
M54.6 Pain in thoracic spine		40 84	124	0.0003%
M54.8 Other dorsalgia		4 8	12	0.0000%
M54.9 Dorsalgia, unspecified		643 843	1,486	0.0033%
M60.8 Other myositis		2 20	22	0.0000%
M60.9 Myositis, unspecified		5 21	26	0.0001%
M61.5 Other ossification of muscle			2	0.0000%
M62.2 Ischaemic infarction of muscle		12 5	17	0.0000%
M62.4 Contracture of muscle			1	0.0000%
M62.5 Muscle wasting and atrophy, not elsewhere classified		1 5	6	0.0000%
M62.6 Muscle strain		5 4	9	0.0000%
M62.8 Other specified disorders of muscle		3 4	7	0.0000%
M62.9 Disorder of muscle, unspecified		40 33	73	0.0002%
M65.2 Calcific tendinitis		2	2	0.0000%
M65.3 Trigger finger		247 230	477	0.0011%
M65.4 Radial styloid tenosynovitis [de Quervain]		43 44	87	0.0002%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M65.8 Other synovitis and tenosynovitis	8	12	20	0.0000%
M65.9 Synovitis and tenosynovitis, unspecified	73	146	219	0.0005%
M66.0 Rupture of popliteal cyst		3	3	0.0000%
M66.2 Spontaneous rupture of extensor tendons	4	9	13	0.0000%
M66.3 Spontaneous rupture of flexor tendons	5	4	9	0.0000%
M66.5 Spontaneous rupture of unspecified tendon	1		1	0.0000%
M67.1 Other contracture of tendon (sheath)		1	1	0.0000%
M67.3 Transient synovitis	20	14	34	0.0001%
M67.4 Ganglion	123	61	184	0.0004%
M67.9 Disorder of synovium and tendon, unspecified	1	3	4	0.0000%
M70.0 Chronic crepitant synovitis of hand and wrist		5	5	0.0000%
M70.1 Bursitis of hand		1	1	0.0000%
M70.2 Olecranon bursitis	12	6	18	0.0000%
M70.3 Other bursitis of elbow		2	2	0.0000%
M70.4 Prepatellar bursitis	2		2	0.0000%
M70.5 Other bursitis of knee	2	8	10	0.0000%
M70.6 Trochanteric bursitis	113	261	374	0.0008%
M70.7 Other bursitis of hip	3	7	10	0.0000%
M70.8 Oth soft tiss disorder related to use overuse and pressure		12	12	0.0000%
M70.9 Unsp soft tis disorder related to use overuse and pressure	9	7	16	0.0000%
M71.0 Abscess of bursa	1	2	3	0.0000%
M71.2 Synovial cyst of popliteal space [Baker]	2	10	12	0.0000%
M71.3 Other bursal cyst	3	3	6	0.0000%
M71.4 Calcium deposit in bursa	1		1	0.0000%
M71.5 Other bursitis, not elsewhere classified	1		1	0.0000%
M71.8 Other specified bursopathies		7	7	0.0000%
M71.9 Bursopathy, unspecified	4	1	5	0.0000%
M72.0 Palmar fascial fibromatosis [Dupuytren]	94	128	222	0.0005%
M72.1 Knuckle pads	1		1	0.0000%
M72.2 Plantar fascial fibromatosis	29	81	110	0.0002%
M72.3 Nodular fasciitis		1	1	0.0000%
M72.5 Fasciitis, not elsewhere classified	4	34	38	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
M72.9 Fibroblastic disorder, unspecified		8	8	0.0000%
M75.0 Adhesive capsulitis of shoulder	222	317	539	0.0012%
M75.1 Rotator cuff syndrome	277	348	625	0.0014%
M75.2 Bicipital tendinitis	2	2	4	0.0000%
M75.3 Calcific tendinitis of shoulder	17	35	52	0.0001%
M75.4 Impingement syndrome of shoulder	480	894	1,374	0.0031%
M75.5 Bursitis of shoulder	9	27	36	0.0001%
M75.8 Other shoulder lesions	202	609	811	0.0018%
M75.9 Shoulder lesion, unspecified	71	27	98	0.0002%
M76.1 Psoas tendinitis		1	1	0.0000%
M76.3 Iliotibial band syndrome	3		3	0.0000%
M76.5 Patellar tendinitis	1	5	6	0.0000%
M76.6 Achilles tendinitis	36	29	65	0.0001%
M76.7 Peroneal tendinitis	1		1	0.0000%
M76.8 Other enthesopathies of lower limb, excluding foot		3	3	0.0000%
M76.9 Enthesopathy of lower limb, unspecified	1	10	11	0.0000%
M77.0 Medial epicondylitis	38	36	74	0.0002%
M77.1 Lateral epicondylitis	116	135	251	0.0006%
M77.3 Calcaneal spur	1	4	5	0.0000%
M77.4 Metatarsalgia	3	8	11	0.0000%
M77.5 Other enthesopathy of foot	1	3	4	0.0000%
M77.8 Other enthesopathies, not elsewhere classified	1		1	0.0000%
M77.9 Enthesopathy, unspecified	42	90	132	0.0003%
M79.0 Rheumatism, unspecified	248	249	497	0.0011%
M79.1 Myalgia	38	42	80	0.0002%
M79.2 Neuralgia and neuritis, unspecified	67	85	152	0.0003%
M79.3 Panniculitis, unspecified	1	2	3	0.0000%
M79.5 Residual foreign body in soft tissue	2	3	5	0.0000%
M79.6 Pain in limb	788	1,246	2,034	0.0045%
M79.8 Other specified soft tissue disorders	11	39	50	0.0001%
M79.9 Soft tissue disorder, unspecified	102	85	187	0.0004%
M80.0 Postmenopausal osteoporosis with pathological fracture		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M80.3 Postsurgical malabsorption osteoporosis with path fracture		2	2	0.0000%
M80.8 Other osteoporosis with pathological fracture		7	7	0.0000%
M80.9 Unspecified osteoporosis with pathological fracture	1	18	19	0.0000%
M81.0 Postmenopausal osteoporosis	1	1	2	0.0000%
M81.4 Drug-induced osteoporosis	2	15	17	0.0000%
M81.6 Localized osteoporosis [Lequesne]		1	1	0.0000%
M81.8 Other osteoporosis	1	5	6	0.0000%
M81.9 Osteoporosis, unspecified	591	2,971	3,562	0.0079%
M83.0 Puerperal osteomalacia		4	4	0.0000%
M83.1 Senile osteomalacia		1	1	0.0000%
M83.9 Adult osteomalacia, unspecified		4	4	0.0000%
M84.0 Malunion of fracture		2	2	0.0000%
M84.3 Stress fracture, not elsewhere classified		3	3	0.0000%
M84.4 Pathological fracture, not elsewhere classified	1		1	0.0000%
M84.8 Other disorders of continuity of bone	2		2	0.0000%
M84.9 Disorder of continuity of bone, unspecified	2		2	0.0000%
M85.0 Fibrous dysplasia (monostotic)		1	1	0.0000%
M85.1 Skeletal fluorosis	1		1	0.0000%
M85.3 Osteitis condensans	8	1	9	0.0000%
M85.5 Aneurysmal bone cyst		3	3	0.0000%
M85.6 Other cyst of bone		1	1	0.0000%
M85.8 Other specified disorders of bone density and structure	539	122	661	0.0015%
M85.9 Disorder of bone density and structure, unspecified		1	1	0.0000%
M86.1 Other acute osteomyelitis	1	1	2	0.0000%
M86.3 Chronic multifocal osteomyelitis	1		1	0.0000%
M86.8 Other osteomyelitis	1		1	0.0000%
M86.9 Osteomyelitis, unspecified	1	1	2	0.0000%
M87.0 Idiopathic aseptic necrosis of bone		2	2	0.0000%
M87.9 Osteonecrosis, unspecified	3	3	6	0.0000%
M88.0 Paget's disease of skull		16	16	0.0000%
M88.8 Paget's disease of other bones	2	21	23	0.0001%
M88.9 Paget's disease of bone, unspecified	20	178	198	0.0004%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M89.0 Algoneurodystrophy	16	58	74	0.0002%
M89.8 Other specified disorders of bone	9	38	47	0.0001%
M89.9 Disorder of bone, unspecified	5	8	13	0.0000%
M91.9 Juvenile osteochondrosis of hip and pelvis, unspecified	1	1	2	0.0000%
M92.5 Juvenile osteochondrosis of tibia and fibula		6	6	0.0000%
M92.6 Juvenile osteochondrosis of tarsus	1	2	3	0.0000%
M92.7 Juvenile osteochondrosis of metatarsus	1		1	0.0000%
M92.9 Juvenile osteochondrosis, unspecified		1	1	0.0000%
M93.1 Kienbock's disease of adults	1	2	3	0.0000%
M93.8 Other specified osteochondropathies		1	1	0.0000%
M93.9 Osteochondropathy, unspecified		1	1	0.0000%
M94.0 Chondrocostal junction syndrome [Tietze]	6		6	0.0000%
M94.8 Other specified disorders of cartilage	5	4	9	0.0000%
M94.9 Disorder of cartilage, unspecified	16	5	21	0.0000%
M95.2 Other acquired deformity of head	12	31	43	0.0001%
M95.9 Acquired deformity of musculoskeletal system, unspecified	1		1	0.0000%
M96.1 Postlaminectomy syndrome, not elsewhere classified		1	1	0.0000%
M96.8 Other postprocedural musculoskeletal disorders	1	2	3	0.0000%
M99.7 Connective tis and disc stenosis of intervertebral foramina	1		1	0.0000%
N02.0 Minor glomerular abnormality	2	1	3	0.0000%
N02.8 Recurrent and persistent haematuria, other		1	1	0.0000%
N02.9 Recurrent and persistent haematuria, unspecified	35	112	147	0.0003%
N04.0 Nephrotic syndrome, minor glomerular abnormality		1	1	0.0000%
N04.9 Nephrotic syndrome, unspecified	2	21	23	0.0001%
N05.9 Unspecified nephritic syndrome, unspecified	4	24	28	0.0001%
N12.X Tubulo-interstitial nephritis not spec as acute or chronic	2	2	4	0.0000%
N13.2 Hydronephrosis with renal and ureteral calculous obstruction	2	1	3	0.0000%
N13.3 Other and unspecified hydronephrosis	33	43	76	0.0002%
N13.5 Kinking and stricture of ureter without hydronephrosis	5	5	10	0.0000%
N13.8 Other obstructive and reflux uropathy	1	2	3	0.0000%
N13.9 Obstructive and reflux uropathy, unspecified	2	33	35	0.0001%
N14.0 Analgesic nephropathy	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N15.9 Renal tubulo-interstitial disease, unspecified	1	1	2	0.0000%
N17.9 Acute renal failure, unspecified	2	3	5	0.0000%
N18.0 End-stage renal disease	2		2	0.0000%
N18.8 Other chronic renal failure		3	3	0.0000%
N18.9 Chronic renal failure, unspecified	56	211	267	0.0006%
N19.X Unspecified renal failure		5	5	0.0000%
N20.0 Calculus of kidney	88	176	264	0.0006%
N20.1 Calculus of ureter	6	21	27	0.0001%
N20.2 Calculus of kidney with calculus of ureter	2	6	8	0.0000%
N20.9 Urinary calculus, unspecified	54	97	151	0.0003%
N21.0 Calculus in bladder	19	46	65	0.0001%
N21.1 Calculus in urethra		3	3	0.0000%
N21.9 Calculus of lower urinary tract, unspecified	3	4	7	0.0000%
N23.X Unspecified renal colic	10	23	33	0.0001%
N28.1 Cyst of kidney, acquired	6	9	15	0.0000%
N28.8 Other specified disorders of kidney and ureter	2	9	11	0.0000%
N28.9 Disorder of kidney and ureter, unspecified	1	19	20	0.0000%
N30.0 Acute cystitis	4	3	7	0.0000%
N30.1 Interstitial cystitis (chronic)	1	13	14	0.0000%
N30.2 Other chronic cystitis	3	44	47	0.0001%
N30.3 Trigonitis	70	52	122	0.0003%
N30.4 Irradiation cystitis	2	3	5	0.0000%
N30.8 Other cystitis	5	17	22	0.0000%
N30.9 Cystitis, unspecified	44	454	498	0.0011%
N31.2 Flaccid neuropathic bladder, not elsewhere classified	1	2	3	0.0000%
N31.8 Other neuromuscular dysfunction of bladder	2	40	42	0.0001%
N31.9 Neuromuscular dysfunction of bladder, unspecified	7	80	87	0.0002%
N32.0 Bladder-neck obstruction	22	169	191	0.0004%
N32.1 Vesicointestinal fistula		6	6	0.0000%
N32.2 Vesical fistula, not elsewhere classified	1	9	10	0.0000%
N32.3 Diverticulum of bladder	20	62	82	0.0002%
N32.8 Other specified disorders of bladder	78	271	349	0.0008%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N32.9 Bladder disorder, unspecified	111	245	356	0.0008%
N34.2 Other urethritis	1	6	7	0.0000%
N35.1 Postinfective urethral stricture, not elsewhere classified		2	2	0.0000%
N35.8 Other urethral stricture	1	18	19	0.0000%
N35.9 Urethral stricture, unspecified	125	531	656	0.0015%
N36.2 Urethral caruncle	1	3	4	0.0000%
N36.3 Prolapsed urethral mucosa		1	1	0.0000%
N36.8 Other specified disorders of urethra	20	33	53	0.0001%
N36.9 Urethral disorder, unspecified	18	31	49	0.0001%
N39.0 Urinary tract infection, site not specified	748	960	1,708	0.0038%
N39.1 Persistent proteinuria, unspecified		3	3	0.0000%
N39.3 Stress incontinence	102	472	574	0.0013%
N39.4 Other specified urinary incontinence	31	192	223	0.0005%
N39.8 Other specified disorders of urinary system	5	42	47	0.0001%
N39.9 Disorder of urinary system, unspecified	542	1,166	1,708	0.0038%
N40.X Hyperplasia of prostate	410	1,260	1,670	0.0037%
N41.0 Acute prostatitis	1	18	19	0.0000%
N41.1 Chronic prostatitis	5	40	45	0.0001%
N41.8 Other inflammatory diseases of prostate		3	3	0.0000%
N41.9 Inflammatory disease of prostate, unspecified	22	49	71	0.0002%
N42.0 Calculus of prostate		4	4	0.0000%
N42.1 Congestion and haemorrhage of prostate	18	30	48	0.0001%
N42.2 Atrophy of prostate	3	3	6	0.0000%
N42.8 Other specified disorders of prostate	15	34	49	0.0001%
N42.9 Disorder of prostate, unspecified	13	28	41	0.0001%
N43.3 Hydrocele, unspecified	26	18	44	0.0001%
N43.4 Spermatocoele	1		1	0.0000%
N44.X Torsion of testis	1	1	2	0.0000%
N45.0 Orchitis, epididymitis and epididymo-orchitis with abscess		1	1	0.0000%
N45.9 Orchitis epididymitis and epididymo-orchitis without absces	3	12	15	0.0000%
N47.X Redundant prepuce, phimosis and paraphimosis	286	163	449	0.0010%
N48.1 Balanoposthitis	3	3	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
N48.2 Other inflammatory disorders of penis		1	1	0.0000%
N48.4 Impotence of organic origin	130	115	245	0.0005%
N48.6 Balanitis xerotica obliterans		4	4	0.0000%
N48.8 Other specified disorders of penis	6	4	10	0.0000%
N48.9 Disorder of penis, unspecified	60	65	125	0.0003%
N49.8 Inflammatory disorders of other spec male genital organs	1		1	0.0000%
N49.9 Inflammatory disorder of unspecified male genital organ	22	11	33	0.0001%
N50.0 Atrophy of testis	1	2	3	0.0000%
N50.1 Vascular disorders of male genital organs	21	54	75	0.0002%
N50.8 Other specified disorders of male genital organs	466	313	779	0.0017%
N50.9 Disorder of male genital organs, unspecified	97	51	148	0.0003%
N60.0 Solitary cyst of breast	404	472	876	0.0020%
N60.1 Diffuse cystic mastopathy	507	668	1,175	0.0026%
N60.2 Fibroadenosis of breast	15	96	111	0.0002%
N60.3 Fibrosclerosis of breast	7	39	46	0.0001%
N60.4 Mammary duct ectasia	31	58	89	0.0002%
N60.8 Other benign mammary dysplasias	22	29	51	0.0001%
N60.9 Benign mammary dysplasia, unspecified	219	2,438	2,657	0.0059%
N61.X Inflammatory disorders of breast	85	192	277	0.0006%
N62.X Hypertrophy of breast	188	291	479	0.0011%
N63.X Unspecified lump in breast	844	1,029	1,873	0.0042%
N64.0 Fissure and fistula of nipple	1	2	3	0.0000%
N64.1 Fat necrosis of breast	4	20	24	0.0001%
N64.3 Galactorrhoea not associated with childbirth	1		1	0.0000%
N64.4 Mastodynia	467	262	729	0.0016%
N64.5 Other signs and symptoms in breast	857	607	1,464	0.0033%
N64.8 Other specified disorders of breast	116	107	223	0.0005%
N64.9 Disorder of breast, unspecified	1,888	2,142	4,030	0.0090%
N72.X Inflammatory disease of cervix uteri	11	10	21	0.0000%
N73.9 Female pelvic inflammatory disease, unspecified	10	10	20	0.0000%
N75.0 Cyst of Bartholin's gland	6	13	19	0.0000%
N75.1 Abscess of Bartholin's gland	1	10	11	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N76.0 Acute vaginitis	3	6	9	0.0000%
N76.1 Subacute and chronic vaginitis	1		1	0.0000%
N76.2 Acute vulvitis	4	5	9	0.0000%
N76.3 Subacute and chronic vulvitis		3	3	0.0000%
N76.4 Abscess of vulva		2	2	0.0000%
N80.1 Endometriosis of ovary	1	5	6	0.0000%
N80.5 Endometriosis of intestine	1		1	0.0000%
N80.6 Endometriosis in cutaneous scar		2	2	0.0000%
N80.9 Endometriosis, unspecified	8	7	15	0.0000%
N81.0 Female urethrocele		3	3	0.0000%
N81.1 Cystocele	25	60	85	0.0002%
N81.2 Incomplete uterovaginal prolapse		2	2	0.0000%
N81.3 Complete uterovaginal prolapse		1	1	0.0000%
N81.4 Uterovaginal prolapse, unspecified	1	11	12	0.0000%
N81.6 Rectocele	3	2	5	0.0000%
N81.8 Other female genital prolapse		1	1	0.0000%
N81.9 Female genital prolapse, unspecified	436	418	854	0.0019%
N82.0 Vesicovaginal fistula	1	3	4	0.0000%
N82.3 Fistula of vagina to large intestine	1		1	0.0000%
N83.0 Follicular cyst of ovary		1	1	0.0000%
N83.1 Corpus luteum cyst	1	1	2	0.0000%
N83.2 Other and unspecified ovarian cysts	24	28	52	0.0001%
N83.8 Oth noninflammatory disord ovary fallop tube and broad lig		2	2	0.0000%
N83.9 Noninflammatory disord ovary fallop tube/broad lig unspec		7	7	0.0000%
N84.0 Polyp of corpus uteri	41	36	77	0.0002%
N84.1 Polyp of cervix uteri	80	18	98	0.0002%
N84.2 Polyp of vagina	3	1	4	0.0000%
N84.3 Polyp of vulva		1	1	0.0000%
N84.9 Polyp of female genital tract, unspecified		1	1	0.0000%
N85.0 Endometrial glandular hyperplasia	2	12	14	0.0000%
N85.2 Hypertrophy of uterus		1	1	0.0000%
N85.4 Malposition of uterus	2	1	3	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

N85.8 Other specified noninflammatory disorders of uterus	1	1	2	0.0000%
N85.9 Noninflammatory disorder of uterus, unspecified	9	35	44	0.0001%
N86.X Erosion and ectropion of cervix uteri	60	45	105	0.0002%
N87.0 Mild cervical dysplasia	201	145	346	0.0008%
N87.1 Moderate cervical dysplasia	164	164	328	0.0007%
N87.2 Severe cervical dysplasia, not elsewhere classified	9	5	14	0.0000%
N87.9 Dysplasia of cervix uteri, unspecified	131	170	301	0.0007%
N88.8 Other specified noninflammatory disorders of cervix uteri	15	10	25	0.0001%
N88.9 Noninflammatory disorder of cervix uteri, unspecified	182	96	278	0.0006%
N89.0 Mild vaginal dysplasia	1	6	7	0.0000%
N89.1 Moderate vaginal dysplasia	1	3	4	0.0000%
N89.3 Dysplasia of vagina, unspecified	2	2	4	0.0000%
N89.8 Other specified noninflammatory disorders of vagina	91	31	122	0.0003%
N89.9 Noninflammatory disorder of vagina, unspecified	5	1	6	0.0000%
N90.0 Mild vulvar dysplasia		3	3	0.0000%
N90.1 Moderate vulvar dysplasia		1	1	0.0000%
N90.3 Dysplasia of vulva, unspecified		3	3	0.0000%
N90.4 Leukoplakia of vulva	1	1	2	0.0000%
N90.6 Hypertrophy of vulva	2	1	3	0.0000%
N90.7 Vulvar cyst	9	11	20	0.0000%
N90.8 Other spec noninflammatory disord of vulva and perineum	3	13	16	0.0000%
N90.9 Noninflammatory disorder of vulva and perineum, unspecified	95	10	105	0.0002%
N91.2 Amenorrhoea, unspecified	18	2	20	0.0000%
N92.0 Excessive and frequent menstruation with regular cycle	225	391	616	0.0014%
N92.1 Excessive and frequent menstruation with irregular cycle	6	30	36	0.0001%
N92.3 Ovulation bleeding	27	52	79	0.0002%
N92.4 Excessive bleeding in the premenopausal period	1		1	0.0000%
N92.6 Irregular menstruation, unspecified	1,308	628	1,936	0.0043%
N93.0 Postcoital and contact bleeding	50	38	88	0.0002%
N93.8 Other specified abnormal uterine and vaginal bleeding	36	5	41	0.0001%
N93.9 Abnormal uterine and vaginal bleeding, unspecified	20	151	171	0.0004%
N94.0 Mittelschmerz	2	1	3	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N94.1 Dyspareunia	9	2	11	0.0000%
N94.2 Vaginismus	1	2	3	0.0000%
N94.3 Premenstrual tension syndrome	3		3	0.0000%
N94.6 Dysmenorrhoea, unspecified	1	4	5	0.0000%
N94.8 Oth spec conds ass with fem gen organs and mens cycle	793	554	1,347	0.0030%
N94.9 Unsp condition ass with fem gen organs and mens cycle	364	364	728	0.0016%
N95.0 Postmenopausal bleeding	723	530	1,253	0.0028%
N95.1 Menopausal and female climacteric states	22	1	23	0.0001%
N95.2 Postmenopausal atrophic vaginitis	4		4	0.0000%
N95.3 States associated with artificial menopause	1	43	44	0.0001%
N95.8 Other specified menopausal and perimenopausal disorders		2	2	0.0000%
N95.9 Menopausal and perimenopausal disorder, unspecified		2	2	0.0000%
N97.4 Female infertility associated with male factors	5		5	0.0000%
N97.8 Female infertility of other origin		1	1	0.0000%
N97.9 Female infertility, unspecified	367	555	922	0.0021%
N98.0 Infection associated with artificial insemination		1	1	0.0000%
N98.1 Hyperstimulation of ovaries		1	1	0.0000%
N98.8 Other complications associated with artificial fertilization	1	1	2	0.0000%
N99.8 Other postprocedural disorders of genitourinary system		5	5	0.0000%
O00.9 Ectopic pregnancy, unspecified	16	28	44	0.0001%
O01.9 Hydatidiform mole, unspecified	3	11	14	0.0000%
O02.0 Blighted ovum and nonhydatidiform mole	29	11	40	0.0001%
O02.1 Missed abortion	94	77	171	0.0004%
O02.8 Other specified abnormal products of conception		1	1	0.0000%
O03.4 Incomplete spont abort, without complication	99	48	147	0.0003%
O03.6 Complete or unsp spont abort comp by delay/excess haemor'ge	1		1	0.0000%
O03.9 Complete or unsp spont abort comp without complication	241	232	473	0.0011%
O04.0 Incomplete med abort comp by genital tract & pelvic infec	3		3	0.0000%
O04.3 Incomplete med abort with other and unsp complication	1		1	0.0000%
O04.4 Incomplete med abort, without complication	2	5	7	0.0000%
O04.6 Complete or unspec med abort comp by delay/excess haemor'ge	3		3	0.0000%
O04.7 Complete or unspec med abort comp by by embolism	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
O04.8 Complete or unspc med abort comp by with other & unsp comp		16 263	279	0.0006%
O04.9 Complete or unspc med abort comp by without complication	1,029	20	1,049	0.0023%
O05.8 Complete/unsp other abortion comp with other & unsp comp	1		1	0.0000%
O08.1 Delay/ exces haem follow abort and ectop and molar preg		4	4	0.0000%
O10.0 Pre-exist essen hypertens comp preg childbirth and puerp	10	9	19	0.0000%
O10.9 Unspec pre-exist hypertens compl pregn childbth puerprum	97	476	573	0.0013%
O11.X Pre-exist hypertens disorder with superimposed proteinuria	1		1	0.0000%
O12.0 Gestational oedema	1		1	0.0000%
O12.1 Gestational proteinuria	6		6	0.0000%
O13.X Gest [pregnancy-induced] hypertens without sig proteinuria	71	636	707	0.0016%
O14.0 Moderate pre-eclampsia	125	43	168	0.0004%
O14.1 Severe pre-eclampsia	6		6	0.0000%
O14.9 Pre-eclampsia, unspecified	2		2	0.0000%
O16.X Unspecified maternal hypertension	1	7	8	0.0000%
O20.0 Threatened abortion	4	15	19	0.0000%
O20.9 Haemorrhage in early pregnancy, unspecified	497	677	1,174	0.0026%
O21.0 Mild hyperemesis gravidarum	30	237	267	0.0006%
O21.1 Hyperemesis gravidarum with metabolic disturbance		5	5	0.0000%
O21.9 Vomiting of pregnancy, unspecified	2	5	7	0.0000%
O22.4 Haemorrhoids in pregnancy	1		1	0.0000%
O23.4 Unspecified infection of urinary tract in pregnancy	1	4	5	0.0000%
O24.0 Pre-existing diabetes mellitus, insulin-dependent	88	219	307	0.0007%
O24.1 Pre-existing diabetes mellitus, non-insulin-dependent	2	1	3	0.0000%
O24.4 Diabetes mellitus arising in pregnancy	8	24	32	0.0001%
O26.0 Excessive weight gain in pregnancy		2	2	0.0000%
O26.5 Maternal hypotension syndrome	1		1	0.0000%
O26.6 Liver disorders in pregnancy, childbirth and the puerperium	7	229	236	0.0005%
O26.8 Other specified pregnancy-related conditions	155	236	391	0.0009%
O26.9 Pregnancy-related condition, unspecified	139	2,110	2,249	0.0050%
O30.0 Twin pregnancy	1	52	53	0.0001%
O32.1 Maternal care for breech presentation	111	351	462	0.0010%
O32.2 Maternal care for transverse and oblique lie	1	4	5	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
O34.0 Maternal care for congenital malformation of uterus	1		1	0.0000%
O34.3 Maternal care for cervical incompetence		6	6	0.0000%
O35.1 Mat care for (suspected) chromosomal abnormality in fetus	4	6	10	0.0000%
O35.2 Maternal care for (suspected) hereditary disease in fetus	5		5	0.0000%
O35.6 Maternal care for (suspected) damage to fetus by radiation	1	1	2	0.0000%
O35.8 Mat care for other (suspected) fetal abnormality and damage	2		2	0.0000%
O35.9 Mat care for (suspected) fet abnormality and damage	433	166	599	0.0013%
O36.0 Maternal care for rhesus isoimmunization	46	82	128	0.0003%
O36.4 Maternal care for intrauterine death	2	6	8	0.0000%
O36.5 Maternal care for poor fetal growth	318	1,899	2,217	0.0049%
O36.6 Maternal care for excessive fetal growth	1	21	22	0.0000%
O36.7 Maternal care for viable fetus in abdominal pregnancy	98	177	275	0.0006%
O36.8 Maternal care for other specified fetal problems	676	1,648	2,324	0.0052%
O36.9 Maternal care for fetal problem, unspecified	97	196	293	0.0007%
O40.X Polyhydramnios	1	2	3	0.0000%
O41.0 Oligohydramnios	1	2	3	0.0000%
O41.8 Other specified disorders of amniotic fluid and membranes	39	932	971	0.0022%
O41.9 Disorder of amniotic fluid and membranes, unspecified		1	1	0.0000%
O42.0 Prem rupture of membranes onset of labour within 24 hours		2	2	0.0000%
O42.9 Premature rupture of membranes, unspecified	20	313	333	0.0007%
O44.0 Placenta praevia specified as without haemorrhage	1	1	2	0.0000%
O46.8 Other antepartum haemorrhage		1	1	0.0000%
O46.9 Antepartum haemorrhage, unspecified	27	447	474	0.0011%
O47.0 False labour before 37 completed weeks of gestation	7	389	396	0.0009%
O47.1 False labour at or after 37 completed weeks of gestation	6	354	360	0.0008%
O47.9 False labour, unspecified		2	2	0.0000%
O48.X Prolonged pregnancy	56	200	256	0.0006%
O62.0 Primary inadequate contractions	61	2,682	2,743	0.0061%
O62.1 Secondary uterine inertia		1	1	0.0000%
O63.0 Prolonged first stage (of labour)		1	1	0.0000%
O72.0 Third-stage haemorrhage		1	1	0.0000%
O72.1 Other immediate postpartum haemorrhage		2	2	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
O72.2 Delayed and secondary postpartum haemorrhage		4	4	0.0000%
O72.3 Postpartum coagulation defects		2	2	0.0000%
O86.0 Infection of obstetric surgical wound		2	2	0.0000%
O87.0 Superficial thrombophlebitis in the puerperium		1	1	0.0000%
O88.2 Obstetric blood-clot embolism		3	3	0.0000%
O90.9 Complication of the puerperium, unspecified	4	255	259	0.0006%
O92.6 Galactorrhoea	1	2	3	0.0000%
O98.4 Viral hepatitis comp pregnancy, childbirth & the puerperium	2	2	4	0.0000%
O99.0 Anaemia comp pregnancy, childbirth and the puerperium	1		1	0.0000%
O99.3 Mental disord dis of nervous system comp preg/birth/puerp	2	5	7	0.0000%
O99.4 Dis circulatory sys comp pregnancy, childbirth/puerperium	25	5	30	0.0001%
O99.5 Dis resp syst comp pregnancy, childbirth & puerperium		3	3	0.0000%
O99.6 Dis of the digestive sys comp preg childbirth and puerp	1	3	4	0.0000%
O99.8 Other spec dis and conditions comp preg childbirth puerp	12	17	29	0.0001%
P02.6 Fetus and newborn affect oth unspec conds of umbilical cord		1	1	0.0000%
P07.2 Extreme immaturity		10	10	0.0000%
P07.3 Other preterm infants	20	5	25	0.0001%
P14.0 Erb's paralysis due to birth injury	3		3	0.0000%
P14.1 Klumpke's paralysis due to birth injury		1	1	0.0000%
P14.3 Other brachial plexus birth injuries	2		2	0.0000%
P22.0 Respiratory distress syndrome of newborn	1		1	0.0000%
P26.8 Oth pulmonary haemorrhages originating in perinatal period		3	3	0.0000%
P27.9 Unspec chronic resp disease origin in the perinatal period		1	1	0.0000%
P28.4 Other apnoea of newborn		2	2	0.0000%
P38.X Omphalitis of newborn with or without mild haemorrhage	1		1	0.0000%
P55.0 Rh isoimmunization of fetus and newborn	1		1	0.0000%
P59.0 Neonatal jaundice associated with preterm delivery	1	1	2	0.0000%
P59.9 Neonatal jaundice, unspecified	9	8	17	0.0000%
P72.2 Other transitory neonatal disorders of thyroid function NEC	1		1	0.0000%
P83.5 Congenital hydrocele	2		2	0.0000%
P91.8 Other specified disturbances of cerebral status of newborn	6	3	9	0.0000%
P94.2 Congenital hypotonia		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q03.0 Malformations of aqueduct of Sylvius	1		1	0.0000%
Q03.9 Congenital hydrocephalus, unspecified		1	1	0.0000%
Q04.2 Holoprosencephaly		2	2	0.0000%
Q04.6 Congenital cerebral cysts		2	2	0.0000%
Q04.8 Other specified congenital malformations of brain		1	1	0.0000%
Q05.4 Unspecified spina bifida with hydrocephalus	2	5	7	0.0000%
Q05.8 Sacral spina bifida without hydrocephalus		1	1	0.0000%
Q05.9 Spina bifida, unspecified	15	39	54	0.0001%
Q06.2 Diastematomyelia	2	7	9	0.0000%
Q06.8 Other specified congenital malformations of spinal cord	1	17	18	0.0000%
Q07.0 Arnold-Chiari syndrome	20	101	121	0.0003%
Q07.8 Other specified congenital malformations of nervous system	4	8	12	0.0000%
Q10.0 Congenital ptosis	4	6	10	0.0000%
Q10.3 Other congenital malformations of eyelid	3		3	0.0000%
Q10.4 Absence and agenesis of lacrimal apparatus	1	2	3	0.0000%
Q10.5 Congenital stenosis and stricture of lacrimal duct	13	1	14	0.0000%
Q10.6 Other congenital malformations of lacrimal apparatus	2		2	0.0000%
Q10.7 Congenital malformation of orbit		1	1	0.0000%
Q11.1 Other anophthalmos		1	1	0.0000%
Q11.2 Microphthalmos		4	4	0.0000%
Q12.0 Congenital cataract	34	50	84	0.0002%
Q12.9 Congenital lens malformation, unspecified		4	4	0.0000%
Q13.0 Coloboma of iris	8	21	29	0.0001%
Q13.3 Congenital corneal opacity		1	1	0.0000%
Q13.8 Other congenital malformations of anterior segment of eye	2	2	4	0.0000%
Q13.9 Congenital malformation of anterior segment of eye unspec		1	1	0.0000%
Q14.1 Congenital malformation of retina	11	5	16	0.0000%
Q14.2 Congenital malformation of optic disc		3	3	0.0000%
Q14.3 Congenital malformation of choroid	1	1	2	0.0000%
Q14.8 Other congenital malformations of posterior segment of eye		1	1	0.0000%
Q15.0 Congenital glaucoma	3	24	27	0.0001%
Q15.8 Other specified congenital malformations of eye	1	5	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q17.0 Accessory auricle	1	2	3	0.0000%
Q17.5 Prominent ear	31	25	56	0.0001%
Q18.0 Sinus, fistula and cyst of branchial cleft	1	1	2	0.0000%
Q18.1 Preauricular sinus and cyst		4	4	0.0000%
Q18.9 Congenital malformation of face and neck, unspecified		4	4	0.0000%
Q20.0 Common arterial trunk			2	0.0000%
Q20.1 Double outlet right ventricle	2		2	0.0000%
Q21.0 Ventricular septal defect	23	1	25	0.0001%
Q21.1 Atrial septal defect	2		6	0.0000%
Q21.3 Tetralogy of Fallot	1		1	0.0000%
Q21.8 Other congenital malformations of cardiac septa			8	0.0000%
Q22.1 Congenital pulmonary valve stenosis	2		2	0.0000%
Q23.0 Congenital stenosis of aortic valve	1		1	0.0000%
Q23.3 Congenital mitral insufficiency	1		1	0.0000%
Q24.0 Dextrocardia	1	1	2	0.0000%
Q24.9 Congenital malformation of heart, unspecified		1	1	0.0000%
Q25.0 Patent ductus arteriosus	3		3	0.0000%
Q25.5 Atresia of pulmonary artery			1	0.0000%
Q25.7 Other congenital malformations of pulmonary artery			1	0.0000%
Q27.3 Peripheral arteriovenous malformation	2	4	6	0.0000%
Q28.0 Arteriovenous malformation of precerebral vessels	3	11	14	0.0000%
Q28.2 Arteriovenous malformation of cerebral vessels	34	219	253	0.0006%
Q28.9 Congenital malformation of circulatory system, unspecified	1	3	4	0.0000%
Q35.9 Cleft palate, unspecified		5	5	0.0000%
Q37.1 Cleft hard palate with unilateral cleft lip		4	4	0.0000%
Q37.9 Unspecified cleft palate with unilateral cleft lip	2	40	42	0.0001%
Q38.1 Ankyloglossia	3	9	12	0.0000%
Q38.5 Congenital malformations of palate, not elsewhere classified		2	2	0.0000%
Q38.6 Other congenital malformations of mouth		1	1	0.0000%
Q38.7 Pharyngeal pouch	1	6	7	0.0000%
Q39.3 Congenital stenosis and stricture of oesophagus		1	1	0.0000%
Q39.4 Oesophageal web	1	2	3	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q39.6 Diverticulum of oesophagus	5	4	9	0.0000%
Q43.1 Hirschsprung's disease		3	3	0.0000%
Q43.8 Other specified congenital malformations of intestine	1	2	3	0.0000%
Q45.3 Other cong malformations of pancreas and pancreatic duct	1		1	0.0000%
Q50.5 Embryonic cyst of broad ligament	2		2	0.0000%
Q53.0 Ectopic testis	1		1	0.0000%
Q53.1 Undescended testicle, unilateral	29	12	41	0.0001%
Q53.2 Undescended testicle, bilateral	16		16	0.0000%
Q53.9 Undescended testicle, unspecified	28	7	35	0.0001%
Q54.0 Hypospadias, balanic		1	1	0.0000%
Q54.1 Hypospadias, penile		1	1	0.0000%
Q54.9 Hypospadias, unspecified	7	2	9	0.0000%
Q55.6 Other congenital malformations of penis		1	1	0.0000%
Q55.8 Other specified congen malformations of male genital organs		1	1	0.0000%
Q60.0 Renal agenesis, unilateral	1		1	0.0000%
Q61.0 Congenital single renal cyst		1	1	0.0000%
Q61.1 Polycystic kidney, infantile type		1	1	0.0000%
Q61.3 Polycystic kidney, unspecified	4	16	20	0.0000%
Q61.5 Medullary cystic kidney		3	3	0.0000%
Q62.3 Other obstructive defects of renal pelvis and ureter	1		1	0.0000%
Q62.5 Duplication of ureter		1	1	0.0000%
Q62.7 Congenital vesico-uretero-renal reflux	6		6	0.0000%
Q63.1 Lobulated, fused and horseshoe kidney	1		1	0.0000%
Q63.2 Ectopic kidney	1		1	0.0000%
Q63.8 Other specified congenital malformations of kidney	1	1	2	0.0000%
Q64.7 Other congenital malformations of bladder and urethra	1	1	2	0.0000%
Q65.0 Congenital dislocation of hip, unilateral	1	6	7	0.0000%
Q65.2 Congenital dislocation of hip, unspecified		1	1	0.0000%
Q65.5 Congenital subluxation of hip, unspecified	11	15	26	0.0001%
Q65.8 Other congenital deformities of hip	3		3	0.0000%
Q65.9 Congenital deformity of hip, unspecified	454	45	499	0.0011%
Q66.7 Pes cavus	1		1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q66.8 Other congenital deformities of feet		1	1	0.0000%
Q67.3 Plagiocephaly	1	3	4	0.0000%
Q67.5 Congenital deformity of spine		1	1	0.0000%
Q68.1 Congenital deformity of hand	22	27	49	0.0001%
Q70.3 Webbed toes	1		1	0.0000%
Q72.8 Other reduction defects of lower limb(s)	1		1	0.0000%
Q74.0 Oth cong malformation of upper limb(s) inc shoulder girdle	2	13	15	0.0000%
Q74.2 Other cong malformation of lower limb(s) incl pelvic girdle	1		1	0.0000%
Q75.8 Other spec congenital malformations of skull and face bones	1		1	0.0000%
Q75.9 Congenital malformation of skull and face bones, unspecified		2	2	0.0000%
Q76.1 Klippel-Feil syndrome		5	5	0.0000%
Q76.4 Oth cong malformation of spine not associated with scoliosis	2	12	14	0.0000%
Q76.5 Cervical rib		1	1	0.0000%
Q76.7 Congenital malformation of sternum		1	1	0.0000%
Q77.3 Chondrodysplasia punctata		24	24	0.0001%
Q77.4 Achondroplasia	1	3	4	0.0000%
Q78.0 Osteogenesis imperfecta	5	21	26	0.0001%
Q78.1 Polyostotic fibrous dysplasia	1	7	8	0.0000%
Q78.9 Osteochondrodysplasia, unspecified		3	3	0.0000%
Q79.6 Ehlers-Danlos syndrome	3	5	8	0.0000%
Q79.8 Other congenital malformations of musculoskeletal system		1	1	0.0000%
Q81.8 Other epidermolysis bullosa	1		1	0.0000%
Q82.0 Hereditary lymphoedema		1	1	0.0000%
Q82.1 Xeroderma pigmentosum		3	3	0.0000%
Q82.2 Mastocytosis	1	1	2	0.0000%
Q82.5 Congenital non-neoplastic naevus	24	89	113	0.0003%
Q82.8 Other specified congenital malformations of skin	29	5	34	0.0001%
Q82.9 Congenital malformation of skin, unspecified	1	3	4	0.0000%
Q83.1 Accessory breast	12	5	17	0.0000%
Q83.3 Accessory nipple	1	5	6	0.0000%
Q83.8 Other congenital malformations of breast	1		1	0.0000%
Q83.9 Congenital malformation of breast, unspecified	27	28	55	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Q84.8 Other specified congenital malformations of integument		2	2	0.0000%
Q85.0 Neurofibromatosis (nonmalignant)	12	22	34	0.0001%
Q85.1 Tuberous sclerosis	1	4	5	0.0000%
Q85.8 Other phakomatoses, not elsewhere classified		5	5	0.0000%
Q86.8 Oth cong malform syndromes due to known exogen causes	1	18	19	0.0000%
Q87.0 Cong malform syndromes predom affect facial appearance	2	2	4	0.0000%
Q87.1 Cong malform syndromes predomin assoc with short stature	3	2	5	0.0000%
Q87.4 Marfan's syndrome	3	5	8	0.0000%
Q89.2 Congenital malformations of other endocrine glands	1	4	5	0.0000%
Q89.7 Multiple congenital malformations, not elsewhere classified		1	1	0.0000%
Q90.0 Trisomy 21, meiotic nondisjunction	1		1	0.0000%
Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)		1	1	0.0000%
Q90.9 Down's syndrome, unspecified	6	42	48	0.0001%
Q92.3 Minor partial trisomy	1		1	0.0000%
Q96.9 Turner's syndrome, unspecified		1	1	0.0000%
Q98.4 Klinefelter's syndrome, unspecified		4	4	0.0000%
Q99.2 Fragile X chromosome	3	4	7	0.0000%
R00.0 Tachycardia, unspecified	2	4	6	0.0000%
R00.1 Bradycardia, unspecified		2	2	0.0000%
R00.2 Palpitations	181	136	317	0.0007%
R00.8 Other and unspecified abnormalities of heart beat	6	8	14	0.0000%
R01.0 Benign and innocent cardiac murmurs	60		60	0.0001%
R01.1 Cardiac murmur, unspecified	52	40	92	0.0002%
R02.X Gangrene, not elsewhere classified		6	6	0.0000%
R03.0 Elev blood-pressure reading without diag of hypertension	1	8	9	0.0000%
R04.0 Epistaxis	87	245	332	0.0007%
R04.1 Haemorrhage from throat		1	1	0.0000%
R04.2 Haemoptysis	19	191	210	0.0005%
R05.X Cough	57	210	267	0.0006%
R06.0 Dyspnoea	73	257	330	0.0007%
R06.1 Stridor		2	2	0.0000%
R06.2 Wheezing	35	72	107	0.0002%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

Primary Diagnosis: 4 character NHS Hospitals, England, 2004-05	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R06.4 Hyperventilation	2		2	0.0000%
R06.5 Mouth breathing	17	5	22	0.0000%
R06.6 Hiccough	1		1	0.0000%
R06.8 Other and unspecified abnormalities of breathing	19	37	56	0.0001%
R07.0 Pain in throat	2	1	3	0.0000%
R07.1 Chest pain on breathing	6	36	42	0.0001%
R07.2 Precordial pain	33	161	194	0.0004%
R07.3 Other chest pain	18	81	99	0.0002%
R07.4 Chest pain, unspecified	348	531	879	0.0020%
R09.1 Pleurisy	1	1	2	0.0000%
R09.2 Respiratory arrest		2	2	0.0000%
R09.3 Abnormal sputum	1	1	2	0.0000%
R09.8 Oth spec symptoms and signs involving circ and resp systems	3	10	13	0.0000%
R10.0 Acute abdomen	7	25	32	0.0001%
R10.1 Pain localized to upper abdomen	610	160	770	0.0017%
R10.2 Pelvic and perineal pain	270	49	319	0.0007%
R10.3 Pain localized to other parts of lower abdomen	77	202	279	0.0006%
R10.4 Other and unspecified abdominal pain	1,179	2,086	3,265	0.0073%
R11.X Nausea and vomiting	299	218	517	0.0012%
R12.X Heartburn	187	37	224	0.0005%
R13.X Dysphagia	412	174	586	0.0013%
R14.X Flatulence and related conditions	40	23	63	0.0001%
R15.X Faecal incontinence	16	19	35	0.0001%
R16.1 Splenomegaly, not elsewhere classified	4	4	8	0.0000%
R16.2 Hepatomegaly with splenomegaly, not elsewhere classified	1	4	5	0.0000%
R17.X Unspecified jaundice	135	173	308	0.0007%
R18.X Ascites		16	16	0.0000%
R19.0 Intra-abdominal and pelvic swelling, mass and lump	87	158	245	0.0005%
R19.4 Change in bowel habit	224	350	574	0.0013%
R19.5 Other faecal abnormalities	12	11	23	0.0001%
R19.6 Halitosis		1	1	0.0000%
R19.8 Oth spec symptoms and signs involv digestive sys and abdomen	92	302	394	0.0009%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
R20.2 Paraesthesia of skin	14	6	20	0.0000%
R20.8 Other and unspecified disturbances of skin sensation	52	18	70	0.0002%
R21.X Rash and other nonspecific skin eruption	164	310	474	0.0011%
R22.0 Localized swelling, mass and lump, head	5	6	11	0.0000%
R22.1 Localized swelling, mass and lump, neck	171	263	434	0.0010%
R22.2 Localized swelling, mass and lump, trunk	9	4	13	0.0000%
R22.3 Localized swelling, mass and lump, upper limb	5	11	16	0.0000%
R22.4 Localized swelling, mass and lump, lower limb	3	18	21	0.0000%
R22.9 Localized swelling, mass and lump, unspecified	13	33	46	0.0001%
R23.0 Cyanosis	5	6	11	0.0000%
R23.1 Pallor	2		2	0.0000%
R23.3 Spontaneous ecchymoses	1	6	7	0.0000%
R23.4 Changes in skin texture	3	8	11	0.0000%
R23.8 Other and unspecified skin changes	10	12	22	0.0000%
R25.1 Tremor, unspecified	42	5	47	0.0001%
R25.2 Cramp and spasm	21	229	250	0.0006%
R25.3 Fasciculation	8	3	11	0.0000%
R25.8 Other and unspecified abnormal involuntary movements	4	1	5	0.0000%
R26.0 Ataxic gait	3	1	4	0.0000%
R26.2 Difficulty in walking, not elsewhere classified	2	4	6	0.0000%
R26.8 Other and unspecified abnormalities of gait and mobility	30	68	98	0.0002%
R27.0 Ataxia, unspecified	16	15	31	0.0001%
R29.2 Abnormal reflex		1	1	0.0000%
R29.4 Clicking hip	1		1	0.0000%
R29.8 Other spec symptoms signs involv nervous/musculoskel systs	28	24	52	0.0001%
R30.0 Dysuria	13	63	76	0.0002%
R30.9 Painful micturition, unspecified	1	5	6	0.0000%
R31.X Unspecified haematuria	1,886	2,802	4,688	0.0105%
R32.X Unspecified urinary incontinence	188	391	579	0.0013%
R33.X Retention of urine	19	97	116	0.0003%
R35.X Polyuria	494	1,206	1,700	0.0038%
R36.X Urethral discharge	2	2	4	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R39.0 Extravasation of urine		2	2	0.0000%
R39.1 Other difficulties with micturition	252	115	367	0.0008%
R39.8 Other and unspecf symptoms and signs involv urinary syst	229	748	977	0.0022%
R40.0 Somnolence	1		1	0.0000%
R40.2 Coma, unspecified	1	3	4	0.0000%
R41.0 Disorientation, unspecified	8	31	39	0.0001%
R41.3 Other amnesia	16	7	23	0.0001%
R41.8 Oth/unsp sympt & signs involv cognitive funct & awareness	6	9	15	0.0000%
R42.X Dizziness and giddiness	408	256	664	0.0015%
R43.0 Anosmia	2		2	0.0000%
R43.2 Parageusia	1		1	0.0000%
R43.8 Other and unspecified disturbances of smell and taste	1		1	0.0000%
R44.0 Auditory hallucinations	1	11	12	0.0000%
R44.2 Other hallucinations	1	2	3	0.0000%
R44.3 Hallucinations, unspecified	1	1	2	0.0000%
R44.8 Oth and unspec sympt/signs inv gen sensations/percept	25	2	27	0.0001%
R46.8 Other symptoms and signs involving appearance and behaviour		1	1	0.0000%
R47.0 Dysphasia and aphasia	7	5	12	0.0000%
R47.8 Other and unspecified speech disturbances	8	5	13	0.0000%
R48.2 Apraxia	1		1	0.0000%
R49.0 Dysphonia	22	18	40	0.0001%
R50.1 Persistent fever	1	1	2	0.0000%
R50.9 Fever, unspecified	122	165	287	0.0006%
R51.X Headache	1,051	511	1,562	0.0035%
R52.0 Acute pain	1	1	2	0.0000%
R52.1 Chronic intractable pain	136	32	168	0.0004%
R52.2 Other chronic pain	96	140	236	0.0005%
R52.9 Pain, unspecified	42	29	71	0.0002%
R53.X Malaise and fatigue	78	121	199	0.0004%
R54.X Senility	18	2	20	0.0000%
R55.X Syncope and collapse	488	467	955	0.0021%
R56.0 Febrile convulsions	28	39	67	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R56.8 Other and unspecified convulsions	146	188	334	0.0007%
R58.X Haemorrhage, not elsewhere classified	1	3	4	0.0000%
R59.0 Localized enlarged lymph nodes	61	134	195	0.0004%
R59.1 Generalized enlarged lymph nodes	93	491	584	0.0013%
R59.9 Enlarged lymph nodes, unspecified	27	100	127	0.0003%
R60.0 Localized oedema	1	9	10	0.0000%
R60.9 Oedema, unspecified		14	14	0.0000%
R61.0 Localized hyperhidrosis	1	47	48	0.0001%
R61.1 Generalized hyperhidrosis		2	2	0.0000%
R61.9 Hyperhidrosis, unspecified	9	3	12	0.0000%
R62.0 Delayed milestone	2		2	0.0000%
R62.8 Other lack of expected normal physiological development	28	26	54	0.0001%
R62.9 Lack of expected normal physiologic development unspec	4	26	30	0.0001%
R63.0 Anorexia	36	3	39	0.0001%
R63.1 Polydipsia	1	2	3	0.0000%
R63.2 Polyphagia	1		1	0.0000%
R63.3 Feeding difficulties and mismanagement	33	17	50	0.0001%
R63.4 Abnormal weight loss	190	147	337	0.0008%
R63.5 Abnormal weight gain	1	1	2	0.0000%
R63.8 Other symptoms and signs concerning food and fluid intake	1	6	7	0.0000%
R68.1 Nonspecific symptoms peculiar to infancy	5	25	30	0.0001%
R68.2 Dry mouth, unspecified	1	4	5	0.0000%
R68.8 Other specified general symptoms and signs	497	734	1,231	0.0027%
R69.X Unknown and unspecified causes of morbidity	12,978,251	30,986,921	44,099,929	98.3541%
R70.0 Elevated erythrocyte sedimentation rate	15	23	38	0.0001%
R71.X Abnormality of red blood cells	3	12	15	0.0000%
R72.X Abnormality of white blood cells, not elsewhere classified	4	10	14	0.0000%
R73.0 Abnormal glucose tolerance test		5	5	0.0000%
R73.9 Hyperglycaemia, unspecified		3	3	0.0000%
R74.8 Abnormal levels of other serum enzymes	43	204	247	0.0006%
R76.0 Raised antibody titre	1		1	0.0000%
R76.1 Abnormal reaction to tuberculin test	2	10	12	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R76.8 Other specified abnormal immunological findings in serum	3	4	7	0.0000%
R77.1 Abnormality of globulin	1	1	2	0.0000%
R77.8 Other specified abnormalities of plasma proteins	6	5	11	0.0000%
R79.0 Abnormal level of blood mineral	2	3	5	0.0000%
R79.8 Other specified abnormal findings of blood chemistry	138	170	308	0.0007%
R79.9 Abnormal finding of blood chemistry, unspecified	1	5	6	0.0000%
R80.X Isolated proteinuria	4	14	18	0.0000%
R82.0 Chyluria	1		1	0.0000%
R82.8 Abnorm find on cytological and histological examin of urine	1	2	3	0.0000%
R82.9 Other and unspecified abnormal findings in urine	2	4	6	0.0000%
R84.9 Unspec abnormal findings in specimens from resp org & thorax		2	2	0.0000%
R85.0 Abn find specs fm dig org & abdom cavity abn lev enzymes	1		1	0.0000%
R85.5 Abn find specs fm dig org & abdom cavity abn microbiol find	1	3	4	0.0000%
R85.7 Abn find specs fm dig org & abdom cavity abn histol find	3		3	0.0000%
R85.8 Other abn find in specs from digestive org & abdom cavity	1	2	3	0.0000%
R85.9 Unspec abn find in specs from digestive org & abdom cavity	2	4	6	0.0000%
R86.0 Abn find specs fm male genital org abn level enzymes	13	39	52	0.0001%
R86.1 Abn find specs fm male genital org abn level hormones		3	3	0.0000%
R86.6 Abn find specs fm male genital org abn cytol find	5	216	221	0.0005%
R86.8 Oth abn find in specs from male genital organs	1	8	9	0.0000%
R86.9 Unspec abn find in specs from male genital organs	90	357	447	0.0010%
R87.3 Abn find female genital org abn lev subs chief nonmed sorce	1	1	2	0.0000%
R87.4 Abn find in specs from female genital org abn immunol find		1	1	0.0000%
R87.6 Abn find in specs from female genital org abn cytol findings	658	908	1,566	0.0035%
R87.7 Abn find in specs from female genital organs abn histol find		10	10	0.0000%
R89.7 Abn finds specs oth organs abn histol finds		1	1	0.0000%
R89.8 Other abnormal findings in specimens from other organs		1	1	0.0000%
R91.X Abnormal findings on diagnostic imaging of lung	13	230	243	0.0005%
R92.X Abnormal findings on diagnostic imaging of breast	1		1	0.0000%
R93.0 Abnormal findings on diagnostic imaging of skull and head	3	3	6	0.0000%
R93.2 Abn findings diagnostic imaging of liver and biliary tract	1		1	0.0000%
R93.3 Abn finds diagnostic imaging of oth parts of digestive tract	23	34	57	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R93.4 Abnormal findings on diagnostic imaging of urinary organs	11	22	33	0.0001%
R93.5 Abn finds diag imaging oth abdo region inc retroperitoneum	1		1	0.0000%
R93.7 Abn finds on diag imaging oth parts of musculoskeletal sys		1	1	0.0000%
R93.8 Abn finds on diag imaging of other spec body structures	1	12	13	0.0000%
R94.3 Abnormal results of cardiovascular function studies		1	1	0.0000%
R94.5 Abnormal results of liver function studies	27	87	114	0.0003%
R94.7 Abnormal results of other endocrine function studies		7	7	0.0000%
R94.8 Abn results of function studies of other organs and systems	1		1	0.0000%
S00.1 Contusion of eyelid and periocular area	2	1	3	0.0000%
S00.4 Superficial injury of ear		9	9	0.0000%
S00.8 Superficial injury of other parts of head		2	2	0.0000%
S01.0 Open wound of scalp	1		1	0.0000%
S01.1 Open wound of eyelid and periocular area	4	3	7	0.0000%
S01.2 Open wound of nose	1	1	2	0.0000%
S01.3 Open wound of ear	1	3	4	0.0000%
S01.4 Open wound of cheek and temporomandibular area	2		2	0.0000%
S01.5 Open wound of lip and oral cavity	6	3	9	0.0000%
S01.8 Open wound of other parts of head	4	4	8	0.0000%
S02.0 Fracture of vault of skull		1	1	0.0000%
S02.2 Fracture of nasal bones	1	3	4	0.0000%
S02.3 Fracture of orbital floor	8	4	12	0.0000%
S02.4 Fracture of malar and maxillary bones	3	2	5	0.0000%
S02.5 Fracture of tooth	7	12	19	0.0000%
S02.6 Fracture of mandible	2	2	4	0.0000%
S02.8 Fractures of other skull and facial bones	3		3	0.0000%
S02.9 Fracture of skull and facial bones, part unspecified	13	21	34	0.0001%
S03.2 Dislocation of tooth		2	2	0.0000%
S05.0 Injury conjunctiva corneal abras without ment foreign body	98	94	192	0.0004%
S05.1 Contusion of eyeball and orbital tissues	16	11	27	0.0001%
S05.2 Ocular lacn and rupture with prolapse or loss intraoc tiss	1		1	0.0000%
S05.3 Ocular lacn without prolapse or loss of intraocular tissue	2	1	3	0.0000%
S05.5 Penetrating wound of eyeball with foreign body	8	1	9	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S05.6 Penetrating wound of eyeball without foreign body	8	21	29	0.0001%
S05.8 Other injuries of eye and orbit	16	25	41	0.0001%
S05.9 Injury of eye and orbit, part unspecified	23	31	54	0.0001%
S06.3 Focal brain injury		1	1	0.0000%
S06.4 Epidural haemorrhage	1	6	7	0.0000%
S06.5 Traumatic subdural haemorrhage	2	49	51	0.0001%
S06.6 Traumatic subarachnoid haemorrhage		1	1	0.0000%
S06.8 Other intracranial injuries	5	11	16	0.0000%
S06.9 Intracranial injury, unspecified	8	42	50	0.0001%
S09.0 Injury of blood vessels of head, not elsewhere classified	1	1	2	0.0000%
S09.7 Multiple injuries of head	1	1	2	0.0000%
S09.9 Unspecified injury of head	48	124	172	0.0004%
S10.1 Other and unspecified superficial injuries of throat	1		1	0.0000%
S10.9 Superficial injury of neck, part unspecified	1		1	0.0000%
S12.9 Fracture of neck, part unspecified		1	1	0.0000%
S13.1 Dislocation of cervical vertebra	2	1	3	0.0000%
S13.4 Sprain and strain of cervical spine	5		5	0.0000%
S13.6 Sprain and strain joints and ligs oth unspec parts of neck	1		1	0.0000%
S14.3 Injury of brachial plexus	7	9	16	0.0000%
S19.9 Unspecified injury of neck		6	6	0.0000%
S20.2 Contusion of thorax		1	1	0.0000%
S21.2 Open wound of back wall of thorax		3	3	0.0000%
S21.8 Open wound of other parts of thorax		1	1	0.0000%
S21.9 Open wound of thorax, part unspecified	1		1	0.0000%
S22.0 Fracture of thoracic vertebra		1	1	0.0000%
S22.2 Fracture of sternum	1		1	0.0000%
S22.3 Fracture of rib		1	1	0.0000%
S22.4 Multiple fractures of ribs		3	3	0.0000%
S27.8 Injury of other specified intrathoracic organs	1	1	2	0.0000%
S29.9 Unspecified injury of thorax		3	3	0.0000%
S30.1 Contusion of abdominal wall	1	2	3	0.0000%
S30.2 Contusion of external genital organs	1	14	15	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S30.9 Superficial inj of abdomen lower back and pelvis part unspec	1	1	2	0.0000%
S31.0 Open wound of lower back and pelvis		1	1	0.0000%
S32.0 Fracture of lumbar vertebra	1		1	0.0000%
S32.4 Fracture of acetabulum		1	1	0.0000%
S32.5 Fracture of pubis	1	2	3	0.0000%
S32.8 Fracture of oth and unspec parts of lumbar spine and pelvis		1	1	0.0000%
S33.3 Dislocation oth and unspec parts of lumbar spine and pelvis	1		1	0.0000%
S33.5 Sprain and strain of lumbar spine		2	2	0.0000%
S33.6 Sprain and strain of sacroiliac joint		3	3	0.0000%
S36.0 Injury of spleen		1	1	0.0000%
S39.9 Unspecified injury of abdomen, lower back and pelvis	1	6	7	0.0000%
S40.0 Contusion of shoulder and upper arm	1	2	3	0.0000%
S42.0 Fracture of clavicle	5	4	9	0.0000%
S42.1 Fracture of scapula	1	1	2	0.0000%
S42.2 Fracture of upper end of humerus	6	16	22	0.0000%
S42.3 Fracture of shaft of humerus		1	1	0.0000%
S42.4 Fracture of lower end of humerus	4	6	10	0.0000%
S42.8 Fracture of other parts of shoulder and upper arm		1	1	0.0000%
S42.9 Fracture of shoulder girdle, part unspecified	1	1	2	0.0000%
S43.0 Dislocation of shoulder joint	4	3	7	0.0000%
S43.1 Dislocation of acromioclavicular joint	9	13	22	0.0000%
S43.2 Dislocation of sternoclavicular joint	7	7	14	0.0000%
S43.4 Sprain and strain of shoulder joint		4	4	0.0000%
S43.5 Sprain and strain of acromioclavicular joint	1	1	2	0.0000%
S43.7 Sprain and strain of oth and unspec part of shoulder girdle		1	1	0.0000%
S45.9 Injury unspec blood vessel at shoulder and upper arm level		1	1	0.0000%
S46.0 Injury of tendon of the rotator cuff of shoulder	1	5	6	0.0000%
S46.1 Injury of muscle and tendon of long head of biceps	3	1	4	0.0000%
S49.8 Other specified injuries of shoulder and upper arm	1		1	0.0000%
S49.9 Unspecified injury of shoulder and upper arm	3	6	9	0.0000%
S50.0 Contusion of elbow		2	2	0.0000%
S50.1 Contusion of other and unspecified parts of forearm	1	10	11	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S51.8 Open wound of other parts of forearm		1	1	0.0000%
S52.0 Fracture of upper end of ulna	3	11	14	0.0000%
S52.1 Fracture of upper end of radius	2	8	10	0.0000%
S52.3 Fracture of shaft of radius		2	2	0.0000%
S52.4 Fracture of shafts of both ulna and radius	2	3	5	0.0000%
S52.5 Fracture of lower end of radius	9	42	51	0.0001%
S52.6 Fracture of lower end of both ulna and radius	1	14	15	0.0000%
S52.7 Multiple fractures of forearm		2	2	0.0000%
S52.8 Fracture of other parts of forearm	1	2	3	0.0000%
S52.9 Fracture of forearm, part unspecified		1	1	0.0000%
S53.0 Dislocation of radial head	1	1	2	0.0000%
S53.3 Traumatic rupture of ulnar collateral ligament	2	2	4	0.0000%
S54.1 Injury of median nerve at forearm level	1	1	2	0.0000%
S59.9 Unspecified injury of forearm	3	24	27	0.0001%
S60.0 Contusion of finger(s) without damage to nail	5	6	11	0.0000%
S60.1 Contusion of finger(s) with damage to nail		2	2	0.0000%
S60.2 Contusion of other parts of wrist and hand	7	87	94	0.0002%
S60.7 Multiple superficial injuries of wrist and hand		1	1	0.0000%
S60.8 Other superficial injuries of wrist and hand	1	1	2	0.0000%
S60.9 Superficial injury of wrist and hand, unspecified		1	1	0.0000%
S61.0 Open wound of finger(s) without damage to nail	12	14	26	0.0001%
S61.1 Open wound of finger(s) with damage to nail	9	5	14	0.0000%
S61.8 Open wound of other parts of wrist and hand	6	13	19	0.0000%
S61.9 Open wound of wrist and hand part, part unspecified	2	1	3	0.0000%
S62.0 Fracture of navicular [scaphoid] bone of hand	4	16	20	0.0000%
S62.1 Fracture of other carpal bone(s)		3	3	0.0000%
S62.2 Fracture of first metacarpal bone		2	2	0.0000%
S62.3 Fracture of other metacarpal bone	2		2	0.0000%
S62.5 Fracture of thumb		2	2	0.0000%
S62.6 Fracture of other finger	5	35	40	0.0001%
S62.8 Fracture of other and unspecified parts of wrist and hand	2	41	43	0.0001%
S63.1 Dislocation of finger	2	4	6	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S63.3 Traumatic rupture of ligament of wrist and carpus	4	1	5	0.0000%
S63.4 Traum rupture of lig of finger at MCP and IP joint(s)		6	6	0.0000%
S63.5 Sprain and strain of wrist		17	17	0.0000%
S63.6 Sprain and strain of finger(s)	13	7	20	0.0000%
S63.7 Sprain and strain of other and unspecified parts of hand		10	10	0.0000%
S65.3 Injury of deep palmar arch	1		1	0.0000%
S66.2 Inj exten muscle and tendon of thumb at wrist and hand level	1		1	0.0000%
S66.3 Inj exten muscl and tendon oth fing at wrist and hand level	3	6	9	0.0000%
S66.8 Injury of other muscles and tendons at wrist and hand level		1	1	0.0000%
S67.0 Crushing injury of thumb and other finger(s)	1	22	23	0.0001%
S67.8 Crush injury other and unspecified parts of wrist and hand	1		1	0.0000%
S68.1 Traum amputation of other single finger (complete)(partial)		1	1	0.0000%
S69.9 Unspecified injury of wrist and hand	14	34	48	0.0001%
S70.0 Contusion of hip		3	3	0.0000%
S70.1 Contusion of thigh	1	2	3	0.0000%
S71.1 Open wound of thigh		1	1	0.0000%
S72.0 Fracture of neck of femur	4	35	39	0.0001%
S72.3 Fracture of shaft of femur		2	2	0.0000%
S79.8 Other specified injuries of hip and thigh	1	1	2	0.0000%
S79.9 Unspecified injury of hip and thigh		3	3	0.0000%
S80.0 Contusion of knee	1		1	0.0000%
S80.8 Other superficial injuries of lower leg		1	1	0.0000%
S80.9 Superficial injury of lower leg, unspecified	1		1	0.0000%
S81.0 Open wound of knee		1	1	0.0000%
S81.8 Open wound of other parts of lower leg	2	6	8	0.0000%
S81.9 Open wound of lower leg, part unspecified	1		1	0.0000%
S82.1 Fracture of upper end of tibia	3	10	13	0.0000%
S82.2 Fracture of shaft of tibia	3	5	8	0.0000%
S82.3 Fracture of lower end of tibia		5	5	0.0000%
S82.4 Fracture of fibula alone	2		2	0.0000%
S82.5 Fracture of medial malleolus	1	1	2	0.0000%
S82.6 Fracture of lateral malleolus	5	26	31	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S82.8 Fractures of other parts of lower leg	7	41	48	0.0001%
S83.0 Dislocation of patella		2	2	0.0000%
S83.1 Dislocation of knee		2	2	0.0000%
S83.2 Tear of meniscus, current	1	3	4	0.0000%
S83.5 Sprain and strain involving (ant)(post) cruciate lig knee	9	12	21	0.0000%
S83.6 Sprain and strain of other and unspecified parts of knee		4	4	0.0000%
S84.1 Injury of peroneal nerve at lower leg level	1		1	0.0000%
S86.0 Injury of Achilles tendon	4	1	5	0.0000%
S86.1 Inj oth muscle(s) tendon(s)post muscle group at low leg lev		1	1	0.0000%
S86.9 Injury of unspecified muscle and tendon at lower leg level	1		1	0.0000%
S89.8 Other specified injuries of lower leg	1		1	0.0000%
S89.9 Unspecified injury of lower leg	3	12	15	0.0000%
S90.0 Contusion of ankle	2	5	7	0.0000%
S90.1 Contusion of toe(s) without damage to nail	1	7	8	0.0000%
S90.2 Contusion of toe(s) with damage to nail		1	1	0.0000%
S90.3 Contusion of other and unspecified parts of foot	4	8	12	0.0000%
S91.0 Open wound of ankle		4	4	0.0000%
S91.3 Open wound of other parts of foot	2	12	14	0.0000%
S92.0 Fracture of calcaneus		3	3	0.0000%
S92.1 Fracture of talus		1	1	0.0000%
S92.2 Fracture of other tarsal bone(s)	1	1	2	0.0000%
S92.3 Fracture of metatarsal bone	3	6	9	0.0000%
S92.4 Fracture of great toe		13	13	0.0000%
S92.5 Fracture of other toe	1		1	0.0000%
S92.9 Fracture of foot, unspecified	1	1	2	0.0000%
S93.1 Dislocation of toe(s)		6	6	0.0000%
S93.4 Sprain and strain of ankle	4	29	33	0.0001%
S93.6 Sprain and strain of other and unspecified parts of foot		5	5	0.0000%
S97.1 Crushing injury of toe(s)		3	3	0.0000%
S99.8 Other specified injuries of ankle and foot	1		1	0.0000%
S99.9 Unspecified injury of ankle and foot	9	33	42	0.0001%
T00.9 Multiple superficial injuries, unspecified		7	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T01.9 Multiple open wounds, unspecified	1	1	2	0.0000%
T02.9 Multiple fractures, unspecified	1	1	2	0.0000%
T07.X Unspecified multiple injuries		1	1	0.0000%
T08.X Fracture of spine, level unspecified	4	3	7	0.0000%
T09.3 Injury of spinal cord, level unspecified	4	3	7	0.0000%
T09.4 inj unspec nerve spinal nerve root & plexus trunk	1		1	0.0000%
T09.9 Unspecified injury of trunk, level unspecified		1	1	0.0000%
T10.X Fracture of upper limb, level unspecified		1	1	0.0000%
T11.9 Unspecified injury of upper limb, level unspecified		2	2	0.0000%
T13.0 Superficial injury of lower limb, level unspecified		1	1	0.0000%
T14.0 Superficial injury of unspecified body region	6	17	23	0.0001%
T14.1 Open wound of unspecified body region	4	3	7	0.0000%
T14.2 Fracture of unspecified body region	6	11	17	0.0000%
T14.3 Dislocation, sprain and strain of unspecified body region	2	3	5	0.0000%
T14.6 Injury of muscles and tendons of unspecified body region	1		1	0.0000%
T14.9 Injury, unspecified	5	51	56	0.0001%
T15.0 Foreign body in cornea	98	38	136	0.0003%
T15.1 Foreign body in conjunctival sac	2		2	0.0000%
T15.8 Foreign body in other and multiple parts of external eye	5	1	6	0.0000%
T15.9 Foreign body on external eye, part unspecified	9	1	10	0.0000%
T16.X Foreign body in ear		1	1	0.0000%
T17.1 Foreign body in nostril	1	1	2	0.0000%
T17.2 Foreign body in pharynx	2	2	4	0.0000%
T17.9 Foreign body in respiratory tract, part unspecified	1		1	0.0000%
T18.0 Foreign body in mouth		2	2	0.0000%
T18.1 Foreign body in oesophagus	1	2	3	0.0000%
T18.2 Foreign body in stomach	3	1	4	0.0000%
T18.9 Foreign body in alimentary tract, part unspecified	1	1	2	0.0000%
T19.0 Foreign body in urethra	1		1	0.0000%
T19.2 Foreign body in vulva and vagina		2	2	0.0000%
T22.0 Burn unspec degree should and upp limb excpt wrist and hand		2	2	0.0000%
T26.0 Burn of eyelid and periorcular area	6	1	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T26.1 Burn of cornea and conjunctival sac	2	2	4	0.0000%
T26.3 Burn of other parts of eye and adnexa	1	2	3	0.0000%
T26.5 Corrosion of eyelid and periocular area	2		2	0.0000%
T26.6 Corrosion of cornea and conjunctival sac	3		3	0.0000%
T26.9 Corrosion of eye and adnexa, part unspecified	3	3	6	0.0000%
T30.0 Burn of unspecified body region, unspecified degree	2		2	0.0000%
T38.3 Poisoning by insulin & oral hypoglycaemic [antidiabet] drugs		1	1	0.0000%
T39.0 Poisoning by Salicylates	1	3	4	0.0000%
T39.1 Poisoning by 4-Aminophenol derivatives	9	29	38	0.0001%
T39.3 Poisoning by oth nonsteroid anti-inflammatory drugs [NSAID]		2	2	0.0000%
T40.1 Poisoning by Heroin		1	1	0.0000%
T40.2 Poisoning by other opioids		2	2	0.0000%
T40.5 Poisoning by Cocaine	1	4	5	0.0000%
T40.7 Poisoning by Cannabis (derivatives)		1	1	0.0000%
T42.4 Poisoning by Benzodiazepines		3	3	0.0000%
T42.6 Poisoning by other antiepileptic and sedative-hypnotic drugs	2	4	6	0.0000%
T43.0 Poisoning by tricyclic and tetracyclic antidepressants		1	1	0.0000%
T43.2 Poisoning by other and unspecified antidepressants		1	1	0.0000%
T43.5 Poisoning by other & unsp antipsychotics & neuroleptics		4	4	0.0000%
T43.6 Poisoning by psychostimulants with abuse potential		3	3	0.0000%
T44.2 Poisoning by ganglionic blocking drugs, NEC	1		1	0.0000%
T45.5 Poisoning by anticoagulants	1	22	23	0.0001%
T46.0 Poisoning by cardiac-stim glycosides & drugs of sim action		1	1	0.0000%
T46.1 Poisoning by calcium-channel blockers		3	3	0.0000%
T50.9 Poisoning by oth & unsp drugs medicaments & biological subs	11	18	29	0.0001%
T51.0 Toxic effect of ethanol	1		1	0.0000%
T51.9 Toxic effect of alcohol, unspecified	1	1	2	0.0000%
T52.0 Toxic effect of petroleum products		1	1	0.0000%
T58.X Toxic effect of carbon monoxide		1	1	0.0000%
T59.8 Toxic effect of other specified gases, fumes and vapours		8	8	0.0000%
T65.9 Toxic effect of unspecified substance	5	104	109	0.0002%
T66.X Unspecified effects of radiation	16	61	77	0.0002%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T70.1 Sinus barotrauma	1		1	0.0000%
T74.0 Neglect or abandonment		1	1	0.0000%
T74.1 Physical abuse		3	3	0.0000%
T75.4 Effects of electric current	1	4	5	0.0000%
T78.1 Other adverse food reactions, not elsewhere classified		4	4	0.0000%
T78.2 Anaphylactic shock, unspecified		1	1	0.0000%
T78.3 Angioneurotic oedema	3		3	0.0000%
T78.4 Allergy, unspecified	10	11	21	0.0000%
T79.3 Post-traumatic wound infection, not elsewhere classified	2	3	5	0.0000%
T79.6 Traumatic ischaemia of muscle	3	1	4	0.0000%
T79.8 Other early complications of trauma		1	1	0.0000%
T80.2 Infections following infusion transfusion & therap inject	1	1	2	0.0000%
T81.0 Haemorrhage and haematoma complicating a procedure NEC	3	37	40	0.0001%
T81.3 Disruption of operation wound, not elsewhere classified	1	4	5	0.0000%
T81.4 Infection following a procedure, not elsewhere classified	3	45	48	0.0001%
T81.5 FB accident left in body cav or op wound following a proced		1	1	0.0000%
T81.8 Other complications of procedures, not elsewhere classified	6	17	23	0.0001%
T81.9 Unspecified complication of procedure		2	2	0.0000%
T82.8 Oth comps of cardiac & vasc prosthet devs implants & grafts	2		2	0.0000%
T83.0 Mechanical complication of urinary (indwelling) catheter	5	7	12	0.0000%
T83.1 Mechanical complication of other urinary devices and implant	1	3	4	0.0000%
T83.8 Oth comps genitourinary prosth devs implants & grafts	1	4	5	0.0000%
T83.9 Unspec comp genitourinary prosth dev implant & graft		5	5	0.0000%
T84.0 Mechanical complication of internal joint prosthesis	39	115	154	0.0003%
T84.5 Infect and inflammatory reaction due to internal joint pros	1	12	13	0.0000%
T84.6 Infect and inflamm react due int fixation dev [any site]		1	1	0.0000%
T84.8 Oth comps int orthopaedic prosth devs implants & grafts	5	49	54	0.0001%
T84.9 Unsp comp int orthopaedic prosth dev implant & graft		2	2	0.0000%
T85.2 Mechanical complication of intraocular lens	60	40	100	0.0002%
T85.3 Mech comp oth ocular prosthetic devs implants & grafts	1	16	17	0.0000%
T85.4 Mechanical complication of breast prosthesis and implant	1	12	13	0.0000%
T85.5 Mech comp gastrointestinal prosth devs implants & grafts	7	1	8	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T85.6 Mech comp oth spec int prosthetic devs implants & grafts		1	1	0.0000%
T85.7 Inf inflamm react due oth int prosth devs implants & grafts		3	3	0.0000%
T85.8 Oth comps int prosthetic devs implants & grafts NEC	3	18	21	0.0000%
T85.9 Unspec comp internal prosthetic device implant & graft	1	2	3	0.0000%
T86.8 Failure and reject of other transplanted organs and tissues	3	14	17	0.0000%
T86.9 Failure and reject of unspec transplanted organ and tissue	1	2	3	0.0000%
T88.1 Other complications following immunization NEC		1	1	0.0000%
T88.4 Failed or difficult intubation	4	3	7	0.0000%
T88.5 Other complications of anaesthesia	1	2	3	0.0000%
T88.7 Unspecified adverse effect of drug or medicament	2	13	15	0.0000%
T90.1 Sequelae of open wound of head	1		1	0.0000%
T90.5 Sequelae of intracranial injury	5	1	6	0.0000%
T90.8 Sequelae of other specified injuries of head		1	1	0.0000%
T90.9 Sequelae of unspecified injury of head	1	12	13	0.0000%
T91.8 Sequelae of other specified injuries of neck and trunk	1		1	0.0000%
T92.2 Sequelae of fracture at wrist and hand level		6	6	0.0000%
T93.1 Sequelae of fracture of femur		1	1	0.0000%
T94.1 Sequelae of injuries, not specified by body region	1		1	0.0000%
T96.X Seq of poisoning by drugs medicaments & biological subs	1		1	0.0000%
T98.3 Sequelae of complications of surgical and medical care NEC		1	1	0.0000%
Z00.0 General medical examination	13	76	89	0.0002%
Z00.1 Routine child health examination	1	1	2	0.0000%
Z00.4 General psychiatric examination, not elsewhere classified	87	151	238	0.0005%
Z00.6 Exam normal comparison and control in clin research program		1	1	0.0000%
Z00.8 Other general examinations	26	3	29	0.0001%
Z01.0 Examination of eyes and vision	2,394	9,059	11,453	0.0255%
Z01.2 Dental examination	60	60	120	0.0003%
Z01.3 Examination of blood pressure	1	2	3	0.0000%
Z01.4 Gynaecological examination (general)(routine)	839	1,412	2,251	0.0050%
Z01.5 Diagnostic skin and sensitization tests		34	34	0.0001%
Z01.6 Radiological examination, not elsewhere classified	5,085	535	5,620	0.0125%
Z01.7 Laboratory examination	628	634	1,262	0.0028%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z01.8 Other specified special examinations	178	229	407	0.0009%
Z01.9 Special examination, unspecified	97	83	180	0.0004%
Z02.4 Examination for driving licence		1	1	0.0000%
Z03.0 Observation for suspected tuberculosis	1		1	0.0000%
Z03.1 Observation for suspected malignant neoplasm	29	1,158	1,187	0.0026%
Z03.2 Observation for suspected mental and behavioural disorders	4	14	18	0.0000%
Z03.3 Observation for suspected nervous system disorder	4	100	104	0.0002%
Z03.4 Observation for suspected myocardial infarction	1	10	11	0.0000%
Z03.5 Observation for other suspected cardiovascular diseases	391	761	1,152	0.0026%
Z03.6 Observation for suspected toxic effect from ingested subs	5	6	11	0.0000%
Z03.8 Observation for other suspected diseases and conditions	1,191	1,858	3,049	0.0068%
Z03.9 Observation for suspected disease or condition, unspecified	26	136	162	0.0004%
Z04.0 Blood-alcohol and blood-drug test		2	2	0.0000%
Z04.3 Examination and observation following other accident	1		1	0.0000%
Z04.6 General psychiatric examination, requested by authority		2	2	0.0000%
Z04.8 Examination and observation for other specified reasons	1	5	6	0.0000%
Z04.9 Examination and observation for unspecified reason	10	9	19	0.0000%
Z08.0 Follow-up examination after surgery for malignant neoplasm	206	3,205	3,411	0.0076%
Z08.1 Follow-up exam after radiotherapy for malignant neoplasm	1	18	19	0.0000%
Z08.2 Follow-up exam after chemotherapy for malignant neoplasm	2	22	24	0.0001%
Z08.7 Follow-up exam after combined treatment for malig neoplasm		249	249	0.0006%
Z08.8 Follow-up exam after other treatment for malignant neoplasm		48	48	0.0001%
Z08.9 Follow-up exam after unspec treatment for malignant neoplasm	5	102	107	0.0002%
Z09.0 Follow-up examination after surgery for other conditions	223	4,648	4,871	0.0109%
Z09.1 Follow-up examination after radiotherapy for oth conditions		1	1	0.0000%
Z09.2 Follow-up examination after chemotherapy for oth conditions	44	66	110	0.0002%
Z09.4 Follow-up examination after treatment of fracture		2	2	0.0000%
Z09.7 Follow-up exam after combined treatment for other conditions	3	4	7	0.0000%
Z09.8 Follow-up exam after other treatment for other conditions	126	299	425	0.0009%
Z09.9 Follow-up exam after unspec treatment for other conditions	249	960	1,209	0.0027%
Z10.1 Routine gen health check-up of inhabitants of institutions	1		1	0.0000%
Z11.0 Special screening exam for intestinal infectious diseases	6	1	7	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z11.2 Special screening examination for other bacterial diseases	41	8	49	0.0001%
Z12.0 Special screening examination for neoplasm of stomach	4	1	5	0.0000%
Z12.1 Special screening examin for neoplasm of intestinal tract	87	114	201	0.0004%
Z12.2 Special screening exam for neoplasm of respiratory organs		3	3	0.0000%
Z12.3 Special screening examination for neoplasm of breast	69	1,102	1,171	0.0026%
Z12.4 Special screening examination for neoplasm of cervix	4	9	13	0.0000%
Z12.6 Special screening examination for neoplasm of bladder	16	32	48	0.0001%
Z12.8 Special screening examination for neoplasms of other sites	48	69	117	0.0003%
Z12.9 Special screening examination for neoplasm, unspecified		1	1	0.0000%
Z13.0 Sp screen exam dis blood/bld fm org & cer dis inv immune mec	1	1	2	0.0000%
Z13.1 Special screening examination for diabetes mellitus	7	39	46	0.0001%
Z13.2 Special screening examination for nutritional disorders	7	1	8	0.0000%
Z13.5 Special screening examination for eye and ear disorders	41	67	108	0.0002%
Z13.8 Special screening exam for oth spec diseases and disorders	60	258	318	0.0007%
Z13.9 Special screening examination, unspecified	35	8	43	0.0001%
Z20.1 Contact with and exposure to tuberculosis	1	1	2	0.0000%
Z20.8 Contact with and exposure to other communicable diseases		1	1	0.0000%
Z23.2 Need for immunization against tuberculosis [BCG]		1	1	0.0000%
Z23.4 Need for immunization against tularaemia	1		1	0.0000%
Z25.1 Need for immunization against influenza	1	1	2	0.0000%
Z26.9 Need for immunization against unspecified infectious disease	4	5	9	0.0000%
Z27.1 Need immuniz against diphtheria-tetanus-pertussis comb [DTP]		2	2	0.0000%
Z27.2 Need immuniz diphth-tetanus-pertussis with typhoid-paratyph	1		1	0.0000%
Z27.3 Need immuniz against diphth-tetanus-pertussis with polio	3		3	0.0000%
Z27.4 Need for immunization against measles-mumps-rubella [MMR]	18	15	33	0.0001%
Z27.8 Need for immunization against other combs of infectious dis		4	4	0.0000%
Z27.9 Need for immunization against unspec combs of infectious dis		4	4	0.0000%
Z29.2 Other prophylactic chemotherapy		1	1	0.0000%
Z29.8 Other specified prophylactic measures	5	10	15	0.0000%
Z30.1 Insertion of (intrauterine) contraceptive device	7	45	52	0.0001%
Z30.2 Sterilization	567	106	673	0.0015%
Z30.3 Menstrual extraction	12	12	24	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z30.5 Surveillance of (intrauterine) contraceptive device	11	16	27	0.0001%
Z30.9 Contraceptive management, unspecified	2	1	3	0.0000%
Z31.0 Tuboplasty or vasoplasty after previous sterilization	13	3	16	0.0000%
Z31.1 Artificial insemination	21	987	1,008	0.0022%
Z31.2 In vitro fertilization	83	703	786	0.0018%
Z31.3 Other assisted fertilization methods	3	45	48	0.0001%
Z31.4 Procreative investigation and testing	16	460	476	0.0011%
Z31.5 Genetic counselling	82	33	115	0.0003%
Z31.6 General counselling and advice on procreation	206	191	397	0.0009%
Z31.8 Other procreative management	31	228	259	0.0006%
Z32.0 Pregnancy, not (yet) confirmed	250	125	375	0.0008%
Z32.1 Pregnancy confirmed	596	180	776	0.0017%
Z33.X Pregnant state, incidental	1	4	5	0.0000%
Z34.0 Supervision of normal first pregnancy	1	3	4	0.0000%
Z34.8 Supervision of other normal pregnancy	4	7	11	0.0000%
Z34.9 Supervision of normal pregnancy, unspecified	1,095	3,089	4,184	0.0093%
Z35.0 Supervision of pregnancy with history of infertility	2	7	9	0.0000%
Z35.1 Supervision of pregnancy with history of abortive outcome	9	84	93	0.0002%
Z35.2 Supervision of pregnancy with oth poor repro or obstet hist	350	213	563	0.0013%
Z35.4 Supervision of pregnancy with grand multiparity	6	7	13	0.0000%
Z35.5 Supervision of elderly primigravida		2	2	0.0000%
Z35.7 Supervision of high-risk pregnancy due to social problems	1	1	2	0.0000%
Z35.8 Supervision of other high-risk pregnancies	1	8	9	0.0000%
Z35.9 Supervision of high-risk pregnancy, unspecified	2,094	4,436	6,530	0.0146%
Z36.0 Antenatal screening for chromosomal anomalies	148	27	175	0.0004%
Z36.1 Antenatal screening for raised alphafetoprotein level	26	8	34	0.0001%
Z36.4 A/N screen fetal gwth retard using ultrasound oth phys meth	10	16	26	0.0001%
Z36.5 Antenatal screening for isoimmunization		1	1	0.0000%
Z36.9 Antenatal screening, unspecified	12	552	564	0.0013%
Z39.1 Care and examination of lactating mother	1		1	0.0000%
Z39.2 Routine postpartum follow-up	69	26	95	0.0002%
Z40.0 Prophyl surgery for risk-factors related to mal neoplasms		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z41.1 Other plastic surgery for unacceptable cosmetic appearance		2	2	0.0000%
Z41.9 Proc for purposes other than remedying health state		1	1	0.0000%
Z42.0 Follow-up care involving plastic surgery of head and neck	2	4	6	0.0000%
Z42.1 Follow-up care involving plastic surgery of breast	21	120	141	0.0003%
Z42.2 Follow-up care involving plastic surgery oth parts of trunk		5	5	0.0000%
Z42.4 Follow-up care involving plastic surgery of lower extremity	1		1	0.0000%
Z42.8 Follow-up care involving plastic surgery of other body part	3	2	5	0.0000%
Z42.9 Follow-up care involving plastic surgery, unspecified	33	32	65	0.0001%
Z43.0 Attention to tracheostomy		1	1	0.0000%
Z43.1 Attention to gastrostomy	46	33	79	0.0002%
Z43.2 Attention to ileostomy	1		1	0.0000%
Z43.3 Attention to colostomy	2	1	3	0.0000%
Z43.4 Attention to other artificial openings of digestive tract	1	8	9	0.0000%
Z43.5 Attention to cystostomy		3	3	0.0000%
Z43.6 Attention to other artificial openings of urinary tract	2	43	45	0.0001%
Z43.8 Attention to other artificial openings		2	2	0.0000%
Z43.9 Attention to unspecified artificial opening	1	1	2	0.0000%
Z45.8 Adjustment and management of other implanted devices	3	217	220	0.0005%
Z45.9 Adjustment and management of unspecified implanted device	4	83	87	0.0002%
Z46.2 Fit and adjust oth devs related to nervous sys and spec sens	2	1	3	0.0000%
Z46.3 Fitting and adjustment of dental prosthetic device	1	2	3	0.0000%
Z46.4 Fitting and adjustment of orthodontic device		4	4	0.0000%
Z46.5 Fit and adjustment ileostomy and oth intestinal appliances	4	1	5	0.0000%
Z46.6 Fitting and adjustment of urinary device	13	473	486	0.0011%
Z46.8 Fitting and adjustment of other specified devices	1	5	6	0.0000%
Z46.9 Fitting and adjustment of unspecified device		4	4	0.0000%
Z47.0 Follow-up care invol remov fract plate oth int fixation dev	25	400	425	0.0009%
Z47.8 Other specified orthopaedic follow-up care	3	13	16	0.0000%
Z47.9 Orthopaedic follow-up care, unspecified		1	1	0.0000%
Z48.0 Attention to surgical dressings and sutures	21	1,369	1,390	0.0031%
Z48.8 Other specified surgical follow-up care	32	116	148	0.0003%
Z48.9 Surgical follow-up care, unspecified	1	50	51	0.0001%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z50.1 Other physical therapy	3	63	66	0.0001%
Z50.2 Alcohol rehabilitation	4	26	30	0.0001%
Z50.9 Care involving use of rehabilitation procedure, unspecified		1	1	0.0000%
Z51.0 Radiotherapy session		2	2	0.0000%
Z51.1 Chemotherapy session for neoplasm		2	2	0.0000%
Z51.4 Preparatory care for subsequent treatment NEC	76	468	544	0.0012%
Z51.5 Palliative care		1	1	0.0000%
Z51.8 Other specified medical care	11	26	37	0.0001%
Z51.9 Medical care, unspecified	3	19	22	0.0000%
Z52.3 Bone marrow donor	16	18	34	0.0001%
Z52.9 Donor of unspecified organ or tissue	4	14	18	0.0000%
Z53.0 Procedure not carried out because of contraindication	13	26	39	0.0001%
Z53.1 Proc not carried out; pat's decision reasons belief/gp press	1		1	0.0000%
Z53.2 Proc not carried out because pat's dec oth unspec reasons	7	6	13	0.0000%
Z53.8 Procedure not carried out for other reasons	42	30	72	0.0002%
Z53.9 Procedure not carried out, unspecified reason	37	19	56	0.0001%
Z55.9 Problem related to education and literacy, unspecified		2	2	0.0000%
Z56.6 Other physical and mental strain related to work	1		1	0.0000%
Z57.3 Occupational exposure to other air contaminants		1	1	0.0000%
Z59.9 Problem related to housing and economic circumstances unspec	1	1	2	0.0000%
Z60.0 Problems of adjustment to life-cycle transitions	3		3	0.0000%
Z61.0 Loss of love relationship in childhood	1		1	0.0000%
Z61.2 Altered pattern of family relationships in childhood		3	3	0.0000%
Z61.3 Events resulting in loss of self-esteem in childhood	1	9	10	0.0000%
Z61.6 Problems related to alleged physical abuse of child	7	21	28	0.0001%
Z62.0 Inadequate parental supervision and control		5	5	0.0000%
Z62.4 Emotional neglect of child	1	21	22	0.0000%
Z62.9 Problem related to upbringing, unspecified		1	1	0.0000%
Z63.0 Problems in relationship with spouse or partner	1	1	2	0.0000%
Z63.4 Disappearance and death of family member	2	6	8	0.0000%
Z63.7 Other stressful life events affecting family and household	1	5	6	0.0000%
Z63.8 Other specified problems related to primary support group		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	First appointment	Attended Subsequent appointment	All (inc first/subsequent unknown)	Percentage of All Attendances
Z63.9 Problem related to primary support group, unspecified		1 4	5	0.0000%
Z64.0 Problems related to unwanted pregnancy			1	0.0000%
Z65.9 Problem related to unspecified psychosocial circumstances		1 3	4	0.0000%
Z71.1 Person with feared complaint in whom no diagnosis is made	559	444	1,003	0.0022%
Z71.2 Person consulting for explanation of investigation findings	11	3	14	0.0000%
Z71.3 Dietary counselling and surveillance	2	7	9	0.0000%
Z71.5 Drug abuse counselling and surveillance	2	12	14	0.0000%
Z71.8 Other specified counselling	654	117	771	0.0017%
Z71.9 Counselling, unspecified	2,082	49	2,131	0.0048%
Z72.0 Tobacco use	2	31	33	0.0001%
Z72.1 Alcohol use	34	16	50	0.0001%
Z72.4 Inappropriate diet and eating habits	1		1	0.0000%
Z72.8 Other problems related to lifestyle		2	2	0.0000%
Z73.0 Burn-out	1		1	0.0000%
Z73.3 Stress, not elsewhere classified	1	2	3	0.0000%
Z73.9 Problem related to life-management difficulty, unspecified	3	9	12	0.0000%
Z75.5 Holiday relief care	8	22	30	0.0001%
Z76.8 Persons encountering health servs in oth spec circumstances	5	8	13	0.0000%
Z80.0 Family history of malignant neoplasm of digestive organs	36	52	88	0.0002%
Z80.3 Family history of malignant neoplasm of breast	366	3,872	4,238	0.0095%
Z80.4 Family history of malignant neoplasm of genital organs	2	13	15	0.0000%
Z80.5 Family history of malignant neoplasm of urinary tract	4	4	8	0.0000%
Z80.6 Family history of leukaemia	1		1	0.0000%
Z80.8 Family history of malignant neoplasm of other organs or sys	20	172	192	0.0004%
Z80.9 Family history of malignant neoplasm, unspecified	15	292	307	0.0007%
Z81.0 Family history of mental retardation	1		1	0.0000%
Z82.4 Fam hist ischaemic heart dis oth dis of the circulatory sys	1		1	0.0000%
Z83.7 Family history of diseases of the digestive system	2	2	4	0.0000%
Z84.8 Family history of other specified conditions		1	1	0.0000%
Z85.0 Personal history of malignant neoplasm of digestive organs	23	28	51	0.0001%
Z85.3 Personal history of malignant neoplasm of breast	1	22	23	0.0001%
Z85.4 Personal history of malignant neoplasm of genital organs		5	5	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z85.5 Personal history of malignant neoplasm of urinary tract		42	42	0.0001%
Z85.6 Personal history of leukaemia		3	3	0.0000%
Z85.7 Personal hist oth malig neo lymphoid h'poietic & rel tissues		1	1	0.0000%
Z85.8 Personal history of malig neoplasms of other organs and sys	1	4	5	0.0000%
Z85.9 Personal history of malignant neoplasm, unspecified	3		3	0.0000%
Z86.0 Personal history of other neoplasms	33	206	239	0.0005%
Z86.1 Personal history of infectious and parasitic diseases	33	10	43	0.0001%
Z86.4 Personal history of psychoactive substance abuse		4	4	0.0000%
Z86.5 Personal history of other mental and behavioural disorders	2	2	4	0.0000%
Z86.6 Personal history of dis of the nervous sys and sense organs		8	8	0.0000%
Z86.7 Personal history of diseases of the circulatory system	5	42	47	0.0001%
Z87.1 Personal history of diseases of the digestive system	14	45	59	0.0001%
Z87.4 Personal history of diseases of the genitourinary system	7	24	31	0.0001%
Z87.7 Personal hist of cong mal'ns deform'ns/chromosomal abnms		1	1	0.0000%
Z90.0 Acquired absence of part of head and neck		1	1	0.0000%
Z90.1 Acquired absence of breast(s)	1	6	7	0.0000%
Z90.3 Acquired absence of part of stomach	8	4	12	0.0000%
Z90.4 Acquired absence of other parts of digestive tract	2	16	18	0.0000%
Z90.5 Acquired absence of kidney		10	10	0.0000%
Z90.7 Acquired absence of genital organ(s)		1	1	0.0000%
Z91.1 Personal hist noncompliance with med treatment and regimen		1	1	0.0000%
Z91.5 Personal history of self-harm	3	34	37	0.0001%
Z92.1 Personal history long -term (current) use of anticoagulants	1	37	38	0.0001%
Z92.3 Personal history of irradiation		9	9	0.0000%
Z92.4 Personal history of major surgery, not elsewhere classified		1	1	0.0000%
Z92.8 Personal history of other medical treatment		3	3	0.0000%
Z93.0 Tracheostomy status	1		1	0.0000%
Z93.1 Gastrostomy status	5		5	0.0000%
Z93.2 Ileostomy status	1		1	0.0000%
Z93.4 Other artificial openings of gastrointestinal tract status	1		1	0.0000%
Z94.0 Kidney transplant status	8	4	12	0.0000%
Z94.1 Heart transplant status		1	1	0.0000%

Primary Diagnosis: 4 character*NHS Hospitals, England, 2004-05*

	Attended		All (inc first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z94.4 Liver transplant status		11	11	0.0000%
Z94.7 Corneal transplant status		7	7	0.0000%
Z95.2 Presence of prosthetic heart valve		25	25	0.0001%
Z95.4 Presence of other heart-valve replacement		6	6	0.0000%
Z96.0 Presence of urogenital implants		3	3	0.0000%
Z96.1 Presence of intraocular lens	43	209	252	0.0006%
Z96.5 Presence of tooth-root and mandibular implants		1	1	0.0000%
Z96.6 Presence of orthopaedic joint implants		3	3	0.0000%
Z96.8 Presence of other specified functional implants	2		2	0.0000%
Z97.0 Presence of artificial eye	3	2	5	0.0000%
Z97.2 Presence of dental prosthetic device (complete)(partial)		1	1	0.0000%
Z98.0 Intestinal bypass and anastomosis status	1	2	3	0.0000%
Z98.8 Other specified postsurgical states	2	6	8	0.0000%
Z99.9 Dependence on unspecified enabling machine and device	4	2	6	0.0000%