

Primary diagnosis: 4 character, 2005-06

For the 2005-06 financial year, Hospital Episode Statistics (HES) has collected more than 60 million records detailing outpatient appointments, delivered by NHS hospitals in England.

The latest HES data are available via the internet from the Freely available data section of the HESonline website [www.hesonline.nhs.uk]. For data breakdowns beyond the scope of the tables available, such as a count of appointments split by strategic health authority (SHA), please contact the HES team: Tel. 0845 300 6016, email hes.questions@ic.nhs.uk.

Please note that in order to avoid undue delay in the publication of these tables, the counts have not been adjusted to account for shortfalls in the number of records received from NHS trusts, or for missing/invalid clinical data (ie diagnosis and operation codes) – hence the label 'Ungrossed data' in each table.

You must exercise great care when comparing HES figures for different years. Fluctuations in the data can occur for a number of reasons, eg organisational changes, reviews of best practice within the medical community, the adoption of new coding schemes and data quality problems that are often year specific. These variations can lead to false assumptions about trends. We advise users of time series data to carefully explore the relevant issues before drawing any conclusions about the reasons for year-on-year changes.

Data quality

The HES database is assembled from records originally generated by the patient administration systems within more than five hundred separate NHS trusts. While the HES team liaise closely with the NHS in order to maintain data quality and consistency, it is inevitable in such a complex undertaking that a few errors will occur. Users of the data who discover apparent anomalies should feel free to contact the HES team, so that they may investigate.

Primary diagnosis: 4 character

Primary diagnosis

The primary diagnosis, recorded using ICD-10, is the main condition treated or investigated during the outpatient appointment.

- **4 character**

The Primary diagnosis: 4-character table provides a complete breakdown of all the 4-character primary diagnosis codes, giving an extremely detailed breakdown. The codes consist of a letter followed by two numbers with a single decimal point (eg A12.3) and are accompanied by a complete description of the diagnosis. The 4-character codes are a direct breakdown of the 3-character codes.

Table column definitions

This section contains descriptions of the column headers found in the free data tables that you can download from the HESonline website.

Attended First Appointment

This provides a count of those who attended their first outpatient appointment.

Attended Subsequent Appointment

This provides a count of those who attended an outpatient appointment, but it was a follow up appointment rather than their first appointment.

All (including first/subsequent unknown)

This provides a count of all outpatient attendances, including first, subsequent appointments as well as appointments where it is unknown.

Percentage of all attendances

This provides the all attendances count as a percentage of the total number of all attendances (including first/subsequent and unknown).

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Total	14,918,579	35,039,083	50,038,191	100.0000%
A02.9 Salmonella infection, unspecified		6	6	0.0000%
A04.7 Enterocolitis due to Clostridium difficile	1		1	0.0000%
A04.8 Other specified bacterial intestinal infections	63	17	80	0.0002%
A06.1 Chronic intestinal amoebiasis	1		1	0.0000%
A08.0 Rotaviral enteritis	1		1	0.0000%
A08.4 Viral intestinal infection, unspecified	3		3	0.0000%
A09.X Diarrhoea and gastroenteritis of presumed infectious origin	5	9	14	0.0000%
A16.2 TB lung without mention of bact or histological confirm	2	6	8	0.0000%
A16.9 Resp TB unspec without mention of bact or hist confirm	5	14	19	0.0000%
A17.0 Tuberculous meningitis		2	2	0.0000%
A18.0 Tuberculosis of bones and joints	1	2	3	0.0000%
A18.2 Tuberculous peripheral lymphadenopathy		2	2	0.0000%
A18.3 Tuberculosis of intestines, peritoneum and mesenteric glands		1	1	0.0000%
A18.5 Tuberculosis of eye	1		1	0.0000%
A19.9 Miliary tuberculosis, unspecified		1	1	0.0000%
A20.0 Bubonic Plague	486	126	612	0.0012%
A21.9 Tularaemia, unspecified	18	80	98	0.0002%
A28.1 Cat-scratch disease	1	4	5	0.0000%
A30.0 Indeterminate leprosy		1	1	0.0000%
A31.1 Cutaneous mycobacterial infection		2	2	0.0000%
A31.8 Other mycobacterial infections		1	1	0.0000%
A31.9 Mycobacterial infection, unspecified		4	4	0.0000%
A32.1 Listerial meningitis and meningoencephalitis		1	1	0.0000%
A37.9 Whooping cough, unspecified	1	1	2	0.0000%
A38.X Scarlet fever		1	1	0.0000%
A39.3 Chronic meningococcaemia	1		1	0.0000%
A40.8 Other streptococcal septicaemia		1	1	0.0000%
A41.1 Septicaemia due to other specified staphylococcus		10	10	0.0000%
A41.5 Septicaemia due to other Gram-negative organisms		1	1	0.0000%
A41.9 Septicaemia, unspecified	1	1	2	0.0000%
A48.0 Gas gangrene	1	4	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
A52.3 Neurosyphilis, unspecified		1	1	0.0000%
A56.0 Chlamydial infection of lower genitourinary tract	1		1	0.0000%
A63.0 Anogenital (venereal) warts	3	3	6	0.0000%
A68.9 Relapsing fever, unspecified	1	1	2	0.0000%
A69.2 Lyme disease	1	1	2	0.0000%
A69.9 Spirochaetal infection, unspecified	2		2	0.0000%
A71.1 Active stage of trachoma	1	1	2	0.0000%
A71.9 Trachoma, unspecified	1		1	0.0000%
A74.9 Chlamydial infection, unspecified		1	1	0.0000%
A80.9 Acute poliomyelitis, unspecified	2	11	13	0.0000%
A85.0 Enteroviral encephalitis		1	1	0.0000%
A85.8 Other specified viral encephalitis		7	7	0.0000%
A87.9 Viral meningitis, unspecified	1		1	0.0000%
B00.5 Herpesviral ocular disease	46	192	238	0.0005%
B00.8 Other forms of herpesviral infection		2	2	0.0000%
B00.9 Herpesviral infection, unspecified	2	5	7	0.0000%
B01.1 Varicella encephalitis		1	1	0.0000%
B01.8 Varicella with other complications		5	5	0.0000%
B01.9 Varicella without complication	7	2	9	0.0000%
B02.2 Zoster with other nervous system involvement	12	10	22	0.0000%
B02.3 Zoster ocular disease	30	110	140	0.0003%
B02.8 Zoster with other complications	1	1	2	0.0000%
B02.9 Zoster without complication	4	20	24	0.0000%
B06.8 Rubella with other complications		3	3	0.0000%
B07.X Viral warts	110	166	276	0.0006%
B08.1 Molluscum contagiosum	10	5	15	0.0000%
B08.3 Erythema infectiosum [fifth disease]		2	2	0.0000%
B15.9 Hepatitis A without hepatic coma	1	3	4	0.0000%
B16.9 Acute hep B without delta-agent and without hepat coma	3	6	9	0.0000%
B17.1 Acute hepatitis C		2	2	0.0000%
B18.1 Chronic viral hepatitis B without delta-agent		8	8	0.0000%
B18.2 Chronic viral hepatitis C	3	48	51	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
B20.9 HIV disease resulting in unspec infectious or parasitic dis		1	1	0.0000%
B23.0 Acute HIV infection syndrome		2	2	0.0000%
B23.1 HIV dis result (persistent) generalized lymphadenopathy		2	2	0.0000%
B23.8 HIV disease resulting in other specified conditions		1	1	0.0000%
B24.X Unspecified human immunodeficiency virus [HIV] disease	6	5	11	0.0000%
B27.0 Gammaherpesviral mononucleosis		4	4	0.0000%
B27.9 Infectious mononucleosis, unspecified	5	1	6	0.0000%
B30.0 Keratoconjunctivitis due to adenovirus		1	1	0.0000%
B30.1 Conjunctivitis due to adenovirus	1		1	0.0000%
B30.2 Viral pharyngoconjunctivitis		1	1	0.0000%
B30.8 Other viral conjunctivitis	2		2	0.0000%
B30.9 Viral conjunctivitis, unspecified	1	16	17	0.0000%
B33.3 Retrovirus infections, not elsewhere classified	1		1	0.0000%
B34.9 Viral infection, unspecified	61	26	87	0.0002%
B35.1 Tinea unguium	1	1	2	0.0000%
B35.2 Tinea manuum	1		1	0.0000%
B35.9 Dermatophytosis, unspecified	1	3	4	0.0000%
B36.0 Pityriasis versicolor	3	2	5	0.0000%
B36.9 Superficial mycosis, unspecified	5	4	9	0.0000%
B37.0 Candidal stomatitis	3	15	18	0.0000%
B37.1 Pulmonary candidiasis	3	1	4	0.0000%
B37.3 Candidiasis of vulva and vagina	2	3	5	0.0000%
B37.4 Candidiasis of other urogenital sites	1		1	0.0000%
B37.8 Candidiasis of other sites	74	27	101	0.0002%
B37.9 Candidiasis, unspecified	4	8	12	0.0000%
B44.9 Aspergillosis, unspecified		1	1	0.0000%
B49.X Unspecified mycosis	1	4	5	0.0000%
B50.9 Plasmodium falciparum malaria, unspecified	1		1	0.0000%
B54.X Unspecified malaria	1		1	0.0000%
B55.9 Leishmaniasis, unspecified	1		1	0.0000%
B57.1 Acute Chagas' disease without heart involvement		1	1	0.0000%
B58.0 Toxoplasma oculopathy		6	6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
B58.9 Toxoplasmosis, unspecified	1	5	6	0.0000%
B80.X Enterobiasis	1	1	2	0.0000%
B82.0 Intestinal helminthiasis, unspecified	1		1	0.0000%
B83.9 Helminthiasis, unspecified	1		1	0.0000%
B85.0 Pediculosis due to <i>Pediculus humanus capitis</i>		2	2	0.0000%
B86.X Scabies	3	4	7	0.0000%
B87.1 Wound myiasis		1	1	0.0000%
B88.0 Other acariasis	1		1	0.0000%
B91.X Sequelae of poliomyelitis	1		1	0.0000%
B96.8 Other spec bact agents as cause of dis class oth chaps	13		13	0.0000%
B97.7 Papillomavirus as cause of diseases classif oth chaps	1		1	0.0000%
B99.X Other and unspecified infectious diseases	107	354	461	0.0009%
C00.0 Malignant neoplasm of external upper lip	2	8	10	0.0000%
C00.1 Malignant neoplasm of external lower lip	6	58	64	0.0001%
C00.4 Malignant neoplasm of lower lip, inner aspect	3	15	18	0.0000%
C00.6 Malignant neoplasm of commissure of lip		6	6	0.0000%
C00.9 Malignant neoplasm of lip, unspecified	1	12	13	0.0000%
C01.X Malignant neoplasm of base of tongue	27	412	439	0.0009%
C02.1 Malignant neoplasm of border of tongue	14	271	285	0.0006%
C02.2 Malignant neoplasm of ventral surface of tongue		2	2	0.0000%
C02.3 Malignant neo of anterior two-thirds of tongue, part uns	4	22	26	0.0001%
C02.4 Malignant neoplasm of lingual tonsil	11	101	112	0.0002%
C02.8 Malignant neoplasm of overlapping lesion of tongue		2	2	0.0000%
C02.9 Malignant neoplasm of tongue, unspecified	54	799	853	0.0017%
C03.0 Malignant neoplasm of upper gum	1	30	31	0.0001%
C03.1 Malignant neoplasm of lower gum	8	86	94	0.0002%
C03.9 Malignant neoplasm of gum unspecified	4	43	47	0.0001%
C04.0 Malignant neoplasm of floor of anterior floor of mouth		39	39	0.0001%
C04.1 Malignant neoplasm of lateral floor of mouth		19	19	0.0000%
C04.9 Malignant neoplasm of floor of mouth, floor of mouth, unspec	15	158	173	0.0003%
C05.0 Malignant neoplasm of hard palate		16	16	0.0000%
C05.1 Malignant neoplasm of soft palate	18	228	246	0.0005%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C05.2 Malignant neoplasm of uvula	4	9	13	0.0000%
C05.9 Malignant neoplasm of palate, unspecified	8	88	96	0.0002%
C06.0 Malignant neoplasm cheek mucosa	12	195	207	0.0004%
C06.1 Malignant neoplasm of vestibule of mouth		29	29	0.0001%
C06.2 Malignant neoplasm of retromolar area	12	144	156	0.0003%
C06.9 Malignant neoplasm of part of mouth, unspecified	27	306	333	0.0007%
C07.X Malignant neoplasm of parotid gland	46	384	430	0.0009%
C08.0 Malignant neoplasm of submandibular gland	5	62	67	0.0001%
C08.9 Malignant neoplasm of major salivary gland, unspecified	2	35	37	0.0001%
C09.0 Malignant neoplasm tonsillar fossa	3	60	63	0.0001%
C09.1 Malig neo of tonsillar pillar (anterior)(posterior)	2	25	27	0.0001%
C09.9 Malignant neoplasm of tonsil unspecified	75	1,257	1,332	0.0027%
C10.0 Malignant neoplasm of vallecula	1	1	2	0.0000%
C10.1 Malignant neoplasm of anterior surface of epiglottis		2	2	0.0000%
C10.2 Malignant neoplasm of lateral wall of oropharynx	1		1	0.0000%
C10.3 Malignant neoplasm of posterior wall of oropharynx	4	23	27	0.0001%
C10.8 Malignant neoplasm overlapping lesion of oropharynx		3	3	0.0000%
C10.9 Malignant neoplasm of oropharynx unspecified	25	426	451	0.0009%
C11.0 Malignant neoplasm of superior wall of nasopharynx		2	2	0.0000%
C11.1 Malignant neoplasm of posterior wall of nasopharynx	2	51	53	0.0001%
C11.2 Malignant neoplasm of lateral wall of nasopharynx		10	10	0.0000%
C11.3 Malignant neoplasm of anterior wall of nasopharynx		5	5	0.0000%
C11.8 Malignant neoplasm overlapping lesion of nasopharynx		12	12	0.0000%
C11.9 Malignant neoplasm of nasopharynx unspecified	29	599	628	0.0013%
C12.X Malignant neoplasm of pyriform sinus	32	344	376	0.0008%
C13.0 Malignant neoplasm of hypopharynx, postcricoid region		7	7	0.0000%
C13.1 Malig neoplasm aryepiglottic fold, hypopharyngeal aspect	3	61	64	0.0001%
C13.8 Malignant neoplasm overlapping lesion of hypopharynx		1	1	0.0000%
C13.9 Malignant neoplasm of hypopharynx unspecified	11	93	104	0.0002%
C14.0 Malignant neoplasm of pharynx, unsp	27	293	320	0.0006%
C14.8 Malig neo, overlapping lesion of lip, oral cavity & pharynx	64	181	245	0.0005%
C15.2 Malignant neo of abdominal part of oesophagus		39	39	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
C15.3 Malignant neoplasm of upper third of oesophagus	20	149	169	0.0003%
C15.4 Malignant neoplasm of middle third of oesophagus	43	311	354	0.0007%
C15.5 Malignant neoplasm of lower third of oesophagus	153	1,022	1,175	0.0023%
C15.8 Malignant neoplasm overlapping lesion of oesophagus	8	65	73	0.0001%
C15.9 Malignant neoplasm of oesophagus unspecified	262	1,474	1,736	0.0035%
C16.0 Malignant neoplasm of cardia of stomach	59	569	628	0.0013%
C16.1 Malignant neoplasm of fundus of stomach	4	28	32	0.0001%
C16.2 Malignant neoplasm of body of stomach	3	41	44	0.0001%
C16.3 Malignant neoplasm of pyloric antrum	7	96	103	0.0002%
C16.4 Malignant neoplasm of pylorus	4	19	23	0.0000%
C16.5 Malignant neoplasm of lesser curvature of stomach, unsp	3	72	75	0.0001%
C16.6 Malignant neoplasm of greater curvature of stomach, unsp	5	13	18	0.0000%
C16.8 Malignant neoplasm overlapping lesion of stomach	3	27	30	0.0001%
C16.9 Malignant neoplasm of stomach, unspecified	158	969	1,127	0.0023%
C17.0 Malignant neoplasm of small intestine, duodenum	9	85	94	0.0002%
C17.1 Malignant neoplasm of small intestine, jejunum	3	17	20	0.0000%
C17.2 Malignant neoplasm of small intestine, ileum	3	30	33	0.0001%
C17.8 Malignant neoplasm overlapping lesion of small intestine		3	3	0.0000%
C17.9 Malignant neoplasm of small intestine, unspecified	15	86	101	0.0002%
C18.0 Malignant neoplasm of caecum	83	1,130	1,213	0.0024%
C18.1 Malignant neoplasm of appendix	4	30	34	0.0001%
C18.2 Malignant neoplasm of ascending colon	38	356	394	0.0008%
C18.3 Malignant neoplasm of hepatic flexure	7	120	127	0.0003%
C18.4 Malignant neoplasm of transverse colon	19	208	227	0.0005%
C18.5 Malignant neoplasm of splenic flexure	9	100	109	0.0002%
C18.6 Malignant neoplasm of descending colon	11	131	142	0.0003%
C18.7 Malignant neoplasm of sigmoid colon	115	1,394	1,509	0.0030%
C18.8 Malignant neoplasm overlapping lesion of colon	1		1	0.0000%
C18.9 Malignant neoplasm of colon, unspecified	252	1,811	2,063	0.0041%
C19.X Malignant neoplasm of rectosigmoid junction	85	1,109	1,194	0.0024%
C20.X Malignant neoplasm of rectum	504	6,476	6,980	0.0139%
C21.0 Malignant neoplasm of anus, unspecified	21	471	492	0.0010%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
C21.1 Malignant neoplasm of anal canal		25 228	253	0.0005%
C21.2 Malignant neoplasm of cloacogenic zone			1	0.0000%
C21.8 Malig neo, overlapping lesion of rectum, anus and anal canal		12 205	217	0.0004%
C22.0 Malignant neoplasm, liver cell carcinoma		38 249	287	0.0006%
C22.1 Malignant neoplasm, intrahep bile duct carcinoma		10 160	170	0.0003%
C22.9 Malignant neoplasm, liver, unspecified		3 11	14	0.0000%
C23.X Malignant neoplasm of gallbladder		12 162	174	0.0003%
C24.0 Malignant neoplasm of extrahepatic bile duct		12 149	161	0.0003%
C24.1 Malignant neoplasm of Ampulla of Vater		8 144	152	0.0003%
C24.9 Malignant neoplasm of biliary tract, unspecified		4 11	15	0.0000%
C25.0 Malignant neoplasm of head of pancreas		31 624	655	0.0013%
C25.1 Malignant neoplasm of body of pancreas		7 151	158	0.0003%
C25.2 Malignant neoplasm of tail of pancreas		4 15	19	0.0000%
C25.3 Malignant neoplasm of pancreatic duct		1 14	15	0.0000%
C25.4 Malignant neoplasm of endocrine pancreas			33	0.0001%
C25.7 Malignant neoplasm of other parts of pancreas			5	0.0000%
C25.8 Malignant neoplasm, overlapping lesion of pancreas		3 38	41	0.0001%
C25.9 Malignant neoplasm of pancreas, unspecified		90 1,126	1,216	0.0024%
C26.0 Malignant neoplasm of intestinal tract, part unsp		5 34	39	0.0001%
C26.9 Malignant neoplasm of ill-def sites within digestive system		7 76	83	0.0002%
C30.0 Malignant neoplasm of nasal cavity		10 129	139	0.0003%
C30.1 Malignant neoplasm of middle ear			18	0.0000%
C31.0 Malignant neoplasm of maxillary sinus		12 110	122	0.0002%
C31.1 Malignant neoplasm of ethmoidal sinus		2 45	47	0.0001%
C31.2 Malignant neoplasm of frontal sinus		1 4	5	0.0000%
C31.8 Malignant neoplasm, overlapping lesion accessory sinuses			5	0.0000%
C31.9 Malignant neoplasm of accessory sinus, unsp		2 18	20	0.0000%
C32.0 Malignant neoplasm of glottis		122 1,921	2,043	0.0041%
C32.1 Malignant neoplasm of supraglottis		42 443	485	0.0010%
C32.2 Malignant neoplasm of subglottis		3 23	26	0.0001%
C32.3 Malignant neoplasm of laryngeal cartilage			7	0.0000%
C32.8 Malignant neoplasm, overlapping lesion of larynx		4 37	41	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C32.9 Malignant neoplasm of larynx, unspecified	65	714	779	0.0016%
C33.X Malignant neoplasm of trachea	2	25	27	0.0001%
C34.0 Malignant neoplasm of main bronchus	44	454	498	0.0010%
C34.1 Malignant neoplasm of upper lobe, bronchus or lung	379	4,736	5,115	0.0102%
C34.2 Malignant neoplasm of middle lobe, bronchus or lung	34	317	351	0.0007%
C34.3 Malignant neoplasm of lower lobe, bronchus or lung	150	2,048	2,198	0.0044%
C34.8 Malignant neoplasm of overlap les of bronchus & lung	15	143	158	0.0003%
C34.9 Malignant neoplasm of bronchus or lung, unsp	982	5,970	6,952	0.0139%
C37.X Malignant neoplasm of thymus	17	163	180	0.0004%
C38.0 Malignant neoplasm of heart, mediastinum & pleura, heart	1	21	22	0.0000%
C38.1 Malignant neoplasm of anterior mediastinum		16	16	0.0000%
C38.2 Malignant neoplasm of posterior mediastinum	1	21	22	0.0000%
C38.3 Malig neo heart, mediastinum & pleura,mediastinum,part unsp	4	58	62	0.0001%
C38.4 Malignant neoplasm of pleura	34	73	107	0.0002%
C39.9 Malignant neoplasm of ill-def sites within the resp sys	8	11	19	0.0000%
C40.0 Malignant neoplasm of scapula and long bones of upper limb	8	70	78	0.0002%
C40.1 Malignant neoplasm of short bones of upper limb		6	6	0.0000%
C40.2 Malignant neoplasm of long bones of lower limb	6	115	121	0.0002%
C40.9 Malignant neoplasm of bone and artic cart of limb, unsp		1	1	0.0000%
C41.0 Malignant neoplasm of bones of skull and face	18	128	146	0.0003%
C41.1 Malignant neoplasm of mandible	8	88	96	0.0002%
C41.2 Malignant neoplasm of vertebral column	10	132	142	0.0003%
C41.3 Malignant neoplasm of ribs, sternum and clavicle	1	17	18	0.0000%
C41.4 Malignant neoplasm of sacrum and coccyx	8	62	70	0.0001%
C41.9 Malignant neoplasm of bone and articular cartilage, unsp	28	254	282	0.0006%
C43.1 Malignant melanoma of eyelid, including canthus	3	6	9	0.0000%
C43.2 Malignant melanoma of ear and ext auricular canal	2	38	40	0.0001%
C43.3 Malignant melanoma of other and unspecified parts of face	21	89	110	0.0002%
C43.4 Malignant melanoma of scalp and neck	9	109	118	0.0002%
C43.5 Malignant melanoma of trunk	41	418	459	0.0009%
C43.6 Malignant melanoma of upper limb, including shoulder	27	336	363	0.0007%
C43.7 Malignant melanoma of lower limb, including hip	60	680	740	0.0015%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
C43.8 Malignant melanoma of skin		2	2	0.0000%
C43.9 Malignant melanoma of skin, unsp	53	689	742	0.0015%
C44.0 Other malignant neoplasms of skin of lip	34	111	145	0.0003%
C44.1 Other malignant neoplasms of skin of eyelid, incl canthus	241	424	665	0.0013%
C44.2 Oth malignant neoplasms of skin of ear & ext auricular canal	141	753	894	0.0018%
C44.3 Oth malignant neoplasm of skin of oth & unsp parts of face	1,403	4,030	5,433	0.0109%
C44.4 Other malignant neoplasms of skin of scalp and neck	174	866	1,040	0.0021%
C44.5 Other malignant neoplasms of skin of trunk	104	589	693	0.0014%
C44.6 Oth malignant neoplasms of skin of upper limb, incl shoulder	56	333	389	0.0008%
C44.7 Other malignant neoplasms of skin of lower limb, incl hip	55	367	422	0.0008%
C44.8 Other malignant neoplasms, overlapping lesion of skin		9	9	0.0000%
C44.9 Other malignant neoplasms of skin, unspecified	873	2,335	3,208	0.0064%
C45.0 Mesothelioma of pleura	54	434	488	0.0010%
C45.1 Mesothelioma of peritoneum	3	14	17	0.0000%
C45.7 Mesothelioma of other sites		2	2	0.0000%
C45.9 Mesothelioma, unspecified	24	34	58	0.0001%
C46.0 Kaposi's sarcoma of skin	1	13	14	0.0000%
C46.2 Kaposi's sarcoma of palate		1	1	0.0000%
C46.9 Kaposi's sarcoma, unspecified	1	11	12	0.0000%
C47.0 Malignant neoplasm of peripheral nerve of head, face & neck	1		1	0.0000%
C47.2 Malignant neoplasm of peripheral nerve of low limb, incl hip		2	2	0.0000%
C47.3 Malignant neoplasm of peripheral nerve of thorax		2	2	0.0000%
C47.4 Malignant neoplasm of peripheral nerve of abdomen		5	5	0.0000%
C47.9 Malignant neoplasm periph nerve & autonomic ns, unsp	5	15	20	0.0000%
C48.0 Malignant neoplasm of retroperitoneum	32	344	376	0.0008%
C48.1 Malignant neoplasm of spec parts of peritoneum	9	64	73	0.0001%
C48.2 Malignant neoplasm of peritoneum, unsp	24	289	313	0.0006%
C49.0 Malignant neoplasm of conn and soft tiss head, face & neck	19	177	196	0.0004%
C49.1 Malignant neoplasm of conn and soft tiss upp limb,inc should	31	361	392	0.0008%
C49.2 Malignant neoplasm of conn and soft tiss,lower limb,inc hip	89	1,011	1,100	0.0022%
C49.3 Malignant neoplasm of conn and soft tiss of thorax	18	198	216	0.0004%
C49.4 Malignant neoplasm of conn and soft tiss of abdomen	18	146	164	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C49.5 Malignant neoplasm of conn and soft tiss of pelvis	25	342	367	0.0007%
C49.6 Malignant neoplasm of conn and soft tiss of trunk, unsp	2	6	8	0.0000%
C49.8 Malignant neoplasm, overlap lesion connective & soft tiss	8	31	39	0.0001%
C49.9 Malignant neoplasm of connective and soft tissue, unsp	47	649	696	0.0014%
C50.0 Malignant neoplasm of nipple and areola	9	144	153	0.0003%
C50.1 Malignant neoplasm of central portion of breast	10	299	309	0.0006%
C50.2 Malignant neoplasm of upper-inner quadrant of breast	32	489	521	0.0010%
C50.3 Malignant neoplasm of lower-inner quadrant of breast	20	375	395	0.0008%
C50.4 Malignant neoplasm of upper-outer quadrant of breast	138	2,223	2,361	0.0047%
C50.5 Malignant neoplasm of lower-outer quadrant of breast	11	200	211	0.0004%
C50.6 Malignant neoplasm of axillary tail of breast	712	1,415	2,127	0.0043%
C50.8 Malignant neoplasm, overlapping lesion of breast	56	757	813	0.0016%
C50.9 Malignant neoplasm of breast, unspecified	3,023	41,023	44,046	0.0880%
C51.0 Malignant neoplasm of labium majus	1	25	26	0.0001%
C51.8 Malignant neoplasm of overlapping lesion of vulva		1	1	0.0000%
C51.9 Malignant neoplasm of vulva, unspecified	35	352	387	0.0008%
C52.X Malignant neoplasm of vagina	25	296	321	0.0006%
C53.0 Malignant neoplasm of endocervix	8	197	205	0.0004%
C53.8 Malignant neoplasm, overlapping lesion of cervix uteri	2	1	3	0.0000%
C53.9 Malignant neoplasm of cervix uteri, unsp	204	2,768	2,972	0.0059%
C54.0 Malignant neoplasm of isthmus uteri		9	9	0.0000%
C54.1 Malignant neoplasm of endometrium	199	2,904	3,103	0.0062%
C54.2 Malignant neoplasm of myometrium	1	23	24	0.0000%
C54.8 Malignant neoplasm overlapping lesion of corpus uteri		1	1	0.0000%
C54.9 Malignant neoplasm of corpus uteri, unsp	83	647	730	0.0015%
C55.X Malignant neoplasm of uterus, part unspecified	33	380	413	0.0008%
C56.X Malignant neoplasm of ovary	231	5,192	5,423	0.0108%
C57.0 Malignant neoplasm of fallopian tube	7	116	123	0.0002%
C57.1 Malignant neoplasm of broad ligament		3	3	0.0000%
C57.3 Malignant neoplasm of parametrium		2	2	0.0000%
C57.8 Malignant neoplasm, overlapping lesion female genital organs	1		1	0.0000%
C57.9 Malignant neoplasm of female genital organ, unspecified	4	14	18	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C60.0 Malignant neoplasm of prepuce		2	2	0.0000%
C60.1 Malignant neoplasm of glans penis	5	86	91	0.0002%
C60.2 Malignant neoplasm of body of penis	1	2	3	0.0000%
C60.8 Malignant neoplasm, overlapping lesion of penis	1	5	6	0.0000%
C60.9 Malignant neoplasm of penis, unspecified	5	35	40	0.0001%
C61.X Malignant neoplasm of prostate	2,002	23,148	25,150	0.0503%
C62.0 Malignant neoplasm of undescended testis		4	4	0.0000%
C62.1 Malignant neoplasm of descended testis	4	172	176	0.0004%
C62.9 Malignant neoplasm of testis, unspecified	156	2,612	2,768	0.0055%
C63.0 Malignant neoplasm of epididymis		11	11	0.0000%
C63.1 Malignant neoplasm of spermatic cord	4	14	18	0.0000%
C63.2 Malignant neoplasm of scrotum	1	20	21	0.0000%
C63.9 Malignant neoplasm of male genital organ, unspecified	3	4	7	0.0000%
C64.X Malignant neoplasm of kidney, except renal pelvis	169	2,272	2,441	0.0049%
C65.X Malignant neoplasm of renal pelvis	3	12	15	0.0000%
C66.X Malignant neoplasm of ureter	5	132	137	0.0003%
C67.0 Malignant neoplasm of trigone of bladder	4	18	22	0.0000%
C67.1 Malignant neoplasm of dome of bladder	7	63	70	0.0001%
C67.2 Malignant neoplasm of lateral wall of bladder	19	139	158	0.0003%
C67.3 Malignant neoplasm of anterior wall of bladder	2	52	54	0.0001%
C67.4 Malignant neoplasm of posterior wall of bladder	7	128	135	0.0003%
C67.5 Malignant neoplasm of bladder neck	5	28	33	0.0001%
C67.6 Malignant neoplasm of ureteric orifice	3	32	35	0.0001%
C67.7 Malignant neoplasm of urachus	1	19	20	0.0000%
C67.8 Malignant neoplasm, overlapping lesion of bladder		58	58	0.0001%
C67.9 Malignant neoplasm of bladder, unspecified	364	3,348	3,712	0.0074%
C68.0 Malignant neoplasm of urethra	5	65	70	0.0001%
C68.9 Malignant neoplasm of urinary organ, unspecified	1	34	35	0.0001%
C69.0 Malignant neoplasm of conjunctiva	6	14	20	0.0000%
C69.2 Malignant neoplasm of retina	2	1	3	0.0000%
C69.3 Malignant neoplasm of choroid	3	6	9	0.0000%
C69.4 Malignant neoplasm of ciliary body		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C69.5 Malignant neoplasm of lacrimal gland and duct	1	5	6	0.0000%
C69.6 Malignant neoplasm of orbit	6	69	75	0.0001%
C69.9 Malignant neoplasm of eye, unspecified	10	32	42	0.0001%
C70.0 Malignant neoplasm of, cerebral meninges	15	67	82	0.0002%
C70.9 Malignant neoplasm of meninges, unspecified	2	13	15	0.0000%
C71.0 Malignant neoplasm of cerebrum, except lobes & ventricles	116	1,014	1,130	0.0023%
C71.1 Malignant neoplasm of cerebrum, frontal lobe	47	418	465	0.0009%
C71.2 Malignant neoplasm of cerebrum, temporal lobe	32	399	431	0.0009%
C71.3 Malignant neoplasm of cerebrum, parietal lobe	27	376	403	0.0008%
C71.4 Malignant neoplasm of cerebrum, occipital lobe	7	15	22	0.0000%
C71.5 Malignant neoplasm of cerebrum, cerebral ventricle	5	85	90	0.0002%
C71.6 Malignant neoplasm of cerebrum, cerebellum	5	109	114	0.0002%
C71.7 Malignant neoplasm of cerebrum, brain stem	8	185	193	0.0004%
C71.8 Malignant neoplasm of cerebrum, overlapping lesion of brain	11	162	173	0.0003%
C71.9 Malignant neoplasm of cerebrum, brain, unspecified	136	889	1,025	0.0020%
C72.0 Malignant neoplasm of spinal cord	6	97	103	0.0002%
C72.3 Malignant neoplasm of Optic nerve	3	3	6	0.0000%
C72.5 Malignant neoplasm of other and unspecified cranial nerves	6	77	83	0.0002%
C72.9 Malignant neoplasm of Central Nervous System, unspecified	1	10	11	0.0000%
C73.X Malignant neoplasm of thyroid gland	124	1,585	1,709	0.0034%
C74.0 Malignant neoplasm of cortex of adrenal gland		3	3	0.0000%
C74.9 Malignant neoplasm of adrenal gland, unsp	13	188	201	0.0004%
C75.0 Malignant neoplasm of parathyroid gland		7	7	0.0000%
C75.1 Malignant neoplasm of pituitary gland	15	239	254	0.0005%
C75.3 Malignant neoplasm of pineal gland	3	33	36	0.0001%
C75.5 Malignant neoplasm of aortic body and other paraganglia		2	2	0.0000%
C75.9 Malignant neoplasm of endocrine gland, unspecified		6	6	0.0000%
C76.0 Malignant neoplasm of head, face & neck	125	458	583	0.0012%
C76.1 Malignant neoplasm of thorax	6	74	80	0.0002%
C76.2 Malignant neoplasm of abdomen	13	238	251	0.0005%
C76.3 Malignant neoplasm of pelvis	7	84	91	0.0002%
C76.4 Malignant neoplasm of upper limb	1	42	43	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
C76.5 Malignant neoplasm of lower limb		5 17	22	0.0000%
C76.7 Malignant neoplasm of other ill-defined sites		1	1	0.0000%
C76.8 Malignant neoplasm, overlap lesion oth & ill-defined sites		1	1	0.0000%
C77.0 Sec & uns malig neoplasm of lymph nodes of head, face & neck	108	1,094	1,202	0.0024%
C77.1 Sec & uns malignant neoplasm of intrathoracic lymph nodes	81	762	843	0.0017%
C77.2 Sec & uns malignant neoplasm of intra-abdominal lymph nodes	53	779	832	0.0017%
C77.3 Sec & uns malig neoplasm of axillary & upp limb lymph nodes	59	737	796	0.0016%
C77.4 Sec & uns malig neoplasm of inguinal & low limb lymph nodes	13	189	202	0.0004%
C77.5 Sec & uns malignant neoplasm of intrapelvic lymph nodes	28	329	357	0.0007%
C77.8 Sec & uns malig neoplasm of lymph nodes of multiple regions	2	14	16	0.0000%
C77.9 Sec & uns malignant neoplasm of lymph node, unspecified	69	531	600	0.0012%
C78.0 Secondary malignant neoplasm of lung	191	1,748	1,939	0.0039%
C78.1 Secondary malignant neoplasm of mediastinum	11	77	88	0.0002%
C78.2 Secondary malignant neoplasm of pleura	15	139	154	0.0003%
C78.3 Secondary malignant neoplasm of oth & unsp respiratory orgs		3	3	0.0000%
C78.4 Secondary malignant neoplasm of small intestine	4	33	37	0.0001%
C78.5 Secondary malignant neoplasm of large intest & rectum	4	45	49	0.0001%
C78.6 Secondary malignant neoplasm of retroperitoneum & peritoneum	35	454	489	0.0010%
C78.7 Secondary malignant neoplasm of liver	250	1,779	2,029	0.0041%
C78.8 Secondary malignant neoplasm of other & unsp digestive orgs	10	42	52	0.0001%
C79.0 Secondary malignant neoplasm of kidney & renal pelvis	1	24	25	0.0000%
C79.1 Secondary malignant neoplasm of oth & uns urinary organs	6	25	31	0.0001%
C79.2 Secondary malignant neoplasm of skin	24	207	231	0.0005%
C79.3 Secondary malignant neoplasm of brain & cerebral meninges	168	869	1,037	0.0021%
C79.4 Secondary malignant neoplasm of oth & unsp parts nervous sys	2	58	60	0.0001%
C79.5 Secondary malignant neoplasm of bone and bone marrow	639	3,618	4,257	0.0085%
C79.6 Secondary malignant neoplasm of ovary	6	142	148	0.0003%
C79.7 Secondary malignant neoplasm of adrenal gland	11	57	68	0.0001%
C79.8 Secondary malignant neoplasm of other specified sites	71	592	663	0.0013%
C80.X Malignant neoplasm without specification of site	460	3,376	3,836	0.0077%
C81.0 Hodgkin's disease, lymphocytic predominance	3	68	71	0.0001%
C81.1 Hodgkin's disease, nodular sclerosis	38	868	906	0.0018%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
C81.2 Hodgkin's disease, mixed cellularity		2 48	50	0.0001%
C81.3 Hodgkin's disease, lymphocytic depletion			8	0.0000%
C81.7 Hodgkin's disease, other Hodgkin's disease		2 46	48	0.0001%
C81.9 Hodgkin's disease, Hodgkin's disease, unspecified		85 2,143	2,228	0.0045%
C82.0 Follicular non-Hodgkin's small cleaved cell lymphoma		3 42	45	0.0001%
C82.1 Follicular non-Hodg mixed sml cleavd & lge cell lymphoma		2 63	65	0.0001%
C82.2 Follicular non-Hodgkin's large cell lymphoma		3 22	25	0.0000%
C82.7 Follicular non-Hodgkin's other types of lymphoma		18 378	396	0.0008%
C82.9 Follicular non-Hodgkin's unspecified lymphoma		58 1,248	1,306	0.0026%
C83.0 Diffuse non-Hodgkin's small cell (diffuse)lymphoma		13 509	522	0.0010%
C83.1 Diffuse non-Hodgkin's small cleaved cell (diffuse) lymphoma		3 42	45	0.0001%
C83.2 Diffuse non-Hodgkin mixed sml & lge cell (diffuse) lymphoma		4 47	51	0.0001%
C83.3 Diffuse non-Hodgkin's large cell (diffuse) lymphoma		55 1,104	1,159	0.0023%
C83.4 Diffuse non-Hodgkin's immunoblastic (diffuse) lymphoma			13	0.0000%
C83.5 Diffuse non-Hodgkin's lymphoblastic (diffuse) lymphoma		2 116	118	0.0002%
C83.7 Diffuse non-Hodgkin's lymphoma, Burkitt's tumour		6 103	109	0.0002%
C83.8 Other types of diffuse non-Hodgkin's lymphoma		11 331	342	0.0007%
C83.9 Diffuse non-Hodgkin's lymphoma, unspecified		1 28	29	0.0001%
C84.0 Peripheral and cutaneous T-cell lymphomas, mycosis fungoides		5 110	115	0.0002%
C84.4 Periph & cutan T-cell lymphomas, peripheral T-cell lymphoma		3 55	58	0.0001%
C84.5 Periph & cutan T-cell lymphomas, oth & unsp T-cell lymphomas		12 426	438	0.0009%
C85.0 Oth & unsp types of non-Hodgkin's lymphoma, lymphosarcoma			10	0.0000%
C85.1 Oth & unsp types non-Hodgkin's B-cell lymphoma, unsp		32 518	550	0.0011%
C85.7 Oth specified types of non-Hodgkin's lymphoma		11 119	130	0.0003%
C85.9 Non-Hodgkin's lymphoma, unspecified type		219 5,278	5,497	0.0110%
C88.0 Waldenstrom's macroglobulinaemia		3 204	207	0.0004%
C90.0 Multiple myeloma		168 5,178	5,346	0.0107%
C90.1 Plasma cell leukaemia		1 2	3	0.0000%
C90.2 Malignant plasma cell neoplasm, extramedullary plasmacytoma		20 203	223	0.0004%
C91.0 Acute lymphoblastic leukaemia		58 1,678	1,736	0.0035%
C91.1 Chronic lymphocytic leukaemia		50 2,399	2,449	0.0049%
C91.2 Subacute lymphocytic leukaemia			20	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
C91.3 Polymphocytic leukaemia	2	43	45	0.0001%
C91.4 Hairy-cell leukaemia	4	233	237	0.0005%
C91.5 Adult T-cell leukaemia	4	27	31	0.0001%
C91.7 Other lymphoid leukaemia		4	4	0.0000%
C91.9 Lymphoid leukaemia, unspecified	3	49	52	0.0001%
C92.0 Acute myeloid leukaemia	62	2,153	2,215	0.0044%
C92.1 Chronic myeloid leukaemia	29	563	592	0.0012%
C92.3 Myeloid sarcoma	1		1	0.0000%
C92.4 Acute promyelocytic leukaemia	3	113	116	0.0002%
C92.5 Acute myelomonocytic leukaemia	1		1	0.0000%
C92.7 Other myeloid leukaemia	1	35	36	0.0001%
C92.9 Myeloid leukaemia, unspecified	4	8	12	0.0000%
C93.0 Acute monocytic leukaemia		2	2	0.0000%
C93.1 Chronic monocytic leukaemia		29	29	0.0001%
C94.0 Acute erythraemia & erythroleukaemia		2	2	0.0000%
C94.5 Acute myelofibrosis		1	1	0.0000%
C95.0 Acute leukaemia of unsp cell type	4	19	23	0.0000%
C95.1 Chronic leukaemia unsp cell type	1	10	11	0.0000%
C95.9 Leukaemia, unspecified	6	90	96	0.0002%
C96.2 Malignant mast cell tumour	2	2	4	0.0000%
C96.3 True histiocyte lymphoma	3	27	30	0.0001%
C96.7 Oth spec malig neop lymphoid h'poietic & related tissue		4	4	0.0000%
C96.9 Malig neop lymphoid haematopoietic and related tissue unsp	14	145	159	0.0003%
D00.0 Carcinoma in situ of lip, oral cavity and pharynx	1	21	22	0.0000%
D00.1 Carcinoma in situ oesophagus	4	11	15	0.0000%
D00.2 Carcinoma in situ stomach		1	1	0.0000%
D01.0 Carcinoma in situ colon		2	2	0.0000%
D01.1 Carcinoma in situ rectosigmoid junction		1	1	0.0000%
D01.2 Carcinoma in situ rectum	1	9	10	0.0000%
D01.7 Carcinoma in situ other specified digestive organs		1	1	0.0000%
D02.0 Carcinoma in situ larynx	4	77	81	0.0002%
D02.2 Carcinoma in situ bronchus and lung		6	6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D03.1 Melanoma in situ of eyelid, including canthus	1	1	2	0.0000%
D03.2 Melanoma in situ of ear and external auricular canal		8	8	0.0000%
D03.3 Melanoma in situ of other and unspecified parts of face	18	65	83	0.0002%
D03.4 Melanoma in situ of scalp and neck		1	1	0.0000%
D03.5 Melanoma in situ of trunk		10	10	0.0000%
D03.6 Melanoma in situ of upper limb, including shoulder	2	5	7	0.0000%
D03.7 Melanoma in situ of lower limb, including hip	7	12	19	0.0000%
D03.8 Melanoma in situ of other sites	2	2	4	0.0000%
D03.9 Melanoma in situ, unspecified	2	14	16	0.0000%
D04.0 Carcinoma in situ of skin of lip	1	2	3	0.0000%
D04.1 Carcinoma in situ of skin of eyelid, including canthus	4	14	18	0.0000%
D04.2 Carcinoma in situ of skin of ear & external auricular canal	5	37	42	0.0001%
D04.3 Carcinoma in situ of skin of other & unsp parts of face	15	66	81	0.0002%
D04.4 Carcinoma in situ of skin of scalp and neck	5	35	40	0.0001%
D04.5 Carcinoma in situ of skin of trunk	6	60	66	0.0001%
D04.6 Carcinoma in situ of skin of upper limb, including shoulder	9	36	45	0.0001%
D04.7 Carcinoma in situ of skin of lower limb, including hip	20	156	176	0.0004%
D04.9 Carcinoma in situ of skin unspecified	10	26	36	0.0001%
D05.1 Intraductal carcinoma in situ	12	165	177	0.0004%
D05.9 Carcinoma in situ of breast, unspecified	149	2,199	2,348	0.0047%
D06.0 Carcinoma in situ of endocervix	1	5	6	0.0000%
D06.9 Carcinoma in situ of cervix, unspecified	208	247	455	0.0009%
D07.1 Carcinoma in situ of vulva	6	19	25	0.0000%
D07.2 Carcinoma in situ of vagina	4	19	23	0.0000%
D07.4 Carcinoma in situ of penis		4	4	0.0000%
D07.5 Carcinoma in situ of prostate	3	35	38	0.0001%
D07.6 Carcinoma in situ of other and unsp male genital organs	1	8	9	0.0000%
D09.0 Carcinoma in situ of bladder	3	26	29	0.0001%
D09.7 Carcinoma in situ of other specified sites	2	5	7	0.0000%
D09.9 Carcinoma in situ, unspecified		4	4	0.0000%
D10.0 Benign neoplasm of lip	3	9	12	0.0000%
D10.1 Benign neoplasm of tongue	7	15	22	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
D10.2 Benign neoplasm of floor of mouth		2	2	0.0000%
D10.3 Benign neoplasm of other and unsp parts of mouth	5	22	27	0.0001%
D10.5 Benign neoplasm of other parts of oropharynx	1		1	0.0000%
D11.0 Benign neoplasm of parotid gland	11	148	159	0.0003%
D11.9 Benign neoplasm of major salivary gland, unspecified	2	11	13	0.0000%
D12.0 Benign neoplasm of caecum	41	21	62	0.0001%
D12.1 Benign neoplasm of appendix	2	15	17	0.0000%
D12.2 Benign neoplasm of ascending colon	24	22	46	0.0001%
D12.3 Benign neoplasm of transverse colon	27	46	73	0.0001%
D12.4 Benign neoplasm of descending colon	15	24	39	0.0001%
D12.5 Benign neoplasm of sigmoid colon	119	93	212	0.0004%
D12.6 Benign neoplasm of colon, unspecified	176	215	391	0.0008%
D12.7 Benign neoplasm of rectosigmoid junction	37	10	47	0.0001%
D12.8 Benign neoplasm of rectum	78	98	176	0.0004%
D12.9 Benign neoplasm of anus and anal canal	7	2	9	0.0000%
D13.0 Benign neoplasm of oesophagus	44	202	246	0.0005%
D13.1 Benign neoplasm of stomach	54	46	100	0.0002%
D13.2 Benign neoplasm of duodenum	5	14	19	0.0000%
D13.3 Benign neoplasm of other and unsp parts of small intestine	2	1	3	0.0000%
D13.4 Benign neoplasm of liver	1	1	2	0.0000%
D13.5 Benign neoplasm of extrahepatic bile ducts	2	1	3	0.0000%
D13.6 Benign neoplasm of pancreas	2	6	8	0.0000%
D13.7 Benign neoplasm of endocrine pancreas	1	2	3	0.0000%
D13.9 Benign neoplasm of ill-defined site within the digestive sys	5	25	30	0.0001%
D14.0 Benign neoplasm of mid ear, nasal cav & accessory sinus	1	2	3	0.0000%
D14.1 Benign neoplasm of larynx		1	1	0.0000%
D14.3 Benign neoplasm of bronchus and lung		4	4	0.0000%
D15.0 Benign neoplasm of thymus	2	69	71	0.0001%
D15.2 Benign neoplasm of mediastinum	1	6	7	0.0000%
D15.9 Benign neoplasm of intrathoracic organ, unspecified		1	1	0.0000%
D16.0 Benign neoplasm of scapula and long bones of upper limb	1	2	3	0.0000%
D16.4 Benign neoplasm of bones of skull and face	1	11	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
D16.5 Benign neoplasm of lower jaw bone		1 13	14	0.0000%
D16.6 Benign neoplasm of vertebral column		24 147	171	0.0003%
D16.9 Benign neoplasm of bone and articular cartilage, unsp		4 3	7	0.0000%
D17.0 Benign lipomatous neop skin/subcut tis head face & neck		35 70	105	0.0002%
D17.1 Benign lipomatous neoplasm skin and subcut tissue of trunk		83 204	287	0.0006%
D17.2 Benign lipomatous neoplasm skin and subcut tissue of limbs		39 96	135	0.0003%
D17.3 Benign lipomatous neop skin/subcut tis other/unspec sites		5 12	17	0.0000%
D17.4 Benign lipomatous neoplasm of intrathoracic organs		8 14	22	0.0000%
D17.5 Benign lipomatous neoplasm of intra-abdominal organs		1 2	3	0.0000%
D17.7 Benign lipomatous neoplasm of other sites		14 12	26	0.0001%
D17.9 Benign lipomatous neoplasm, unspecified		12 45	57	0.0001%
D18.0 Haemangioma, any site		75 194	269	0.0005%
D18.1 Lymphangioma, any site		3 14	17	0.0000%
D19.0 Benign neoplasm of mesothelial tissue of pleura		1	1	0.0000%
D19.9 Benign neoplasm of mesothelial tissue unspecified		1 1	2	0.0000%
D21.0 Benign neoplasm of conn & soft tiss of head, face and neck		32 83	115	0.0002%
D21.1 Benign neoplasm of conn & soft tiss of upp limb inc should		11 26	37	0.0001%
D21.2 Benign neoplasm of conn & soft tiss of lower limb, inc hip		5 24	29	0.0001%
D21.3 Benign neoplasm of conn & soft tiss of thorax		2 3	5	0.0000%
D21.4 Benign neoplasm of conn & soft tiss of abdomen		3 9	12	0.0000%
D21.5 Benign neoplasm of conn & soft tiss of pelvis		10 27	37	0.0001%
D21.6 Benign neoplasm of conn & soft tiss of trunk, unspecified		1 3	4	0.0000%
D21.9 Benign neoplasm of conn & soft tiss, unspecified		7 97	104	0.0002%
D22.0 Melanocytic naevi of lip		15 33	48	0.0001%
D22.1 Melanocytic naevi of eyelid, including canthus		36 41	77	0.0002%
D22.2 Melanocytic naevi of ear and external auricular canal		9 18	27	0.0001%
D22.3 Melanocytic naevi of other and unspecified parts of face		230 325	555	0.0011%
D22.4 Melanocytic naevi of scalp and neck		47 72	119	0.0002%
D22.5 Melanocytic naevi of trunk		103 236	339	0.0007%
D22.6 Melanocytic naevi of upper limb, including shoulder		38 84	122	0.0002%
D22.7 Melanocytic naevi of lower limb, including hip		25 71	96	0.0002%
D22.9 Melanocytic naevi, unspecified		242 191	433	0.0009%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D23.0 Other benign neoplasms of skin of lip	5	11	16	0.0000%
D23.1 Other benign neoplasms of skin of eyelid, including canthus	276	231	507	0.0010%
D23.2 Other benign neoplasms of skin of ear & ext auricular canal	7	11	18	0.0000%
D23.3 Other benign neoplasms of skin of oth & unsp parts of face	51	92	143	0.0003%
D23.4 Other benign neoplasms of skin of scalp and neck	18	39	57	0.0001%
D23.5 Other benign neoplasms of skin of trunk	22	52	74	0.0001%
D23.6 Other benign neoplasms of skin of upper limb, incl shoulder	20	56	76	0.0002%
D23.7 Other benign neoplasms of skin of lower limb, incl hip	18	72	90	0.0002%
D23.9 Other benign neoplasms of skin, unspecified	306	224	530	0.0011%
D24.X Benign neoplasm of breast	2,850	1,350	4,200	0.0084%
D25.0 Submucous leiomyoma of uterus	1	1	2	0.0000%
D25.1 Intramural leiomyoma of uterus		1	1	0.0000%
D25.2 Subserosal leiomyoma of uterus	2	1	3	0.0000%
D25.9 Leiomyoma of uterus, unspecified	42	74	116	0.0002%
D26.0 Other benign neoplasms of cervix uteri	1		1	0.0000%
D26.9 Other benign neoplasms of uterus, unspecified		1	1	0.0000%
D27.X Benign neoplasm of ovary	7	94	101	0.0002%
D28.0 Benign neoplasm of vulva		6	6	0.0000%
D28.1 Benign neoplasm of vagina	1		1	0.0000%
D28.2 Benign neoplasm of uterine tubes and ligaments		1	1	0.0000%
D29.0 Benign neoplasm of penis		3	3	0.0000%
D29.1 Benign neoplasm of prostate	1	15	16	0.0000%
D29.2 Benign neoplasm of testis		7	7	0.0000%
D29.7 Benign neoplasm of other male genital organs	1	2	3	0.0000%
D30.0 Benign neoplasm of kidney	4	18	22	0.0000%
D30.1 Benign neoplasm of renal pelvis	1		1	0.0000%
D30.3 Benign neoplasm of bladder	8	24	32	0.0001%
D30.4 Benign neoplasm of urethra		2	2	0.0000%
D31.0 Benign neoplasm of conjunctiva	4	2	6	0.0000%
D31.1 Benign neoplasm of cornea		1	1	0.0000%
D31.2 Benign neoplasm of retina	6	18	24	0.0000%
D31.3 Benign neoplasm of choroid	117	223	340	0.0007%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D31.4 Benign neoplasm of ciliary body	7	8	15	0.0000%
D31.5 Benign neoplasm of lacrimal gland and duct	1		1	0.0000%
D31.6 Benign neoplasm of orbit, unspecified		13	13	0.0000%
D31.9 Benign neoplasm of eye, unspecified	23	29	52	0.0001%
D32.0 Benign neoplasm of cerebral meninges	128	517	645	0.0013%
D32.1 Benign neoplasm of spinal meninges	4	11	15	0.0000%
D32.9 Benign neoplasm of meninges, unspecified	5	41	46	0.0001%
D33.0 Benign neoplasm of brain, supratentorial	9	60	69	0.0001%
D33.2 Benign neoplasm of brain, unspecified	173	572	745	0.0015%
D33.3 Benign neoplasm of cranial nerves	5	12	17	0.0000%
D33.4 Benign neoplasm of spinal cord	1		1	0.0000%
D33.9 Benign neoplasm of central nervous system, unspecified		1	1	0.0000%
D34.X Benign neoplasm of thyroid gland	5	13	18	0.0000%
D35.0 Benign neoplasm of adrenal gland	8	19	27	0.0001%
D35.1 Benign neoplasm of parathyroid gland	1	2	3	0.0000%
D35.2 Benign neoplasm of pituitary gland	16	142	158	0.0003%
D35.6 Benign neoplasm of aortic body and other paraganglia		2	2	0.0000%
D36.1 Benign neoplasm of periph nerves & autonomic nervous system	17	50	67	0.0001%
D36.7 Benign neoplasm of other specified sites	11	29	40	0.0001%
D36.9 Benign neoplasm of unspecified site	1	17	18	0.0000%
D37.0 Neoplasm uncert / unkn behav lip, oral cavity and pharynx	2	35	37	0.0001%
D37.1 Neoplasm uncert / unkn behav stomach	3	157	160	0.0003%
D37.2 Neoplasm uncert / unkn behav small intestine	1	38	39	0.0001%
D37.3 Neoplasm uncert / unkn behav appendix	1	5	6	0.0000%
D37.4 Neoplasm uncert / unkn behav colon	43	29	72	0.0001%
D37.5 Neoplasm uncert / unkn behav rectum	37	24	61	0.0001%
D37.6 Neo uncert / unkn behav liver, gallbladder and bile ducts	4	22	26	0.0001%
D37.7 Neoplasm uncert / unkn behav other digestive organs	5	31	36	0.0001%
D37.9 Neoplasm uncert / unkn behav digestive organ, unspecified	1	21	22	0.0000%
D38.1 Neoplasm uncert / unkn behav trachea, bronchus and lung	3	16	19	0.0000%
D38.5 Neoplasm uncert / unkn behav other respiratory organs		3	3	0.0000%
D38.6 Neoplasm uncert / unkn behav respiratory organ, unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D39.0 Neoplasm uncert / unkn behav uterus	3	4	7	0.0000%
D39.1 Neoplasm uncert / unkn behav ovary	12	125	137	0.0003%
D39.7 Neoplasm uncert / unkn behav other female genital organs	1	12	13	0.0000%
D40.0 Neoplasm uncert / unkn behav prostate	2	6	8	0.0000%
D40.1 Neoplasm uncert / unkn behav testis	3	30	33	0.0001%
D41.0 Neoplasm uncert / unkn behav kidney	1	5	6	0.0000%
D41.3 Neoplasm uncert / unkn behav urethra		1	1	0.0000%
D41.4 Neoplasm uncert / unkn behav bladder	33	132	165	0.0003%
D41.9 Neoplasm uncert / unkn behav urinary organ, unspecified		5	5	0.0000%
D42.0 Neoplasm uncert / unkn behav cerebral meninges		3	3	0.0000%
D42.1 Neoplasm uncert / unkn behav spinal meninges		1	1	0.0000%
D43.0 Neoplasm uncert / unkn behav brain, supratentorial		11	11	0.0000%
D43.1 Neoplasm uncert / unkn behav brain, infratentorial		6	6	0.0000%
D43.2 Neoplasm uncert / unkn behav brain, unspecified	23	50	73	0.0001%
D43.3 Neoplasm uncert / unkn behav cranial nerves		2	2	0.0000%
D43.4 Neoplasm uncert / unkn behav spinal cord	5	5	10	0.0000%
D44.0 Neoplasm uncert / unkn behav thyroid gland		1	1	0.0000%
D44.2 Neoplasm uncert / unkn behav parathyroid gland	1		1	0.0000%
D44.3 Neoplasm uncert / unkn behav pituitary gland	67	341	408	0.0008%
D44.4 Neoplasm uncert / unkn behav craniopharyngeal duct	14	145	159	0.0003%
D44.5 Neoplasm uncert / unkn behav pineal gland	1	12	13	0.0000%
D44.6 Neoplasm uncert / unkn behav carotid body		2	2	0.0000%
D44.7 Neoplasm uncert / unkn behav aortic body & oth paraganglia	2	17	19	0.0000%
D44.8 Neoplasm uncert / unkn behav pluriglandular involvement	6	7	13	0.0000%
D45.X Polycythaemia vera	13	699	712	0.0014%
D46.0 Refractory anaemia without sideroblasts, so stated		32	32	0.0001%
D46.1 Refractory anaemia with sideroblasts		26	26	0.0001%
D46.2 Refractory anaemia with excess of blasts	1	3	4	0.0000%
D46.4 Refractory anaemia, unspecified		11	11	0.0000%
D46.7 Other myelodysplastic syndromes	1	39	40	0.0001%
D46.9 Myelodysplastic syndrome, unspecified	15	588	603	0.0012%
D47.1 Chronic myeloproliferative disease	1	279	280	0.0006%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D47.2 Monoclonal gammopathy	13	286	299	0.0006%
D47.3 Essential (haemorrhagic) thrombocythaemia	7	443	450	0.0009%
D47.7 Oth spec neo uncert-unkn behav lymphoid/haemato rel tis		9	9	0.0000%
D47.9 Neop uncert/unkn behaviour lymphoid/haematop'ic rel tis	4	102	106	0.0002%
D48.0 Neoplasm uncert or unknown behaviour of bone & artic cart	5	7	12	0.0000%
D48.1 Neoplasm uncert or unknown behaviour of conn & oth soft tis	40	279	319	0.0006%
D48.3 Neoplasm uncert or unknown behaviour of retroperitoneum	3	11	14	0.0000%
D48.4 Neoplasm uncert or unknown behaviour of peritoneum	3	18	21	0.0000%
D48.5 Neoplasm uncert or unknown behaviour of skin	20	88	108	0.0002%
D48.6 Neoplasm uncert or unknown behaviour of breast	1,379	518	1,897	0.0038%
D48.7 Neoplasm uncert or unknown behaviour of oth spec sites	33	176	209	0.0004%
D48.9 Neoplasm of uncertain or unknown behaviour, unspecified	28	266	294	0.0006%
D50.0 Iron deficiency anaemia secondary to blood loss (chronic)	4	36	40	0.0001%
D50.1 Sideropenic dysphagia		2	2	0.0000%
D50.8 Other iron deficiency anaemias	60	107	167	0.0003%
D50.9 Iron deficiency anaemia, unspecified	148	474	622	0.0012%
D51.0 Vitamin B12 defic anaemia due to intrinsic factor deficiency	2	25	27	0.0001%
D51.9 Vitamin B12 deficiency anaemia, unspecified	8	4	12	0.0000%
D52.9 Folate deficiency anaemia, unspecified	5	42	47	0.0001%
D53.9 Nutritional anaemia, unspecified	1	4	5	0.0000%
D56.0 Alpha thalassaemia	1	1	2	0.0000%
D56.1 Beta thalassaemia	3	70	73	0.0001%
D56.3 Thalassaemia trait	3	20	23	0.0000%
D56.4 Hereditary persistence of fetal haemoglobin [HPFH]		1	1	0.0000%
D56.9 Thalassaemia, unspecified	1	26	27	0.0001%
D57.0 Sickle-cell anaemia with crisis	9	77	86	0.0002%
D57.1 Sickle-cell anaemia without crisis	22	103	125	0.0002%
D57.2 Double heterozygous sickling disorders		11	11	0.0000%
D57.3 Sickle-cell trait	2		2	0.0000%
D57.8 Other sickle-cell disorders	2	3	5	0.0000%
D58.0 Hereditary spherocytosis	3	14	17	0.0000%
D58.1 Hereditary elliptocytosis		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D58.2 Other haemoglobinopathies	5	1	6	0.0000%
D58.8 Other specified hereditary haemolytic anaemias	1	1	2	0.0000%
D58.9 Hereditary haemolytic anaemia, unspecified	3	11	14	0.0000%
D59.1 Other autoimmune haemolytic anaemias	6	168	174	0.0003%
D59.2 Drug-induced nonautoimmune haemolytic anaemia	1	1	2	0.0000%
D59.4 Other nonautoimmune haemolytic anaemias		4	4	0.0000%
D59.5 Paroxysmal nocturnal haemoglobinuria [Marchiafava-Micheli]		20	20	0.0000%
D59.8 Other acquired haemolytic anaemias		4	4	0.0000%
D59.9 Acquired haemolytic anaemia, unspecified	2	8	10	0.0000%
D60.0 Chronic acquired pure red cell aplasia		3	3	0.0000%
D60.9 Acquired pure red cell aplasia, unspecified	1	1	2	0.0000%
D61.0 Constitutional aplastic anaemia	4	10	14	0.0000%
D61.3 Idiopathic aplastic anaemia		41	41	0.0001%
D61.8 Other specified aplastic anaemias		8	8	0.0000%
D61.9 Aplastic anaemia, unspecified	10	271	281	0.0006%
D64.0 Hereditary sideroblastic anaemia		1	1	0.0000%
D64.3 Other sideroblastic anaemias		20	20	0.0000%
D64.8 Other specified anaemias	3	29	32	0.0001%
D64.9 Anaemia, unspecified	723	1,024	1,747	0.0035%
D66.X Hereditary factor VIII deficiency	4	10	14	0.0000%
D67.X Hereditary factor IX deficiency		5	5	0.0000%
D68.0 Von Willebrand's disease	1	2	3	0.0000%
D68.1 Hereditary factor XI deficiency	1	3	4	0.0000%
D68.2 Hereditary deficiency of other clotting factors	1	7	8	0.0000%
D68.8 Other specified coagulation defects	9	93	102	0.0002%
D68.9 Coagulation defect, unspecified	1	7	8	0.0000%
D69.0 Allergic purpura	1	7	8	0.0000%
D69.1 Qualitative platelet defects		2	2	0.0000%
D69.2 Other nonthrombocytopenic purpura	1		1	0.0000%
D69.3 Idiopathic thrombocytopenic purpura	4	400	404	0.0008%
D69.4 Other primary thrombocytopenia		7	7	0.0000%
D69.5 Secondary thrombocytopenia		9	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
D69.6 Thrombocytopenia, unspecified		34152	186	0.0004%
D69.9 Haemorrhagic condition, unspecified			1	0.0000%
D70.X Agranulocytosis		17142	159	0.0003%
D72.1 Eosinophilia		335	38	0.0001%
D72.8 Other specified disorders of white blood cells		2369	92	0.0002%
D72.9 Disorder of white blood cells, unspecified			2	0.0000%
D73.1 Hypersplenism			2	0.0000%
D73.9 Disease of spleen, unspecified		31	4	0.0000%
D75.0 Familial erythrocytosis			395	0.0008%
D75.1 Secondary polycythaemia		6213	219	0.0004%
D75.2 Essential thrombocytosis		26103	129	0.0003%
D75.8 Other specified diseases of blood and blood-forming organs		431	35	0.0001%
D75.9 Disease of blood and blood-forming organs, unspecified		348	51	0.0001%
D76.0 Langerhans' cell histiocytosis, not elsewhere classified		374	77	0.0002%
D76.3 Other histiocytosis syndromes		117	18	0.0000%
D80.0 Hereditary hypogammaglobulinaemia			8	0.0000%
D80.1 Nonfamilial hypogammaglobulinaemia			92	0.0002%
D80.2 Selective deficiency of immunoglobulin A [IgA]		23	5	0.0000%
D80.3 Selective deficiency of immunoglobulin G [IgG] subclasses			3	0.0000%
D80.4 Selective deficiency of immunoglobulin M [IgM]		1	1	0.0000%
D80.6 Antibod def with near-norm imunoglob/hyperimmunoglobulinaem			1	0.0000%
D80.8 Other immunodeficiencies with predominantly antibody defects			2	0.0000%
D80.9 immunodeficiency with predominantly antibody defects,unspec		23	5	0.0000%
D82.0 Wiskott-Aldrich syndrome			2	0.0000%
D82.1 Di George's syndrome		1	1	0.0000%
D83.9 Common variable immunodeficiency, unspecified			42	0.0001%
D84.1 Defects in the complement system		11	2	0.0000%
D84.8 Other specified immunodeficiencies			4	0.0000%
D84.9 immunodeficiency, unspecified		313	16	0.0000%
D86.0 Sarcoidosis of lung		21	3	0.0000%
D86.3 Sarcoidosis of skin			5	0.0000%
D86.8 Sarcoidosis of other and combined sites			8	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
D86.9 Sarcoidosis, unspecified	23	74	97	0.0002%
D89.0 Polyclonal hypergammaglobulinaemia		10	10	0.0000%
D89.1 Cryoglobulinaemia	1	28	29	0.0001%
D89.2 Hypergammaglobulinaemia, unspecified	14	109	123	0.0002%
D89.9 Disorder involving the immune mechanism, unspecified	1	3	4	0.0000%
E01.8 Other iodine-def-related thyroid disorders and allied conds		1	1	0.0000%
E03.0 Congenital hypothyroidism with diffuse goitre		6	6	0.0000%
E03.1 Congenital hypothyroidism without goitre	3	10	13	0.0000%
E03.2 Hypothyroidism due medicaments and oth exogenous substances		1	1	0.0000%
E03.8 Other specified hypothyroidism	1	1	2	0.0000%
E03.9 Hypothyroidism, unspecified	31	75	106	0.0002%
E04.1 Nontoxic single thyroid nodule	13	29	42	0.0001%
E04.2 Nontoxic multinodular goitre	7	47	54	0.0001%
E04.9 Nontoxic goitre, unspecified	17	22	39	0.0001%
E05.0 Thyrotoxicosis with diffuse goitre	95	513	608	0.0012%
E05.1 Thyrotoxicosis with toxic single thyroid nodule	1		1	0.0000%
E05.2 Thyrotoxicosis with toxic multinodular goitre	12	46	58	0.0001%
E05.8 Other thyrotoxicosis		2	2	0.0000%
E05.9 Thyrotoxicosis, unspecified	121	775	896	0.0018%
E06.0 Acute thyroiditis	44	120	164	0.0003%
E06.3 Autoimmune thyroiditis	4	5	9	0.0000%
E06.9 Thyroiditis, unspecified	3	16	19	0.0000%
E07.8 Other specified disorders of thyroid	27	49	76	0.0002%
E07.9 Disorder of thyroid, unspecified	80	48	128	0.0003%
E10.0 Insulin-dependent diabetes mellitus with coma	1	2	3	0.0000%
E10.1 Insulin-dependent diabetes mellitus with ketoacidosis	3	2	5	0.0000%
E10.3 Insulin-dependent diabetes mellitus with ophthalmic comps	90	1,021	1,111	0.0022%
E10.4 Insulin-dependent diabetes mellitus with neurological comps	4	2	6	0.0000%
E10.5 Insulin-dependent diabetes mellitus with periph circ comps	1	73	74	0.0001%
E10.6 Insulin-dependent diabetes mellitus with other spec comps	2	125	127	0.0003%
E10.8 Insulin-dependent diabetes mellitus with unspec comps		21	21	0.0000%
E10.9 Insulin-dependent diabetes mellitus without complications	32	210	242	0.0005%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character <i>NHS Hospitals, England, 2005-06</i>	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
E11.3 Non-insulin-dependent diabetes mellitus with ophthalm comps	296	2,489	2,785	0.0056%
E11.4 Non-insulin-dependent diabetes mellitus with neuro comps		10	10	0.0000%
E11.5 Non-insulin-depend diabetes mellitus with periph circ comp	1	25	26	0.0001%
E11.6 Non-insulin-depend diabetes mellitus with other spec comp		28	28	0.0001%
E11.7 Non-insulin-dependent diabetes mellitus with multiple comps		3	3	0.0000%
E11.8 Non-insulin-dependent diabetes mellitus with unspec comps	1	12	13	0.0000%
E11.9 Non-insulin-depend diabetes mellitus without complication	5	155	160	0.0003%
E14.0 Unspecified diabetes mellitus with coma	1		1	0.0000%
E14.1 Unspecified diabetes mellitus with ketoacidosis		11	11	0.0000%
E14.2 Unspecified diabetes mellitus with renal complications	43	158	201	0.0004%
E14.3 Unspecified diabetes mellitus with ophthalmic complications	762	8,353	9,115	0.0182%
E14.4 Unspecified diabetes mellitus with neurological comps	10	1	11	0.0000%
E14.6 Unspecified diabetes mellitus with other specified comps	109	899	1,008	0.0020%
E14.8 Unspecified diabetes mellitus with unspecified complications	2	1	3	0.0000%
E14.9 Unspecified diabetes mellitus without complications	80	1,921	2,001	0.0040%
E16.0 Drug-induced hypoglycaemia without coma	6		6	0.0000%
E16.1 Other hypoglycaemia		1	1	0.0000%
E16.2 Hypoglycaemia, unspecified	8	8	16	0.0000%
E16.9 Disorder of pancreatic internal secretion, unspecified	1	4	5	0.0000%
E21.0 Primary hyperparathyroidism		2	2	0.0000%
E21.3 Hyperparathyroidism, unspecified	3	41	44	0.0001%
E21.5 Disorder of parathyroid gland, unspecified	1		1	0.0000%
E22.0 Acromegaly and pituitary gigantism	7	27	34	0.0001%
E22.1 Hyperprolactinaemia	15	29	44	0.0001%
E22.8 Other hyperfunction of pituitary gland	1		1	0.0000%
E23.0 Hypopituitarism	6	15	21	0.0000%
E23.2 Diabetes insipidus	5	5	10	0.0000%
E23.6 Other disorders of pituitary gland	3	13	16	0.0000%
E23.7 Disorder of pituitary gland, unspecified	3	8	11	0.0000%
E24.0 Pituitary-dependent Cushing's disease	1	8	9	0.0000%
E24.9 Cushing's syndrome, unspecified	2	4	6	0.0000%
E25.0 Congenital adrenogenital disorders associated enzyme def	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances	
	First appointment	Subsequent appointment			
E26.8 Other hyperaldosteronism			2	2	0.0000%
E27.0 Other adrenocortical overactivity		3	5	8	0.0000%
E27.1 Primary adrenocortical insufficiency		1	18	19	0.0000%
E27.3 Drug-induced adrenocortical insufficiency		1		1	0.0000%
E27.4 Other and unspecified adrenocortical insufficiency		1	1	2	0.0000%
E27.8 Other specified disorders of adrenal gland			1	1	0.0000%
E27.9 Disorder of adrenal gland, unspecified			4	4	0.0000%
E28.2 Polycystic ovarian syndrome		24	27	51	0.0001%
E28.3 Primary ovarian failure		4	6	10	0.0000%
E28.9 Ovarian dysfunction, unspecified		1		1	0.0000%
E29.1 Testicular hypofunction		5	73	78	0.0002%
E29.9 Testicular dysfunction, unspecified		1		1	0.0000%
E30.0 Delayed puberty		3	5	8	0.0000%
E30.1 Precocious puberty		3	6	9	0.0000%
E30.8 Other disorders of puberty			2	2	0.0000%
E30.9 Disorder of puberty, unspecified		11	20	31	0.0001%
E31.0 Autoimmune polyglandular failure			3	3	0.0000%
E34.0 Carcinoid syndrome			18	18	0.0000%
E34.3 Short stature, not elsewhere classified		22	21	43	0.0001%
E34.5 Androgen resistance syndrome			2	2	0.0000%
E34.8 Other specified endocrine disorders		14	21	35	0.0001%
E34.9 Endocrine disorder, unspecified		6	65	71	0.0001%
E43.X Unspecified severe protein-energy malnutrition			1	1	0.0000%
E46.X Unspecified protein-energy malnutrition		2	1	3	0.0000%
E51.2 Wernicke's encephalopathy			2	2	0.0000%
E53.8 Deficiency of other specified B group vitamins		5	1	6	0.0000%
E55.0 Rickets, active		3	4	7	0.0000%
E55.9 Vitamin D deficiency, unspecified			4	4	0.0000%
E56.0 Deficiency of vitamin E			1	1	0.0000%
E61.1 Iron deficiency		5	5	10	0.0000%
E63.9 Nutritional deficiency, unspecified		1	1	2	0.0000%
E65.X Localized adiposity		50	52	102	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
E66.0 Obesity due to excess calories			1	1 0.0000%
E66.1 Drug-induced obesity	1	4	5	0.0000%
E66.8 Other obesity	3	64	67	0.0001%
E66.9 Obesity, unspecified	12	11	23	0.0000%
E70.3 Albinism		5	5	0.0000%
E71.1 Other disorders of branched-chain amino-acid metabolism		1	1	0.0000%
E72.1 Disorders of sulfur-bearing amino-acid metabolism		1	1	0.0000%
E74.0 Glycogen storage disease		2	2	0.0000%
E75.2 Other sphingolipidosis	3		3	0.0000%
E75.5 Other lipid storage disorders		1	1	0.0000%
E76.0 Mucopolysaccharidosis, type I	1	19	20	0.0000%
E76.2 Other mucopolysaccharidoses	1		1	0.0000%
E77.0 Defects in post-translational modif'n of lysosomal enzymes		1	1	0.0000%
E78.0 Pure hypercholesterolaemia	1	1	2	0.0000%
E78.1 Pure hyperglyceridaemia	1	1	2	0.0000%
E78.2 Mixed hyperlipidaemia		1	1	0.0000%
E79.0 Hyperuricaem without sign inflamm arthritis+tophaceous dis	1	3	4	0.0000%
E80.1 Porphyria cutanea tarda	1	7	8	0.0000%
E80.2 Other porphyria		2	2	0.0000%
E80.6 Other disorders of bilirubin metabolism		1	1	0.0000%
E83.0 Disorders of copper metabolism	1		1	0.0000%
E83.1 Disorders of iron metabolism	7	373	380	0.0008%
E83.3 Disorders of phosphorus metabolism	2	8	10	0.0000%
E83.4 Disorders of magnesium metabolism		6	6	0.0000%
E83.5 Disorders of calcium metabolism	4	18	22	0.0000%
E83.8 Other disorders of mineral metabolism		1	1	0.0000%
E84.0 Cystic fibrosis with pulmonary manifestations		21	21	0.0000%
E84.9 Cystic fibrosis, unspecified	21	214	235	0.0005%
E85.0 Non-neuropathic heredofamilial amyloidosis		4	4	0.0000%
E85.3 Secondary systemic amyloidosis	2		2	0.0000%
E85.8 Other amyloidosis		1	1	0.0000%
E85.9 Amyloidosis, unspecified		25	25	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
E86.X Volume depletion		10 4	14	0.0000%
E87.1 Hypo-osmolality and hyponatraemia		2 9	11	0.0000%
E87.5 Hyperkalaemia		7	7	0.0000%
E87.6 Hypokalaemia		1 4	5	0.0000%
E88.1 Lipodystrophy, not elsewhere classified		1	1	0.0000%
E88.2 Lipomatosis, not elsewhere classified		2	2	0.0000%
E88.9 Metabolic disorder, unspecified		6 15	21	0.0000%
E89.0 Postprocedural hypothyroidism		3 7	10	0.0000%
E89.3 Postprocedural hypopituitarism		1 5	6	0.0000%
E89.4 Postprocedural ovarian failure		5	5	0.0000%
E89.5 Postprocedural testicular hypofunction		1 6	7	0.0000%
F00.0 Dementia in Alzheimer's disease with early onset		36 359	395	0.0008%
F00.1 Dementia in Alzheimer's disease with late onset		204 838	1,042	0.0021%
F00.2 Dementia in Alzheimer's disease, atypical or mixed type		83 394	477	0.0010%
F00.9 Dementia in Alzheimer's disease, unspecified		36 141	177	0.0004%
F01.0 Vascular dementia of acute onset		90 134	224	0.0004%
F01.1 Multi-infarct dementia		148 194	342	0.0007%
F01.2 Subcortical vascular dementia		11 35	46	0.0001%
F01.3 Mixed cortical and subcortical vascular dementia		77 159	236	0.0005%
F01.8 Other vascular dementia		3 10	13	0.0000%
F01.9 Vascular dementia, unspecified		95 140	235	0.0005%
F02.0 Dementia in Pick's disease		10 76	86	0.0002%
F02.2 Dementia in Huntington's disease		3 7	10	0.0000%
F02.3 Dementia in Parkinson's disease		33 95	128	0.0003%
F02.4 Dementia in human immunodef virus [HIV] disease		1 5	6	0.0000%
F02.8 Dementia in other specified diseases classified elsewhere		5 25	30	0.0001%
F03.X Unspecified dementia		239 320	559	0.0011%
F04.X Organic amnesic synd not induced alc/oth psychoactive subs		5 8	13	0.0000%
F05.0 Delirium not superimposed on dementia, so described		8 14	22	0.0000%
F05.1 Delirium superimposed on dementia		4 14	18	0.0000%
F05.8 Other delirium		4 9	13	0.0000%
F05.9 Delirium, unspecified		3 36	39	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
F06.0 Organic hallucinosis		10 25	35	0.0001%
F06.1 Organic catatonic disorder		1	1	0.0000%
F06.2 Organic delusional [schizophrenia-like] disorder		13 40	53	0.0001%
F06.3 Organic mood [affective] disorders		30 58	88	0.0002%
F06.4 Organic anxiety disorder		1 3	4	0.0000%
F06.5 Organic dissociative disorder			2	0.0000%
F06.6 Organic emotionally labile [asthenic] disorder		1 13	14	0.0000%
F06.7 Mild cognitive disorder		37 113	150	0.0003%
F06.8 Oth sp mental disord brain damag and dysfunction/physical d		2 11	13	0.0000%
F06.9 Unsp mental disord brain damag and dysfunction/physical d		10 27	37	0.0001%
F07.0 Organic personality disorder		11 45	56	0.0001%
F07.1 Postencephalitic syndrome			4	0.0000%
F07.2 Postconcussional syndrome		5 3	8	0.0000%
F07.8 Oth organ personality behav disord brain dis dam dysfunc		3 13	16	0.0000%
F07.9 Unspec organ personality behav disorder brain dam dysfunc		37 28	65	0.0001%
F09.X Unspecified organic or symptomatic mental disorder		49 25	74	0.0001%
F10.0 Mental & behav dis due to use of alcohol: acute intoxication		97 317	414	0.0008%
F10.1 Mental and behav dis due to use of alcohol: harmful use		116 136	252	0.0005%
F10.2 Mental and behav dis due to use of alcohol: dependence synd		702 984	1,686	0.0034%
F10.3 Mental and behav dis due to use of alcohol: withdrawal state		33 19	52	0.0001%
F10.4 Men & behav dis due alcohol: withdrawl state with delirium		6 7	13	0.0000%
F10.5 Mental & behav dis due to use of alcohol: psychotic disorder		37 60	97	0.0002%
F10.6 Mental and behav dis due to use of alcohol: amnesic syndrome		15 24	39	0.0001%
F10.7 Men & behav dis due use alc: resid & late-onset psychot dis		15 28	43	0.0001%
F10.8 Men & behav dis due to use of alcohol: oth men & behav dis		2 3	5	0.0000%
F10.9 Ment & behav dis due use alcohol: unsp ment & behav dis		67 127	194	0.0004%
F11.0 Mental & behav dis due to use of opioids; acute intoxication		10 20	30	0.0001%
F11.1 Mental & behav dis due to use of opioids; harmful use		9 15	24	0.0000%
F11.2 Mental & behav dis due to use of opioids; dependence syndrome		746 1,392	2,138	0.0043%
F11.3 Mental & behav dis due to use of opioids; withdrawal state		5 7	12	0.0000%
F11.4 Men & behav dis due opioids; withdrawl state with delirium			2	0.0000%
F11.5 Mental & behav dis due to use of opioids; psychotic disorder		4 8	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

F11.9 Mental & behav dis due use opioids; unsp mental & behav dis	29	12	41	0.0001%
F12.0 Mental & behav dis due use cannabinoids; acute intoxication	18	41	59	0.0001%
F12.1 Mental & behav dis due use cannabinoids; harmful use	3	14	17	0.0000%
F12.2 Mental & behav dis due use cannabinoids; dependence syndrome	7	4	11	0.0000%
F12.3 Mental & behav dis due use cannabinoids; withdrawal state	1	1	2	0.0000%
F12.5 Mental & behav dis due use cannabinoids; psychotic disorder	12	67	79	0.0002%
F12.7 Men & beh dis due cannabis; resid & late-onset psychot dis		2	2	0.0000%
F12.9 Mental & behav dis due cannabinoids; unsp mental & behav dis	10	23	33	0.0001%
F13.0 Men & behav dis due use seds/hypnotics: acute intoxication	1	2	3	0.0000%
F13.1 Men & behav dis due use seds/hypnotics: harmful use	10	2	12	0.0000%
F13.2 Men & behav dis due use seds/hypnotics: dependence syndrome	8	24	32	0.0001%
F13.3 Men & behav dis due use seds/hypnotics: withdrawal state		4	4	0.0000%
F13.4 Men & beh dis due seds/hypns: withdrawl state with delirium	1		1	0.0000%
F13.9 Men & behav dis due seds/hypnotics: unsp men & behav dis	1	5	6	0.0000%
F14.0 Mental & behav dis due use cocaine: acute intoxication	3	8	11	0.0000%
F14.1 Mental & behav dis due use cocaine: harmful use	8	7	15	0.0000%
F14.2 Mental & behav dis due use cocaine: dependence syndrome	4	17	21	0.0000%
F14.4 Men & behav dis due cocaine: withdrawl state with delirium	1	1	2	0.0000%
F14.5 Mental & behav dis due use cocaine: psychotic disorder	2	1	3	0.0000%
F14.9 Mental & behav dis due use cocaine: unsp mental & behav dis	3		3	0.0000%
F15.0 Men & behav dis due oth stims inc cafein: acute intoxication	9	38	47	0.0001%
F15.1 Men & behav dis due use oth stims inc caffeine: harmful use	1	11	12	0.0000%
F15.2 Men & behav dis due oth stims inc caffeine: dependence synd	5	6	11	0.0000%
F15.5 Men & behav dis due oth stims inc caffeine: psychotic dis	5	30	35	0.0001%
F15.6 Men & behav dis due oth stims inc caffeine: amnesic syndrome		3	3	0.0000%
F15.8 Men & beh dis due oth stims inc caffeine:other men & beh dis	1	3	4	0.0000%
F15.9 Men & beh dis due oth stims inc caffeine: unsp men & beh dis	1	1	2	0.0000%
F16.0 Men & behav dis due use hallucinogens: acute intoxication	2	4	6	0.0000%
F16.2 Men & behav dis due use hallucinogens: dependence syndrome		4	4	0.0000%
F16.5 Men & behav dis due use hallucinogens: psychotic disorder		3	3	0.0000%
F18.1 Men & behav dis due use volatil solvs: harmful use		3	3	0.0000%
F19.0 Men & behav dis multiple/psychoact drug: acute intox	23	101	124	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
F19.1 Men & behav dis multiple/psychoact drug: harmful use	26	72	98	0.0002%
F19.2 Men & behav dis multiple/psychoact drug: dependence syndrome	37	92	129	0.0003%
F19.4 Men & behav dis multiple/psychoact drug: withdrawl stat + de	3	4	7	0.0000%
F19.5 Men & behav dis multiple/psychoact drug: psychotic disorder	57	149	206	0.0004%
F19.7 Men & behav dis multiple/psychoact drug: res & late-ons psy	3	3	6	0.0000%
F19.8 Men & behav dis multiple/psychoact drug: oth men & behav dis	3	9	12	0.0000%
F19.9 Men & behav dis multiple/psychoact drug: unsp men & behav di	60	69	129	0.0003%
F20.0 Paranoid schizophrenia	1,718	7,277	8,995	0.0180%
F20.1 Hebephrenic schizophrenia	23	184	207	0.0004%
F20.2 Catatonic schizophrenia	6	37	43	0.0001%
F20.3 Undifferentiated schizophrenia	43	135	178	0.0004%
F20.4 Post-schizophrenic depression	7	28	35	0.0001%
F20.5 Residual schizophrenia	65	272	337	0.0007%
F20.6 Simple schizophrenia	15	77	92	0.0002%
F20.8 Other schizophrenia	13	53	66	0.0001%
F20.9 Schizophrenia, unspecified	851	5,464	6,315	0.0126%
F21.X Schizotypal disorder	11	52	63	0.0001%
F22.0 Delusional disorder	171	636	807	0.0016%
F22.8 Other persistent delusional disorders	1	17	18	0.0000%
F22.9 Persistent delusional disorder, unspecified	51	150	201	0.0004%
F23.0 Acute polymorphic psychot disord without symp of schizoph'a	134	249	383	0.0008%
F23.1 Acute polymorphic psychot disord with symp of schizophrenia	37	89	126	0.0003%
F23.2 Acute schizophrenia-like psychotic disorder	52	197	249	0.0005%
F23.3 Other acute predominantly delusional psychotic disorders	23	50	73	0.0001%
F23.8 Other acute and transient psychotic disorders	19	45	64	0.0001%
F23.9 Acute and transient psychotic disorder, unspecified	256	696	952	0.0019%
F24.X Induced delusional disorder	3	14	17	0.0000%
F25.0 Schizoaffective disorder, manic type	151	605	756	0.0015%
F25.1 Schizoaffective disorder, depressive type	79	517	596	0.0012%
F25.2 Schizoaffective disorder, mixed type	62	228	290	0.0006%
F25.8 Other schizoaffective disorders		5	5	0.0000%
F25.9 Schizoaffective disorder, unspecified	371	1,372	1,743	0.0035%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
F28.X Other nonorganic psychotic disorders	10	41	51	0.0001%
F29.X Unspecified nonorganic psychosis	102	517	619	0.0012%
F30.0 Hypomania	61	240	301	0.0006%
F30.1 Mania without psychotic symptoms	33	98	131	0.0003%
F30.2 Mania with psychotic symptoms	45	160	205	0.0004%
F30.8 Other manic episodes		10	10	0.0000%
F30.9 Manic episode, unspecified	68	256	324	0.0006%
F31.0 Bipolar affective disorder, current episode hypomanic	423	1,820	2,243	0.0045%
F31.1 Bipolar affect disord cur epi manic without psychotic symp	408	673	1,081	0.0022%
F31.2 Bipolar affect disorder cur epi manic with psychotic symp	244	704	948	0.0019%
F31.3 Bipolar affect disorder cur epi mild or moderate depression	122	936	1,058	0.0021%
F31.4 Bipolar affect disord cur epi sev depres without psyc symp	71	308	379	0.0008%
F31.5 Bipolar affect disord cur epi severe depres with psyc symp	7	160	167	0.0003%
F31.6 Bipolar affective disorder, current episode mixed	122	278	400	0.0008%
F31.7 Bipolar affective disorder, currently in remission	136	1,448	1,584	0.0032%
F31.8 Other bipolar affective disorders	10	34	44	0.0001%
F31.9 Bipolar affective disorder, unspecified	720	3,311	4,031	0.0081%
F32.0 Mild depressive episode	317	1,441	1,758	0.0035%
F32.1 Moderate depressive episode	750	2,351	3,101	0.0062%
F32.2 Severe depressive episode without psychotic symptoms	272	1,038	1,310	0.0026%
F32.3 Severe depressive episode with psychotic symptoms	422	1,456	1,878	0.0038%
F32.8 Other depressive episodes	13	93	106	0.0002%
F32.9 Depressive episode, unspecified	1,073	4,592	5,665	0.0113%
F33.0 Recurrent depressive disorder, current episode mild	178	1,496	1,674	0.0033%
F33.1 Recurrent depressive disorder, current episode moderate	391	1,617	2,008	0.0040%
F33.2 Recurrent depress disorder cur epi severe without psyc symp	208	672	880	0.0018%
F33.3 Recurrent depress disorder cur epi severe with psyc symp	86	584	670	0.0013%
F33.4 Recurrent depressive disorder, currently in remission	92	741	833	0.0017%
F33.8 Other recurrent depressive disorders	3	28	31	0.0001%
F33.9 Recurrent depressive disorder, unspecified	310	989	1,299	0.0026%
F34.0 Cyclothymia	20	89	109	0.0002%
F34.1 Dysthymia	71	363	434	0.0009%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F34.8 Other persistent mood [affective] disorders	4	24	28	0.0001%
F34.9 Persistent mood [affective] disorder, unspecified	12	49	61	0.0001%
F38.0 Other single mood [affective] disorders	11	13	24	0.0000%
F38.1 Other recurrent mood [affective] disorders	4	33	37	0.0001%
F38.8 Other specified mood [affective] disorders	1	5	6	0.0000%
F39.X Unspecified mood [affective] disorder	7	84	91	0.0002%
F40.0 Agoraphobia	34	133	167	0.0003%
F40.1 Social phobias	21	98	119	0.0002%
F40.2 Specific (isolated) phobias	1	12	13	0.0000%
F40.8 Other phobic anxiety disorders		2	2	0.0000%
F40.9 Phobic anxiety disorder, unspecified	5	55	60	0.0001%
F41.0 Panic disorder [episodic paroxysmal anxiety]	46	201	247	0.0005%
F41.1 Generalized anxiety disorder	117	351	468	0.0009%
F41.2 Mixed anxiety and depressive disorder	244	1,409	1,653	0.0033%
F41.3 Other mixed anxiety disorders	6	21	27	0.0001%
F41.8 Other specified anxiety disorders	2	10	12	0.0000%
F41.9 Anxiety disorder, unspecified	107	252	359	0.0007%
F42.0 Predominantly obsessional thoughts or ruminations	59	208	267	0.0005%
F42.1 Predominantly compulsive acts [obsessional rituals]	21	83	104	0.0002%
F42.2 Mixed obsessional thoughts and acts	20	113	133	0.0003%
F42.8 Other obsessive-compulsive disorders	1	6	7	0.0000%
F42.9 Obsessive-compulsive disorder, unspecified	54	212	266	0.0005%
F43.0 Acute stress reaction	52	157	209	0.0004%
F43.1 Post-traumatic stress disorder	69	310	379	0.0008%
F43.2 Adjustment disorders	361	820	1,181	0.0024%
F43.8 Other reactions to severe stress	2	11	13	0.0000%
F43.9 Reaction to severe stress, unspecified	27	143	170	0.0003%
F44.0 Dissociative amnesia	5	4	9	0.0000%
F44.1 Dissociative fugue		2	2	0.0000%
F44.4 Dissociative motor disorders	3	1	4	0.0000%
F44.5 Dissociative convulsions	5	28	33	0.0001%
F44.6 Dissociative anaesthesia and sensory loss		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F44.7 Mixed dissociative [conversion] disorders	1	3	4	0.0000%
F44.8 Other dissociative [conversion] disorders	7	37	44	0.0001%
F44.9 Dissociative [conversion] disorder, unspecified	10	17	27	0.0001%
F45.0 Somatization disorder	8	45	53	0.0001%
F45.1 Undifferentiated somatoform disorder	2	10	12	0.0000%
F45.2 Hypochondriacal disorder	17	32	49	0.0001%
F45.3 Somatoform autonomic dysfunction	2	4	6	0.0000%
F45.4 Persistent somatoform pain disorder	4	11	15	0.0000%
F45.8 Other somatoform disorders	10		10	0.0000%
F45.9 Somatoform disorder, unspecified	4	18	22	0.0000%
F48.0 Neurasthenia	3	10	13	0.0000%
F48.1 Depersonalization-derealization syndrome	3	3	6	0.0000%
F48.8 Other specified neurotic disorders	4	6	10	0.0000%
F48.9 Neurotic disorder, unspecified	1	11	12	0.0000%
F50.0 Anorexia nervosa	112	743	855	0.0017%
F50.1 Atypical anorexia nervosa	7	66	73	0.0001%
F50.2 Bulimia nervosa	16	98	114	0.0002%
F50.3 Atypical bulimia nervosa	2	47	49	0.0001%
F50.4 Overeating associated with other psychological disturbances	4	4	8	0.0000%
F50.5 Vomiting associated with other psychological disturbances	1	1	2	0.0000%
F50.8 Other eating disorders		2	2	0.0000%
F50.9 Eating disorder, unspecified	16	100	116	0.0002%
F51.0 Nonorganic insomnia	7	5	12	0.0000%
F51.3 Sleepwalking [somnambulism]	5		5	0.0000%
F51.4 Sleep terrors [night terrors]	2		2	0.0000%
F51.5 Nightmares	2	6	8	0.0000%
F51.9 Nonorganic sleep disorder, unspecified		4	4	0.0000%
F52.0 Lack or loss of sexual desire	2	27	29	0.0001%
F52.2 Failure of genital response	101	68	169	0.0003%
F52.4 Premature ejaculation	1		1	0.0000%
F52.5 Nonorganic vaginismus	1	7	8	0.0000%
F52.6 Nonorganic dyspareunia	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F52.7 Excessive sexual drive	3	11	14	0.0000%
F52.9 Unspec sex dysfunction not caused by organic disord or dis	1	3	4	0.0000%
F53.0 Mild mental and behav disord assoc with the puerperium NEC	7	33	40	0.0001%
F53.1 Severe mental and behav disorder ass with puerperium NEC	4	26	30	0.0001%
F53.9 Puerperal mental disorder, unspecified	21	11	32	0.0001%
F54.X Psychological and behav factor assoc with disord or dis EC	15		15	0.0000%
F55.X Abuse of non-dependence-producing substances	1	1	2	0.0000%
F59.X Unsp behav synd assoc with physiol disturb physical factor	1	2	3	0.0000%
F60.0 Paranoid personality disorder	20	106	126	0.0003%
F60.1 Schizoid personality disorder	7	77	84	0.0002%
F60.2 Dissocial personality disorder	208	134	342	0.0007%
F60.3 Emotionally unstable personality disorder	441	1,990	2,431	0.0049%
F60.4 Histrionic personality disorder	2	18	20	0.0000%
F60.5 Anankastic personality disorder	1	9	10	0.0000%
F60.6 Anxious [avoidant] personality disorder	33	69	102	0.0002%
F60.7 Dependent personality disorder	51	148	199	0.0004%
F60.8 Other specific personality disorders	3	31	34	0.0001%
F60.9 Personality disorder, unspecified	142	475	617	0.0012%
F61.X Mixed and other personality disorders	8	42	50	0.0001%
F62.0 Enduring personality change after catastrophic experience		2	2	0.0000%
F62.8 Other enduring personality changes		7	7	0.0000%
F62.9 Enduring personality change, unspecified		4	4	0.0000%
F63.0 Pathological gambling	2	2	4	0.0000%
F63.1 Pathological fire-setting [pyromania]		3	3	0.0000%
F63.8 Other habit and impulse disorders	4	3	7	0.0000%
F63.9 Habit and impulse disorder, unspecified	3	28	31	0.0001%
F64.0 Transsexualism	6	4	10	0.0000%
F64.1 Dual-role transvestism	1		1	0.0000%
F64.8 Other gender identity disorders	1		1	0.0000%
F64.9 Gender identity disorder, unspecified	1	1	2	0.0000%
F65.1 Fetishistic transvestism	1	2	3	0.0000%
F65.2 Exhibitionism	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

F65.4 Paedophilia	1	1	2	0.0000%
F65.9 Disorder of sexual preference, unspecified	1		1	0.0000%
F66.2 Sexual relationship disorder		4	4	0.0000%
F66.9 Psychosexual development disorder, unspecified	2	1	3	0.0000%
F68.1 Intent product/feign of symptom/disab eith physical/psychol	39	7	46	0.0001%
F68.8 Other specified disorders of adult personality and behaviour	1	1	2	0.0000%
F69.X Unspecified disorder of adult personality and behaviour		52	52	0.0001%
F70.0 Mld mental retard with statement no or min impairm behav	15	155	170	0.0003%
F70.1 Mld mental retard sig impairment behav req attent /treat	7	85	92	0.0002%
F70.8 Mild mental retardation, other impairments of behaviour	2	13	15	0.0000%
F70.9 Mild mental retardation without mention of impairment behav	4	79	83	0.0002%
F71.0 Mod mental retard with statement no or min impairm behav	7	66	73	0.0001%
F71.1 Mod mental retard sig impairm of behav req attent /treat	3	46	49	0.0001%
F71.8 Moderate mental retardation, other impairments of behaviour	2	27	29	0.0001%
F71.9 Mod mental retard without mention of impairment of behav	2	51	53	0.0001%
F72.0 Sev mental retard with statement no or min impairm behav	3	68	71	0.0001%
F72.1 Sev mental retard sign impairm behav req attent /treatment	5	84	89	0.0002%
F72.8 Severe mental retardation, other impairments of behaviour		10	10	0.0000%
F72.9 Severe mental retard without mention of impairment of behav		13	13	0.0000%
F73.0 Prof mental retard with statement no or min impairm behav	2	15	17	0.0000%
F73.1 Prof mental retard sig impairm behav req attent/treatment		4	4	0.0000%
F79.0 Unspec mental retard with statement no or min impair behav	5	1	6	0.0000%
F79.9 Unspec mental retard without mention of impairment of behav	5	29	34	0.0001%
F80.0 Specific speech articulation disorder	1		1	0.0000%
F80.1 Expressive language disorder	1	4	5	0.0000%
F80.9 Developmental disorder of speech and language, unspecified	4	22	26	0.0001%
F81.0 Specific reading disorder		8	8	0.0000%
F81.8 Other developmental disorders of scholastic skills		4	4	0.0000%
F81.9 Developmental disorder of scholastic skills, unspecified	24	93	117	0.0002%
F82.X Specific developmental disorder of motor function		3	3	0.0000%
F83.X Mixed specific developmental disorders	1	1	2	0.0000%
F84.0 Childhood autism	37	185	222	0.0004%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F84.1 Atypical autism	3	13	16	0.0000%
F84.2 Rett's syndrome	2	1	3	0.0000%
F84.5 Asperger's syndrome	34	218	252	0.0005%
F84.9 Pervasive developmental disorder, unspecified	32	192	224	0.0004%
F88.X Other disorders of psychological development	1		1	0.0000%
F89.X Unspecified disorder of psychological development	38	104	142	0.0003%
F90.0 Disturbance of activity and attention	40	179	219	0.0004%
F90.1 Hyperkinetic conduct disorder	26	76	102	0.0002%
F90.8 Other hyperkinetic disorders		1	1	0.0000%
F90.9 Hyperkinetic disorder, unspecified	193	768	961	0.0019%
F91.0 Conduct disorder confined to the family context	4	5	9	0.0000%
F91.1 Unsocialized conduct disorder	20	12	32	0.0001%
F91.2 Socialized conduct disorder	26	29	55	0.0001%
F91.3 Oppositional defiant disorder	3	3	6	0.0000%
F91.8 Other conduct disorders	1		1	0.0000%
F91.9 Conduct disorder, unspecified	18	78	96	0.0002%
F92.0 Depressive conduct disorder	3	1	4	0.0000%
F92.8 Other mixed disorders of conduct and emotions	15	13	28	0.0001%
F92.9 Mixed disorder of conduct and emotions, unspecified	6	45	51	0.0001%
F93.0 Separation anxiety disorder of childhood		2	2	0.0000%
F93.2 Social anxiety disorder of childhood		13	13	0.0000%
F93.8 Other childhood emotional disorders	4	3	7	0.0000%
F93.9 Childhood emotional disorder, unspecified	202	771	973	0.0019%
F94.1 Reactive attachment disorder of childhood	1	1	2	0.0000%
F94.2 Disinhibited attachment disorder of childhood	1	5	6	0.0000%
F94.9 Childhood disorder of social functioning, unspecified		10	10	0.0000%
F95.0 Transient tic disorder	2		2	0.0000%
F95.1 Chronic motor or vocal tic disorder	2		2	0.0000%
F95.2 Combined vocal multip motor tic disorder [de la Tourette]	6	129	135	0.0003%
F95.8 Other tic disorders		1	1	0.0000%
F95.9 Tic disorder, unspecified	4	42	46	0.0001%
F98.0 Nonorganic enuresis		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
F98.1 Nonorganic encopresis	3	20	23	0.0000%
F98.3 Pica of infancy and childhood	1		1	0.0000%
F98.4 Stereotyped movement disorders	1		1	0.0000%
F98.5 Stuttering [stammering]	2		2	0.0000%
F98.8 Ot spc behav emotion disord onst usual ocur childhd adoles	4	6	10	0.0000%
F98.9 Unspec behav emotion disord onst usual ocur childhd adoles	2	10	12	0.0000%
F99.X Mental disorder, not otherwise specified	8,337	62,109	70,446	0.1408%
G00.1 Pneumococcal meningitis	1	3	4	0.0000%
G00.8 Other bacterial meningitis	1		1	0.0000%
G03.9 Meningitis, unspecified	7	11	18	0.0000%
G04.0 Acute disseminated encephalitis		1	1	0.0000%
G04.8 Other encephalitis, myelitis and encephalomyelitis	1		1	0.0000%
G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified	10	15	25	0.0000%
G06.0 Intracranial abscess and granuloma	2	9	11	0.0000%
G06.1 Intraspinal abscess and granuloma		2	2	0.0000%
G06.2 Extradural and subdural abscess, unspecified	1	8	9	0.0000%
G08.X Intracranial and intraspinal phlebitis and thrombophlebitis	3	3	6	0.0000%
G10.X Huntington's disease	9	236	245	0.0005%
G11.1 Early-onset cerebellar ataxia	8	7	15	0.0000%
G11.3 Cerebellar ataxia with defective DNA repair	1	2	3	0.0000%
G11.4 Hereditary spastic paraplegia	9	13	22	0.0000%
G11.9 Hereditary ataxia, unspecified	3	7	10	0.0000%
G12.2 Motor neuron disease	75	185	260	0.0005%
G12.8 Other spinal muscular atrophies and related syndromes		1	1	0.0000%
G12.9 Spinal muscular atrophy, unspecified	1	11	12	0.0000%
G20.X Parkinson's disease	263	703	966	0.0019%
G21.1 Other drug-induced secondary parkinsonism	2		2	0.0000%
G23.2 Striatonigral degeneration	1		1	0.0000%
G24.0 Drug-induced dystonia	2		2	0.0000%
G24.1 Idiopathic familial dystonia	10	1	11	0.0000%
G24.3 Spasmodic torticollis	1	59	60	0.0001%
G24.4 Idiopathic orofacial dystonia	2	1	3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G24.5 Blepharospasm	18	229	247	0.0005%
G24.8 Other dystonia	9	10	19	0.0000%
G24.9 Dystonia, unspecified	63	196	259	0.0005%
G25.0 Essential tremor	117	29	146	0.0003%
G25.1 Drug-induced tremor	6		6	0.0000%
G25.2 Other specified forms of tremor	1	3	4	0.0000%
G25.3 Myoclonus	9	2	11	0.0000%
G25.5 Other chorea	4	1	5	0.0000%
G25.8 Other specified extrapyramidal and movement disorders	27	8	35	0.0001%
G25.9 Extrapyramidal and movement disorder, unspecified	116	132	248	0.0005%
G30.0 Alzheimer's disease with early onset	1		1	0.0000%
G30.1 Alzheimer's disease with late onset	17	25	42	0.0001%
G30.8 Other Alzheimer's disease	4	2	6	0.0000%
G30.9 Alzheimer's disease, unspecified	13	42	55	0.0001%
G31.0 Circumscribed brain atrophy	2	1	3	0.0000%
G31.2 Degeneration of nervous system due to alcohol	4	3	7	0.0000%
G31.8 Other specified degenerative diseases of nervous system	2	6	8	0.0000%
G31.9 Degenerative disease of nervous system, unspecified	15	5	20	0.0000%
G35.X Multiple sclerosis	448	1,351	1,799	0.0036%
G36.0 Neuromyelitis optica [Devic]		1	1	0.0000%
G37.3 Acute transverse myelitis in demyelinating disease of CNS	5	7	12	0.0000%
G37.9 Demyelinating disease of central nervous system, unspecified	23	16	39	0.0001%
G40.0 Locl-rel(foc)(part)idiop epilep/ epilptic syn seiz locl ons	19	132	151	0.0003%
G40.1 Locl-rel(foc)part)symp epilep/ epilptic syn simple part seiz	173	887	1,060	0.0021%
G40.2 Locl-rel(foc)part)symp epilep/ epilptic syn complex part seiz	160	261	421	0.0008%
G40.3 Generalized idiopathic epilepsy and epileptic syndromes	109	328	437	0.0009%
G40.4 Other generalized epilepsy and epileptic syndromes	1	3	4	0.0000%
G40.6 Grand mal seizures, unspecified (with or without petit mal)		3	3	0.0000%
G40.7 Petit mal, unspecified, without grand mal seizures	1	1	2	0.0000%
G40.8 Other epilepsy	252	339	591	0.0012%
G40.9 Epilepsy, unspecified	288	436	724	0.0014%
G41.0 Grand mal status epilepticus		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
G41.9 Status epilepticus, unspecified	2	2	4	0.0000%
G43.0 Migraine without aura [common migraine]	5	2	7	0.0000%
G43.1 Migraine with aura [classical migraine]	13	1	14	0.0000%
G43.8 Other migraine	5	5	10	0.0000%
G43.9 Migraine, unspecified	892	353	1,245	0.0025%
G44.0 Cluster headache syndrome	23	12	35	0.0001%
G44.1 Vascular headache, not elsewhere classified	1		1	0.0000%
G44.2 Tension-type headache	46	20	66	0.0001%
G44.3 Chronic post-traumatic headache	3		3	0.0000%
G44.4 Drug-induced headache, not elsewhere classified	5	1	6	0.0000%
G44.8 Other specified headache syndromes	17		17	0.0000%
G45.0 Vertebro-basilar artery syndrome	110	1	111	0.0002%
G45.1 Carotid artery syndrome (hemispheric)	168	4	172	0.0003%
G45.3 Amaurosis fugax	149	20	169	0.0003%
G45.4 Transient global amnesia	13	1	14	0.0000%
G45.8 Other transient cerebral ischaemic attacks and related synd	1		1	0.0000%
G45.9 Transient cerebral ischaemic attack, unspecified	95	53	148	0.0003%
G47.0 Disorders of initiating and maintaining sleep [insomnias]	54	27	81	0.0002%
G47.1 Disorders of excessive somnolence [hypersomnias]	8	6	14	0.0000%
G47.2 Disorders of the sleep-wake schedule	1		1	0.0000%
G47.3 Sleep apnoea	8	15	23	0.0000%
G47.4 Narcolepsy and cataplexy	20	35	55	0.0001%
G47.8 Other sleep disorders	34	23	57	0.0001%
G47.9 Sleep disorder, unspecified	9	2	11	0.0000%
G50.0 Trigeminal neuralgia	119	187	306	0.0006%
G50.1 Atypical facial pain	26	16	42	0.0001%
G50.8 Other disorders of trigeminal nerve	3	4	7	0.0000%
G50.9 Disorder of trigeminal nerve, unspecified	1	2	3	0.0000%
G51.0 Bell's palsy	70	100	170	0.0003%
G51.3 Clonic hemifacial spasm	25	363	388	0.0008%
G51.4 Facial myokymia	2	1	3	0.0000%
G51.9 Disorder of facial nerve, unspecified	38	2	40	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
G52.1 Disorders of glossopharyngeal nerve	2	2	4	0.0000%
G52.7 Disorders of multiple cranial nerves	1		1	0.0000%
G52.9 Cranial nerve disorder, unspecified	9	8	17	0.0000%
G54.0 Brachial plexus disorders	12	14	26	0.0001%
G54.1 Lumbosacral plexus disorders	1	1	2	0.0000%
G54.2 Cervical root disorders, not elsewhere classified	1	1	2	0.0000%
G54.5 Neuralgic amyotrophy	9	4	13	0.0000%
G54.6 Phantom limb syndrome with pain	4	6	10	0.0000%
G54.8 Other nerve root and plexus disorders	1		1	0.0000%
G54.9 Nerve root and plexus disorder, unspecified	8	15	23	0.0000%
G56.0 Carpal tunnel syndrome	836	787	1,623	0.0032%
G56.1 Other lesions of median nerve		3	3	0.0000%
G56.2 Lesion of ulnar nerve	17	29	46	0.0001%
G56.3 Lesion of radial nerve	3	2	5	0.0000%
G56.4 Causalgia		1	1	0.0000%
G56.8 Other mononeuropathies of upper limb	200	41	241	0.0005%
G56.9 Mononeuropathy of upper limb, unspecified	1		1	0.0000%
G57.1 Meralgia paraesthetica	10	14	24	0.0000%
G57.2 Lesion of femoral nerve	1		1	0.0000%
G57.3 Lesion of lateral popliteal nerve	1	1	2	0.0000%
G57.5 Tarsal tunnel syndrome		1	1	0.0000%
G57.6 Lesion of plantar nerve	10	52	62	0.0001%
G57.8 Other mononeuropathies of lower limb	18	30	48	0.0001%
G57.9 Mononeuropathy of lower limb, unspecified	59	24	83	0.0002%
G58.0 Intercostal neuropathy	3	4	7	0.0000%
G58.7 Mononeuritis multiplex		1	1	0.0000%
G58.8 Other specified mononeuropathies	21	9	30	0.0001%
G58.9 Mononeuropathy, unspecified	96	126	222	0.0004%
G59.0 Diabetic mononeuropathy	1		1	0.0000%
G60.0 Hereditary motor and sensory neuropathy	11	41	52	0.0001%
G60.3 Idiopathic progressive neuropathy	1		1	0.0000%
G60.8 Other hereditary and idiopathic neuropathies	4		4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G60.9 Hereditary and idiopathic neuropathy, unspecified	6	3	9	0.0000%
G61.0 Guillain-Barre syndrome	4	48	52	0.0001%
G61.8 Other inflammatory polyneuropathies	8	25	33	0.0001%
G61.9 Inflammatory polyneuropathy, unspecified	1	7	8	0.0000%
G62.0 Drug-induced polyneuropathy	1		1	0.0000%
G62.8 Other specified polyneuropathies	27	45	72	0.0001%
G62.9 Polyneuropathy, unspecified	205	100	305	0.0006%
G63.2 Diabetic polyneuropathy	1	1	2	0.0000%
G70.0 Myasthenia gravis	102	255	357	0.0007%
G70.2 Congenital and developmental myasthenia	6	11	17	0.0000%
G70.8 Other specified myoneural disorders	1	11	12	0.0000%
G70.9 Myoneural disorder, unspecified	28	31	59	0.0001%
G71.0 Muscular dystrophy	45	148	193	0.0004%
G71.1 Myotonic disorders	32	135	167	0.0003%
G71.2 Congenital myopathies	1		1	0.0000%
G71.3 Mitochondrial myopathy, not elsewhere classified	1	1	2	0.0000%
G71.8 Other primary disorders of muscles		1	1	0.0000%
G72.8 Other specified myopathies	10	50	60	0.0001%
G72.9 Myopathy, unspecified	14	11	25	0.0000%
G73.6 Myopathy in metabolic diseases	1		1	0.0000%
G80.0 Spastic cerebral palsy	2	20	22	0.0000%
G80.1 Spastic diplegia		26	26	0.0001%
G80.2 Infantile hemiplegia	1	3	4	0.0000%
G80.3 Dyskinetic cerebral palsy	2		2	0.0000%
G80.8 Other infantile cerebral palsy		5	5	0.0000%
G80.9 Infantile cerebral palsy, unspecified	18	48	66	0.0001%
G81.9 Hemiplegia, unspecified	10	10	20	0.0000%
G82.1 Spastic paraplegia	5	7	12	0.0000%
G82.2 Paraplegia, unspecified	1	2	3	0.0000%
G82.4 Spastic tetraplegia		7	7	0.0000%
G82.5 Tetraplegia, unspecified	3	1	4	0.0000%
G83.0 Diplegia of upper limbs	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
G83.4 Cauda equina syndrome	5	23	28	0.0001%
G83.8 Other specified paralytic syndromes		4	4	0.0000%
G90.2 Horner's syndrome	14	6	20	0.0000%
G90.3 Multi-system degeneration	6	12	18	0.0000%
G90.8 Other disorders of autonomic nervous system	1		1	0.0000%
G91.2 Normal-pressure hydrocephalus	2	1	3	0.0000%
G91.9 Hydrocephalus, unspecified	96	423	519	0.0010%
G93.0 Cerebral cysts	14	26	40	0.0001%
G93.2 Benign intracranial hypertension	27	61	88	0.0002%
G93.3 Postviral fatigue syndrome	35	74	109	0.0002%
G93.4 Encephalopathy, unspecified	3	1	4	0.0000%
G93.8 Other specified disorders of brain		3	3	0.0000%
G93.9 Disorder of brain, unspecified	6	5	11	0.0000%
G95.0 Syringomyelia and syringobulbia	6	25	31	0.0001%
G95.1 Vascular myelopathies	4	1	5	0.0000%
G95.2 Cord compression, unspecified	5	4	9	0.0000%
G95.8 Other specified diseases of spinal cord	1	3	4	0.0000%
G95.9 Disease of spinal cord, unspecified	51	97	148	0.0003%
G96.1 Disorders of meninges, not elsewhere classified	1	3	4	0.0000%
G96.9 Disorder of central nervous system, unspecified		1	1	0.0000%
G97.1 Other reaction to spinal and lumbar puncture		1	1	0.0000%
G98.X Other disorders of nervous system, not elsewhere classified	33	25	58	0.0001%
G99.2 Myelopathy in diseases classified elsewhere		1	1	0.0000%
H00.0 Hordeolum and other deep inflammation of eyelid	90	74	164	0.0003%
H00.1 Chalazion	385	181	566	0.0011%
H01.0 Blepharitis	205	271	476	0.0010%
H01.1 Noninfectious dermatoses of eyelid	5	13	18	0.0000%
H01.8 Other specified inflammation of eyelid	6	4	10	0.0000%
H01.9 Inflammation of eyelid, unspecified	3		3	0.0000%
H02.0 Entropion and trichiasis of eyelid	122	255	377	0.0008%
H02.1 Ectropion of eyelid	124	201	325	0.0006%
H02.2 Lagophthalmos	7	5	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
H02.3 Blepharochalasis		16 23	39	0.0001%
H02.4 Ptosis of eyelid		158 315	473	0.0009%
H02.5 Other disorders affecting eyelid function		1 1	2	0.0000%
H02.6 Xanthelasma of eyelid		27 46	73	0.0001%
H02.7 Other degenerative disorders of eyelid and periocular area			6	0.0000%
H02.8 Other specified disorders of eyelid		262 102	364	0.0007%
H02.9 Disorder of eyelid, unspecified		341 322	663	0.0013%
H04.0 Dacryoadenitis		2 3	5	0.0000%
H04.1 Other disorders of lacrimal gland		272 526	798	0.0016%
H04.2 Epiphora		254 303	557	0.0011%
H04.3 Acute and unspecified inflammation of lacrimal passages		16 20	36	0.0001%
H04.4 Chronic inflammation of lacrimal passages		1 1	2	0.0000%
H04.5 Stenosis and insufficiency of lacrimal passages		109 142	251	0.0005%
H04.6 Other changes in lacrimal passages		3 3	6	0.0000%
H04.8 Other disorders of lacrimal system		11 24	35	0.0001%
H04.9 Disorder of lacrimal system, unspecified		161 324	485	0.0010%
H05.0 Acute inflammation of orbit		6 15	21	0.0000%
H05.1 Chronic inflammatory disorders of orbit			9	0.0000%
H05.2 Exophthalmic conditions		4 5	9	0.0000%
H05.3 Deformity of orbit			2	0.0000%
H05.4 Enophthalmos		2 2	4	0.0000%
H05.8 Other disorders of orbit		1	1	0.0000%
H05.9 Disorder of orbit, unspecified		9 22	31	0.0001%
H06.2 Dysthyroid exophthalmos		10	10	0.0000%
H10.0 Mucopurulent conjunctivitis		6 8	14	0.0000%
H10.1 Acute atopic conjunctivitis		63 107	170	0.0003%
H10.2 Other acute conjunctivitis		1 2	3	0.0000%
H10.3 Acute conjunctivitis, unspecified		1	1	0.0000%
H10.4 Chronic conjunctivitis		11 3	14	0.0000%
H10.5 Blepharoconjunctivitis		56 85	141	0.0003%
H10.8 Other conjunctivitis		4 9	13	0.0000%
H10.9 Conjunctivitis, unspecified		79 55	134	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
H11.0 Pterygium	92	127	219	0.0004%
H11.1 Conjunctival degenerations and deposits	20	27	47	0.0001%
H11.2 Conjunctival scars	4	12	16	0.0000%
H11.3 Conjunctival haemorrhage	17	26	43	0.0001%
H11.4 Other conjunctival vascular disorders and cysts	34	10	44	0.0001%
H11.8 Other specified disorders of conjunctiva	18	14	32	0.0001%
H11.9 Disorder of conjunctiva, unspecified	6	23	29	0.0001%
H15.0 Scleritis	18	92	110	0.0002%
H15.1 Episcleritis	62	75	137	0.0003%
H15.8 Other disorders of sclera	1	2	3	0.0000%
H16.0 Corneal ulcer	84	292	376	0.0008%
H16.1 Other superficial keratitis without conjunctivitis	3	4	7	0.0000%
H16.2 Keratoconjunctivitis	21	47	68	0.0001%
H16.3 Interstitial and deep keratitis	9	21	30	0.0001%
H16.4 Corneal neovascularization	58	98	156	0.0003%
H16.8 Other keratitis	25	55	80	0.0002%
H16.9 Keratitis, unspecified	141	297	438	0.0009%
H17.1 Other central corneal opacity	2	8	10	0.0000%
H17.8 Other corneal scars and opacities	126	99	225	0.0004%
H17.9 Corneal scar and opacity, unspecified	54	138	192	0.0004%
H18.0 Corneal pigmentations and deposits	4	7	11	0.0000%
H18.1 Bullous keratopathy	7	19	26	0.0001%
H18.2 Other corneal oedema	1	13	14	0.0000%
H18.3 Changes in corneal membranes	5	11	16	0.0000%
H18.4 Corneal degeneration	37	79	116	0.0002%
H18.5 Hereditary corneal dystrophies	59	148	207	0.0004%
H18.6 Keratoconus	72	183	255	0.0005%
H18.7 Other corneal deformities	1		1	0.0000%
H18.8 Other specified disorders of cornea	29	141	170	0.0003%
H18.9 Disorder of cornea, unspecified	29	335	364	0.0007%
H20.0 Acute and subacute iridocyclitis	138	587	725	0.0014%
H20.1 Chronic iridocyclitis	14	50	64	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
H20.8 Other iridocyclitis		3 41	44	0.0001%
H20.9 Iridocyclitis, unspecified		130 526	656	0.0013%
H21.0 Hyphaema		3 7	10	0.0000%
H21.1 Other vascular disorders of iris and ciliary body		6 7	13	0.0000%
H21.2 Degeneration of iris and ciliary body			1 1	0.0000%
H21.3 Cyst of iris, ciliary body and anterior chamber		3 7	10	0.0000%
H21.4 Pupillary membranes		1 2	3	0.0000%
H21.8 Other specified disorders of iris and ciliary body		3 24	27	0.0001%
H21.9 Disorder of iris and ciliary body, unspecified		5 68	73	0.0001%
H25.0 Senile incipient cataract		60 247	307	0.0006%
H25.1 Senile nuclear cataract		1 390	391	0.0008%
H25.8 Other senile cataract		7 181	188	0.0004%
H25.9 Senile cataract, unspecified		228 327	555	0.0011%
H26.0 Infantile, juvenile and presenile cataract		10 10	20	0.0000%
H26.1 Traumatic cataract		16 34	50	0.0001%
H26.2 Complicated cataract		1 5	6	0.0000%
H26.3 Drug-induced cataract			1 1	0.0000%
H26.4 After-cataract		886 888	1,774	0.0035%
H26.8 Other specified cataract		460 882	1,342	0.0027%
H26.9 Cataract, unspecified		2,341 3,200	5,541	0.0111%
H27.0 Aphakia		7 51	58	0.0001%
H27.1 Dislocation of lens		8 13	21	0.0000%
H27.8 Other specified disorders of lens		124 25	149	0.0003%
H27.9 Disorder of lens, unspecified		1 10	11	0.0000%
H30.0 Focal chorioretinal inflammation		1 3	4	0.0000%
H30.1 Disseminated chorioretinal inflammation			1 1	0.0000%
H30.2 Posterior cyclitis		8 48	56	0.0001%
H30.8 Other chorioretinal inflammations		6 20	26	0.0001%
H30.9 Chorioretinal inflammation, unspecified		6 49	55	0.0001%
H31.0 Chorioretinal scars		24 31	55	0.0001%
H31.1 Choroidal degeneration		1 8	9	0.0000%
H31.3 Choroidal haemorrhage and rupture		1 8	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
H31.4 Choroidal detachment		1	1	0.0000%
H31.8 Other specified disorders of choroid	8	30	38	0.0001%
H31.9 Disorder of choroid, unspecified	3	15	18	0.0000%
H33.0 Retinal detachment with retinal break	96	241	337	0.0007%
H33.1 Retinoschisis and retinal cysts	28	48	76	0.0002%
H33.2 Serous retinal detachment	32	188	220	0.0004%
H33.3 Retinal breaks without detachment	111	290	401	0.0008%
H33.4 Traction detachment of retina	5	8	13	0.0000%
H33.5 Other retinal detachments	17	152	169	0.0003%
H34.0 Transient retinal artery occlusion	1	1	2	0.0000%
H34.1 Central retinal artery occlusion	17	83	100	0.0002%
H34.2 Other retinal artery occlusions	100	169	269	0.0005%
H34.8 Other retinal vascular occlusions	327	923	1,250	0.0025%
H34.9 Retinal vascular occlusion, unspecified	22	99	121	0.0002%
H35.0 Background retinopathy and retinal vascular changes	217	1,921	2,138	0.0043%
H35.1 Retinopathy of prematurity	4	20	24	0.0000%
H35.2 Other proliferative retinopathy	3	37	40	0.0001%
H35.3 Degeneration of macula and posterior pole	1,381	4,844	6,225	0.0124%
H35.4 Peripheral retinal degeneration	41	36	77	0.0002%
H35.5 Hereditary retinal dystrophy	46	83	129	0.0003%
H35.6 Retinal haemorrhage	12	51	63	0.0001%
H35.7 Separation of retinal layers	94	126	220	0.0004%
H35.8 Other specified retinal disorders	253	541	794	0.0016%
H35.9 Retinal disorder, unspecified	248	428	676	0.0014%
H36.0 Diabetic retinopathy	1		1	0.0000%
H40.0 Glaucoma suspect	793	2,470	3,263	0.0065%
H40.1 Primary open-angle glaucoma	460	4,757	5,217	0.0104%
H40.2 Primary angle-closure glaucoma	131	540	671	0.0013%
H40.3 Glaucoma secondary to eye trauma	2	28	30	0.0001%
H40.4 Glaucoma secondary to eye inflammation		10	10	0.0000%
H40.5 Glaucoma secondary to other eye disorders	23	155	178	0.0004%
H40.6 Glaucoma secondary to drugs	1	7	8	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H40.8 Other glaucoma	29	169	198	0.0004%
H40.9 Glaucoma, unspecified	1,221	5,523	6,744	0.0135%
H43.0 Vitreous prolapse	1		1	0.0000%
H43.1 Vitreous haemorrhage	44	218	262	0.0005%
H43.2 Crystalline deposits in vitreous body	2		2	0.0000%
H43.3 Other vitreous opacities	32	48	80	0.0002%
H43.8 Other disorders of vitreous body	473	262	735	0.0015%
H43.9 Disorder of vitreous body, unspecified	80	93	173	0.0003%
H44.0 Purulent endophthalmitis	4	22	26	0.0001%
H44.1 Other endophthalmitis	74	138	212	0.0004%
H44.2 Degenerative myopia	7	21	28	0.0001%
H44.3 Other degenerative disorders of globe		2	2	0.0000%
H44.4 Hypotony of eye	59	38	97	0.0002%
H44.5 Degenerated conditions of globe		1	1	0.0000%
H44.7 Retained (old) intraocular foreign body, nonmagnetic	1		1	0.0000%
H44.9 Disorder of globe, unspecified	5	2	7	0.0000%
H46.X Optic neuritis	77	126	203	0.0004%
H47.0 Disorders of optic nerve, not elsewhere classified	59	72	131	0.0003%
H47.1 Papilloedema, unspecified	11	14	25	0.0000%
H47.2 Optic atrophy	23	65	88	0.0002%
H47.3 Other disorders of optic disc	64	65	129	0.0003%
H47.4 Disorders of optic chiasm	2	3	5	0.0000%
H47.5 Disorders of other visual pathways	1		1	0.0000%
H47.6 Disorders of visual cortex	3	17	20	0.0000%
H47.7 Disorder of visual pathways, unspecified	1	1	2	0.0000%
H49.0 Third [oculomotor] nerve palsy	44	94	138	0.0003%
H49.1 Fourth [trochlear] nerve palsy	82	196	278	0.0006%
H49.2 Sixth [abducent] nerve palsy	107	239	346	0.0007%
H49.3 Total (external) ophthalmoplegia	2	1	3	0.0000%
H49.4 Progressive external ophthalmoplegia	6	10	16	0.0000%
H49.8 Other paralytic strabismus	18	9	27	0.0001%
H49.9 Paralytic strabismus, unspecified	8	14	22	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H50.0 Convergent concomitant strabismus	401	2,314	2,715	0.0054%
H50.1 Divergent concomitant strabismus	303	1,139	1,442	0.0029%
H50.2 Vertical strabismus	20	47	67	0.0001%
H50.3 Intermittent heterotropia	16	52	68	0.0001%
H50.4 Other and unspecified heterotropia	51	134	185	0.0004%
H50.5 Heterophoria	701	1,752	2,453	0.0049%
H50.6 Mechanical strabismus	25	56	81	0.0002%
H50.8 Other specified strabismus	13	54	67	0.0001%
H50.9 Strabismus, unspecified	353	1,221	1,574	0.0031%
H51.0 Palsy of conjugate gaze	5	13	18	0.0000%
H51.1 Convergence insufficiency and excess	31	87	118	0.0002%
H51.2 Internuclear ophthalmoplegia	7	15	22	0.0000%
H51.8 Other specified disorders of binocular movement	3	5	8	0.0000%
H51.9 Disorder of binocular movement, unspecified	3	7	10	0.0000%
H52.0 Hypermetropia	155	1,103	1,258	0.0025%
H52.1 Myopia	109	272	381	0.0008%
H52.2 Astigmatism	35	149	184	0.0004%
H52.3 Anisometropia and aniseikonia	28	185	213	0.0004%
H52.4 Presbyopia	7	4	11	0.0000%
H52.5 Disorders of accommodation	40	95	135	0.0003%
H52.7 Disorder of refraction, unspecified	47	185	232	0.0005%
H53.0 Amblyopia ex anopsia	54	167	221	0.0004%
H53.1 Subjective visual disturbances	37	117	154	0.0003%
H53.2 Diplopia	76	102	178	0.0004%
H53.3 Other disorders of binocular vision	8	15	23	0.0000%
H53.4 Visual field defects	170	351	521	0.0010%
H53.5 Colour vision deficiencies	4		4	0.0000%
H53.6 Night blindness		4	4	0.0000%
H53.8 Other visual disturbances	23	51	74	0.0001%
H53.9 Visual disturbance, unspecified	180	714	894	0.0018%
H54.0 Blindness, both eyes	4	5	9	0.0000%
H54.1 Blindness, one eye, low vision other eye		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
H54.2 Low vision, both eyes		115 104	219	0.0004%
H54.3 Unqualified visual loss, both eyes		8 4	12	0.0000%
H54.4 Blindness, one eye		4 11	15	0.0000%
H54.5 Low vision, one eye		83 81	164	0.0003%
H54.6 Unqualified visual loss, one eye		2	2	0.0000%
H54.7 Unspecified visual loss		19 21	40	0.0001%
H55.X Nystagmus and other irregular eye movements		44 132	176	0.0004%
H57.0 Anomalies of pupillary function		37 12	49	0.0001%
H57.1 Ocular pain		14 4	18	0.0000%
H57.8 Other specified disorders of eye and adnexa		97 589	686	0.0014%
H57.9 Disorder of eye and adnexa, unspecified		527 734	1,261	0.0025%
H59.0 Vitreous syndrome following cataract surgery		3	3	0.0000%
H59.8 Other postprocedural disorders of eye and adnexa		4 158	162	0.0003%
H59.9 Postprocedural disorder of eye and adnexa, unspecified		50 636	686	0.0014%
H60.0 Abscess of external ear		1 2	3	0.0000%
H60.4 Cholesteatoma of external ear		1 5	6	0.0000%
H60.8 Other otitis externa		17 11	28	0.0001%
H60.9 Otitis externa, unspecified		40 110	150	0.0003%
H61.0 Perichondritis of external ear		19 56	75	0.0001%
H61.1 Noninfective disorders of pinna		7 14	21	0.0000%
H61.2 Impacted cerumen		142 853	995	0.0020%
H61.8 Other specified disorders of external ear		5	5	0.0000%
H61.9 Disorder of external ear, unspecified		4 11	15	0.0000%
H65.2 Chronic serous otitis media		1	1	0.0000%
H65.3 Chronic mucoid otitis media		28 46	74	0.0001%
H65.4 Other chronic nonsuppurative otitis media		1 16	17	0.0000%
H65.9 Nonsuppurative otitis media, unspecified		8 3	11	0.0000%
H66.3 Other chronic suppurative otitis media		15 12	27	0.0001%
H66.4 Suppurative otitis media, unspecified		6 2	8	0.0000%
H66.9 Otitis media, unspecified		776 1,229	2,005	0.0040%
H68.0 Eustachian salpingitis		1	1	0.0000%
H68.1 Obstruction of Eustachian tube		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H69.9 Eustachian tube disorder, unspecified	8	1	9	0.0000%
H70.9 Mastoiditis, unspecified	1	19	20	0.0000%
H71.X Cholesteatoma of middle ear	9	18	27	0.0001%
H72.0 Central perforation of tympanic membrane		1	1	0.0000%
H72.9 Perforation of tympanic membrane, unspecified	8	13	21	0.0000%
H73.8 Other specified disorders of tympanic membrane	4	3	7	0.0000%
H73.9 Disorder of tympanic membrane, unspecified	1	1	2	0.0000%
H74.2 Discontinuity and dislocation of ear ossicles	1		1	0.0000%
H74.4 Polyp of middle ear	4	5	9	0.0000%
H74.8 Other specified disorders of middle ear and mastoid		2	2	0.0000%
H74.9 Disorder of middle ear and mastoid, unspecified	1	5	6	0.0000%
H80.9 Otosclerosis, unspecified	2		2	0.0000%
H81.0 Meniere's disease	8	2	10	0.0000%
H81.1 Benign paroxysmal vertigo	6	1	7	0.0000%
H81.2 Vestibular neuritis	2		2	0.0000%
H81.3 Other peripheral vertigo	1	2	3	0.0000%
H81.8 Other disorders of vestibular function	1		1	0.0000%
H81.9 Disorder of vestibular function, unspecified	4	2	6	0.0000%
H83.0 Labyrinthitis	4	1	5	0.0000%
H83.3 Noise effects on inner ear	12	1	13	0.0000%
H83.9 Disease of inner ear, unspecified		3	3	0.0000%
H90.0 Conductive hearing loss, bilateral	85	86	171	0.0003%
H90.1 Conduct hear loss unilat unrestric hearing contralat side	51	44	95	0.0002%
H90.2 Conductive hearing loss, unspecified	23	6	29	0.0001%
H90.3 Sensorineural hearing loss, bilateral	39	1	40	0.0001%
H90.4 Sensneurl hear loss unilat unrestrict hear contralat side	2	4	6	0.0000%
H90.5 Sensorineural hearing loss, unspecified	58	13	71	0.0001%
H90.6 Mixed conductive and sensorineural hearing loss, bilateral	1		1	0.0000%
H90.7 Mix cond/sensneurl hear loss unlat unrestrict hear contra sd	1	1	2	0.0000%
H90.8 Mixed conductive and sensorineural hearing loss, unspecified	1		1	0.0000%
H91.1 Presbycusis	69	1	70	0.0001%
H91.2 Sudden idiopathic hearing loss	2		2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
H91.3 Deaf mutism, not elsewhere classified	1		1	0.0000%
H91.8 Other specified hearing loss	2		2	0.0000%
H91.9 Hearing loss, unspecified	910	734	1,644	0.0033%
H92.0 Otagia	9	3	12	0.0000%
H92.1 Otorrhoea	4	7	11	0.0000%
H93.1 Tinnitus	154	78	232	0.0005%
H93.2 Other abnormal auditory perceptions		2	2	0.0000%
H93.8 Other specified disorders of ear		1	1	0.0000%
H93.9 Disorder of ear, unspecified	52	53	105	0.0002%
H95.1 Other disorders following mastoidectomy		28	28	0.0001%
H95.8 Other postprocedural disorders of ear and mastoid process		1	1	0.0000%
H95.9 Postprocedural disorder of ear and mastoid process unspec		9	9	0.0000%
I00.X Rheumatic fever without mention of heart involvement		1	1	0.0000%
I02.9 Rheumatic chorea without heart involvement	1	4	5	0.0000%
I05.0 Mitral stenosis	1	1	2	0.0000%
I05.8 Other mitral valve diseases		1	1	0.0000%
I05.9 Mitral valve disease, unspecified	6		6	0.0000%
I07.8 Other tricuspid valve diseases	4		4	0.0000%
I08.2 Disorders of both aortic and tricuspid valves	9		9	0.0000%
I10.X Essential (primary) hypertension	68	117	185	0.0004%
I11.0 Hypertensive heart disease with (congestive) heart failure		1	1	0.0000%
I12.0 Hypertensive renal disease with renal failure		1	1	0.0000%
I12.9 Hypertensive renal disease without renal failure	2	9	11	0.0000%
I15.8 Other secondary hypertension		2	2	0.0000%
I15.9 Secondary hypertension, unspecified	3	3	6	0.0000%
I20.0 Unstable angina		71	71	0.0001%
I20.9 Angina pectoris, unspecified	229	138	367	0.0007%
I21.1 Acute transmural myocardial infarction of inferior wall		4	4	0.0000%
I21.9 Acute myocardial infarction, unspecified	11	18	29	0.0001%
I24.9 Acute ischaemic heart disease, unspecified		22	22	0.0000%
I25.1 Atherosclerotic heart disease	2	8	10	0.0000%
I25.8 Other forms of chronic ischaemic heart disease		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
I25.9 Chronic ischaemic heart disease, unspecified	7	5	12	0.0000%
I26.9 Pulmonary embolism without mention of acute cor pulmonale	2	164	166	0.0003%
I27.0 Primary pulmonary hypertension	1	1	2	0.0000%
I28.8 Other specified diseases of pulmonary vessels	1		1	0.0000%
I31.3 Pericardial effusion (noninflammatory)		1	1	0.0000%
I33.0 Acute and subacute infective endocarditis		1	1	0.0000%
I34.1 Mitral (valve) prolapse	1		1	0.0000%
I35.0 Aortic (valve) stenosis	4	19	23	0.0000%
I35.9 Aortic valve disorder, unspecified	29	5	34	0.0001%
I45.5 Other specified heart block		1	1	0.0000%
I45.8 Other specified conduction disorders		2	2	0.0000%
I45.9 Conduction disorder, unspecified	1		1	0.0000%
I46.0 Cardiac arrest with successful resuscitation	1		1	0.0000%
I47.1 Supraventricular tachycardia	4	7	11	0.0000%
I47.2 Ventricular tachycardia		4	4	0.0000%
I47.9 Paroxysmal tachycardia, unspecified		1	1	0.0000%
I48.X Atrial fibrillation and flutter	107	535	642	0.0013%
I49.4 Other and unspecified premature depolarization	1		1	0.0000%
I49.9 Cardiac arrhythmia, unspecified	4		4	0.0000%
I50.0 Congestive heart failure	8	20	28	0.0001%
I50.1 Left ventricular failure	63	117	180	0.0004%
I50.9 Heart failure, unspecified	23	24	47	0.0001%
I51.6 Cardiovascular disease, unspecified	4	3	7	0.0000%
I51.8 Other ill-defined heart diseases	3	1	4	0.0000%
I51.9 Heart disease, unspecified	91	96	187	0.0004%
I60.0 Subarachnoid haemorrhage from carotid siphon and bifurcation		1	1	0.0000%
I60.3 Subarachnoid haemorrhage from posterior communicating artery	1		1	0.0000%
I60.8 Other subarachnoid haemorrhage		1	1	0.0000%
I60.9 Subarachnoid haemorrhage, unspecified	14	58	72	0.0001%
I61.4 Intracerebral haemorrhage in cerebellum		1	1	0.0000%
I61.5 Intracerebral haemorrhage, intraventricular		2	2	0.0000%
I61.8 Other intracerebral haemorrhage	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
I61.9 Intracerebral haemorrhage, unspecified	5	26	31	0.0001%
I62.0 Subdural haemorrhage (acute)(nontraumatic)	3	58	61	0.0001%
I62.9 Intracranial haemorrhage (nontraumatic), unspecified	1	5	6	0.0000%
I63.5 Cerebrl infarct due unspec occlusion or stenosis cerebri arts		1	1	0.0000%
I63.8 Other cerebral infarction		2	2	0.0000%
I63.9 Cerebral infarction, unspecified	146	29	175	0.0003%
I64.X Stroke, not specified as haemorrhage or infarction	150	198	348	0.0007%
I65.2 Occlusion and stenosis of carotid artery	63		63	0.0001%
I66.9 Occlusion and stenosis of unspecified cerebral artery	2	1	3	0.0000%
I67.0 Dissection of cerebral arteries, nonruptured	3	2	5	0.0000%
I67.1 Cerebral aneurysm, nonruptured	324	477	801	0.0016%
I67.5 Moyamoya disease	4	1	5	0.0000%
I67.6 Nonpyogenic thrombosis of intracranial venous system		1	1	0.0000%
I67.8 Other specified cerebrovascular diseases	2		2	0.0000%
I67.9 Cerebrovascular disease, unspecified	105	27	132	0.0003%
I69.3 Sequelae of cerebral infarction	1	1	2	0.0000%
I69.4 Sequelae of stroke, not spec as haemorrhage or infarction	2	2	4	0.0000%
I71.9 Aortic aneurysm of unspec site, without mention of rupture	3		3	0.0000%
I72.0 Aneurysm of carotid artery	1		1	0.0000%
I72.8 Aneurysm of other specified arteries	31	87	118	0.0002%
I72.9 Aneurysm of unspecified site		5	5	0.0000%
I73.0 Raynaud's syndrome	24	56	80	0.0002%
I73.1 Thromboangiitis obliterans [Buerger]		1	1	0.0000%
I73.8 Other specified peripheral vascular diseases	2		2	0.0000%
I73.9 Peripheral vascular disease, unspecified	64	88	152	0.0003%
I74.2 Embolism and thrombosis of arteries of upper extremities		1	1	0.0000%
I74.3 Embolism and thrombosis of arteries of lower extremities	11	20	31	0.0001%
I74.8 Embolism and thrombosis of other arteries	1		1	0.0000%
I74.9 Embolism and thrombosis of unspecified artery		5	5	0.0000%
I77.0 Arteriovenous fistula, acquired	1	4	5	0.0000%
I77.1 Stricture of artery	3	3	6	0.0000%
I77.3 Arterial fibromuscular dysplasia		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
I77.4 Coeliac artery compression syndrome		1	1	0.0000%
I77.6 Arteritis, unspecified	23	87	110	0.0002%
I77.8 Other specified disorders of arteries and arterioles	7		7	0.0000%
I77.9 Disorder of arteries and arterioles, unspecified	19	21	40	0.0001%
I78.0 Hereditary haemorrhagic telangiectasia		45	45	0.0001%
I78.1 Naevus, non-neoplastic	128	117	245	0.0005%
I78.8 Other diseases of capillaries	1		1	0.0000%
I80.1 Phlebitis and thrombophlebitis of femoral vein		13	13	0.0000%
I80.2 Phlebitis/thrombophlebitis of deep vessels of lower extremities	8	642	650	0.0013%
I80.3 Phlebitis and thrombophlebitis of lower extremities, unspecified		6	6	0.0000%
I80.8 Phlebitis and thrombophlebitis of other sites		25	25	0.0000%
I80.9 Phlebitis and thrombophlebitis of unspecified site	61	43	104	0.0002%
I82.0 Budd-Chiari syndrome	1		1	0.0000%
I82.8 Embolism and thrombosis of other specified veins	1	2	3	0.0000%
I82.9 Embolism and thrombosis of unspecified vein	3	7	10	0.0000%
I83.0 Varicose veins of lower extremities with ulcer	1	6	7	0.0000%
I83.1 Varicose veins of lower extremities with inflammation	7	6	13	0.0000%
I83.2 Varicose veins of lower extremities with both ulcer and inflammation	1	4	5	0.0000%
I83.9 Varicose veins of lower extremities without ulcer or inflammation	348	177	525	0.0010%
I84.0 Internal thrombosed haemorrhoids	2	1	3	0.0000%
I84.1 Internal haemorrhoids with other complications	30	5	35	0.0001%
I84.2 Internal haemorrhoids without complication	87	23	110	0.0002%
I84.3 External thrombosed haemorrhoids	1		1	0.0000%
I84.4 External haemorrhoids with other complications	4	1	5	0.0000%
I84.5 External haemorrhoids without complication	6	3	9	0.0000%
I84.6 Residual haemorrhoidal skin tags	15	12	27	0.0001%
I84.8 Unspecified haemorrhoids with other complications	48	39	87	0.0002%
I84.9 Unspecified haemorrhoids without complication	995	745	1,740	0.0035%
I85.0 Oesophageal varices with bleeding	2	6	8	0.0000%
I85.9 Oesophageal varices without bleeding	100	169	269	0.0005%
I86.1 Scrotal varices		2	2	0.0000%
I86.4 Gastric varices	5	2	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
I86.8 Varicose veins of other specified sites	1	2	3	0.0000%
I87.1 Compression of vein	2	9	11	0.0000%
I87.8 Other specified disorders of veins	1	1	2	0.0000%
I87.9 Disorder of vein, unspecified	3	1	4	0.0000%
I88.9 Nonspecific lymphadenitis, unspecified	15	10	25	0.0000%
I89.0 Lymphoedema, not elsewhere classified	292	839	1,131	0.0023%
I89.9 Noninfective disord lymphatic vessl and lymph node unspec	2	1	3	0.0000%
I95.1 Orthostatic hypotension	1	11	12	0.0000%
I95.9 Hypotension, unspecified	1		1	0.0000%
I97.0 Postcardiotomy syndrome		1	1	0.0000%
I97.2 Postmastectomy lymphoedema syndrome	12	404	416	0.0008%
I97.8 Other postprocedural disorders of circulatory system NEC	10	521	531	0.0011%
I99.X Other and unspecified disorders of circulatory system	413	519	932	0.0019%
J00.X Acute nasopharyngitis [common cold]	10	1	11	0.0000%
J01.0 Acute maxillary sinusitis		1	1	0.0000%
J01.1 Acute frontal sinusitis		1	1	0.0000%
J02.9 Acute pharyngitis, unspecified	28	12	40	0.0001%
J03.0 Streptococcal tonsillitis	1		1	0.0000%
J03.9 Acute tonsillitis, unspecified	54	9	63	0.0001%
J04.0 Acute laryngitis	3	1	4	0.0000%
J04.1 Acute tracheitis	1		1	0.0000%
J05.0 Acute obstructive laryngitis [croup]	42	4	46	0.0001%
J06.0 Acute laryngopharyngitis	1	3	4	0.0000%
J06.9 Acute upper respiratory infection, unspecified	43	11	54	0.0001%
J18.0 Bronchopneumonia, unspecified	2	2	4	0.0000%
J18.1 Lobar pneumonia, unspecified	5	11	16	0.0000%
J18.9 Pneumonia, unspecified	17	19	36	0.0001%
J20.2 Acute bronchitis due to streptococcus	1		1	0.0000%
J20.9 Acute bronchitis, unspecified		2	2	0.0000%
J21.0 Acute bronchiolitis due to respiratory syncytial virus	1		1	0.0000%
J21.9 Acute bronchiolitis, unspecified	13	3	16	0.0000%
J22.X Unspecified acute lower respiratory infection	41	105	146	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
J30.1 Allergic rhinitis due to pollen		415	19	0.0000%
J30.2 Other seasonal allergic rhinitis		1	1	0.0000%
J30.3 Other allergic rhinitis		19	10	0.0000%
J30.4 Allergic rhinitis, unspecified		246	30	0.0001%
J31.0 Chronic rhinitis		2811	39	0.0001%
J31.2 Chronic pharyngitis		11	2	0.0000%
J32.0 Chronic maxillary sinusitis		13	4	0.0000%
J32.1 Chronic frontal sinusitis		33	6	0.0000%
J32.2 Chronic ethmoidal sinusitis		1	1	0.0000%
J32.9 Chronic sinusitis, unspecified		910	19	0.0000%
J33.0 Polyp of nasal cavity		22	4	0.0000%
J33.9 Nasal polyp, unspecified		6563	128	0.0003%
J34.1 Cyst and mucocele of nose and nasal sinus		12	3	0.0000%
J34.2 Deviated nasal septum		2919	48	0.0001%
J34.3 Hypertrophy of nasal turbinates		1	1	0.0000%
J34.8 Other specified disorders of nose and nasal sinuses		1,3061,204	2,510	0.0050%
J35.0 Chronic tonsillitis		291	30	0.0001%
J35.1 Hypertrophy of tonsils		31	4	0.0000%
J35.2 Hypertrophy of adenoids			1	0.0000%
J35.3 Hypertrophy of tonsils with hypertrophy of adenoids		18066	246	0.0005%
J35.8 Other chronic diseases of tonsils and adenoids		15	6	0.0000%
J35.9 Chronic disease of tonsils and adenoids, unspecified		112	13	0.0000%
J36.X Peritonsillar abscess		312	15	0.0000%
J38.0 Paralysis of vocal cords and larynx		522	27	0.0001%
J38.1 Polyp of vocal cord and larynx		413	17	0.0000%
J38.2 Nodules of vocal cords		28	10	0.0000%
J38.3 Other diseases of vocal cords		436	40	0.0001%
J38.4 Oedema of larynx		530	35	0.0001%
J38.6 Stenosis of larynx		113	14	0.0000%
J38.7 Other diseases of larynx		571368	939	0.0019%
J39.2 Other diseases of pharynx		632267	899	0.0018%
J39.8 Other specified diseases of upper respiratory tract		65	11	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
J39.9 Disease of upper respiratory tract, unspecified	12	21	33	0.0001%
J40.X Bronchitis, not specified as acute or chronic		2	2	0.0000%
J41.0 Simple chronic bronchitis		1	1	0.0000%
J42.X Unspecified chronic bronchitis		1	1	0.0000%
J43.9 Emphysema, unspecified		6	6	0.0000%
J44.0 Chronic obstruct pulmonary dis with acute lower resp infec		5	5	0.0000%
J44.1 Chron obstruct pulmonary dis wth acute exacerbation, unspec	2	41	43	0.0001%
J44.8 Other specified chronic obstructive pulmonary disease		3	3	0.0000%
J44.9 Chronic obstructive pulmonary disease, unspecified	87	353	440	0.0009%
J45.0 Predominantly allergic asthma	1	4	5	0.0000%
J45.8 Mixed asthma		1	1	0.0000%
J45.9 Asthma, unspecified	205	349	554	0.0011%
J46.X Status asthmaticus	1	1	2	0.0000%
J47.X Bronchiectasis	24	146	170	0.0003%
J60.X Coalworker's pneumoconiosis	1		1	0.0000%
J67.9 Hypersensitivity pneumonitis due to unspecified organic dust		6	6	0.0000%
J81.X Pulmonary oedema		1	1	0.0000%
J82.X Pulmonary eosinophilia, not elsewhere classified		1	1	0.0000%
J84.1 Other interstitial pulmonary diseases with fibrosis	20	84	104	0.0002%
J84.9 Interstitial pulmonary disease, unspecified	2		2	0.0000%
J85.2 Abscess of lung without pneumonia		2	2	0.0000%
J86.9 Pyothorax without fistula	3	3	6	0.0000%
J90.X Pleural effusion, not elsewhere classified	5	50	55	0.0001%
J93.1 Other spontaneous pneumothorax		1	1	0.0000%
J93.9 Pneumothorax, unspecified	1	1	2	0.0000%
J94.8 Other specified pleural conditions	2		2	0.0000%
J94.9 Pleural condition, unspecified		1	1	0.0000%
J95.0 Tracheostomy malfunction	2	3	5	0.0000%
J96.9 Respiratory failure, unspecified		6	6	0.0000%
J98.0 Diseases of bronchus, not elsewhere classified		7	7	0.0000%
J98.1 Pulmonary collapse	1	19	20	0.0000%
J98.4 Other disorders of lung	32	78	110	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
J98.6 Disorders of diaphragm		1	1	0.0000%
J98.8 Other specified respiratory disorders	1	12	13	0.0000%
J98.9 Respiratory disorder, unspecified	65	172	237	0.0005%
K00.1 Supernumerary teeth		3	3	0.0000%
K00.6 Disturbances in tooth eruption	3	3	6	0.0000%
K00.8 Other disorders of tooth development		2	2	0.0000%
K00.9 Disorder of tooth development, unspecified	3	1	4	0.0000%
K01.0 Embedded teeth	3	16	19	0.0000%
K01.1 Impacted teeth	989	617	1,606	0.0032%
K02.0 Caries limited to enamel	1		1	0.0000%
K02.8 Other dental caries	1		1	0.0000%
K02.9 Dental caries, unspecified	284	902	1,186	0.0024%
K03.2 Erosion of teeth	2	7	9	0.0000%
K03.5 Ankylosis of teeth	1		1	0.0000%
K03.6 Deposits [accretions] on teeth		1	1	0.0000%
K04.0 Pulpitis	3	12	15	0.0000%
K04.4 Acute apical periodontitis of pulpal origin		4	4	0.0000%
K04.5 Chronic apical periodontitis	5	75	80	0.0002%
K04.6 Periapical abscess with sinus	1	10	11	0.0000%
K04.7 Periapical abscess without sinus	22	151	173	0.0003%
K04.8 Radicular cyst	8	26	34	0.0001%
K04.9 Other and unspec diseases of pulp and periapical tissues		4	4	0.0000%
K05.0 Acute gingivitis		1	1	0.0000%
K05.1 Chronic gingivitis	1	6	7	0.0000%
K05.2 Acute periodontitis	1	17	18	0.0000%
K05.3 Chronic periodontitis	20	181	201	0.0004%
K05.5 Other periodontal diseases		2	2	0.0000%
K05.6 Periodontal disease, unspecified	6	29	35	0.0001%
K06.0 Gingival recession	1		1	0.0000%
K06.1 Gingival enlargement		7	7	0.0000%
K06.2 Gingival and edentulous alveolar ridge les assoc with traum	1	8	9	0.0000%
K06.8 Oth spec disorder of gingiva and edentulous alveolar ridge	3	18	21	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K06.9 Disorder of gingiva and edentulous alveolar ridge, unspec	1,075	468	1,543	0.0031%
K07.2 Anomalies of dental arch relationship	2		2	0.0000%
K07.3 Anomalies of tooth position	42	32	74	0.0001%
K07.4 Malocclusion, unspecified		1	1	0.0000%
K07.6 Temporomandibular joint disorders	217	196	413	0.0008%
K07.8 Other dentofacial anomalies		1	1	0.0000%
K07.9 Dentofacial anomaly, unspecified	732	826	1,558	0.0031%
K08.0 Exfoliation of teeth due to systemic causes	1		1	0.0000%
K08.3 Retained dental root	59	263	322	0.0006%
K08.8 Other specified disorders of teeth and supporting structures	116	397	513	0.0010%
K08.9 Disorder of teeth and supporting structures, unspecified	21	96	117	0.0002%
K09.0 Developmental odontogenic cysts	1	2	3	0.0000%
K09.2 Other cysts of jaw	1	11	12	0.0000%
K09.8 Other cysts of oral region, not elsewhere classified		10	10	0.0000%
K09.9 Cyst of oral region, unspecified		3	3	0.0000%
K10.0 Developmental disorders of jaws		5	5	0.0000%
K10.1 Giant cell granuloma, central		3	3	0.0000%
K10.2 Inflammatory conditions of jaws		2	2	0.0000%
K10.3 Alveolitis of jaws	1	5	6	0.0000%
K10.8 Other specified diseases of jaws	1	6	7	0.0000%
K10.9 Disease of jaws, unspecified		2	2	0.0000%
K11.0 Atrophy of salivary gland	1	1	2	0.0000%
K11.1 Hypertrophy of salivary gland	3		3	0.0000%
K11.2 Sialoadenitis	2	19	21	0.0000%
K11.3 Abscess of salivary gland	1		1	0.0000%
K11.4 Fistula of salivary gland		1	1	0.0000%
K11.5 Sialolithiasis	1	13	14	0.0000%
K11.6 Mucocele of salivary gland	4	2	6	0.0000%
K11.7 Disturbances of salivary secretion		2	2	0.0000%
K11.8 Other diseases of salivary glands	3	7	10	0.0000%
K11.9 Disease of salivary gland, unspecified	111	133	244	0.0005%
K12.0 Recurrent oral aphthae	5		5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
K12.1 Other forms of stomatitis		6 26	32	0.0001%
K12.2 Cellulitis and abscess of mouth			3	0.0000%
K13.0 Diseases of lips		34 131	165	0.0003%
K13.1 Cheek and lip biting		1	1	0.0000%
K13.2 Leukoplakia and oth disturbance oral epithelium incl tongue		7 36	43	0.0001%
K13.3 Hairy leukoplakia			1	0.0000%
K13.4 Granuloma and granuloma-like lesions of oral mucosa			3	0.0000%
K13.5 Oral submucous fibrosis			7	0.0000%
K13.6 Irritative hyperplasia of oral mucosa		2 10	12	0.0000%
K13.7 Other and unspecified lesions of oral mucosa		103 439	542	0.0011%
K14.0 Glossitis		4 59	63	0.0001%
K14.3 Hypertrophy of tongue papillae			1	0.0000%
K14.8 Other diseases of tongue		3 28	31	0.0001%
K14.9 Disease of tongue, unspecified		14 77	91	0.0002%
K20.X Oesophagitis		604 166	770	0.0015%
K21.0 Gastro-oesophageal reflux disease with oesophagitis		835 773	1,608	0.0032%
K21.9 Gastro-oesophageal reflux disease without oesophagitis		288 165	453	0.0009%
K22.0 Achalasia of cardia		13 32	45	0.0001%
K22.1 Ulcer of oesophagus		557 891	1,448	0.0029%
K22.2 Oesophageal obstruction		81 180	261	0.0005%
K22.3 Perforation of oesophagus		1 4	5	0.0000%
K22.4 Dyskinesia of oesophagus		11 19	30	0.0001%
K22.5 Diverticulum of oesophagus, acquired		7 4	11	0.0000%
K22.6 Gastro-oesophageal laceration-haemorrhage syndrome		3 3	6	0.0000%
K22.8 Other specified diseases of oesophagus		94 62	156	0.0003%
K22.9 Disease of oesophagus, unspecified		39 18	57	0.0001%
K25.3 Gastric ulcer, acute without haemorrhage or perforation		9 9	18	0.0000%
K25.4 Gastric ulcer, chronic or unspecified with haemorrhage		2 2	4	0.0000%
K25.7 Gastric ulcer, chronic without haemorrhage or perforation		33 20	53	0.0001%
K25.9 Unspec as acute or chronic w/out haemorrhage or perforation		156 123	279	0.0006%
K26.1 Duodenal ulcer, acute with perforation			1	0.0000%
K26.3 Duodenal ulcer, acute without haemorrhage or perforation		8 6	14	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K26.4 Duodenal ulcer, chronic or unspecified with haemorrhage	2	1	3	0.0000%
K26.7 Duodenal ulcer, chronic without haemorrhage or perforation	24	11	35	0.0001%
K26.9 Unspec as acute or chronic w/out haemorrhage or perforation	68	30	98	0.0002%
K27.2 Peptic ulcer, acute with both haemorrhage and perforation	1		1	0.0000%
K27.3 Peptic ulcer, acute without haemorrhage or perforation	1	1	2	0.0000%
K27.9 Unspec as acute or chronic w/out haemorrhage or perforation	5	1	6	0.0000%
K28.9 Unspec as acute or chronic w/out haemorrhage or perforation	1	2	3	0.0000%
K29.0 Acute haemorrhagic gastritis	13	10	23	0.0000%
K29.1 Other acute gastritis	9	2	11	0.0000%
K29.2 Alcoholic gastritis	2	1	3	0.0000%
K29.3 Chronic superficial gastritis	17		17	0.0000%
K29.4 Chronic atrophic gastritis	13	2	15	0.0000%
K29.5 Chronic gastritis, unspecified	259	66	325	0.0006%
K29.6 Other gastritis	206	120	326	0.0007%
K29.7 Gastritis, unspecified	1,515	629	2,144	0.0043%
K29.8 Duodenitis	303	109	412	0.0008%
K29.9 Gastroduodenitis, unspecified	239	66	305	0.0006%
K30.X Dyspepsia	930	414	1,344	0.0027%
K31.1 Adult hypertrophic pyloric stenosis	8	18	26	0.0001%
K31.4 Gastric diverticulum	2		2	0.0000%
K31.5 Obstruction of duodenum	11	13	24	0.0000%
K31.7 Polyp of stomach and duodenum	81	74	155	0.0003%
K31.8 Other specified diseases of stomach and duodenum	75	56	131	0.0003%
K31.9 Disease of stomach and duodenum, unspecified	114	214	328	0.0007%
K35.1 Acute appendicitis with peritoneal abscess		2	2	0.0000%
K35.9 Acute appendicitis, unspecified		5	5	0.0000%
K37.X Unspecified appendicitis	1	1	2	0.0000%
K40.0 Bilat inguinal hernia with obstruction without gangrene	1		1	0.0000%
K40.2 Bilateral inguinal hernia, without obstruction or gangrene	5	1	6	0.0000%
K40.3 Unilat or unsp inguin hernia with obstruct without gangrene	1	1	2	0.0000%
K40.9 Unilat or unspec inguin hernia without obstruct or gangrene	35	11	46	0.0001%
K41.9 Unilat or unspec fem hernia without obstruction or gangrene		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K42.9 Umbilical hernia without obstruction or gangrene	18	4	22	0.0000%
K43.9 Ventral hernia without obstruction or gangrene	10	36	46	0.0001%
K44.0 Diaphragmatic hernia with obstruction, without gangrene	1		1	0.0000%
K44.1 Diaphragmatic hernia with gangrene	3	1	4	0.0000%
K44.9 Diaphragmatic hernia without obstruction or gangrene	1,911	896	2,807	0.0056%
K45.0 Other spec abdominal hernia with obstruct without gangrene		1	1	0.0000%
K46.9 Unspecified abdominal hernia without obstruction or gangrene	798	320	1,118	0.0022%
K50.0 Crohn's disease of small intestine	6	8	14	0.0000%
K50.1 Crohn's disease of large intestine	15	20	35	0.0001%
K50.8 Other Crohn's disease	7	11	18	0.0000%
K50.9 Crohn's disease, unspecified	127	377	504	0.0010%
K51.0 Ulcerative (chronic) enterocolitis	13	9	22	0.0000%
K51.1 Ulcerative (chronic) ileocolitis		2	2	0.0000%
K51.2 Ulcerative (chronic) proctitis	12	5	17	0.0000%
K51.3 Ulcerative (chronic) rectosigmoiditis	11	5	16	0.0000%
K51.4 Pseudopolypsis of colon	3	7	10	0.0000%
K51.5 Mucosal proctocolitis	4	1	5	0.0000%
K51.8 Other ulcerative colitis	4	5	9	0.0000%
K51.9 Ulcerative colitis, unspecified	281	611	892	0.0018%
K52.0 Gastroenteritis and colitis due to radiation	1	1	2	0.0000%
K52.1 Toxic gastroenteritis and colitis		2	2	0.0000%
K52.2 Allergic and dietetic gastroenteritis and colitis		1	1	0.0000%
K52.8 Other specified noninfective gastroenteritis and colitis	6	2	8	0.0000%
K52.9 Noninfective gastroenteritis and colitis, unspecified	1,264	1,062	2,326	0.0046%
K55.1 Chronic vascular disorders of intestine	1		1	0.0000%
K55.2 Angiodysplasia of colon	22	12	34	0.0001%
K55.8 Other vascular disorders of intestine	1	1	2	0.0000%
K56.2 Volvulus		2	2	0.0000%
K56.6 Other and unspecified intestinal obstruction	25	31	56	0.0001%
K56.7 Ileus, unspecified	1	2	3	0.0000%
K57.0 Diverticular dis of small intestine with perf and abscess	1	2	3	0.0000%
K57.1 Diverticular dis of small intestine without perf or abscess	5	8	13	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K57.3 Diverticular dis of large intestine without perf or abscess	1,081	900	1,981	0.0040%
K57.5 Divertic dis both sml and lge intest without perf or absces	3	1	4	0.0000%
K57.9 Divertic dis of intest part unspec without perf or abscess	146	153	299	0.0006%
K58.0 Irritable bowel syndrome with diarrhoea	6	5	11	0.0000%
K58.9 Irritable bowel syndrome without diarrhoea	58	48	106	0.0002%
K59.0 Constipation	348	239	587	0.0012%
K59.1 Functional diarrhoea	1	3	4	0.0000%
K59.4 Anal spasm		1	1	0.0000%
K59.8 Other specified functional intestinal disorders	2		2	0.0000%
K59.9 Functional intestinal disorder, unspecified	59	6	65	0.0001%
K60.1 Chronic anal fissure	2	1	3	0.0000%
K60.2 Anal fissure, unspecified	28	29	57	0.0001%
K60.3 Anal fistula	6	12	18	0.0000%
K61.0 Anal abscess	3	15	18	0.0000%
K62.0 Anal polyp	13	6	19	0.0000%
K62.1 Rectal polyp	285	218	503	0.0010%
K62.2 Anal prolapse		3	3	0.0000%
K62.3 Rectal prolapse	13	16	29	0.0001%
K62.4 Stenosis of anus and rectum	2	4	6	0.0000%
K62.5 Haemorrhage of anus and rectum	1,246	449	1,695	0.0034%
K62.6 Ulcer of anus and rectum	8	12	20	0.0000%
K62.7 Radiation proctitis	12	11	23	0.0000%
K62.8 Other specified diseases of anus and rectum	75	78	153	0.0003%
K62.9 Disease of anus and rectum, unspecified	119	38	157	0.0003%
K63.0 Abscess of intestine		1	1	0.0000%
K63.3 Ulcer of intestine	9	9	18	0.0000%
K63.4 Enteroptosis	1		1	0.0000%
K63.5 Polyp of colon	582	548	1,130	0.0023%
K63.8 Other specified diseases of intestine	46	30	76	0.0002%
K63.9 Disease of intestine, unspecified	1,833	1,402	3,235	0.0065%
K65.0 Acute peritonitis	1		1	0.0000%
K65.9 Peritonitis, unspecified		7	7	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
K66.0 Peritoneal adhesions	2		2	0.0000%
K66.9 Disorder of peritoneum, unspecified		1	1	0.0000%
K70.3 Alcoholic cirrhosis of liver	10	2	12	0.0000%
K70.9 Alcoholic liver disease, unspecified	10	17	27	0.0001%
K72.0 Acute and subacute hepatic failure		1	1	0.0000%
K72.9 Hepatic failure, unspecified	1		1	0.0000%
K73.2 Chronic active hepatitis, not elsewhere classified	1	5	6	0.0000%
K74.3 Primary biliary cirrhosis	4	9	13	0.0000%
K74.5 Biliary cirrhosis, unspecified	1	1	2	0.0000%
K74.6 Other and unspecified cirrhosis of liver	5	59	64	0.0001%
K75.0 Abscess of liver	1	1	2	0.0000%
K75.4 Autoimmune hepatitis		1	1	0.0000%
K75.9 Inflammatory liver disease, unspecified	6	30	36	0.0001%
K76.0 Fatty (change of) liver, not elsewhere classified	19	1	20	0.0000%
K76.6 Portal hypertension	8	8	16	0.0000%
K76.8 Other specified diseases of liver	4	7	11	0.0000%
K76.9 Liver disease, unspecified	16	54	70	0.0001%
K80.0 Calculus of gallbladder with acute cholecystitis	4	1	5	0.0000%
K80.1 Calculus of gallbladder with other cholecystitis		1	1	0.0000%
K80.2 Calculus of gallbladder without cholecystitis	99	42	141	0.0003%
K80.3 Calculus of bile duct with cholangitis	2		2	0.0000%
K80.5 Calculus of bile duct without cholangitis or cholecystitis	73	11	84	0.0002%
K80.8 Other cholelithiasis	1		1	0.0000%
K81.0 Acute cholecystitis		3	3	0.0000%
K81.9 Cholecystitis, unspecified	2	3	5	0.0000%
K82.9 Disease of gallbladder, unspecified	7		7	0.0000%
K83.0 Cholangitis	3	3	6	0.0000%
K83.1 Obstruction of bile duct	11	8	19	0.0000%
K83.3 Fistula of bile duct	1		1	0.0000%
K83.8 Other specified diseases of biliary tract	6	2	8	0.0000%
K83.9 Disease of biliary tract, unspecified	309	301	610	0.0012%
K85.X Acute pancreatitis	15	4	19	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
K86.1 Other chronic pancreatitis	37	23	60	0.0001%
K86.2 Cyst of pancreas	5	1	6	0.0000%
K86.8 Other specified diseases of pancreas	4	30	34	0.0001%
K86.9 Disease of pancreas, unspecified	2	2	4	0.0000%
K90.0 Coeliac disease	81	72	153	0.0003%
K90.4 Malabsorption due to intolerance, not elsewhere classified	9	11	20	0.0000%
K90.8 Other intestinal malabsorption		1	1	0.0000%
K90.9 Intestinal malabsorption, unspecified	4	1	5	0.0000%
K91.1 Postgastric surgery syndromes		1	1	0.0000%
K91.3 Postoperative intestinal obstruction	1		1	0.0000%
K91.4 Colostomy and enterostomy malfunction	4	30	34	0.0001%
K91.8 Other postprocedural disorders of digestive system NEC	4	2	6	0.0000%
K92.0 Haematemesis	72	40	112	0.0002%
K92.1 Melaena	70	49	119	0.0002%
K92.2 Gastrointestinal haemorrhage, unspecified	6	25	31	0.0001%
K92.8 Other specified diseases of digestive system	6	1	7	0.0000%
K92.9 Disease of digestive system, unspecified	98	118	216	0.0004%
L01.0 Impetigo [any organism] [any site]		1	1	0.0000%
L02.0 Cutaneous abscess, furuncle and carbuncle of face	2	4	6	0.0000%
L02.1 Cutaneous abscess, furuncle and carbuncle of neck	2	10	12	0.0000%
L02.2 Cutaneous abscess, furuncle and carbuncle of trunk	1	5	6	0.0000%
L02.3 Cutaneous abscess, furuncle and carbuncle of buttock	1		1	0.0000%
L02.4 Cutaneous abscess, furuncle and carbuncle of limb	8	3	11	0.0000%
L02.9 Cutaneous abscess, furuncle and carbuncle, unspecified	2	5	7	0.0000%
L03.0 Cellulitis of finger and toe	5	9	14	0.0000%
L03.1 Cellulitis of other parts of limb	6	22	28	0.0001%
L03.2 Cellulitis of face	7		7	0.0000%
L03.3 Cellulitis of trunk		1	1	0.0000%
L03.8 Cellulitis of other sites	1	2	3	0.0000%
L03.9 Cellulitis, unspecified	3	43	46	0.0001%
L04.0 Acute lymphadenitis of face, head and neck	2	1	3	0.0000%
L04.1 Acute lymphadenitis of trunk	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L04.9 Acute lymphadenitis, unspecified	2	2	4	0.0000%
L05.9 Pilonidal cyst without abscess	46	28	74	0.0001%
L08.9 Local infection of skin and subcutaneous tissue, unspecified	58	109	167	0.0003%
L10.0 Pemphigus vulgaris		4	4	0.0000%
L10.4 Pemphigus erythematosus		2	2	0.0000%
L10.9 Pemphigus, unspecified	1	9	10	0.0000%
L11.0 Acquired keratosis follicularis		3	3	0.0000%
L12.0 Bullous pemphigoid	5	6	11	0.0000%
L12.1 Cicatricial pemphigoid	3	34	37	0.0001%
L12.3 Acquired epidermolysis bullosa	1		1	0.0000%
L12.9 Pemphigoid, unspecified	3	9	12	0.0000%
L13.0 Dermatitis herpetiformis	1	4	5	0.0000%
L13.8 Other specified bullous disorders		1	1	0.0000%
L20.8 Other atopic dermatitis	1	9	10	0.0000%
L20.9 Atopic dermatitis, unspecified	6	2	8	0.0000%
L21.0 Seborrhoea capitis	1		1	0.0000%
L21.8 Other seborrhoeic dermatitis	1	6	7	0.0000%
L21.9 Seborrhoeic dermatitis, unspecified	1	9	10	0.0000%
L22.X Diaper [napkin] dermatitis		1	1	0.0000%
L23.6 Allergic contact dermatitis due to food in contact with skin	1	1	2	0.0000%
L24.9 Irritant contact dermatitis, unspecified cause	1		1	0.0000%
L25.9 Unspecified contact dermatitis, unspecified cause	2	38	40	0.0001%
L27.0 Generalized skin eruption due to drugs and medicaments	2	2	4	0.0000%
L27.2 Dermatitis due to ingested food		1	1	0.0000%
L28.0 Lichen simplex chronicus	11	21	32	0.0001%
L28.1 Prurigo nodularis	3		3	0.0000%
L29.0 Pruritus ani	12	7	19	0.0000%
L29.1 Pruritus scroti	1		1	0.0000%
L29.2 Pruritus vulvae	17	15	32	0.0001%
L29.8 Other pruritus	5		5	0.0000%
L29.9 Pruritus, unspecified	4	16	20	0.0000%
L30.0 Nummular dermatitis		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
L30.3 Infective dermatitis		1	1	0.0000%
L30.4 Erythema intertrigo		1	1	0.0000%
L30.5 Pityriasis alba		24	24	0.0000%
L30.8 Other specified dermatitis	1	1	2	0.0000%
L30.9 Dermatitis, unspecified	332	887	1,219	0.0024%
L40.0 Psoriasis vulgaris	2	40	42	0.0001%
L40.1 Generalized pustular psoriasis		1	1	0.0000%
L40.5 Arthropathic psoriasis	139	1,260	1,399	0.0028%
L40.8 Other psoriasis	1	2	3	0.0000%
L40.9 Psoriasis, unspecified	180	689	869	0.0017%
L41.0 Pityriasis lichenoides et varioliformis acuta		1	1	0.0000%
L41.2 Lymphomatoid papulosis		5	5	0.0000%
L42.X Pityriasis rosea	2	4	6	0.0000%
L43.1 Bullous lichen planus		1	1	0.0000%
L43.8 Other lichen planus	2	19	21	0.0000%
L43.9 Lichen planus, unspecified	34	86	120	0.0002%
L44.2 Lichen striatus	1	1	2	0.0000%
L50.8 Other urticaria	1		1	0.0000%
L50.9 Urticaria, unspecified	15	32	47	0.0001%
L51.0 Nonbullous erythema multiforme	2	3	5	0.0000%
L51.1 Bullous erythema multiforme		1	1	0.0000%
L51.9 Erythema multiforme, unspecified	2	3	5	0.0000%
L52.X Erythema nodosum	2	3	5	0.0000%
L53.8 Other specified erythematous conditions	1		1	0.0000%
L53.9 Erythematous condition, unspecified	23	17	40	0.0001%
L56.4 Polymorphous light eruption		10	10	0.0000%
L56.8 Other spec acute skin changes due to ultraviolet radiation	1	2	3	0.0000%
L57.0 Actinic keratosis	354	1,002	1,356	0.0027%
L57.4 Cutis laxa senilis	1	3	4	0.0000%
L57.8 Oth skin change due chron expos to nonionizing radiation	6	13	19	0.0000%
L57.9 Skin change due chron expos to nonioniz radiation unspec	116	349	465	0.0009%
L58.9 Radiodermatitis, unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
L59.8 Oth spec disorders of skin and subcut tis related radiation		4	4	0.0000%
L60.0 Ingrowing nail	20	75	95	0.0002%
L60.1 Onycholysis	1	1	2	0.0000%
L60.3 Nail dystrophy	1	2	3	0.0000%
L60.8 Other nail disorders	1	2	3	0.0000%
L60.9 Nail disorder, unspecified	44	6	50	0.0001%
L63.8 Other alopecia areata		1	1	0.0000%
L63.9 Alopecia areata, unspecified	8	1	9	0.0000%
L64.0 Drug-induced androgenic alopecia	1		1	0.0000%
L65.0 Telogen effluvium	1		1	0.0000%
L65.9 Nonscarring hair loss, unspecified	5	21	26	0.0001%
L66.1 Lichen planopilaris		1	1	0.0000%
L66.2 Folliculitis decalvans		2	2	0.0000%
L66.9 Cicatricial alopecia, unspecified		1	1	0.0000%
L68.0 Hirsutism	82	324	406	0.0008%
L70.0 Acne vulgaris	10	41	51	0.0001%
L70.4 Infantile acne	1		1	0.0000%
L70.9 Acne, unspecified	176	429	605	0.0012%
L71.0 Perioral dermatitis	3		3	0.0000%
L71.1 Rhinophyma	1		1	0.0000%
L71.8 Other rosacea	4	7	11	0.0000%
L71.9 Rosacea, unspecified	8	18	26	0.0001%
L72.0 Epidermal cyst	151	264	415	0.0008%
L72.1 Trichilemmal cyst	218	315	533	0.0011%
L72.2 Steatocystoma multiplex		1	1	0.0000%
L72.8 Other follicular cysts of skin and subcutaneous tissue	6	25	31	0.0001%
L72.9 Follicular cyst of skin and subcutaneous tissue, unspecified	65	115	180	0.0004%
L73.1 Pseudofolliculitis barbae		1	1	0.0000%
L73.2 Hidradenitis suppurativa	2	12	14	0.0000%
L73.8 Other specified follicular disorders	5	32	37	0.0001%
L73.9 Follicular disorder, unspecified	6	7	13	0.0000%
L74.3 Miliaria, unspecified	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L80.X Vitiligo	1	2	3	0.0000%
L81.1 Chloasma	1	1	2	0.0000%
L81.2 Freckles	3	3	6	0.0000%
L81.3 Cafe au lait spots	2	2	4	0.0000%
L81.4 Other melanin hyperpigmentation	15	37	52	0.0001%
L81.7 Pigmented purpuric dermatosis	1		1	0.0000%
L81.8 Other specified disorders of pigmentation	3	10	13	0.0000%
L81.9 Disorder of pigmentation, unspecified	13	63	76	0.0002%
L82.X Seborrhoeic keratosis	278	342	620	0.0012%
L83.X Acanthosis nigricans	5	8	13	0.0000%
L84.X Corns and callosities		2	2	0.0000%
L85.1 Acquired keratosis [keratoderma] palmaris et plantaris		2	2	0.0000%
L85.8 Other specified epidermal thickening	12	42	54	0.0001%
L85.9 Epidermal thickening, unspecified	15	42	57	0.0001%
L87.1 Reactive perforating collagenosis	1	2	3	0.0000%
L88.X Pyoderma gangrenosum	3	2	5	0.0000%
L90.0 Lichen sclerosus et atrophicus	12	55	67	0.0001%
L90.5 Scar conditions and fibrosis of skin	138	407	545	0.0011%
L90.8 Other atrophic disorders of skin		1	1	0.0000%
L90.9 Atrophic disorder of skin, unspecified	2	3	5	0.0000%
L91.0 Keloid scar	114	410	524	0.0010%
L91.8 Other hypertrophic disorders of skin	42	56	98	0.0002%
L91.9 Hypertrophic disorder of skin, unspecified		2	2	0.0000%
L92.0 Granuloma annulare	7	14	21	0.0000%
L92.1 Necrobiosis lipoidica, not elsewhere classified	1		1	0.0000%
L92.2 Granuloma faciale [eosinophilic granuloma of skin]		4	4	0.0000%
L92.3 Foreign body granuloma of skin and subcutaneous tissue		5	5	0.0000%
L92.8 Other granulomatous disorders of skin and subcut tissue	2	10	12	0.0000%
L92.9 Granulomatous disorder of skin and subcut tissue unspec	9	51	60	0.0001%
L93.0 Discoid lupus erythematosus	1	46	47	0.0001%
L93.1 Subacute cutaneous lupus erythematosus	1	2	3	0.0000%
L93.2 Other local lupus erythematosus	1	65	66	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
L94.0 Localized scleroderma [morphea]	7	26	33	0.0001%
L94.2 Calcinosis cutis	1	3	4	0.0000%
L94.8 Other specified localized connective tissue disorders		1	1	0.0000%
L94.9 Localized connective tissue disorder, unspecified	1	2	3	0.0000%
L95.8 Other vasculitis limited to skin	2	2	4	0.0000%
L95.9 Vasculitis limited to skin, unspecified		8	8	0.0000%
L97.X Ulcer of lower limb, not elsewhere classified	15	37	52	0.0001%
L98.0 Pyogenic granuloma	15	26	41	0.0001%
L98.4 Chronic ulcer of skin, not elsewhere classified	5	80	85	0.0002%
L98.6 Other infiltrative disorders of skin and subcutaneous tissue	3	1	4	0.0000%
L98.8 Other specified disorders of skin and subcutaneous tissue	36	184	220	0.0004%
L98.9 Disorder of skin and subcutaneous tissue, unspecified	1,335	2,161	3,496	0.0070%
M00.9 Pyogenic arthritis, unspecified	3	16	19	0.0000%
M01.5 Arthritis in other viral diseases classified elsewhere	1		1	0.0000%
M01.8 Arthritis in other infectious and parasitic diseases EC		3	3	0.0000%
M02.3 Reiter's disease	8	40	48	0.0001%
M02.8 Other reactive arthropathies		5	5	0.0000%
M02.9 Reactive arthropathy, unspecified	21	61	82	0.0002%
M05.0 Felty's syndrome		26	26	0.0001%
M05.2 Rheumatoid vasculitis	3	28	31	0.0001%
M05.3 Rheumatoid arthritis with involvement of oth organs and sys		5	5	0.0000%
M05.8 Other seropositive rheumatoid arthritis	10	183	193	0.0004%
M05.9 Seropositive rheumatoid arthritis, unspecified	228	4,118	4,346	0.0087%
M06.0 Seronegative rheumatoid arthritis	67	544	611	0.0012%
M06.1 Adult-onset Still's disease	5	29	34	0.0001%
M06.3 Rheumatoid nodule	1	3	4	0.0000%
M06.4 Inflammatory polyarthropathy	89	350	439	0.0009%
M06.8 Other specified rheumatoid arthritis		2	2	0.0000%
M06.9 Rheumatoid arthritis, unspecified	229	3,340	3,569	0.0071%
M07.3 Other psoriatic arthropathies		10	10	0.0000%
M08.0 Juvenile rheumatoid arthritis	3	14	17	0.0000%
M08.2 Juvenile arthritis with systemic onset	2	11	13	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
M08.3 Juvenile polyarthritis (seronegative)		31	31	0.0001%
M08.4 Pauciarticular juvenile arthritis		5	5	0.0000%
M08.8 Other juvenile arthritis	5	62	67	0.0001%
M08.9 Juvenile arthritis, unspecified	9	55	64	0.0001%
M10.0 Idiopathic gout		1	1	0.0000%
M10.9 Gout, unspecified	67	187	254	0.0005%
M11.1 Familial chondrocalcinosis	5	5	10	0.0000%
M11.2 Other chondrocalcinosis	3	6	9	0.0000%
M11.8 Other specified crystal arthropathies	3	1	4	0.0000%
M11.9 Crystal arthropathy, unspecified	11	9	20	0.0000%
M12.2 Villonodular synovitis (pigmented)		5	5	0.0000%
M12.3 Palindromic rheumatism	36	218	254	0.0005%
M12.8 Other specific arthropathies, not elsewhere classified	1		1	0.0000%
M13.0 Polyarthritis, unspecified	42	77	119	0.0002%
M13.1 Monoarthritis, not elsewhere classified	12	25	37	0.0001%
M13.8 Other specified arthritis	6	865	871	0.0017%
M13.9 Arthritis, unspecified	146	438	584	0.0012%
M15.0 Primary generalized (osteo)arthrosis		4	4	0.0000%
M15.2 Bouchard's nodes (with arthropathy)	2	1	3	0.0000%
M15.4 Erosive (osteo)arthrosis	1	4	5	0.0000%
M15.8 Other polyarthrosis	1	2	3	0.0000%
M15.9 Polyarthrosis, unspecified	550	989	1,539	0.0031%
M16.0 Primary coxarthrosis, bilateral		21	21	0.0000%
M16.1 Other primary coxarthrosis		33	33	0.0001%
M16.9 Coxarthrosis, unspecified	341	740	1,081	0.0022%
M17.0 Primary gonarthrosis, bilateral	1	37	38	0.0001%
M17.1 Other primary gonarthrosis	10	44	54	0.0001%
M17.9 Gonarthrosis, unspecified	714	2,306	3,020	0.0060%
M18.0 Primary arthrosis of first carpometacarpal joints, bilateral		13	13	0.0000%
M18.1 Other primary arthrosis of first carpometacarpal joint	19	38	57	0.0001%
M18.9 Arthrosis of first carpometacarpal joint, unspecified	27	92	119	0.0002%
M19.0 Primary arthrosis of other joints	46	115	161	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M19.1 Post-traumatic arthrosis of other joints	6	37	43	0.0001%
M19.2 Other secondary arthrosis	5	23	28	0.0001%
M19.8 Other specified arthrosis	1		1	0.0000%
M19.9 Arthrosis, unspecified	335	875	1,210	0.0024%
M20.0 Deformity of finger(s)	6	1	7	0.0000%
M20.1 Hallux valgus (acquired)	12	22	34	0.0001%
M20.2 Hallux rigidus	5	5	10	0.0000%
M20.3 Other deformity of hallux (acquired)	5	29	34	0.0001%
M20.5 Other deformities of toe(s) (acquired)	1	2	3	0.0000%
M20.6 Acquired deformity of toe(s), unspecified	5	7	12	0.0000%
M21.1 Varus deformity, not elsewhere classified	1	8	9	0.0000%
M21.3 Wrist or foot drop (acquired)	4	4	8	0.0000%
M21.4 Flat foot [pes planus] (acquired)	4	3	7	0.0000%
M21.6 Other acquired deformities of ankle and foot		1	1	0.0000%
M21.9 Acquired deformity of limb, unspecified	1	1	2	0.0000%
M22.2 Patellofemoral disorders		2	2	0.0000%
M22.4 Chondromalacia patellae	1	2	3	0.0000%
M22.9 Disorder of patella, unspecified		2	2	0.0000%
M23.2 Derangement of meniscus due to old tear or injury	14	65	79	0.0002%
M23.3 Other meniscus derangements		13	13	0.0000%
M23.4 Loose body in knee		6	6	0.0000%
M23.5 Chronic instability of knee	1		1	0.0000%
M23.8 Other internal derangements of knee		1	1	0.0000%
M23.9 Internal derangement of knee, unspecified	910	1,325	2,235	0.0045%
M24.0 Loose body in joint		3	3	0.0000%
M24.1 Other articular cartilage disorders		1	1	0.0000%
M24.2 Disorder of ligament	2	3	5	0.0000%
M24.4 Recurrent dislocation and subluxation of joint	33	38	71	0.0001%
M24.5 Contracture of joint	1		1	0.0000%
M24.6 Ankylosis of joint		1	1	0.0000%
M24.8 Other specific joint derangements, not elsewhere classified	2	1	3	0.0000%
M25.0 Haemarthrosis	1	5	6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M25.2 Flail joint	2		2	0.0000%
M25.3 Other instability of joint	1	4	5	0.0000%
M25.4 Effusion of joint	22	113	135	0.0003%
M25.5 Pain in joint	924	2,185	3,109	0.0062%
M25.6 Stiffness of joint, not elsewhere classified	6	6	12	0.0000%
M25.7 Osteophyte	1	1	2	0.0000%
M25.8 Other specified joint disorders	881	1,589	2,470	0.0049%
M25.9 Joint disorder, unspecified	1,780	2,480	4,260	0.0085%
M30.0 Polyarteritis nodosa	2	6	8	0.0000%
M30.1 Polyarteritis with lung involvement [Churg-Strauss]	2	31	33	0.0001%
M30.3 Mucocutaneous lymph node syndrome [Kawasaki]		5	5	0.0000%
M31.3 Wegener's granulomatosis	3	71	74	0.0001%
M31.4 Aortic arch syndrome [Takayasu]		6	6	0.0000%
M31.5 Giant cell arteritis with polymyalgia rheumatica	2	2	4	0.0000%
M31.6 Other giant cell arteritis	24	134	158	0.0003%
M31.9 Necrotizing vasculopathy, unspecified	1		1	0.0000%
M32.0 Drug-induced systemic lupus erythematosus		1	1	0.0000%
M32.1 Systemic lupus erythematosus with organ or sys involv		2	2	0.0000%
M32.8 Other forms of systemic lupus erythematosus		3	3	0.0000%
M32.9 Systemic lupus erythematosus, unspecified	58	633	691	0.0014%
M33.0 Juvenile dermatomyositis		5	5	0.0000%
M33.1 Other dermatomyositis	6	43	49	0.0001%
M33.2 Polymyositis	6	115	121	0.0002%
M34.1 CR(E)ST syndrome		11	11	0.0000%
M34.8 Other forms of systemic sclerosis	1	2	3	0.0000%
M34.9 Systemic sclerosis, unspecified	21	190	211	0.0004%
M35.0 Sicca syndrome [Sjogren]	16	140	156	0.0003%
M35.1 Other overlap syndromes	9	117	126	0.0003%
M35.2 Behcet's disease	12	54	66	0.0001%
M35.3 Polymyalgia rheumatica	86	510	596	0.0012%
M35.7 Hypermobility syndrome	47	24	71	0.0001%
M35.8 Other specified systemic involvement of connective tissue		4	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M35.9 Systemic involvement of connective tissue, unspecified	21	67	88	0.0002%
M40.2 Other and unspecified kyphosis		2	2	0.0000%
M40.5 Lordosis, unspecified	1		1	0.0000%
M41.9 Scoliosis, unspecified	7	9	16	0.0000%
M42.9 Spinal osteochondrosis, unspecified		1	1	0.0000%
M43.0 Spondylolysis	4	1	5	0.0000%
M43.1 Spondylolisthesis	5	18	23	0.0000%
M43.2 Other fusion of spine		4	4	0.0000%
M43.4 Other recurrent atlantoaxial subluxation		2	2	0.0000%
M43.6 Torticollis	28	493	521	0.0010%
M45.X Ankylosing spondylitis	151	861	1,012	0.0020%
M46.1 Sacroiliitis, not elsewhere classified	3	16	19	0.0000%
M46.2 Osteomyelitis of vertebra	1	1	2	0.0000%
M46.4 Discitis, unspecified		4	4	0.0000%
M46.9 Inflammatory spondylopathy, unspecified	2	3	5	0.0000%
M47.1 Other spondylosis with myelopathy	4	6	10	0.0000%
M47.2 Other spondylosis with radiculopathy	1		1	0.0000%
M47.8 Other spondylosis	231	349	580	0.0012%
M47.9 Spondylosis, unspecified	24	91	115	0.0002%
M48.0 Spinal stenosis	25	124	149	0.0003%
M48.1 Ankylosing hyperostosis [Forestier]	4	12	16	0.0000%
M48.5 Collapsed vertebra, not elsewhere classified		4	4	0.0000%
M48.8 Other specified spondylopathies		2	2	0.0000%
M48.9 Spondylopathy, unspecified	4	10	14	0.0000%
M49.5 Collapsed vertebra in diseases classified elsewhere	1		1	0.0000%
M50.0 Cervical disc disorder with myelopathy	99	296	395	0.0008%
M50.1 Cervical disc disorder with radiculopathy	3	8	11	0.0000%
M50.2 Other cervical disc displacement	191	298	489	0.0010%
M50.3 Other cervical disc degeneration		3	3	0.0000%
M50.8 Other cervical disc disorders		14	14	0.0000%
M50.9 Cervical disc disorder, unspecified	57	25	82	0.0002%
M51.0 Lumbar and other intrvertbrl disc disord with mylopathy	1	4	5	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M51.1 Lumb and oth intrvertbrl disc disorders with radiculopathy	12	43	55	0.0001%
M51.2 Other specified intervertebral disc displacement	326	598	924	0.0018%
M51.3 Other specified intervertebral disc degeneration	15	111	126	0.0003%
M51.8 Other specified intervertebral disc disorders		5	5	0.0000%
M51.9 Intervertebral disc disorder, unspecified		10	10	0.0000%
M53.0 Cervicocranial syndrome	1		1	0.0000%
M53.1 Cervicobrachial syndrome	1	1	2	0.0000%
M53.2 Spinal instabilities	1	1	2	0.0000%
M53.3 Sacrococcygeal disorders, not elsewhere classified	19	45	64	0.0001%
M53.8 Other specified dorsopathies	46	15	61	0.0001%
M53.9 Dorsopathy, unspecified	18	23	41	0.0001%
M54.1 Radiculopathy	178	185	363	0.0007%
M54.2 Cervicalgia	580	824	1,404	0.0028%
M54.3 Sciatica	85	131	216	0.0004%
M54.4 Lumbago with sciatica	7	60	67	0.0001%
M54.5 Low back pain	1,153	1,785	2,938	0.0059%
M54.6 Pain in thoracic spine	55	91	146	0.0003%
M54.8 Other dorsalgia	6	3	9	0.0000%
M54.9 Dorsalgia, unspecified	673	1,067	1,740	0.0035%
M60.2 Foreign body granuloma of soft tissue NEC	1	4	5	0.0000%
M60.8 Other myositis	1	22	23	0.0000%
M60.9 Myositis, unspecified	7	36	43	0.0001%
M62.1 Other rupture of muscle (nontraumatic)	2		2	0.0000%
M62.2 Ischaemic infarction of muscle	10		10	0.0000%
M62.4 Contracture of muscle	1	4	5	0.0000%
M62.5 Muscle wasting and atrophy, not elsewhere classified	3		3	0.0000%
M62.6 Muscle strain	4	2	6	0.0000%
M62.8 Other specified disorders of muscle	2	5	7	0.0000%
M62.9 Disorder of muscle, unspecified	22	24	46	0.0001%
M65.1 Other infective (teno)synovitis	1		1	0.0000%
M65.2 Calcific tendinitis	4	3	7	0.0000%
M65.3 Trigger finger	212	284	496	0.0010%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
M65.4 Radial styloid tenosynovitis [de Quervain]	36	45	81	0.0002%
M65.8 Other synovitis and tenosynovitis	5	7	12	0.0000%
M65.9 Synovitis and tenosynovitis, unspecified	54	146	200	0.0004%
M66.0 Rupture of popliteal cyst		1	1	0.0000%
M66.2 Spontaneous rupture of extensor tendons		1	1	0.0000%
M66.3 Spontaneous rupture of flexor tendons	1	1	2	0.0000%
M66.5 Spontaneous rupture of unspecified tendon		3	3	0.0000%
M67.1 Other contracture of tendon (sheath)	1	5	6	0.0000%
M67.3 Transient synovitis	3		3	0.0000%
M67.4 Ganglion	70	59	129	0.0003%
M67.9 Disorder of synovium and tendon, unspecified		2	2	0.0000%
M70.0 Chronic crepitant synovitis of hand and wrist	3	1	4	0.0000%
M70.2 Olecranon bursitis	6	4	10	0.0000%
M70.3 Other bursitis of elbow	1	2	3	0.0000%
M70.4 Prepatellar bursitis	4		4	0.0000%
M70.5 Other bursitis of knee	3	3	6	0.0000%
M70.6 Trochanteric bursitis	104	286	390	0.0008%
M70.7 Other bursitis of hip	3	17	20	0.0000%
M70.8 Oth soft tiss disorder related to use overuse and pressure	1	9	10	0.0000%
M70.9 Unsp soft tis disorder related to use overuse and pressure	9	4	13	0.0000%
M71.2 Synovial cyst of popliteal space [Baker]		4	4	0.0000%
M71.5 Other bursitis, not elsewhere classified		1	1	0.0000%
M71.9 Bursopathy, unspecified	63	78	141	0.0003%
M72.0 Palmar fascial fibromatosis [Dupuytren]	30	53	83	0.0002%
M72.1 Knuckle pads	3	1	4	0.0000%
M72.2 Plantar fascial fibromatosis	66	109	175	0.0003%
M72.3 Nodular fasciitis		2	2	0.0000%
M72.5 Fasciitis, not elsewhere classified	5	31	36	0.0001%
M72.8 Other fibroblastic disorders		1	1	0.0000%
M72.9 Fibroblastic disorder, unspecified	1	34	35	0.0001%
M75.0 Adhesive capsulitis of shoulder	151	178	329	0.0007%
M75.1 Rotator cuff syndrome	154	205	359	0.0007%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
M75.2 Bicipital tendinitis	3	3	6	0.0000%
M75.3 Calcific tendinitis of shoulder	10	12	22	0.0000%
M75.4 Impingement syndrome of shoulder	233	391	624	0.0012%
M75.5 Bursitis of shoulder	3	27	30	0.0001%
M75.8 Other shoulder lesions	170	743	913	0.0018%
M75.9 Shoulder lesion, unspecified	27	17	44	0.0001%
M76.3 Iliotibial band syndrome	1	1	2	0.0000%
M76.4 Tibial collateral bursitis [Pellegrini-Stieda]	1		1	0.0000%
M76.5 Patellar tendinitis	1	1	2	0.0000%
M76.6 Achilles tendinitis	21	19	40	0.0001%
M76.8 Other enthesopathies of lower limb, excluding foot	4	4	8	0.0000%
M76.9 Enthesopathy of lower limb, unspecified	5	6	11	0.0000%
M77.0 Medial epicondylitis	22	40	62	0.0001%
M77.1 Lateral epicondylitis	94	138	232	0.0005%
M77.3 Calcaneal spur	1	6	7	0.0000%
M77.4 Metatarsalgia	9	9	18	0.0000%
M77.5 Other enthesopathy of foot	2	3	5	0.0000%
M77.9 Enthesopathy, unspecified	53	93	146	0.0003%
M79.0 Rheumatism, unspecified	260	281	541	0.0011%
M79.1 Myalgia	41	59	100	0.0002%
M79.2 Neuralgia and neuritis, unspecified	78	122	200	0.0004%
M79.3 Panniculitis, unspecified	2	3	5	0.0000%
M79.4 Hypertrophy of (infrapatellar) fat pad		2	2	0.0000%
M79.5 Residual foreign body in soft tissue	4	3	7	0.0000%
M79.6 Pain in limb	781	1,656	2,437	0.0049%
M79.8 Other specified soft tissue disorders	19	67	86	0.0002%
M79.9 Soft tissue disorder, unspecified	72	64	136	0.0003%
M80.0 Postmenopausal osteoporosis with pathological fracture		1	1	0.0000%
M80.8 Other osteoporosis with pathological fracture		1	1	0.0000%
M80.9 Unspecified osteoporosis with pathological fracture	2	14	16	0.0000%
M81.0 Postmenopausal osteoporosis	1		1	0.0000%
M81.2 Osteoporosis of disuse		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
M81.4 Drug-induced osteoporosis		17	17	0.0000%
M81.8 Other osteoporosis	1	1	2	0.0000%
M81.9 Osteoporosis, unspecified	631	4,101	4,732	0.0095%
M83.8 Other adult osteomalacia	1	1	2	0.0000%
M83.9 Adult osteomalacia, unspecified		7	7	0.0000%
M84.1 Nonunion of fracture [pseudarthrosis]		6	6	0.0000%
M84.3 Stress fracture, not elsewhere classified		2	2	0.0000%
M84.4 Pathological fracture, not elsewhere classified	1		1	0.0000%
M85.0 Fibrous dysplasia (monostotic)	1	1	2	0.0000%
M85.3 Osteitis condensans		3	3	0.0000%
M85.6 Other cyst of bone		1	1	0.0000%
M85.8 Other specified disorders of bone density and structure	686	212	898	0.0018%
M85.9 Disorder of bone density and structure, unspecified	4	17	21	0.0000%
M86.3 Chronic multifocal osteomyelitis		1	1	0.0000%
M86.5 Other chronic haematogenous osteomyelitis	1		1	0.0000%
M86.6 Other chronic osteomyelitis		5	5	0.0000%
M86.8 Other osteomyelitis	1	2	3	0.0000%
M86.9 Osteomyelitis, unspecified		7	7	0.0000%
M87.9 Osteonecrosis, unspecified	3	4	7	0.0000%
M88.8 Paget's disease of other bones		2	2	0.0000%
M88.9 Paget's disease of bone, unspecified	36	277	313	0.0006%
M89.0 Algoneurodystrophy	45	76	121	0.0002%
M89.5 Osteolysis		1	1	0.0000%
M89.8 Other specified disorders of bone	4	31	35	0.0001%
M89.9 Disorder of bone, unspecified	9	4	13	0.0000%
M90.3 Osteonecrosis in caisson disease	1		1	0.0000%
M91.1 Juv osteochondrosis head of femur [Legg-Calvé-Perthes]	1	2	3	0.0000%
M91.8 Other juvenile osteochondrosis of hip and pelvis		1	1	0.0000%
M91.9 Juvenile osteochondrosis of hip and pelvis, unspecified		2	2	0.0000%
M92.2 Juvenile osteochondrosis of hand	1	1	2	0.0000%
M92.7 Juvenile osteochondrosis of metatarsus		2	2	0.0000%
M92.8 Other specified juvenile osteochondrosis	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
M93.9 Osteochondropathy, unspecified	1	1	2	0.0000%
M94.0 Chondrocostal junction syndrome [Tietze]	3	2	5	0.0000%
M94.1 Relapsing polychondritis		1	1	0.0000%
M94.2 Chondromalacia	1		1	0.0000%
M94.8 Other specified disorders of cartilage	6	9	15	0.0000%
M94.9 Disorder of cartilage, unspecified	22	17	39	0.0001%
M95.2 Other acquired deformity of head	19	27	46	0.0001%
M95.3 Acquired deformity of neck		1	1	0.0000%
M95.4 Acquired deformity of chest and rib	1		1	0.0000%
M96.8 Other postprocedural musculoskeletal disorders		1	1	0.0000%
M99.7 Connective tis and disc stenosis of intervertebral foramina		6	6	0.0000%
M99.9 Biomechanical lesion, unspecified	1		1	0.0000%
N02.9 Recurrent and persistent haematuria, unspecified	40	184	224	0.0004%
N04.9 Nephrotic syndrome, unspecified	9	11	20	0.0000%
N05.2 Diffuse membranous glomerulonephritis	1		1	0.0000%
N05.9 Unspecified nephritic syndrome, unspecified	14	41	55	0.0001%
N07.3 Diffuse mesangial proliferative glomerulonephritis	1		1	0.0000%
N12.X Tubulo-interstitial nephritis not spec as acute or chronic	2	6	8	0.0000%
N13.0 Hydronephrosis with ureteropelvic junction obstruction	2		2	0.0000%
N13.2 Hydronephrosis with renal and ureteral calculous obstruction	1	2	3	0.0000%
N13.3 Other and unspecified hydronephrosis	27	73	100	0.0002%
N13.5 Kinking and stricture of ureter without hydronephrosis	1	3	4	0.0000%
N13.7 Vesicoureteral-reflux-associated uropathy		1	1	0.0000%
N13.8 Other obstructive and reflux uropathy	2	6	8	0.0000%
N13.9 Obstructive and reflux uropathy, unspecified		19	19	0.0000%
N15.9 Renal tubulo-interstitial disease, unspecified	1	2	3	0.0000%
N17.9 Acute renal failure, unspecified	1	2	3	0.0000%
N18.0 End-stage renal disease	5	13	18	0.0000%
N18.8 Other chronic renal failure		4	4	0.0000%
N18.9 Chronic renal failure, unspecified	90	328	418	0.0008%
N19.X Unspecified renal failure		3	3	0.0000%
N20.0 Calculus of kidney	54	164	218	0.0004%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
N20.1 Calculus of ureter		15 23	38	0.0001%
N20.2 Calculus of kidney with calculus of ureter		3 1	4	0.0000%
N20.9 Urinary calculus, unspecified		54 101	155	0.0003%
N21.0 Calculus in bladder		13 62	75	0.0001%
N21.1 Calculus in urethra		1 3	4	0.0000%
N21.9 Calculus of lower urinary tract, unspecified		7 4	11	0.0000%
N23.X Unspecified renal colic		4 19	23	0.0000%
N25.8 Other disorders resulting from impaired renal tubular funct			1	0.0000%
N25.9 Disorder result from impaired renal tubular function unspec		2 1	3	0.0000%
N28.1 Cyst of kidney, acquired		2 17	19	0.0000%
N28.8 Other specified disorders of kidney and ureter		2 18	20	0.0000%
N28.9 Disorder of kidney and ureter, unspecified		5 16	21	0.0000%
N30.0 Acute cystitis		1 1	2	0.0000%
N30.1 Interstitial cystitis (chronic)		5 45	50	0.0001%
N30.2 Other chronic cystitis		8 87	95	0.0002%
N30.3 Trigonitis		109 94	203	0.0004%
N30.4 Irradiation cystitis		1	1	0.0000%
N30.8 Other cystitis		6 13	19	0.0000%
N30.9 Cystitis, unspecified		58 433	491	0.0010%
N31.2 Flaccid neuropathic bladder, not elsewhere classified		3 7	10	0.0000%
N31.8 Other neuromuscular dysfunction of bladder		12 36	48	0.0001%
N31.9 Neuromuscular dysfunction of bladder, unspecified		9 50	59	0.0001%
N32.0 Bladder-neck obstruction		18 151	169	0.0003%
N32.1 Vesicointestinal fistula		1 17	18	0.0000%
N32.2 Vesical fistula, not elsewhere classified			4	0.0000%
N32.3 Diverticulum of bladder		13 97	110	0.0002%
N32.8 Other specified disorders of bladder		98 483	581	0.0012%
N32.9 Bladder disorder, unspecified		146 358	504	0.0010%
N34.2 Other urethritis		2 7	9	0.0000%
N34.3 Urethral syndrome, unspecified			1	0.0000%
N35.8 Other urethral stricture		1 8	9	0.0000%
N35.9 Urethral stricture, unspecified		97 465	562	0.0011%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
N36.0 Urethral fistula		1	1	0.0000%
N36.2 Urethral caruncle		3	3	0.0000%
N36.8 Other specified disorders of urethra	18	28	46	0.0001%
N36.9 Urethral disorder, unspecified	13	36	49	0.0001%
N39.0 Urinary tract infection, site not specified	620	944	1,564	0.0031%
N39.1 Persistent proteinuria, unspecified		1	1	0.0000%
N39.3 Stress incontinence	201	429	630	0.0013%
N39.4 Other specified urinary incontinence	28	124	152	0.0003%
N39.8 Other specified disorders of urinary system	7	27	34	0.0001%
N39.9 Disorder of urinary system, unspecified	1,982	2,356	4,338	0.0087%
N40.X Hyperplasia of prostate	353	1,218	1,571	0.0031%
N41.0 Acute prostatitis	3	33	36	0.0001%
N41.1 Chronic prostatitis	7	38	45	0.0001%
N41.8 Other inflammatory diseases of prostate	1	4	5	0.0000%
N41.9 Inflammatory disease of prostate, unspecified	24	74	98	0.0002%
N42.0 Calculus of prostate	1	3	4	0.0000%
N42.1 Congestion and haemorrhage of prostate	20	45	65	0.0001%
N42.2 Atrophy of prostate	1		1	0.0000%
N42.8 Other specified disorders of prostate	19	68	87	0.0002%
N42.9 Disorder of prostate, unspecified	24	62	86	0.0002%
N43.3 Hydrocele, unspecified	22	43	65	0.0001%
N43.4 Spermatocoele		1	1	0.0000%
N44.X Torsion of testis		1	1	0.0000%
N45.9 Orchitis epididymitis and epididymo-orchitis without absces	1	8	9	0.0000%
N46.X Male infertility	29	36	65	0.0001%
N47.X Redundant prepuce, phimosis and paraphimosis	227	136	363	0.0007%
N48.1 Balanoposthitis	1	7	8	0.0000%
N48.4 Impotence of organic origin	139	105	244	0.0005%
N48.6 Balanitis xerotica obliterans	1		1	0.0000%
N48.8 Other specified disorders of penis	2	9	11	0.0000%
N48.9 Disorder of penis, unspecified	73	56	129	0.0003%
N49.8 Inflammatory disorders of other spec male genital organs		2	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
N49.9 Inflammatory disorder of unspecified male genital organ	16	9	25	0.0000%
N50.0 Atrophy of testis		1	1	0.0000%
N50.1 Vascular disorders of male genital organs	18	55	73	0.0001%
N50.8 Other specified disorders of male genital organs	472	309	781	0.0016%
N50.9 Disorder of male genital organs, unspecified	124	54	178	0.0004%
N60.0 Solitary cyst of breast	424	342	766	0.0015%
N60.1 Diffuse cystic mastopathy	557	789	1,346	0.0027%
N60.2 Fibroadenosis of breast	14	100	114	0.0002%
N60.3 Fibrosclerosis of breast	3	25	28	0.0001%
N60.4 Mammary duct ectasia	42	31	73	0.0001%
N60.8 Other benign mammary dysplasias	20	34	54	0.0001%
N60.9 Benign mammary dysplasia, unspecified	192	2,010	2,202	0.0044%
N61.X Inflammatory disorders of breast	64	143	207	0.0004%
N62.X Hypertrophy of breast	148	267	415	0.0008%
N63.X Unspecified lump in breast	1,003	1,254	2,257	0.0045%
N64.0 Fissure and fistula of nipple	2	1	3	0.0000%
N64.1 Fat necrosis of breast	3	12	15	0.0000%
N64.4 Mastodynia	565	273	838	0.0017%
N64.5 Other signs and symptoms in breast	991	640	1,631	0.0033%
N64.8 Other specified disorders of breast	108	184	292	0.0006%
N64.9 Disorder of breast, unspecified	2,325	2,251	4,576	0.0091%
N71.9 Inflammatory disease of uterus, unspecified	1		1	0.0000%
N72.X Inflammatory disease of cervix uteri	32	42	74	0.0001%
N73.9 Female pelvic inflammatory disease, unspecified	27	18	45	0.0001%
N75.0 Cyst of Bartholin's gland	9	1	10	0.0000%
N75.1 Abscess of Bartholin's gland	6		6	0.0000%
N76.0 Acute vaginitis	4	4	8	0.0000%
N76.1 Subacute and chronic vaginitis		1	1	0.0000%
N76.2 Acute vulvitis	5	7	12	0.0000%
N76.3 Subacute and chronic vulvitis		4	4	0.0000%
N76.4 Abscess of vulva	11		11	0.0000%
N76.5 Ulceration of vagina	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
N76.6 Ulceration of vulva	1	1	2	0.0000%
N76.8 Other specified inflammation of vagina and vulva	2	4	6	0.0000%
N80.1 Endometriosis of ovary	3	7	10	0.0000%
N80.3 Endometriosis of pelvic peritoneum	17	19	36	0.0001%
N80.5 Endometriosis of intestine		1	1	0.0000%
N80.6 Endometriosis in cutaneous scar		1	1	0.0000%
N80.8 Other endometriosis		1	1	0.0000%
N80.9 Endometriosis, unspecified	7	19	26	0.0001%
N81.0 Female urethrocele	1		1	0.0000%
N81.1 Cystocele	73	79	152	0.0003%
N81.2 Incomplete uterovaginal prolapse	1	7	8	0.0000%
N81.3 Complete uterovaginal prolapse	1	7	8	0.0000%
N81.4 Uterovaginal prolapse, unspecified	3	8	11	0.0000%
N81.5 Vaginal enterocele		1	1	0.0000%
N81.6 Rectocele	5	5	10	0.0000%
N81.9 Female genital prolapse, unspecified	591	1,099	1,690	0.0034%
N82.0 Vesicovaginal fistula		2	2	0.0000%
N82.3 Fistula of vagina to large intestine	1	1	2	0.0000%
N82.9 Female genital tract fistula, unspecified		1	1	0.0000%
N83.2 Other and unspecified ovarian cysts	33	38	71	0.0001%
N83.3 Acquired atrophy of ovary and fallopian tube		1	1	0.0000%
N83.8 Oth noninflammatory disord ovary fallop tube and broad lig		1	1	0.0000%
N83.9 Noninflammatory disord ovary fallop tube/broad lig unspec	19	11	30	0.0001%
N84.0 Polyp of corpus uteri	29	41	70	0.0001%
N84.1 Polyp of cervix uteri	197	41	238	0.0005%
N84.2 Polyp of vagina	5	2	7	0.0000%
N84.3 Polyp of vulva	1	2	3	0.0000%
N85.0 Endometrial glandular hyperplasia	1	8	9	0.0000%
N85.1 Endometrial adenomatous hyperplasia		2	2	0.0000%
N85.2 Hypertrophy of uterus	1	2	3	0.0000%
N85.5 Inversion of uterus	1		1	0.0000%
N85.8 Other specified noninflammatory disorders of uterus	3	1	4	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
N85.9 Noninflammatory disorder of uterus, unspecified	109	430	539	0.0011%
N86.X Erosion and ectropion of cervix uteri	55	76	131	0.0003%
N87.0 Mild cervical dysplasia	505	485	990	0.0020%
N87.1 Moderate cervical dysplasia	252	246	498	0.0010%
N87.2 Severe cervical dysplasia, not elsewhere classified	63	25	88	0.0002%
N87.9 Dysplasia of cervix uteri, unspecified	91	133	224	0.0004%
N88.0 Leukoplakia of cervix uteri		3	3	0.0000%
N88.2 Stricture and stenosis of cervix uteri	1	3	4	0.0000%
N88.8 Other specified noninflammatory disorders of cervix uteri	120	47	167	0.0003%
N88.9 Noninflammatory disorder of cervix uteri, unspecified	770	656	1,426	0.0028%
N89.0 Mild vaginal dysplasia	1	4	5	0.0000%
N89.1 Moderate vaginal dysplasia	2	1	3	0.0000%
N89.2 Severe vaginal dysplasia, not elsewhere classified		1	1	0.0000%
N89.3 Dysplasia of vagina, unspecified	1	5	6	0.0000%
N89.5 Stricture and atresia of vagina	1	5	6	0.0000%
N89.6 Tight hymenal ring		1	1	0.0000%
N89.8 Other specified noninflammatory disorders of vagina	66	23	89	0.0002%
N89.9 Noninflammatory disorder of vagina, unspecified	88	73	161	0.0003%
N90.0 Mild vulvar dysplasia	2	2	4	0.0000%
N90.1 Moderate vulvar dysplasia	1	3	4	0.0000%
N90.2 Severe vulvar dysplasia, not elsewhere classified		1	1	0.0000%
N90.3 Dysplasia of vulva, unspecified		9	9	0.0000%
N90.4 Leukoplakia of vulva	1	3	4	0.0000%
N90.5 Atrophy of vulva		1	1	0.0000%
N90.6 Hypertrophy of vulva	4	3	7	0.0000%
N90.7 Vulvar cyst	5	7	12	0.0000%
N90.8 Other spec noninflammatory disord of vulva and perineum	20	9	29	0.0001%
N90.9 Noninflammatory disorder of vulva and perineum, unspecified	232	162	394	0.0008%
N91.1 Secondary amenorrhoea	2	5	7	0.0000%
N91.2 Amenorrhoea, unspecified	19	6	25	0.0000%
N92.0 Excessive and frequent menstruation with regular cycle	587	385	972	0.0019%
N92.1 Excessive and frequent menstruation with irregular cycle	97	60	157	0.0003%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
N92.3 Ovulation bleeding		38 45	83	0.0002%
N92.4 Excessive bleeding in the premenopausal period		3 2	5	0.0000%
N92.5 Other specified irregular menstruation		1 1	2	0.0000%
N92.6 Irregular menstruation, unspecified		987 512	1,499	0.0030%
N93.0 Postcoital and contact bleeding		86 61	147	0.0003%
N93.8 Other specified abnormal uterine and vaginal bleeding		9 6	15	0.0000%
N93.9 Abnormal uterine and vaginal bleeding, unspecified		135 37	172	0.0003%
N94.0 Mittelschmerz		3 4	7	0.0000%
N94.1 Dyspareunia		32 7	39	0.0001%
N94.2 Vaginismus			1	0.0000%
N94.4 Primary dysmenorrhoea			1	0.0000%
N94.6 Dysmenorrhoea, unspecified		18 10	28	0.0001%
N94.8 Oth spec conds ass with fem gen organs and mens cycle		848 463	1,311	0.0026%
N94.9 Unsp condition ass with fem gen organs and mens cycle		822 574	1,396	0.0028%
N95.0 Postmenopausal bleeding		789 519	1,308	0.0026%
N95.1 Menopausal and female climacteric states		109 431	540	0.0011%
N95.2 Postmenopausal atrophic vaginitis		7 14	21	0.0000%
N95.3 States associated with artificial menopause		1 74	75	0.0001%
N95.8 Other specified menopausal and perimenopausal disorders		1 6	7	0.0000%
N95.9 Menopausal and perimenopausal disorder, unspecified		110 12	122	0.0002%
N96.X Habitual aborter		68 104	172	0.0003%
N97.0 Female infertility associated with anovulation		1 1	2	0.0000%
N97.1 Female infertility of tubal origin		1	1	0.0000%
N97.4 Female infertility associated with male factors		7	7	0.0000%
N97.8 Female infertility of other origin			1	0.0000%
N97.9 Female infertility, unspecified		583 922	1,505	0.0030%
N99.3 Prolapse of vaginal vault after hysterectomy			7	0.0000%
N99.8 Other postprocedural disorders of genitourinary system			2	0.0000%
N99.9 Postprocedural disorder of genitourinary system, unspecified		1	1	0.0000%
O00.1 Tubal pregnancy		1	1	0.0000%
O00.9 Ectopic pregnancy, unspecified		21 8	29	0.0001%
O01.9 Hydatidiform mole, unspecified		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances
	First appointment	Subsequent appointment		
O02.0 Blighted ovum and nonhydatidiform mole	23	13	36	0.0001%
O02.1 Missed abortion	83	41	124	0.0002%
O02.9 Abnormal product of conception, unspecified		1	1	0.0000%
O03.3 Incomplete spont abort with other and unspec complication		1	1	0.0000%
O03.4 Incomplete spont abort, without complication	97	25	122	0.0002%
O03.5 Complete or unsp spont abort comp by gen tract & pelvic infn		1	1	0.0000%
O03.6 Complete or unsp spont abort comp by delay/excess haemor'ge	1		1	0.0000%
O03.9 Complete or unsp spont abort comp without complication	228	33	261	0.0005%
O04.0 Incomplete med abort comp by genital tract & pelvic infec	1		1	0.0000%
O04.4 Incomplete med abort, without complication	5	1	6	0.0000%
O04.6 Complete or unspec med abort comp by delay/excess haemor'ge	4		4	0.0000%
O04.7 Complete or unspec med abort comp by by embolism	1		1	0.0000%
O04.8 Complete or unspec med abort comp by with other & unsp comp	7	294	301	0.0006%
O04.9 Complete or unspec med abort comp by without complication	835	14	849	0.0017%
O05.9 Complete/unsp other abortion without complication		1	1	0.0000%
O10.0 Pre-exist essen hypertens comp preg childbirth and puerp	10	11	21	0.0000%
O10.9 Unspec pre-exist hypertens compl pregn childbth puerprum	126	459	585	0.0012%
O11.X Pre-exist hypertens disorder with superimposed proteinuria		1	1	0.0000%
O12.0 Gestational oedema	2		2	0.0000%
O12.1 Gestational proteinuria	16	6	22	0.0000%
O13.X Gest [pregnancy-induced] hypertens without sig proteinuria	65	748	813	0.0016%
O14.0 Moderate pre-eclampsia	168	47	215	0.0004%
O14.1 Severe pre-eclampsia	10		10	0.0000%
O14.9 Pre-eclampsia, unspecified	4	7	11	0.0000%
O16.X Unspecified maternal hypertension	9	409	418	0.0008%
O20.0 Threatened abortion	26	1	27	0.0001%
O20.8 Other haemorrhage in early pregnancy	6		6	0.0000%
O20.9 Haemorrhage in early pregnancy, unspecified	298	290	588	0.0012%
O21.0 Mild hyperemesis gravidarum	86	168	254	0.0005%
O21.1 Hyperemesis gravidarum with metabolic disturbance	1	1	2	0.0000%
O21.9 Vomiting of pregnancy, unspecified	17	1	18	0.0000%
O23.0 Infections of kidney in pregnancy	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
O23.3 Infections of other parts of urinary tract in pregnancy		1	1	0.0000%
O23.4 Unspecified infection of urinary tract in pregnancy		3	5	0.0000%
O23.9 Other and unspec genitourinary tract infection in pregnancy			1	0.0000%
O24.0 Pre-existing diabetes mellitus, insulin-dependent		98	198	0.0006%
O24.4 Diabetes mellitus arising in pregnancy		1	16	0.0000%
O24.9 Diabetes mellitus in pregnancy, unspecified			51	0.0001%
O26.5 Maternal hypotension syndrome		1	1	0.0000%
O26.6 Liver disorders in pregnancy, childbirth and the puerperium		8	259	0.0005%
O26.8 Other specified pregnancy-related conditions		137	47	0.0004%
O26.9 Pregnancy-related condition, unspecified		226	3,404	0.0073%
O30.0 Twin pregnancy		42	223	0.0005%
O30.1 Triplet pregnancy		4	7	0.0000%
O30.9 Multiple gestation, unspecified		1	1	0.0000%
O31.1 Continuing pregnancy after abortion of one fetus or more		1	1	0.0000%
O31.8 Other complications specific to multiple gestation			1	0.0000%
O32.1 Maternal care for breech presentation		149	395	0.0011%
O32.2 Maternal care for transverse and oblique lie			2	0.0000%
O33.8 Maternal care for disproportion of other origin			1	0.0000%
O34.0 Maternal care for congenital malformation of uterus		5	2	0.0000%
O34.2 Maternal care due to uterine scar from previous surgery			1	0.0000%
O34.3 Maternal care for cervical incompetence			12	0.0000%
O34.8 Maternal care for other abnormalities of pelvic organs			1	0.0000%
O35.0 Maternal care for (suspected) CNS malformation in fetus			2	0.0000%
O35.1 Mat care for (suspected) chromosomal abnormality in fetus		1	1	0.0000%
O35.8 Mat care for other (suspected) fetal abnormality and damage		1	2	0.0000%
O35.9 Mat care for (suspected) fet abnormality and damage		431	148	0.0012%
O36.0 Maternal care for rhesus isoimmunization		71	152	0.0004%
O36.2 Maternal care for hydrops fetalis			1	0.0000%
O36.4 Maternal care for intrauterine death		2	13	0.0000%
O36.5 Maternal care for poor fetal growth		513	2,193	0.0054%
O36.6 Maternal care for excessive fetal growth		9	64	0.0001%
O36.7 Maternal care for viable fetus in abdominal pregnancy		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
O36.8 Maternal care for other specified fetal problems		8451,749	2,594	0.0052%
O36.9 Maternal care for fetal problem, unspecified		135203	338	0.0007%
O40.X Polyhydramnios		211	13	0.0000%
O41.0 Oligohydramnios		14	5	0.0000%
O41.8 Other specified disorders of amniotic fluid and membranes		68966	1,034	0.0021%
O41.9 Disorder of amniotic fluid and membranes, unspecified		1	1	0.0000%
O42.9 Premature rupture of membranes, unspecified		49362	411	0.0008%
O43.8 Other placental disorders		1	1	0.0000%
O44.0 Placenta praevia specified as without haemorrhage		8	8	0.0000%
O46.9 Antepartum haemorrhage, unspecified		29496	525	0.0010%
O47.0 False labour before 37 completed weeks of gestation		10230	240	0.0005%
O47.1 False labour at or after 37 completed weeks of gestation		13630	643	0.0013%
O47.9 False labour, unspecified		13	4	0.0000%
O48.X Prolonged pregnancy		58503	561	0.0011%
O60.X Preterm delivery		1	1	0.0000%
O62.0 Primary inadequate contractions		703,069	3,139	0.0063%
O62.2 Other uterine inertia		2	2	0.0000%
O68.9 Labour and delivery complicated by fetal stress, unspecified		5	5	0.0000%
O70.1 Second degree perineal laceration during delivery	1	1	2	0.0000%
O70.2 Third degree perineal laceration during delivery		3	3	0.0000%
O70.9 Perineal laceration during delivery, unspecified		1	1	0.0000%
O72.1 Other immediate postpartum haemorrhage	1	4	5	0.0000%
O72.2 Delayed and secondary postpartum haemorrhage	10	1	11	0.0000%
O75.4 Other complications of obstetric surgery and procedures	1		1	0.0000%
O80.0 Spontaneous vertex delivery		2	2	0.0000%
O82.0 Delivery by elective caesarean section		1	1	0.0000%
O85.X Puerperal sepsis	1		1	0.0000%
O86.0 Infection of obstetric surgical wound	1	1	2	0.0000%
O88.2 Obstetric blood-clot embolism		2	2	0.0000%
O90.0 Disruption of caesarean section wound	2		2	0.0000%
O90.8 Other complications of the puerperium	2		2	0.0000%
O90.9 Complication of the puerperium, unspecified	7	264	271	0.0005%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
O92.6 Galactorrhoea		1	1	0.0000%
O98.3 Oth infect predom sex mode trans comp preg/childbth/puerp	1		1	0.0000%
O98.4 Viral hepatitis comp pregnancy, childbirth & the puerperium		2	2	0.0000%
O99.0 Anaemia comp pregnancy, childbirth and the puerperium	8	23	31	0.0001%
O99.1 Oth dis blood/form organ imm mech comp preg/bth/puerp		5	5	0.0000%
O99.3 Mental disord dis of nervous system comp preg/birth/puerp	9	22	31	0.0001%
O99.4 Dis circulatory sys comp pregnancy, childbirth/puerp	30	18	48	0.0001%
O99.6 Dis of the digestive sys comp preg childbirth and puerp		2	2	0.0000%
O99.8 Other spec dis and conditions comp preg childbirth puerp	4	10	14	0.0000%
P00.2 Fetus and newborn affected by mat infect and parasitic dis		2	2	0.0000%
P05.9 Slow fetal growth, unspecified	1		1	0.0000%
P07.0 Extremely low birth weight		2	2	0.0000%
P07.1 Other low birth weight		3	3	0.0000%
P07.2 Extreme immaturity		2	2	0.0000%
P07.3 Other preterm infants	21	2	23	0.0000%
P11.1 Other specified brain damage due to birth injury		1	1	0.0000%
P13.4 Fracture of clavicle due to birth injury	1		1	0.0000%
P14.0 Erb's paralysis due to birth injury	2		2	0.0000%
P14.3 Other brachial plexus birth injuries	1		1	0.0000%
P22.1 Transient tachypnoea of newborn	1		1	0.0000%
P24.0 Neonatal aspiration of meconium		1	1	0.0000%
P26.8 Oth pulmonary haemorrhages originating in perinatal period		1	1	0.0000%
P27.8 Other chronic resp diseases origin in the perinatal period		1	1	0.0000%
P27.9 Unspec chronic resp disease origin in the perinatal period		1	1	0.0000%
P28.3 Primary sleep apnoea of newborn		1	1	0.0000%
P28.8 Other specified respiratory conditions of newborn		1	1	0.0000%
P29.1 Neonatal cardiac dysrhythmia	1		1	0.0000%
P29.8 Oth cardiovascular disorders origin in the perinatal period	1	2	3	0.0000%
P37.1 Congenital toxoplasmosis		1	1	0.0000%
P38.X Omphalitis of newborn with or without mild haemorrhage	1		1	0.0000%
P50.9 Fetal blood loss, unspecified	1		1	0.0000%
P55.0 Rh isoimmunization of fetus and newborn	1	2	3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
P55.1 ABO isoimmunization of fetus and newborn		1	1	0.0000%
P59.9 Neonatal jaundice, unspecified	5	5	10	0.0000%
P83.5 Congenital hydrocele		1	1	0.0000%
P91.2 Neonatal cerebral leukomalacia	1		1	0.0000%
P92.9 Feeding problem of newborn, unspecified	1		1	0.0000%
P94.1 Congenital hypertonia	1		1	0.0000%
P94.2 Congenital hypotonia	4	3	7	0.0000%
P94.8 Other disorders of muscle tone of newborn	1	1	2	0.0000%
P96.4 Termination of pregnancy, fetus and newborn	1		1	0.0000%
Q00.0 Anencephaly		1	1	0.0000%
Q01.2 Occipital encephalocele		1	1	0.0000%
Q01.9 Encephalocele, unspecified		1	1	0.0000%
Q02.X Microcephaly		2	2	0.0000%
Q03.8 Other congenital hydrocephalus	1	1	2	0.0000%
Q03.9 Congenital hydrocephalus, unspecified	1		1	0.0000%
Q04.6 Congenital cerebral cysts	1	3	4	0.0000%
Q04.8 Other specified congenital malformations of brain	1	1	2	0.0000%
Q05.4 Unspecified spina bifida with hydrocephalus	1	1	2	0.0000%
Q05.6 Thoracic spina bifida without hydrocephalus	2		2	0.0000%
Q05.9 Spina bifida, unspecified	19	72	91	0.0002%
Q06.2 Diastematomyelia	2	5	7	0.0000%
Q06.8 Other specified congenital malformations of spinal cord	2	7	9	0.0000%
Q06.9 Congenital malformation of spinal cord, unspecified		1	1	0.0000%
Q07.0 Arnold-Chiari syndrome	26	142	168	0.0003%
Q07.8 Other specified congenital malformations of nervous system	2	17	19	0.0000%
Q10.0 Congenital ptosis	7	15	22	0.0000%
Q10.3 Other congenital malformations of eyelid	6	2	8	0.0000%
Q10.4 Absence and agenesis of lacrimal apparatus	1	1	2	0.0000%
Q10.5 Congenital stenosis and stricture of lacrimal duct	12	17	29	0.0001%
Q10.7 Congenital malformation of orbit		2	2	0.0000%
Q11.2 Microphthalmos	4	5	9	0.0000%
Q12.0 Congenital cataract	25	86	111	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q12.4 Spherophakia	1		1	0.0000%
Q12.9 Congenital lens malformation, unspecified		3	3	0.0000%
Q13.0 Coloboma of iris	6	20	26	0.0001%
Q13.1 Absence of iris		3	3	0.0000%
Q13.2 Other congenital malformations of iris	2		2	0.0000%
Q13.8 Other congenital malformations of anterior segment of eye		1	1	0.0000%
Q14.1 Congenital malformation of retina	15	10	25	0.0000%
Q14.2 Congenital malformation of optic disc		3	3	0.0000%
Q15.0 Congenital glaucoma	2	15	17	0.0000%
Q15.8 Other specified congenital malformations of eye	2	4	6	0.0000%
Q15.9 Congenital malformation of eye, unspecified	2		2	0.0000%
Q16.9 Cong malform of ear causing impairment of hearing unspec	5		5	0.0000%
Q17.0 Accessory auricle	1	1	2	0.0000%
Q17.3 Other misshapen ear	1	1	2	0.0000%
Q17.5 Prominent ear	33	46	79	0.0002%
Q18.0 Sinus, fistula and cyst of branchial cleft	2	15	17	0.0000%
Q18.1 Preauricular sinus and cyst	1	2	3	0.0000%
Q18.5 Microstomia	1		1	0.0000%
Q18.8 Other specified congenital malformations of face and neck		2	2	0.0000%
Q18.9 Congenital malformation of face and neck, unspecified		2	2	0.0000%
Q20.3 Discordant ventriculoarterial connection	1		1	0.0000%
Q21.0 Ventricular septal defect	27	11	38	0.0001%
Q21.1 Atrial septal defect	6	8	14	0.0000%
Q21.2 Atrioventricular septal defect	2		2	0.0000%
Q21.3 Tetralogy of Fallot	2	1	3	0.0000%
Q22.1 Congenital pulmonary valve stenosis	3		3	0.0000%
Q23.0 Congenital stenosis of aortic valve	2		2	0.0000%
Q23.3 Congenital mitral insufficiency	1		1	0.0000%
Q23.4 Hypoplastic left heart syndrome	1		1	0.0000%
Q24.6 Congenital heart block	1		1	0.0000%
Q24.8 Other specified congenital malformations of heart		2	2	0.0000%
Q24.9 Congenital malformation of heart, unspecified	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q25.1 Coarctation of aorta	2		2	0.0000%
Q25.6 Stenosis of pulmonary artery	2		2	0.0000%
Q27.3 Peripheral arteriovenous malformation	3	4	7	0.0000%
Q27.8 Other spec cong malformations of peripheral vasc system	1	1	2	0.0000%
Q27.9 Cong malformation of peripheral vascular system unspecified	2	2	4	0.0000%
Q28.0 Arteriovenous malformation of precerebral vessels	2	14	16	0.0000%
Q28.2 Arteriovenous malformation of cerebral vessels	112	140	252	0.0005%
Q28.9 Congenital malformation of circulatory system, unspecified	5	9	14	0.0000%
Q30.3 Congenital perforated nasal septum	1		1	0.0000%
Q30.8 Other congenital malformations of nose		2	2	0.0000%
Q32.4 Other congenital malformations of bronchus		1	1	0.0000%
Q35.9 Cleft palate, unspecified	3	6	9	0.0000%
Q37.9 Unspecified cleft palate with unilateral cleft lip	1	30	31	0.0001%
Q38.1 Ankyloglossia	3	7	10	0.0000%
Q38.5 Congenital malformations of palate, not elsewhere classified		1	1	0.0000%
Q38.7 Pharyngeal pouch	5	1	6	0.0000%
Q39.4 Oesophageal web	3	6	9	0.0000%
Q39.6 Diverticulum of oesophagus	8	5	13	0.0000%
Q40.0 Congenital hypertrophic pyloric stenosis	1		1	0.0000%
Q40.2 Other specified congenital malformations of stomach	1		1	0.0000%
Q42.9 Cong abscs atresia and sten of large intest part unspc		1	1	0.0000%
Q43.1 Hirschsprung's disease	1	1	2	0.0000%
Q43.8 Other specified congenital malformations of intestine		1	1	0.0000%
Q44.2 Atresia of bile ducts		1	1	0.0000%
Q50.5 Embryonic cyst of broad ligament	1		1	0.0000%
Q51.3 Bicornate uterus		2	2	0.0000%
Q52.4 Other congenital malformations of vagina	1		1	0.0000%
Q52.5 Fusion of labia	1	1	2	0.0000%
Q53.1 Undescended testicle, unilateral	34	21	55	0.0001%
Q53.2 Undescended testicle, bilateral	17	9	26	0.0001%
Q53.9 Undescended testicle, unspecified	25	8	33	0.0001%
Q54.1 Hypospadias, penile		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q54.9 Hypospadias, unspecified	10	15	25	0.0000%
Q55.2 Other congenital malformations of testis and scrotum		1	1	0.0000%
Q61.1 Polycystic kidney, infantile type	1	1	2	0.0000%
Q61.3 Polycystic kidney, unspecified	6	24	30	0.0001%
Q61.4 Renal dysplasia	2	2	4	0.0000%
Q62.0 Congenital hydronephrosis	2	3	5	0.0000%
Q62.2 Congenital megaloureter	1		1	0.0000%
Q62.7 Congenital vesico-uretero-renal reflux	2	1	3	0.0000%
Q63.0 Accessory kidney	1		1	0.0000%
Q63.9 Congenital malformation of kidney, unspecified	2		2	0.0000%
Q64.7 Other congenital malformations of bladder and urethra		1	1	0.0000%
Q65.0 Congenital dislocation of hip, unilateral	1	3	4	0.0000%
Q65.2 Congenital dislocation of hip, unspecified		1	1	0.0000%
Q65.3 Congenital subluxation of hip, unilateral		1	1	0.0000%
Q65.8 Other congenital deformities of hip		1	1	0.0000%
Q66.4 Talipes calcaneovalgus		1	1	0.0000%
Q66.5 Congenital pes planus	2	1	3	0.0000%
Q66.7 Pes cavus	1		1	0.0000%
Q66.8 Other congenital deformities of feet	2	4	6	0.0000%
Q67.0 Facial asymmetry	2		2	0.0000%
Q67.3 Plagiocephaly	6	9	15	0.0000%
Q67.5 Congenital deformity of spine	1		1	0.0000%
Q67.6 Pectus excavatum	1		1	0.0000%
Q68.0 Congenital deformity of sternocleidomastoid muscle	1		1	0.0000%
Q68.1 Congenital deformity of hand	5	8	13	0.0000%
Q68.5 Congenital bowing of long bones of leg, unspecified	1		1	0.0000%
Q74.0 Oth cong malformation of upper limb(s) inc shoulder girdle		5	5	0.0000%
Q74.1 Congenital malformation of knee		1	1	0.0000%
Q75.0 Craniosynostosis		2	2	0.0000%
Q75.1 Craniofacial dysostosis	2	10	12	0.0000%
Q75.2 Hypertelorism		1	1	0.0000%
Q75.3 Macrocephaly		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q75.8 Other spec congenital malformations of skull and face bones	1	2	3	0.0000%
Q75.9 Congenital malformation of skull and face bones, unspecified	7	5	12	0.0000%
Q76.1 Klippel-Feil syndrome	2	3	5	0.0000%
Q76.3 Congenital scoliosis due to congenital bony malformation	1		1	0.0000%
Q76.4 Oth cong malformation of spine not associated with scoliosis		7	7	0.0000%
Q76.5 Cervical rib		2	2	0.0000%
Q77.3 Chondrodysplasia punctata		11	11	0.0000%
Q77.4 Achondroplasia		1	1	0.0000%
Q77.7 Spondyloepiphyseal dysplasia		1	1	0.0000%
Q78.0 Osteogenesis imperfecta	2	27	29	0.0001%
Q78.1 Polyostotic fibrous dysplasia	1	8	9	0.0000%
Q78.2 Osteopetrosis		1	1	0.0000%
Q78.8 Other specified osteochondrodysplasias	8	43	51	0.0001%
Q78.9 Osteochondrodysplasia, unspecified		2	2	0.0000%
Q79.6 Ehlers-Danlos syndrome	1	5	6	0.0000%
Q80.8 Other congenital ichthyosis	1		1	0.0000%
Q81.9 Epidermolysis bullosa, unspecified		1	1	0.0000%
Q82.0 Hereditary lymphoedema		1	1	0.0000%
Q82.1 Xeroderma pigmentosum		1	1	0.0000%
Q82.2 Mastocytosis	2	13	15	0.0000%
Q82.4 Ectodermal dysplasia (anhidrotic)		2	2	0.0000%
Q82.5 Congenital non-neoplastic naevus	33	128	161	0.0003%
Q82.8 Other specified congenital malformations of skin	13	14	27	0.0001%
Q82.9 Congenital malformation of skin, unspecified	1	5	6	0.0000%
Q83.1 Accessory breast	15	10	25	0.0000%
Q83.3 Accessory nipple	5	6	11	0.0000%
Q83.8 Other congenital malformations of breast		1	1	0.0000%
Q83.9 Congenital malformation of breast, unspecified	25	46	71	0.0001%
Q85.0 Neurofibromatosis (nonmalignant)	10	38	48	0.0001%
Q85.1 Tuberous sclerosis	1	2	3	0.0000%
Q85.8 Other phakomatoses, not elsewhere classified		13	13	0.0000%
Q86.8 Oth cong malform syndromes due to known exogen causes		10	10	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Q87.0 Cong malform syndromes predom affect facial appearance	5	11	16	0.0000%
Q87.1 Cong malform syndromes predomin assoc with short stature	3	4	7	0.0000%
Q87.4 Marfan's syndrome	4	10	14	0.0000%
Q87.8 Other specified congenital malformation syndromes NEC		3	3	0.0000%
Q89.2 Congenital malformations of other endocrine glands	2	4	6	0.0000%
Q90.2 Trisomy 21, translocation	1		1	0.0000%
Q90.9 Down's syndrome, unspecified	16	57	73	0.0001%
Q91.7 Patau's syndrome, unspecified		1	1	0.0000%
Q93.3 Deletion of short arm of chromosome 4		1	1	0.0000%
Q93.5 Other deletions of part of a chromosome		1	1	0.0000%
Q95.8 Other balanced rearrangements and structural markers		1	1	0.0000%
Q96.9 Turner's syndrome, unspecified	5	4	9	0.0000%
Q98.4 Klinefelter's syndrome, unspecified	2	6	8	0.0000%
Q99.2 Fragile X chromosome	2	2	4	0.0000%
Q99.8 Other specified chromosome abnormalities		2	2	0.0000%
R00.0 Tachycardia, unspecified	5	6	11	0.0000%
R00.1 Bradycardia, unspecified		2	2	0.0000%
R00.2 Palpitations	208	167	375	0.0007%
R00.8 Other and unspecified abnormalities of heart beat	2	5	7	0.0000%
R01.0 Benign and innocent cardiac murmurs	46	2	48	0.0001%
R01.1 Cardiac murmur, unspecified	78	56	134	0.0003%
R02.X Gangrene, not elsewhere classified		10	10	0.0000%
R03.0 Elev blood-pressure reading without diag of hypertension	1		1	0.0000%
R04.0 Epistaxis	170	243	413	0.0008%
R04.2 Haemoptysis	8	164	172	0.0003%
R04.9 Haemorrhage from respiratory passages, unspecified	1	2	3	0.0000%
R05.X Cough	147	152	299	0.0006%
R06.0 Dyspnoea	113	111	226	0.0005%
R06.1 Stridor	3		3	0.0000%
R06.2 Wheezing	106	17	123	0.0002%
R06.4 Hyperventilation	7	1	8	0.0000%
R06.5 Mouth breathing	24	21	45	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
R06.8 Other and unspecified abnormalities of breathing	35	12	47	0.0001%
R07.0 Pain in throat	5	6	11	0.0000%
R07.1 Chest pain on breathing	1	13	14	0.0000%
R07.2 Precordial pain	5	71	76	0.0002%
R07.3 Other chest pain	10	88	98	0.0002%
R07.4 Chest pain, unspecified	470	413	883	0.0018%
R09.8 Oth spec symptoms and signs involving circ and resp systems	3	4	7	0.0000%
R10.0 Acute abdomen		6	6	0.0000%
R10.1 Pain localized to upper abdomen	157	75	232	0.0005%
R10.2 Pelvic and perineal pain	267	77	344	0.0007%
R10.3 Pain localized to other parts of lower abdomen	112	143	255	0.0005%
R10.4 Other and unspecified abdominal pain	1,491	1,785	3,276	0.0065%
R11.X Nausea and vomiting	363	109	472	0.0009%
R12.X Heartburn	16	6	22	0.0000%
R13.X Dysphagia	469	262	731	0.0015%
R14.X Flatulence and related conditions	24	15	39	0.0001%
R15.X Faecal incontinence	32	42	74	0.0001%
R16.1 Splenomegaly, not elsewhere classified	5	10	15	0.0000%
R16.2 Hepatomegaly with splenomegaly, not elsewhere classified	1	1	2	0.0000%
R17.X Unspecified jaundice	197	258	455	0.0009%
R18.X Ascites	4	34	38	0.0001%
R19.0 Intra-abdominal and pelvic swelling, mass and lump	135	144	279	0.0006%
R19.4 Change in bowel habit	624	317	941	0.0019%
R19.5 Other faecal abnormalities	16	5	21	0.0000%
R19.6 Halitosis	2		2	0.0000%
R19.8 Oth spec symptoms and signs involv digestive sys and abdomen	70	106	176	0.0004%
R20.2 Paraesthesia of skin	16	5	21	0.0000%
R20.8 Other and unspecified disturbances of skin sensation	42	6	48	0.0001%
R21.X Rash and other nonspecific skin eruption	230	266	496	0.0010%
R22.0 Localized swelling, mass and lump, head	15	7	22	0.0000%
R22.1 Localized swelling, mass and lump, neck	326	306	632	0.0013%
R22.2 Localized swelling, mass and lump, trunk	9	4	13	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
R22.3 Localized swelling, mass and lump, upper limb		6 8	14	0.0000%
R22.4 Localized swelling, mass and lump, lower limb		3 5	8	0.0000%
R22.7 Localized swelling, mass and lump, multiple sites		2 2	4	0.0000%
R22.9 Localized swelling, mass and lump, unspecified		19 40	59	0.0001%
R23.0 Cyanosis		10 2	12	0.0000%
R23.1 Pallor		7 5	12	0.0000%
R23.3 Spontaneous ecchymoses		6 4	10	0.0000%
R23.4 Changes in skin texture		2 8	10	0.0000%
R23.8 Other and unspecified skin changes		18 20	38	0.0001%
R25.1 Tremor, unspecified		47 7	54	0.0001%
R25.2 Cramp and spasm		38 164	202	0.0004%
R25.3 Fasciculation		12 3	15	0.0000%
R25.8 Other and unspecified abnormal involuntary movements		16 88	104	0.0002%
R26.0 Ataxic gait		1	1	0.0000%
R26.2 Difficulty in walking, not elsewhere classified		6 10	16	0.0000%
R26.8 Other and unspecified abnormalities of gait and mobility		31 52	83	0.0002%
R27.0 Ataxia, unspecified		35 24	59	0.0001%
R27.8 Other and unspecified lack of coordination		2	2	0.0000%
R29.0 Tetany		1	1	0.0000%
R29.4 Clicking hip		1	1	0.0000%
R29.8 Other spec symptoms signs involv nervous/musculoskel systs		35 11	46	0.0001%
R30.0 Dysuria		16 47	63	0.0001%
R30.9 Painful micturition, unspecified		3 6	9	0.0000%
R31.X Unspecified haematuria	1,937	2,983	4,920	0.0098%
R32.X Unspecified urinary incontinence	317	446	763	0.0015%
R33.X Retention of urine	54	140	194	0.0004%
R35.X Polyuria	486	1,127	1,613	0.0032%
R36.X Urethral discharge	1	1	2	0.0000%
R39.0 Extravasation of urine	1		1	0.0000%
R39.1 Other difficulties with micturition	201	91	292	0.0006%
R39.8 Other and unspecf symptoms and signs involv urinary syst	166	840	1,006	0.0020%
R40.0 Somnolence	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

Primary diagnosis: 4 character NHS Hospitals, England, 2005-06	Attended		All (inc. first/subsequent unknown	Percentage of All Attendances	
	First appointment	Subsequent appointment			
R40.2 Coma, unspecified		1	1	0.0000%	
R41.0 Disorientation, unspecified		4	10	0.0000%	
R41.3 Other amnesia		17	7	0.0000%	
R41.8 Oth/unsp sympt & signs involv cognitive funct & awareness		9	5	0.0000%	
R42.X Dizziness and giddiness		434	253	687	0.0014%
R43.0 Anosmia		3	4	7	0.0000%
R43.1 Parosmia		2	7	9	0.0000%
R44.0 Auditory hallucinations		1	59	60	0.0001%
R44.3 Hallucinations, unspecified		1	1	2	0.0000%
R44.8 Oth and unspec sympt/signs inv gen sensations/percept		14	2	16	0.0000%
R45.1 Restlessness and agitation			1	1	0.0000%
R45.4 Irritability and anger		2	2	4	0.0000%
R46.8 Other symptoms and signs involving appearance and behaviour			1	1	0.0000%
R47.0 Dysphasia and aphasia		9	4	13	0.0000%
R47.1 Dysarthria and anarthria		1	1	2	0.0000%
R47.8 Other and unspecified speech disturbances		4	10	14	0.0000%
R48.8 Other and unspecified symbolic dysfunctions		3	1	4	0.0000%
R49.0 Dysphonia		36	38	74	0.0001%
R49.1 Aphonia		4		4	0.0000%
R49.8 Other and unspecified voice disturbances		3	19	22	0.0000%
R50.0 Fever with chills		1		1	0.0000%
R50.1 Persistent fever		1		1	0.0000%
R50.9 Fever, unspecified		307	34	341	0.0007%
R51.X Headache		1,152	576	1,728	0.0035%
R52.0 Acute pain		2	1	3	0.0000%
R52.1 Chronic intractable pain		171	14	185	0.0004%
R52.2 Other chronic pain		68	90	158	0.0003%
R52.9 Pain, unspecified		243	150	393	0.0008%
R53.X Malaise and fatigue		97	110	207	0.0004%
R54.X Senility		3	4	7	0.0000%
R55.X Syncope and collapse		473	460	933	0.0019%
R56.0 Febrile convulsions		34	12	46	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R56.8 Other and unspecified convulsions	225	122	347	0.0007%
R58.X Haemorrhage, not elsewhere classified	7	6	13	0.0000%
R59.0 Localized enlarged lymph nodes	67	142	209	0.0004%
R59.1 Generalized enlarged lymph nodes	167	453	620	0.0012%
R59.9 Enlarged lymph nodes, unspecified	45	81	126	0.0003%
R60.0 Localized oedema		3	3	0.0000%
R60.9 Oedema, unspecified	3	11	14	0.0000%
R61.0 Localized hyperhidrosis	1	51	52	0.0001%
R61.1 Generalized hyperhidrosis		1	1	0.0000%
R61.9 Hyperhidrosis, unspecified	3	3	6	0.0000%
R62.0 Delayed milestone	1	1	2	0.0000%
R62.8 Other lack of expected normal physiological development	32	50	82	0.0002%
R62.9 Lack of expected normal physiologic development unspec	15	55	70	0.0001%
R63.0 Anorexia	22	6	28	0.0001%
R63.1 Polydipsia	4	7	11	0.0000%
R63.3 Feeding difficulties and mismanagement	30	23	53	0.0001%
R63.4 Abnormal weight loss	225	151	376	0.0008%
R63.5 Abnormal weight gain	2	5	7	0.0000%
R63.8 Other symptoms and signs concerning food and fluid intake	7	1	8	0.0000%
R68.1 Nonspecific symptoms peculiar to infancy	35	5	40	0.0001%
R68.8 Other specified general symptoms and signs	2,851	9,501	12,352	0.0247%
R69.X Unknown and unspecified causes of morbidity	14,681,074	34,336,200	49,097,800	98.1207%
R70.0 Elevated erythrocyte sedimentation rate	13	19	32	0.0001%
R71.X Abnormality of red blood cells	1	35	36	0.0001%
R72.X Abnormality of white blood cells, not elsewhere classified	6	8	14	0.0000%
R73.0 Abnormal glucose tolerance test	4	2	6	0.0000%
R73.9 Hyperglycaemia, unspecified		2	2	0.0000%
R74.0 Elevated levels of transaminase & lactic acid dehydrogenase	1		1	0.0000%
R74.8 Abnormal levels of other serum enzymes	58	143	201	0.0004%
R74.9 Abnormal level of unspecified serum enzyme	11	1	12	0.0000%
R76.0 Raised antibody titre	3		3	0.0000%
R76.1 Abnormal reaction to tuberculin test	1	5	6	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R76.8 Other specified abnormal immunological findings in serum	2	1	3	0.0000%
R77.1 Abnormality of globulin	1		1	0.0000%
R77.8 Other specified abnormalities of plasma proteins	3	4	7	0.0000%
R77.9 Abnormality of plasma protein, unspecified	1		1	0.0000%
R78.9 Finding of unspec substance not normally found in blood	1	3	4	0.0000%
R79.0 Abnormal level of blood mineral		4	4	0.0000%
R79.8 Other specified abnormal findings of blood chemistry	212	545	757	0.0015%
R79.9 Abnormal finding of blood chemistry, unspecified	1	6	7	0.0000%
R80.X Isolated proteinuria	23	45	68	0.0001%
R82.3 Haemoglobinuria		2	2	0.0000%
R82.8 Abnorm find on cytological and histological examin of urine		4	4	0.0000%
R84.0 Abnorm find in spec from resp org & thorax abnorm lev enzym	1		1	0.0000%
R84.9 Unspec abnormal findings in specimens from resp org & thorax		1	1	0.0000%
R85.7 Abn find specs fm dig org & abdom cavity abn histol find		1	1	0.0000%
R86.0 Abn find specs fm male genital org abn level enzymes	14	40	54	0.0001%
R86.1 Abn find specs fm male genital org abn level hormones		7	7	0.0000%
R86.6 Abn find specs fm male genital org abn cytol find	1	115	116	0.0002%
R86.8 Oth abn find in specs from male genital organs	3	6	9	0.0000%
R86.9 Unspec abn find in specs from male genital organs	89	441	530	0.0011%
R87.0 Abn find in specs from female genital organs abn lev enzymes	1	1	2	0.0000%
R87.3 Abn find female genital org abn lev subs chief nonmed sorce	2	4	6	0.0000%
R87.4 Abn find in specs from female genital org abn immunol find	3	1	4	0.0000%
R87.5 Abn find in specs from female genital org abn microbiol find	1	1	2	0.0000%
R87.6 Abn find in specs from female genital org abn cytol findings	460	721	1,181	0.0024%
R87.7 Abn find in specs from female genital organs abn histol find	1		1	0.0000%
R87.8 Oth abn find in specs from female genital organs		2	2	0.0000%
R87.9 Unspec abn find in specs from female genital organs	2,503	2,618	5,121	0.0102%
R89.7 Abn finds specs oth organs abn histol finds		1	1	0.0000%
R91.X Abnormal findings on diagnostic imaging of lung	33	305	338	0.0007%
R93.2 Abn findings diagnostic imaging of liver and biliary tract	1		1	0.0000%
R93.3 Abn finds diagnostic imaging of oth parts of digestive tract	46	31	77	0.0002%
R93.4 Abnormal findings on diagnostic imaging of urinary organs	3	28	31	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
R93.5 Abn finds diag imaging oth abdo region inc retroperitoneum	2		2	0.0000%
R93.8 Abn finds on diag imaging of other spec body structures	4	9	13	0.0000%
R94.5 Abnormal results of liver function studies	24	51	75	0.0001%
R94.7 Abnormal results of other endocrine function studies		26	26	0.0001%
R94.8 Abn results of function studies of other organs and systems		1	1	0.0000%
S00.0 Superficial injury of scalp		1	1	0.0000%
S00.1 Contusion of eyelid and periocular area	3	1	4	0.0000%
S00.4 Superficial injury of ear	4	9	13	0.0000%
S00.8 Superficial injury of other parts of head	2	2	4	0.0000%
S01.0 Open wound of scalp	5		5	0.0000%
S01.1 Open wound of eyelid and periocular area	17	14	31	0.0001%
S01.2 Open wound of nose	13	3	16	0.0000%
S01.3 Open wound of ear	15	15	30	0.0001%
S01.4 Open wound of cheek and temporomandibular area	9	3	12	0.0000%
S01.5 Open wound of lip and oral cavity	59	10	69	0.0001%
S01.8 Open wound of other parts of head	19	9	28	0.0001%
S01.9 Open wound of head, part unspecified	1		1	0.0000%
S02.0 Fracture of vault of skull		2	2	0.0000%
S02.2 Fracture of nasal bones	22	3	25	0.0000%
S02.3 Fracture of orbital floor	4	12	16	0.0000%
S02.5 Fracture of tooth	2	15	17	0.0000%
S02.6 Fracture of mandible		2	2	0.0000%
S02.8 Fractures of other skull and facial bones	7	5	12	0.0000%
S02.9 Fracture of skull and facial bones, part unspecified	7	11	18	0.0000%
S03.0 Dislocation of jaw		1	1	0.0000%
S05.0 Injury conjunctiva corneal abras without ment foreign body	55	83	138	0.0003%
S05.1 Contusion of eyeball and orbital tissues	16	28	44	0.0001%
S05.2 Ocular lacn and rupture with prolapse or loss intraoc tiss		3	3	0.0000%
S05.3 Ocular lacn without prolapse or loss of intraocular tissue	2	5	7	0.0000%
S05.4 Penetrating wound of orbit with or without foreign body		3	3	0.0000%
S05.5 Penetrating wound of eyeball with foreign body	2	5	7	0.0000%
S05.6 Penetrating wound of eyeball without foreign body	9	46	55	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
S05.7 Avulsion of eye		2	2	0.0000%
S05.8 Other injuries of eye and orbit	30	44	74	0.0001%
S05.9 Injury of eye and orbit, part unspecified	33	40	73	0.0001%
S06.0 Concussion	1		1	0.0000%
S06.2 Diffuse brain injury		2	2	0.0000%
S06.4 Epidural haemorrhage		5	5	0.0000%
S06.5 Traumatic subdural haemorrhage	6	14	20	0.0000%
S06.8 Other intracranial injuries	3	7	10	0.0000%
S06.9 Intracranial injury, unspecified	6	48	54	0.0001%
S08.1 Traumatic amputation of ear		1	1	0.0000%
S09.0 Injury of blood vessels of head, not elsewhere classified	3	1	4	0.0000%
S09.8 Other specified injuries of head		2	2	0.0000%
S09.9 Unspecified injury of head	94	112	206	0.0004%
S11.2 Open wound involving pharynx and cervical oesophagus	1	2	3	0.0000%
S12.9 Fracture of neck, part unspecified		2	2	0.0000%
S13.2 Dislocation of other and unspecified parts of neck		1	1	0.0000%
S13.4 Sprain and strain of cervical spine	6		6	0.0000%
S14.2 Injury of nerve root of cervical spine	2		2	0.0000%
S14.3 Injury of brachial plexus	1	1	2	0.0000%
S15.1 Injury of vertebral artery	1		1	0.0000%
S19.9 Unspecified injury of neck	1	1	2	0.0000%
S20.2 Contusion of thorax	1		1	0.0000%
S20.8 Superficial injury of other and unspecified parts of thorax	1		1	0.0000%
S21.8 Open wound of other parts of thorax		1	1	0.0000%
S22.0 Fracture of thoracic vertebra		1	1	0.0000%
S22.3 Fracture of rib		4	4	0.0000%
S22.9 Fracture of bony thorax, part unspecified	1		1	0.0000%
S27.0 Traumatic pneumothorax		1	2	0.0000%
S29.9 Unspecified injury of thorax		2	2	0.0000%
S30.1 Contusion of abdominal wall		2	2	0.0000%
S30.2 Contusion of external genital organs		2	2	0.0000%
S30.8 Other superficial injuries of abdomen, lower back and pelvis	3		3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S31.0 Open wound of lower back and pelvis			1	1 0.0000%
S31.4 Open wound of vagina and vulva	1			1 0.0000%
S32.0 Fracture of lumbar vertebra	1			1 0.0000%
S32.2 Fracture of coccyx	1			1 0.0000%
S32.7 Multiple fractures of lumbar spine and pelvis	1			1 0.0000%
S32.8 Fracture of oth and unspec parts of lumbar spine and pelvis	1			1 0.0000%
S33.5 Sprain and strain of lumbar spine			2	2 0.0000%
S33.7 Sprain and strain oth and unspec parts lumbar spine pelvis	3	1		4 0.0000%
S37.3 Injury of urethra	1			1 0.0000%
S39.9 Unspecified injury of abdomen, lower back and pelvis	1	1		2 0.0000%
S40.0 Contusion of shoulder and upper arm	4	1		5 0.0000%
S41.1 Open wound of upper arm		1		1 0.0000%
S41.7 Multiple open wounds of shoulder and upper arm		1		1 0.0000%
S42.0 Fracture of clavicle	2	6		8 0.0000%
S42.1 Fracture of scapula	1			1 0.0000%
S42.2 Fracture of upper end of humerus		4		4 0.0000%
S42.3 Fracture of shaft of humerus	2	1		3 0.0000%
S42.4 Fracture of lower end of humerus	2			2 0.0000%
S43.0 Dislocation of shoulder joint	22	9		31 0.0001%
S43.1 Dislocation of acromioclavicular joint	6	8		14 0.0000%
S43.2 Dislocation of sternoclavicular joint	2			2 0.0000%
S43.4 Sprain and strain of shoulder joint		2		2 0.0000%
S43.7 Sprain and strain of oth and unspec part of shoulder girdle	3			3 0.0000%
S45.2 Injury of axillary or brachial vein		2		2 0.0000%
S46.0 Injury of tendon of the rotator cuff of shoulder	6	11		17 0.0000%
S46.1 Injury of muscle and tendon of long head of biceps	1	1		2 0.0000%
S48.0 Traumatic amputation at shoulder joint		1		1 0.0000%
S49.8 Other specified injuries of shoulder and upper arm	1			1 0.0000%
S49.9 Unspecified injury of shoulder and upper arm		5		5 0.0000%
S50.0 Contusion of elbow	1	2		3 0.0000%
S51.0 Open wound of elbow	5	1		6 0.0000%
S51.8 Open wound of other parts of forearm	4	4		8 0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S51.9 Open wound of forearm, part unspecified	3	1	4	0.0000%
S52.0 Fracture of upper end of ulna		6	6	0.0000%
S52.1 Fracture of upper end of radius	1		1	0.0000%
S52.4 Fracture of shafts of both ulna and radius		2	2	0.0000%
S52.5 Fracture of lower end of radius	3	26	29	0.0001%
S52.6 Fracture of lower end of both ulna and radius	1	11	12	0.0000%
S52.7 Multiple fractures of forearm	2		2	0.0000%
S52.8 Fracture of other parts of forearm	28	8	36	0.0001%
S52.9 Fracture of forearm, part unspecified	760	60	820	0.0016%
S53.1 Dislocation of elbow, unspecified	5	1	6	0.0000%
S53.4 Sprain and strain of elbow	3		3	0.0000%
S59.8 Other specified injuries of forearm	1		1	0.0000%
S59.9 Unspecified injury of forearm	1	15	16	0.0000%
S60.0 Contusion of finger(s) without damage to nail	1	14	15	0.0000%
S60.1 Contusion of finger(s) with damage to nail		3	3	0.0000%
S60.2 Contusion of other parts of wrist and hand	5	11	16	0.0000%
S60.8 Other superficial injuries of wrist and hand	4		4	0.0000%
S60.9 Superficial injury of wrist and hand, unspecified	2	6	8	0.0000%
S61.0 Open wound of finger(s) without damage to nail	155	162	317	0.0006%
S61.1 Open wound of finger(s) with damage to nail	19	27	46	0.0001%
S61.8 Open wound of other parts of wrist and hand	38	34	72	0.0001%
S61.9 Open wound of wrist and hand part, part unspecified	8	10	18	0.0000%
S62.0 Fracture of navicular [scaphoid] bone of hand	3	6	9	0.0000%
S62.1 Fracture of other carpal bone(s)	1		1	0.0000%
S62.3 Fracture of other metacarpal bone	8	9	17	0.0000%
S62.5 Fracture of thumb	5	7	12	0.0000%
S62.6 Fracture of other finger	5	37	42	0.0001%
S62.8 Fracture of other and unspecified parts of wrist and hand	463	50	513	0.0010%
S63.0 Dislocation of wrist	4	3	7	0.0000%
S63.1 Dislocation of finger	9	2	11	0.0000%
S63.3 Traumatic rupture of ligament of wrist and carpus	1		1	0.0000%
S63.5 Sprain and strain of wrist	53	21	74	0.0001%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S63.6 Sprain and strain of finger(s)	13	2	15	0.0000%
S63.7 Sprain and strain of other and unspecified parts of hand	7	11	18	0.0000%
S64.0 Injury of ulnar nerve at wrist and hand level	1		1	0.0000%
S64.4 Injury of digital nerve of other finger	1		1	0.0000%
S65.4 Injury of blood vessel(s) of thumb		1	1	0.0000%
S66.0 Inj long flex muscl and tendon thumb at wrist and hand level	2	1	3	0.0000%
S66.1 Inj flex muscl and tendon oth finger at wrist and hand level		1	1	0.0000%
S66.2 Inj exten muscle and tendon of thumb at wrist and hand level	2	2	4	0.0000%
S66.3 Inj exten muscl and tendon oth fing at wrist and hand level	5	2	7	0.0000%
S66.9 Inj unspecified muscle and tendon at wrist and hand level	3	1	4	0.0000%
S67.0 Crushing injury of thumb and other finger(s)	13	20	33	0.0001%
S67.8 Crush injury other and unspecified parts of wrist and hand		1	1	0.0000%
S68.0 Traumatic amputation of thumb (complete)(partial)	2	5	7	0.0000%
S68.1 Traum amputation of other single finger (complete)(partial)	8	18	26	0.0001%
S69.9 Unspecified injury of wrist and hand	2	20	22	0.0000%
S70.0 Contusion of hip		1	1	0.0000%
S70.1 Contusion of thigh	4	7	11	0.0000%
S70.8 Other superficial injuries of hip and thigh	1	14	15	0.0000%
S72.0 Fracture of neck of femur		26	26	0.0001%
S72.3 Fracture of shaft of femur	1	6	7	0.0000%
S72.9 Fracture of femur, part unspecified	2		2	0.0000%
S73.1 Sprain and strain of hip	1		1	0.0000%
S76.3 Inj muscle and tendon of post muscle group at thigh level	1		1	0.0000%
S79.9 Unspecified injury of hip and thigh		2	2	0.0000%
S80.0 Contusion of knee		4	4	0.0000%
S80.1 Contusion of other and unspecified parts of lower leg	7	3	10	0.0000%
S80.7 Multiple superficial injuries of lower leg	1		1	0.0000%
S80.8 Other superficial injuries of lower leg	1	1	2	0.0000%
S80.9 Superficial injury of lower leg, unspecified	1	4	5	0.0000%
S81.0 Open wound of knee	1		1	0.0000%
S81.8 Open wound of other parts of lower leg	6	13	19	0.0000%
S81.9 Open wound of lower leg, part unspecified	1	1	2	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S82.0 Fracture of patella		2	2	0.0000%
S82.1 Fracture of upper end of tibia		8	8	0.0000%
S82.2 Fracture of shaft of tibia	5	17	22	0.0000%
S82.3 Fracture of lower end of tibia	2		2	0.0000%
S82.4 Fracture of fibula alone		1	1	0.0000%
S82.5 Fracture of medial malleolus	1	1	2	0.0000%
S82.6 Fracture of lateral malleolus		8	8	0.0000%
S82.8 Fractures of other parts of lower leg	6	35	41	0.0001%
S82.9 Fracture of lower leg, part unspecified	294	19	313	0.0006%
S83.0 Dislocation of patella		1	1	0.0000%
S83.1 Dislocation of knee	3	2	5	0.0000%
S83.2 Tear of meniscus, current		1	1	0.0000%
S83.4 Sprain and strain involving (fib)(tib) collateral lig knee	5	1	6	0.0000%
S83.5 Sprain and strain involving (ant)(post) cruciate lig knee	2	7	9	0.0000%
S83.6 Sprain and strain of other and unspecified parts of knee	17	7	24	0.0000%
S83.7 Injury to multiple structures of knee	1		1	0.0000%
S86.0 Injury of Achilles tendon		2	2	0.0000%
S86.9 Injury of unspecified muscle and tendon at lower leg level		1	1	0.0000%
S87.8 Crushing injury of other and unspecified parts of lower leg	1	1	2	0.0000%
S89.9 Unspecified injury of lower leg	1	11	12	0.0000%
S90.0 Contusion of ankle		1	1	0.0000%
S90.1 Contusion of toe(s) without damage to nail		7	7	0.0000%
S90.2 Contusion of toe(s) with damage to nail	1	2	3	0.0000%
S90.3 Contusion of other and unspecified parts of foot	2	9	11	0.0000%
S90.8 Other superficial injuries of ankle and foot	1		1	0.0000%
S90.9 Superficial injury of ankle and foot, unspecified	2	2	4	0.0000%
S91.0 Open wound of ankle	1	5	6	0.0000%
S91.1 Open wound of toe(s) without damage to nail	1		1	0.0000%
S91.3 Open wound of other parts of foot	2	7	9	0.0000%
S92.0 Fracture of calcaneus		2	2	0.0000%
S92.3 Fracture of metatarsal bone	4	19	23	0.0000%
S92.4 Fracture of great toe		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
S92.5 Fracture of other toe	4	2	6	0.0000%
S92.9 Fracture of foot, unspecified	227	16	243	0.0005%
S93.1 Dislocation of toe(s)		2	2	0.0000%
S93.4 Sprain and strain of ankle	16	13	29	0.0001%
S93.6 Sprain and strain of other and unspecified parts of foot	8	5	13	0.0000%
S97.1 Crushing injury of toe(s)		3	3	0.0000%
S99.9 Unspecified injury of ankle and foot	1	11	12	0.0000%
T00.6 Sup inj invol multi region upper limb(s) with lower limb(s)	1	1	2	0.0000%
T00.9 Multiple superficial injuries, unspecified		1	1	0.0000%
T01.9 Multiple open wounds, unspecified	1		1	0.0000%
T06.0 Inj brain and cran n with inj nerv and spinal cord neck lev		1	1	0.0000%
T08.X Fracture of spine, level unspecified		3	3	0.0000%
T09.3 Injury of spinal cord, level unspecified	2	4	6	0.0000%
T09.8 Other specified injuries of trunk, level unspecified	1		1	0.0000%
T10.X Fracture of upper limb, level unspecified		1	1	0.0000%
T14.0 Superficial injury of unspecified body region	1	12	13	0.0000%
T14.1 Open wound of unspecified body region	3	1	4	0.0000%
T14.2 Fracture of unspecified body region		7	7	0.0000%
T14.3 Dislocation, sprain and strain of unspecified body region	1	1	2	0.0000%
T14.7 Crush injury and traumatic amputation of unspec body region		1	1	0.0000%
T14.8 Other injuries of unspecified body region		1	1	0.0000%
T14.9 Injury, unspecified	1	31	32	0.0001%
T15.0 Foreign body in cornea	126	39	165	0.0003%
T15.1 Foreign body in conjunctival sac	3	4	7	0.0000%
T15.8 Foreign body in other and multiple parts of external eye	3	2	5	0.0000%
T15.9 Foreign body on external eye, part unspecified	6	6	12	0.0000%
T16.X Foreign body in ear	6	16	22	0.0000%
T17.1 Foreign body in nostril	1		1	0.0000%
T17.2 Foreign body in pharynx	1	1	2	0.0000%
T17.9 Foreign body in respiratory tract, part unspecified	1	1	2	0.0000%
T18.0 Foreign body in mouth	1		1	0.0000%
T18.1 Foreign body in oesophagus	1		1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T18.2 Foreign body in stomach	2		2	0.0000%
T18.9 Foreign body in alimentary tract, part unspecified	3		3	0.0000%
T19.2 Foreign body in vulva and vagina	5		5	0.0000%
T19.8 Foreign body in oth and multiple part of genitourinary tract	1	1	2	0.0000%
T20.0 Burn of unspecified degree of head and neck	1		1	0.0000%
T21.2 Burn of second degree of trunk		1	1	0.0000%
T22.2 Burn sec deg of shoulder and upr limb exc wrist/hand	3	1	4	0.0000%
T23.2 Burn of second degree of wrist and hand	11		11	0.0000%
T23.3 Burn of third degree of wrist and hand	1	3	4	0.0000%
T24.2 Burn second degree hip and lower limb except ankle and foot	3		3	0.0000%
T24.3 Burn third degree hip and lower limb except ankle and foot	1		1	0.0000%
T25.1 Burn of first degree of ankle and foot	1		1	0.0000%
T26.0 Burn of eyelid and periocular area	9	4	13	0.0000%
T26.3 Burn of other parts of eye and adnexa	1	1	2	0.0000%
T26.4 Burn of eye and adnexa, part unspecified	4	2	6	0.0000%
T26.8 Corrosion of other parts of eye and adnexa		1	1	0.0000%
T26.9 Corrosion of eye and adnexa, part unspecified	1	5	6	0.0000%
T29.0 Burns of multiple regions, unspecified degree	1		1	0.0000%
T31.0 Burns involving less than 10% of body surface		1	1	0.0000%
T38.2 Poisoning by antithyroid drugs		1	1	0.0000%
T39.0 Poisoning by Salicylates	1		1	0.0000%
T39.1 Poisoning by 4-Aminophenol derivatives	16	7	23	0.0000%
T39.3 Poisoning by oth nonsteroid anti-inflammatory drugs [NSAID]	2		2	0.0000%
T42.6 Poisoning by other antiepileptic and sedative-hypnotic drugs	1		1	0.0000%
T45.5 Poisoning by anticoagulants		17	17	0.0000%
T49.3 Poisoning by topical emollients, demulcents and protectants	1		1	0.0000%
T50.9 Poisoning by oth & unsp drugs medicaments & biological subs	20	1	21	0.0000%
T52.9 Toxic effect of organic solvent, unspecified	1		1	0.0000%
T59.8 Toxic effect of other specified gases, fumes and vapours		1	1	0.0000%
T59.9 Toxic effect of gases, fumes and vapours, unspecified	2	1	3	0.0000%
T60.4 Toxic effect of rodenticides	1		1	0.0000%
T65.9 Toxic effect of unspecified substance	2	10	12	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
T66.X Unspecified effects of radiation	16	78	94	0.0002%
T69.1 Chilblains		1	1	0.0000%
T69.9 Effect of reduced temperature, unspecified	1		1	0.0000%
T70.0 Otitic barotrauma	1		1	0.0000%
T74.8 Other maltreatment syndromes		3	3	0.0000%
T75.4 Effects of electric current	1	3	4	0.0000%
T78.0 Anaphylactic shock due to adverse food reaction	1	1	2	0.0000%
T78.1 Other adverse food reactions, not elsewhere classified	6	12	18	0.0000%
T78.2 Anaphylactic shock, unspecified	1		1	0.0000%
T78.3 Angioneurotic oedema		1	1	0.0000%
T78.4 Allergy, unspecified	20	15	35	0.0001%
T79.3 Post-traumatic wound infection, not elsewhere classified	1	2	3	0.0000%
T79.5 Traumatic anuria		1	1	0.0000%
T79.6 Traumatic ischaemia of muscle	1		1	0.0000%
T79.8 Other early complications of trauma		4	4	0.0000%
T80.8 Oth comps following infusion transfusion & therap inject		8	8	0.0000%
T81.0 Haemorrhage and haematoma complicating a procedure NEC	9	16	25	0.0000%
T81.3 Disruption of operation wound, not elsewhere classified	5	9	14	0.0000%
T81.4 Infection following a procedure, not elsewhere classified	11	31	42	0.0001%
T81.5 FB accident left in body cav or op wound following a proced	1	10	11	0.0000%
T81.8 Other complications of procedures, not elsewhere classified	2	15	17	0.0000%
T81.9 Unspecified complication of procedure		3	3	0.0000%
T83.0 Mechanical complication of urinary (indwelling) catheter	3	12	15	0.0000%
T83.1 Mechanical complication of other urinary devices and implant		7	7	0.0000%
T83.3 Mechanical complication of intrauterine contraceptive device	1	2	3	0.0000%
T83.5 Infect inflam react due pros dev implt & graft urinary syst		1	1	0.0000%
T83.6 Infect inflam react due pros dev implant graft in gen tract		1	1	0.0000%
T83.8 Oth comps genitourinary prosth devs implants & grafts		6	6	0.0000%
T83.9 Unspec comp genitourinary prosth dev implant & graft	1	2	3	0.0000%
T84.0 Mechanical complication of internal joint prosthesis	40	120	160	0.0003%
T84.1 Mech comp of internal fixation device of bones of limb		1	1	0.0000%
T84.5 Infect and inflammatory reaction due to internal joint pros		8	8	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
T84.7 Inf inflam reac due oth int orth prosth devs implts & grfts		1	1	0.0000%
T84.8 Oth comps int orthopaedic prosth devs implants & grafts	14	62	76	0.0002%
T84.9 Unsp comp int othopaedic prosth dev implant & graft	1	3	4	0.0000%
T85.2 Mechanical complication of intraocular lens	226	21	247	0.0005%
T85.3 Mech comp oth ocular prosthetic devs implants & grafts	1	15	16	0.0000%
T85.4 Mechanical complication of breast prosthesis and implant		5	5	0.0000%
T85.5 Mech comp gastrointestinal prosth devs implants & grafts	2	5	7	0.0000%
T85.6 Mech comp oth spec int prosthetic devs implants & grafts	3		3	0.0000%
T85.7 Inf inflam react due oth int prosth devs implants & grafts	2	4	6	0.0000%
T85.8 Oth comps int prosthetic devs implants & grafts NEC	3	20	23	0.0000%
T85.9 Unspec comp internal prosthetic device implant & graft	1	3	4	0.0000%
T86.8 Failure and reject of other transplanted organs and tissues		27	27	0.0001%
T86.9 Failure and reject of unspec transplanted organ and tissue		2	2	0.0000%
T87.6 Other and unspecified complications of amputation stump		1	1	0.0000%
T88.1 Other complications following immunization NEC	1		1	0.0000%
T88.2 Shock due to anaesthesia		1	1	0.0000%
T88.4 Failed or difficult intubation	2	5	7	0.0000%
T88.5 Other complications of anaesthesia		2	2	0.0000%
T88.7 Unspecified adverse effect of drug or medicament	2	5	7	0.0000%
T90.5 Sequelae of intracranial injury		1	1	0.0000%
T93.8 Sequelae of other specified injuries of lower limb		1	1	0.0000%
Z00.0 General medical examination	2	74	76	0.0002%
Z00.4 General psychiatric examination, not elsewhere classified	67	215	282	0.0006%
Z00.5 Examination of potential donor of organ and tissue	1		1	0.0000%
Z00.6 Exam normal comparison and control in clin research program		1	1	0.0000%
Z00.8 Other general examinations	58	30	88	0.0002%
Z01.0 Examination of eyes and vision	5,065	17,030	22,095	0.0442%
Z01.1 Examination of ears and hearing	2,673	2,941	5,614	0.0112%
Z01.2 Dental examination	65	504	569	0.0011%
Z01.3 Examination of blood pressure	2		2	0.0000%
Z01.4 Gynaecological examination (general)(routine)	3,206	3,395	6,601	0.0132%
Z01.5 Diagnostic skin and sensitization tests	27	82	109	0.0002%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z01.6 Radiological examination, not elsewhere classified	5,991	489	6,480	0.0130%
Z01.7 Laboratory examination	363	370	733	0.0015%
Z01.8 Other specified special examinations	85	336	421	0.0008%
Z01.9 Special examination, unspecified	177	141	318	0.0006%
Z02.0 Examination for admission to educational institution		1	1	0.0000%
Z02.6 Examination for insurance purposes	1		1	0.0000%
Z02.8 Other examinations for administrative purposes	2	3	5	0.0000%
Z02.9 Examination for administrative purposes, unspecified		1	1	0.0000%
Z03.1 Observation for suspected malignant neoplasm	20	1,003	1,023	0.0020%
Z03.2 Observation for suspected mental and behavioural disorders	23	13	36	0.0001%
Z03.3 Observation for suspected nervous system disorder	1	78	79	0.0002%
Z03.4 Observation for suspected myocardial infarction		2	2	0.0000%
Z03.5 Observation for other suspected cardiovascular diseases	410	840	1,250	0.0025%
Z03.6 Observation for suspected toxic effect from ingested subs		1	1	0.0000%
Z03.8 Observation for other suspected diseases and conditions	1,157	1,757	2,914	0.0058%
Z03.9 Observation for suspected disease or condition, unspecified	156	225	381	0.0008%
Z04.0 Blood-alcohol and blood-drug test		13	13	0.0000%
Z04.1 Examination and observation following transport accident	1		1	0.0000%
Z04.5 Examination and observation following other inflicted injury	1		1	0.0000%
Z04.6 General psychiatric examination, requested by authority		1	1	0.0000%
Z04.8 Examination and observation for other specified reasons	16	27	43	0.0001%
Z04.9 Examination and observation for unspecified reason	10	72	82	0.0002%
Z08.0 Follow-up examination after surgery for malignant neoplasm	139	2,380	2,519	0.0050%
Z08.1 Follow-up examin after radiotherapy for malignant neoplasm		16	16	0.0000%
Z08.2 Follow-up exam after chemotherapy for malignant neoplasm	2	13	15	0.0000%
Z08.7 Follow-up exam after combined treatment for malig neoplasm	14	445	459	0.0009%
Z08.8 Follow-up exam after other treatment for malignant neoplasm	2	70	72	0.0001%
Z08.9 Follow-up exam after unspec treatment for malignant neoplasm	25	778	803	0.0016%
Z09.0 Follow-up examination after surgery for other conditions	522	2,432	2,954	0.0059%
Z09.1 Follow-up examination after radiotherapy for oth conditions	2	14	16	0.0000%
Z09.2 Follow-up examination after chemotherapy for oth conditions	21	29	50	0.0001%
Z09.3 Follow-up examination after psychotherapy		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
Z09.4 Follow-up examination after treatment of fracture		1	1	0.0000%
Z09.7 Follow-up exam after combined treatment for other conditions	1	3	4	0.0000%
Z09.8 Follow-up exam after other treatment for other conditions	234	3,022	3,256	0.0065%
Z09.9 Follow-up exam after unspec treatment for other conditions	285	776	1,061	0.0021%
Z10.1 Routine gen health check-up of inhabitants of institutions	10	5	15	0.0000%
Z11.1 Special screening examination for respiratory tuberculosis	143	109	252	0.0005%
Z11.2 Special screening examination for other bacterial diseases	216	27	243	0.0005%
Z11.8 Spec screen exam for oth infectious and parasitic diseases	16	5	21	0.0000%
Z11.9 Spec screen exam for infectious and parasitic dis unspec	2	3	5	0.0000%
Z12.0 Special screening examination for neoplasm of stomach	58	72	130	0.0003%
Z12.1 Special screening examin for neoplasm of intestinal tract	462	380	842	0.0017%
Z12.2 Special screening exam for neoplasm of respiratory organs	8	3	11	0.0000%
Z12.3 Special screening examination for neoplasm of breast	653	1,671	2,324	0.0046%
Z12.4 Special screening examination for neoplasm of cervix	42	105	147	0.0003%
Z12.5 Special screening examination for neoplasm of prostate		2	2	0.0000%
Z12.6 Special screening examination for neoplasm of bladder	14	78	92	0.0002%
Z12.8 Special screening examination for neoplasms of other sites	512	411	923	0.0018%
Z12.9 Special screening examination for neoplasm, unspecified	4	3	7	0.0000%
Z13.0 Sp screen exam dis blood/bld fm org & cer dis inv immune mec		12	12	0.0000%
Z13.1 Special screening examination for diabetes mellitus	5	74	79	0.0002%
Z13.2 Special screening examination for nutritional disorders	3		3	0.0000%
Z13.5 Special screening examination for eye and ear disorders	342	983	1,325	0.0026%
Z13.6 Special screening examination for cardiovascular disorders	1,263	8,123	9,386	0.0188%
Z13.8 Special screening exam for oth spec diseases and disorders	3,426	2,470	5,896	0.0118%
Z13.9 Special screening examination, unspecified	89	146	235	0.0005%
Z20.1 Contact with and exposure to tuberculosis	2	3	5	0.0000%
Z20.8 Contact with and exposure to other communicable diseases	1		1	0.0000%
Z20.9 Contact with and exposure to unspec communicable disease		3	3	0.0000%
Z21.X Asymptomatic human immunodef virus [HIV] infect status	2	2	4	0.0000%
Z22.5 Carrier of viral hepatitis	2		2	0.0000%
Z23.2 Need for immunization against tuberculosis [BCG]	62	97	159	0.0003%
Z23.3 Need for immunization against plague		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
Z24.0 Need for immunization against poliomyelitis		1	1	0.0000%
Z24.6 Need for immunization against viral hepatitis		1	1	0.0000%
Z25.1 Need for immunization against influenza		1	1	0.0000%
Z26.8 Need for immunization against other spec single infect dis	1	2	3	0.0000%
Z26.9 Need for immunization against unspecified infectious disease	2	3	5	0.0000%
Z27.1 Need immuniz against diphtheria-tetanus-pertussis comb [DTP]		1	1	0.0000%
Z27.3 Need immuniz against diphth-tetanus-pertussis with polio	1		1	0.0000%
Z27.4 Need for immunization against measles-mumps-rubella [MMR]	14	12	26	0.0001%
Z27.8 Need for immunization against other combs of infectious dis		4	4	0.0000%
Z27.9 Need for immunization against unspec combs of infectious dis		1	1	0.0000%
Z29.2 Other prophylactic chemotherapy		3	3	0.0000%
Z29.8 Other specified prophylactic measures	644	560	1,204	0.0024%
Z30.0 General counselling and advice on contraception	13		13	0.0000%
Z30.1 Insertion of (intrauterine) contraceptive device	38	83	121	0.0002%
Z30.2 Sterilization	450	71	521	0.0010%
Z30.3 Menstrual extraction	79	44	123	0.0002%
Z30.5 Surveillance of (intrauterine) contraceptive device	60	30	90	0.0002%
Z30.8 Other contraceptive management		1	1	0.0000%
Z30.9 Contraceptive management, unspecified	50	26	76	0.0002%
Z31.0 Tuboplasty or vasoplasty after previous sterilization	10	2	12	0.0000%
Z31.1 Artificial insemination	28	1,044	1,072	0.0021%
Z31.2 In vitro fertilization	124	937	1,061	0.0021%
Z31.3 Other assisted fertilization methods	1	111	112	0.0002%
Z31.4 Procreative investigation and testing	533	593	1,126	0.0023%
Z31.5 Genetic counselling	107	49	156	0.0003%
Z31.6 General counselling and advice on procreation	189	163	352	0.0007%
Z31.8 Other procreative management	37	172	209	0.0004%
Z31.9 Procreative management, unspecified	3	5	8	0.0000%
Z32.0 Pregnancy, not (yet) confirmed	272	181	453	0.0009%
Z32.1 Pregnancy confirmed	603	181	784	0.0016%
Z33.X Pregnant state, incidental	3	1	4	0.0000%
Z34.0 Supervision of normal first pregnancy	2	1	3	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z34.8 Supervision of other normal pregnancy	2	10	12	0.0000%
Z34.9 Supervision of normal pregnancy, unspecified	1,130	2,722	3,852	0.0077%
Z35.1 Supervision of pregnancy with history of abortive outcome	8	76	84	0.0002%
Z35.2 Supervision of pregnancy with oth poor repro or obstet hist	412	280	692	0.0014%
Z35.4 Supervision of pregnancy with grand multiparity	2	4	6	0.0000%
Z35.7 Supervision of high-risk pregnancy due to social problems	1	3	4	0.0000%
Z35.8 Supervision of other high-risk pregnancies	35	90	125	0.0002%
Z35.9 Supervision of high-risk pregnancy, unspecified	3,139	6,560	9,699	0.0194%
Z36.0 Antenatal screening for chromosomal anomalies	146	110	256	0.0005%
Z36.1 Antenatal screening for raised alphafetoprotein level	13	2	15	0.0000%
Z36.2 Other antenatal screening based on amniocentesis	4	1	5	0.0000%
Z36.4 A/N screen fetal gwth retard using ultrasound oth phys meth	3	5	8	0.0000%
Z36.8 Other antenatal screening	1,888	1,503	3,391	0.0068%
Z36.9 Antenatal screening, unspecified	4,463	7,684	12,147	0.0243%
Z38.0 Singleton, born in hospital	3	3	6	0.0000%
Z39.2 Routine postpartum follow-up	65	25	90	0.0002%
Z41.1 Other plastic surgery for unacceptable cosmetic appearance	1		1	0.0000%
Z42.0 Follow-up care involving plastic surgery of head and neck	1	25	26	0.0001%
Z42.1 Follow-up care involving plastic surgery of breast	35	154	189	0.0004%
Z42.2 Follow-up care involving plastic surgery oth parts of trunk		10	10	0.0000%
Z42.8 Follow-up care involving plastic surgery of other body part	1	10	11	0.0000%
Z42.9 Follow-up care involving plastic surgery, unspecified	55	58	113	0.0002%
Z43.0 Attention to tracheostomy	2	7	9	0.0000%
Z43.1 Attention to gastrostomy	8	13	21	0.0000%
Z43.2 Attention to ileostomy		1	1	0.0000%
Z43.4 Attention to other artificial openings of digestive tract	1	6	7	0.0000%
Z43.5 Attention to cystostomy	3	41	44	0.0001%
Z43.6 Attention to other artificial openings of urinary tract	5	53	58	0.0001%
Z43.8 Attention to other artificial openings		17	17	0.0000%
Z43.9 Attention to unspecified artificial opening	11	87	98	0.0002%
Z44.3 Fitting and adjustment of external breast prosthesis	1	16	17	0.0000%
Z45.0 Adjustment and management of cardiac pacemaker		9	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
Z45.2 Adjustment and management of vascular access device		1 6	7	0.0000%
Z45.3 Adjustment and management of implanted hearing device		14 43	57	0.0001%
Z45.8 Adjustment and management of other implanted devices		16 302	318	0.0006%
Z45.9 Adjustment and management of unspecified implanted device		7 50	57	0.0001%
Z46.1 Fitting and adjustment of hearing aid		191 2,338	2,529	0.0051%
Z46.3 Fitting and adjustment of dental prosthetic device			11	0.0000%
Z46.4 Fitting and adjustment of orthodontic device			4	0.0000%
Z46.5 Fit and adjustment ileostomy and oth intestinal appliances			1	0.0000%
Z46.6 Fitting and adjustment of urinary device		33 645	678	0.0014%
Z46.8 Fitting and adjustment of other specified devices		24 137	161	0.0003%
Z46.9 Fitting and adjustment of unspecified device		13 184	197	0.0004%
Z47.0 Follow-up care invol remov fract plate oth int fixation dev		48 733	781	0.0016%
Z47.8 Other specified orthopaedic follow-up care		374 875	1,249	0.0025%
Z48.0 Attention to surgical dressings and sutures		388 4,403	4,791	0.0096%
Z48.8 Other specified surgical follow-up care		46 138	184	0.0004%
Z48.9 Surgical follow-up care, unspecified		38 204	242	0.0005%
Z49.0 Preparatory care for dialysis			7	0.0000%
Z50.1 Other physical therapy		1 45	46	0.0001%
Z50.2 Alcohol rehabilitation		13 52	65	0.0001%
Z50.8 Care involving use of other rehabilitation procedures			1	0.0000%
Z51.0 Radiotherapy session			3	0.0000%
Z51.1 Chemotherapy session for neoplasm			3	0.0000%
Z51.2 Other chemotherapy			3	0.0000%
Z51.4 Preparatory care for subsequent treatment NEC		137 425	562	0.0011%
Z51.5 Palliative care		13 71	84	0.0002%
Z51.6 Desensitization to allergens		3 73	76	0.0002%
Z51.8 Other specified medical care			2	0.0000%
Z51.9 Medical care, unspecified		25 6	31	0.0001%
Z52.3 Bone marrow donor		21 30	51	0.0001%
Z52.9 Donor of unspecified organ or tissue		5 73	78	0.0002%
Z53.0 Procedure not carried out because of contraindication		5 8	13	0.0000%
Z53.1 Proc not carried out; pat's decision reasons belief/gp press		1	1	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z53.2 Proc not carried out because pat's dec oth unspec reasons	1	3	4	0.0000%
Z53.8 Procedure not carried out for other reasons	22	10	32	0.0001%
Z53.9 Procedure not carried out, unspecified reason	36	335	371	0.0007%
Z56.0 Unemployment, unspecified	1	2	3	0.0000%
Z57.7 Occupational exposure to vibration		1	1	0.0000%
Z59.0 Homelessness	1		1	0.0000%
Z59.3 Problems related to living in residential institution		1	1	0.0000%
Z59.9 Problem related to housing and economic circumstances unspec		4	4	0.0000%
Z60.1 Atypical parenting situation	4	19	23	0.0000%
Z60.3 Acculturation difficulty	3		3	0.0000%
Z60.8 Other problems related to social environment	1	1	2	0.0000%
Z60.9 Problem related to social environment, unspecified	8	1	9	0.0000%
Z61.3 Events resulting in loss of self-esteem in childhood	2	13	15	0.0000%
Z61.4 Probs rel alleged sex abuse child by person in prim sup grp	14	39	53	0.0001%
Z61.5 Probs rel alleged sex abuse child by person out prim sup grp	2	8	10	0.0000%
Z61.6 Problems related to alleged physical abuse of child		7	7	0.0000%
Z61.9 Negative life event in childhood, unspecified	1		1	0.0000%
Z62.0 Inadequate parental supervision and control		2	2	0.0000%
Z62.4 Emotional neglect of child		28	28	0.0001%
Z63.0 Problems in relationship with spouse or partner	4	7	11	0.0000%
Z63.1 Problems in relationship with parents and in-laws	4	25	29	0.0001%
Z63.4 Disappearance and death of family member	2	5	7	0.0000%
Z63.7 Other stressful life events affecting family and household	2	8	10	0.0000%
Z63.8 Other specified problems related to primary support group		1	1	0.0000%
Z63.9 Problem related to primary support group, unspecified	1		1	0.0000%
Z65.3 Problems related to other legal circumstances		1	1	0.0000%
Z71.1 Person with feared complaint in whom no diagnosis is made	738	662	1,400	0.0028%
Z71.2 Person consulting for explanation of investigation findings	11	6	17	0.0000%
Z71.3 Dietary counselling and surveillance	3	15	18	0.0000%
Z71.5 Drug abuse counselling and surveillance		2	2	0.0000%
Z71.8 Other specified counselling	1,407	121	1,528	0.0031%
Z71.9 Counselling, unspecified	1,308	35	1,343	0.0027%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z72.0 Tobacco use	2	35	37	0.0001%
Z72.1 Alcohol use	15	24	39	0.0001%
Z72.2 Drug use	4	8	12	0.0000%
Z72.8 Other problems related to lifestyle		1	1	0.0000%
Z73.0 Burn-out	1	1	2	0.0000%
Z73.1 Accentuation of personality traits	1	2	3	0.0000%
Z73.2 Lack of relaxation and leisure		6	6	0.0000%
Z73.3 Stress, not elsewhere classified		1	1	0.0000%
Z73.4 Inadequate social skills, not elsewhere classified		1	1	0.0000%
Z73.9 Problem related to life-management difficulty, unspecified	1	24	25	0.0000%
Z75.5 Holiday relief care	1	9	10	0.0000%
Z76.5 Malingering [conscious simulation]		3	3	0.0000%
Z76.8 Persons encountering health servs in oth spec circumstances	75	2	77	0.0002%
Z80.0 Family history of malignant neoplasm of digestive organs	15	65	80	0.0002%
Z80.3 Family history of malignant neoplasm of breast	376	3,755	4,131	0.0083%
Z80.4 Family history of malignant neoplasm of genital organs		8	8	0.0000%
Z80.5 Family history of malignant neoplasm of urinary tract	3	5	8	0.0000%
Z80.6 Family history of leukaemia	1	1	2	0.0000%
Z80.7 Fam hist oth mal neop lymphoid h'poietc & rel tissues		1	1	0.0000%
Z80.8 Family history of malignant neoplasm of other organs or sys	23	222	245	0.0005%
Z80.9 Family history of malignant neoplasm, unspecified	9	253	262	0.0005%
Z81.8 Family history of other mental and behavioural disorders	1		1	0.0000%
Z82.0 Family history of epilepsy and other dis of the nervous sys		1	1	0.0000%
Z83.0 Family history of human immunodeficiency virus [HIV] disease	3	4	7	0.0000%
Z83.2 Fam hist did blood/bd frm orgs & cer dis inv immune mech	1	1	2	0.0000%
Z83.4 Fam hist of other endocrine nutritional/metabolic diseases		1	1	0.0000%
Z83.7 Family history of diseases of the digestive system	1	1	2	0.0000%
Z85.0 Personal history of malignant neoplasm of digestive organs	4	13	17	0.0000%
Z85.1 Personal history of malig neoplasm trachea bronchus & lung		1	1	0.0000%
Z85.3 Personal history of malignant neoplasm of breast	1	17	18	0.0000%
Z85.4 Personal history of malignant neoplasm of genital organs	2	7	9	0.0000%
Z85.5 Personal history of malignant neoplasm of urinary tract		9	9	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	First appointment	Attended Subsequent appointment	All (inc. first/subsequent unknown)	Percentage of All Attendances
Z85.6 Personal history of leukaemia		1 7	8	0.0000%
Z85.7 Personal hist oth malig neo lymphoid h'poietic & rel tissues			5	0.0000%
Z85.8 Personal history of malig neoplasms of other organs and sys		3 31	34	0.0001%
Z85.9 Personal history of malignant neoplasm, unspecified			1	0.0000%
Z86.0 Personal history of other neoplasms		2 161	163	0.0003%
Z86.1 Personal history of infectious and parasitic diseases		22 5	27	0.0001%
Z86.2 Pers hist dis blood/bld form orgs & cer dis inv immune mech			1	0.0000%
Z86.3 Personal history of endocrine nutritional/metabolic diseases		1	1	0.0000%
Z86.4 Personal history of psychoactive substance abuse		3 20	23	0.0000%
Z86.5 Personal history of other mental and behavioural disorders		2	2	0.0000%
Z86.6 Personal history of dis of the nervous sys and sense organs		1 16	17	0.0000%
Z86.7 Personal history of diseases of the circulatory system		2 10	12	0.0000%
Z87.0 Personal history of diseases of the respiratory system		1 1	2	0.0000%
Z87.1 Personal history of diseases of the digestive system		17 45	62	0.0001%
Z87.3 Personal hist of dis of the musculoskeletal sys and conn tis			1	0.0000%
Z87.4 Personal history of diseases of the genitourinary system		3 8	11	0.0000%
Z87.6 Personal hist of certain conds arising in perinatal period		6 17	23	0.0000%
Z87.7 Personal hist of cong mal'ns deform'ns/chromosomal abnms		1	1	0.0000%
Z88.0 Personal history of allergy to penicillin		2 18	20	0.0000%
Z88.8 Personal history allergy oth drugs medicaments/biol subs		3 9	12	0.0000%
Z88.9 Personal history allergy unsp drugs medicaments/biol subs		1 1	2	0.0000%
Z90.0 Acquired absence of part of head and neck		1 1	2	0.0000%
Z90.1 Acquired absence of breast(s)		1 41	42	0.0001%
Z90.4 Acquired absence of other parts of digestive tract			7	0.0000%
Z90.7 Acquired absence of genital organ(s)			1	0.0000%
Z90.8 Acquired absence of other organs			3	0.0000%
Z91.0 Personal hist of allergy oth than to drugs and biol subs		8 15	23	0.0000%
Z91.4 Personal history of psychological trauma NEC		13	13	0.0000%
Z91.5 Personal history of self-harm		14 70	84	0.0002%
Z92.0 Personal history of contraception		1 1	2	0.0000%
Z92.1 Personal history long -term (current) use of anticoagulants			48	0.0001%
Z92.2 Personal history long -term (current) use of oth medicaments		4 15	19	0.0000%

Primary diagnosis: 4 character*NHS Hospitals, England, 2005-06*

	Attended		All (inc. first/subsequent unknown)	Percentage of All Attendances
	First appointment	Subsequent appointment		
Z92.3 Personal history of irradiation	2	35	37	0.0001%
Z92.4 Personal history of major surgery, not elsewhere classified	1	2	3	0.0000%
Z92.8 Personal history of other medical treatment		3	3	0.0000%
Z92.9 Personal history of medical treatment, unspecified	1		1	0.0000%
Z93.2 Ileostomy status		1	1	0.0000%
Z94.0 Kidney transplant status	1	8	9	0.0000%
Z94.4 Liver transplant status		12	12	0.0000%
Z94.7 Corneal transplant status	1	28	29	0.0001%
Z94.9 Transplanted organ and tissue status, unspecified	2		2	0.0000%
Z95.1 Presence of aortocoronary bypass graft		2	2	0.0000%
Z95.4 Presence of other heart-valve replacement		1	1	0.0000%
Z95.5 Presence of coronary angioplasty implant and graft	1		1	0.0000%
Z96.1 Presence of intraocular lens	35	231	266	0.0005%
Z96.6 Presence of orthopaedic joint implants		1	1	0.0000%
Z97.0 Presence of artificial eye	4	4	8	0.0000%
Z97.3 Presence of spectacles and contact lenses	1		1	0.0000%
Z97.4 Presence of external hearing-aid	1		1	0.0000%
Z97.5 Presence of (intrauterine) contraceptive device	1	1	2	0.0000%
Z98.8 Other specified postsurgical states	1		1	0.0000%
Z99.9 Dependence on unspecified enabling machine and device	1	3	4	0.0000%