

Primary diagnosis, 2006-07

For the 2006-07 financial year, Hospital Episode Statistics (HES) has collected more than 60 million records detailing outpatient appointments, delivered by NHS hospitals in England or performed in the Independent sector, commissioned by English NHS.

The latest HES data are available via the internet from the Freely available data section of the HESonline website [www.hesonline.nhs.uk]. For data breakdowns beyond the scope of the tables available, such as a count of appointments split by strategic health authority (SHA), please contact the HES team: Tel. 0845 300 6016, email hes.questions@ic.nhs.uk.

Please note that in order to avoid undue delay in the publication of these tables; the counts have not been adjusted to account for shortfalls in the number of records received from NHS trusts, or for missing/invalid clinical data (ie diagnosis and operation codes) – hence the label 'Ungrossed data' in each table.

You must exercise great care when comparing HES figures for different years. Fluctuations in the data can occur for a number of reasons, e.g. organisational changes, reviews of best practice within the medical community, the adoption of new coding schemes and data quality problems that are often year specific. These variations can lead to false assumptions about trends. We advise users of time series data to carefully explore the relevant issues before drawing any conclusions about the reasons for year-on-year changes.

Data quality

The HES database is assembled from records originally generated by the patient administration systems within more than five hundred separate NHS trusts. While the HES team liaise closely with the NHS in order to maintain data quality and consistency, it is inevitable in such a complex undertaking that a few errors will occur.

Detailed NHS Trust DQI Reports are available on the HESonline website [www.hesonline.nhs.uk/Ease/servlet/ContentServer?siteID=1937&categoryID=452]. The reports comprise both component and qualifier scores, including counts of the HES records and the data items examined.

Users of the data who discover apparent anomalies should feel free to contact the HES team, so that they may investigate.

Primary diagnosis

The primary diagnosis, recorded using ICD-10, is the main condition treated or investigated during the outpatient appointment.

- **4 character**

The Primary diagnosis: 4-character table provides a complete breakdown of all the 4-character primary diagnosis codes, giving an extremely detailed breakdown. The codes consist of a letter followed by two numbers with a single decimal point (e.g. A12.3) and are accompanied by a complete description of the diagnosis. The 4-character codes are a direct breakdown of the 3-character codes.

Some clinical information, such as certain diagnoses (eg AIDS) and certain procedures (eg abortions), could potentially be very sensitive if related to an individual patient. While all health information is sensitive, some data items can be more sensitive than others or can more easily enable identification of

individuals. To protect patient confidentiality, figures between 1 and 5 (zero to ten, in the case of abortion-related procedures and diagnoses) have been suppressed and replaced with “*” (an asterisk). Where it was possible to identify numbers from the total due to a single suppressed number in a row or column, an additional number (the next smallest) has been suppressed. This is in line with the HES Protocol [www.hesonline.nhs.uk/Ease/servlet/ContentServer?siteID=1937&categoryID=331].

Table column definitions

This section contains descriptions of the column headers found in the free data tables that you can download from the HESonline website.

Attended First Appointment

This provides a count of those who attended their first outpatient appointment.

Attended Subsequent Appointment

This provides a count of those who attended an outpatient appointment, but it was a follow up appointment rather than their first appointment.

All (including first/subsequent unknown)

This provides a count of all outpatient attendances, including first, subsequent appointments as well as appointments where it is unknown.

Percentage of all attendances

This provides the all attendances count as a percentage of the total number of all attendances (including first/subsequent and unknown).



Primary diagnosis for first, subsequent and all attendances

Please note primary diagnosis is not a mandated field in the outpatients dataset, therefore coverage within this field is poor.

Please see the HESonline website (<http://www.hesonline.nhs.uk>) for information on outpatients data quality.

Primary diagnosis

NHS Hospitals, England, 2006-07

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Total	15,347,684	36,334,987	51,939,835	100.0000%
A03.3 Shigellosis due to <i>Shigella sonnei</i>	1	0	1	0.0000%
A03.8 Other shigellosis	0	2	2	0.0000%
A04.4 Other intestinal <i>Escherichia coli</i> infections	1	0	1	0.0000%
A04.7 Enterocolitis due to <i>Clostridium difficile</i>	3	1	4	0.0000%
A04.8 Other specified bacterial intestinal infections	93	42	135	0.0003%
A04.9 Bacterial intestinal infection, unspecified	10	1	11	0.0000%
A06.2 Amoebic nondysenteric colitis	32	8	40	0.0001%
A06.3 Amoeboma of intestine	0	1	1	0.0000%
A06.9 Amoebiasis, unspecified	1	0	1	0.0000%
A08.4 Viral intestinal infection, unspecified	2	1	3	0.0000%
A09.X Diarrhoea and gastroenteritis of presumed infectious origin	72	20	93	0.0002%
A15.0 TB lung confirm sputum microscopy with or without culture	0	1	1	0.0000%
A15.1 Tuberculosis of lung, confirmed by culture only	0	1	1	0.0000%
A16.0 Tuberculosis of lung, bacteriologically & histology neg	1	0	1	0.0000%
A16.1 Tuberculosis lung bact and histological examin not done	2	0	2	0.0000%
A16.2 TB lung without mention of bact or histological confirm	10	27	37	0.0001%
A16.3 TB intrathoracic lymph node without bact or hist confirm	0	1	1	0.0000%
A16.9 Resp TB unspec without mention of bact or hist confirm	11	18	29	0.0001%
A17.0 Tuberculous meningitis	1	0	1	0.0000%
A18.2 Tuberculous peripheral lymphadenopathy	0	1	1	0.0000%
A18.3 Tuberculosis of intestines, peritoneum and mesenteric glands	0	1	1	0.0000%
A18.4 Tuberculosis of skin and subcutaneous tissue	0	1	1	0.0000%
A20.0 Bubonic plague	169	21	190	0.0004%
A21.9 Tularaemia, unspecified	4	23	27	0.0001%
A30.1 Tuberculoid leprosy	0	1	1	0.0000%
A31.9 Mycobacterial infection, unspecified	0	5	5	0.0000%
A39.4 Meningococcaemia, unspecified	1	0	1	0.0000%
A41.9 Septicaemia, unspecified	1	10	11	0.0000%
A44.9 Bartonellosis, unspecified	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
A48.0 Gas gangrene	0	3	3	0.0000%
A49.0 Staphylococcal infection, unspecified	1	1	2	0.0000%
A49.1 Streptococcal infection, unspecified	1	2	3	0.0000%
A49.2 Haemophilus influenzae infection, unspecified	4	4	8	0.0000%
A49.8 Other bacterial infections of unspecified site	0	1	1	0.0000%
A52.9 Late syphilis, unspecified	0	2	2	0.0000%
A54.1 GC inf low GU tract with periurethral /acces gland abscess	1	0	1	0.0000%
A54.4 Gonococcal infection of musculoskeletal system	1	0	1	0.0000%
A56.0 Chlamydial infection of lower genitourinary tract	1	0	1	0.0000%
A56.2 Chlamydial infection of genitourinary tract, unspecified	1	0	1	0.0000%
A59.0 Urogenital trichomoniasis	0	1	1	0.0000%
A59.9 Trichomoniasis, unspecified	0	1	1	0.0000%
A60.0 Herpesviral infection of genitalia and urogenital tract	1	0	1	0.0000%
A60.9 Anogenital herpesviral infection, unspecified	0	1	1	0.0000%
A63.0 Anogenital (venereal) warts	22	26	48	0.0001%
A63.8 Other specified predominantly sexually transmitted diseases	1	2	3	0.0000%
A69.2 Lyme disease	1	0	1	0.0000%
A69.9 Spirochaetal infection, unspecified	1	0	1	0.0000%
A74.9 Chlamydial infection, unspecified	4	1	5	0.0000%
A75.2 Typhus fever due to Rickettsia typhi	0	1	1	0.0000%
A80.9 Acute poliomyelitis, unspecified	5	10	15	0.0000%
A84.1 Central European tick-borne encephalitis	1	0	1	0.0000%
A85.8 Other specified viral encephalitis	0	1	1	0.0000%
A86.X Unspecified viral encephalitis	0	1	1	0.0000%
A87.9 Viral meningitis, unspecified	0	1	1	0.0000%
B00.0 Eczema herpeticum	3	4	7	0.0000%
B00.5 Herpesviral ocular disease	86	287	373	0.0007%
B00.9 Herpesviral infection, unspecified	7	4	11	0.0000%
B01.9 Varicella without complication	5	2	7	0.0000%
B02.0 Zoster encephalitis	1	0	1	0.0000%
B02.2 Zoster with other nervous system involvement	19	17	36	0.0001%
B02.3 Zoster ocular disease	31	45	76	0.0001%
B02.8 Zoster with other complications	0	5	5	0.0000%
B02.9 Zoster without complication	2	5	7	0.0000%
B05.9 Measles without complication	1	0	1	0.0000%
B06.8 Rubella with other complications	0	3	3	0.0000%
B07.X Viral warts	515	904	1,419	0.0027%
B08.1 Molluscum contagiosum	12	10	22	0.0000%
B08.3 Erythema infectiosum [fifth disease]	1	0	1	0.0000%
B16.9 Acute hep B without delta-agent and without hepat coma	3	4	7	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
B17.1	0	1	1	0.0000%
B18.1	0	1	1	0.0000%
B18.2	3	11	14	0.0000%
B23.1	0	2	2	0.0000%
B24.X	22	1,221	1,243	0.0024%
B25.9	0	5	5	0.0000%
B27.0	0	3	3	0.0000%
B27.8	0	1	1	0.0000%
B27.9	8	2	10	0.0000%
B30.9	2	15	17	0.0000%
B33.1	0	3	3	0.0000%
B34.1	0	1	1	0.0000%
B34.4	0	1	1	0.0000%
B34.9	77	57	134	0.0003%
B35.0	4	3	7	0.0000%
B35.1	4	1	5	0.0000%
B35.3	4	1	5	0.0000%
B35.4	3	2	5	0.0000%
B35.6	1	1	2	0.0000%
B35.9	7	12	19	0.0000%
B36.0	11	6	17	0.0000%
B36.9	4	14	18	0.0000%
B37.0	5	13	19	0.0000%
B37.1	19	30	49	0.0001%
B37.2	0	1	1	0.0000%
B37.3	8	7	15	0.0000%
B37.5	0	1	1	0.0000%
B37.8	30	5	37	0.0001%
B37.9	8	6	14	0.0000%
B39.9	1	0	1	0.0000%
B44.0	0	3	3	0.0000%
B44.1	1	9	10	0.0000%
B44.9	0	1	1	0.0000%
B49.X	6	4	10	0.0000%
B50.9	0	1	1	0.0000%
B54.X	0	1	1	0.0000%
B56.1	0	1	1	0.0000%
B58.0	6	9	15	0.0000%
B58.9	0	3	3	0.0000%
B65.0	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
B65.1 Schistosom due Schis mansoni [intest schistosom]	1	0	1	0.0000%
B80.X Enterobiasis	2	1	3	0.0000%
B86.X Scabies	3	4	7	0.0000%
B87.1 Wound myiasis	1	1	2	0.0000%
B88.0 Other acariasis	0	1	1	0.0000%
B91.X Sequelae of poliomyelitis	0	2	2	0.0000%
B95.6 Staph aureus as cause of dis classified to other chapters	1	3	4	0.0000%
B96.4 Proteus (mirabilis)(morganii)cause of dis class oth chaps	0	1	1	0.0000%
B96.8 Other spec bact agents as cause of dis class oth chaps	1	1	2	0.0000%
B97.6 Parvovirus as cause of diseases classified to oth chaps	1	0	1	0.0000%
B97.7 Papillomavirus as cause of diseases classif oth chaps	10	5	15	0.0000%
B99.X Other and unspecified infectious diseases	133	426	560	0.0011%
C00.0 Malignant neoplasm of external upper lip	3	22	25	0.0000%
C00.1 Malignant neoplasm of external lower lip	7	97	104	0.0002%
C00.4 Malignant neoplasm of lower lip, inner aspect	0	7	7	0.0000%
C00.6 Malignant neoplasm of commissure of lip	0	2	2	0.0000%
C00.9 Malignant neoplasm of lip, unspecified	3	38	41	0.0001%
C01.X Malignant neoplasm of base of tongue	33	1,156	1,189	0.0023%
C02.1 Malignant neoplasm of border of tongue	8	198	206	0.0004%
C02.2 Malignant neoplasm of ventral surface of tongue	0	3	3	0.0000%
C02.3 Malignant neo of anterior two-thirds of tongue, part uns	1	4	5	0.0000%
C02.4 Malignant neoplasm of lingual tonsil	4	96	100	0.0002%
C02.8 Malignant neoplasm of overlapping lesion of tongue	0	2	2	0.0000%
C02.9 Malignant neoplasm of tongue, unspecified	64	1,461	1,525	0.0029%
C03.0 Malignant neoplasm of upper gum	0	18	18	0.0000%
C03.1 Malignant neoplasm of lower gum	4	100	104	0.0002%
C03.9 Malignant neoplasm of gum unspecified	3	115	118	0.0002%
C04.0 Malignant neoplasm of floor of anterior floor of mouth	0	12	12	0.0000%
C04.1 Malignant neoplasm of lateral floor of mouth	0	5	5	0.0000%
C04.8 Malignant neoplasm, overlapping lesion of floor of mouth	2	109	111	0.0002%
C04.9 Malignant neoplasm of floor of mouth, floor of mouth, unspec	26	824	850	0.0016%
C05.0 Malignant neoplasm of hard palate	5	154	159	0.0003%
C05.1 Malignant neoplasm of soft palate	17	556	573	0.0011%
C05.2 Malignant neoplasm of uvula	1	76	77	0.0001%
C05.9 Malignant neoplasm of palate, unspecified	4	62	66	0.0001%
C06.0 Malignant neoplasm cheek mucosa	9	218	227	0.0004%
C06.1 Malignant neoplasm of vestibule of mouth	0	6	6	0.0000%
C06.2 Malignant neoplasm of retromolar area	10	331	341	0.0007%
C06.9 Malignant neoplasm of part of mouth, unspecified	11	209	220	0.0004%
C07.X Malignant neoplasm of parotid gland	62	1,164	1,226	0.0024%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C08.0 Malignant neoplasm of submandibular gland	9	195	204	0.0004%
C08.1 Malignant neoplasm of sublingual gland	0	32	32	0.0001%
C08.9 Malignant neoplasm of major salivary gland, unspecified	4	84	88	0.0002%
C09.0 Malignant neoplasm tonsillar fossa	0	37	37	0.0001%
C09.1 Malig neo of tonsillar pillar (anterior)(posterior)	1	43	44	0.0001%
C09.8 Malignant neoplasm of overlapping lesion of tonsil	1	10	11	0.0000%
C09.9 Malignant neoplasm of tonsil unspecified	104	2,644	2,748	0.0053%
C10.0 Malignant neoplasm of vallecula	2	54	56	0.0001%
C10.2 Malignant neoplasm of lateral wall of oropharynx	2	20	22	0.0000%
C10.3 Malignant neoplasm of posterior wall of oropharynx	3	130	133	0.0003%
C10.8 Malignant neoplasm overlapping lesion of oropharynx	0	2	2	0.0000%
C10.9 Malignant neoplasm of oropharynx unspecified	46	1,146	1,192	0.0023%
C11.0 Malignant neoplasm of superior wall of nasopharynx	1	3	4	0.0000%
C11.1 Malignant neoplasm of posterior wall of nasopharynx	0	47	47	0.0001%
C11.2 Malignant neoplasm of lateral wall of nasopharynx	3	80	83	0.0002%
C11.3 Malignant neoplasm of anterior wall of nasopharynx	1	26	27	0.0001%
C11.8 Malignant neoplasm overlapping lesion of nasopharynx	0	7	7	0.0000%
C11.9 Malignant neoplasm of nasopharynx unspecified	35	1,034	1,069	0.0021%
C12.X Malignant neoplasm of pyriform sinus	40	1,094	1,134	0.0022%
C13.0 Malignant neoplasm of hypopharynx, postcricoid region	3	71	74	0.0001%
C13.1 Malig neoplasm aryepiglottic fold, hypopharyngeal aspect	1	18	19	0.0000%
C13.2 Malignant neoplasm posterior wall of hypopharynx	3	161	164	0.0003%
C13.9 Malignant neoplasm of hypopharynx unspecified	13	193	206	0.0004%
C14.0 Malignant neoplasm of pharynx, unsp	5	149	154	0.0003%
C14.8 Malig neo, overlapping lesion of lip, oral cavity & pharynx	76	227	303	0.0006%
C15.0 Malignant neoplasm of cervical part of oesophagus	3	11	14	0.0000%
C15.1 Malignant neoplasm of thoracic part of oesophagus	0	0	1	0.0000%
C15.2 Malignant neo of abdominal part of oesophagus	0	6	6	0.0000%
C15.3 Malignant neoplasm of upper third of oesophagus	32	438	470	0.0009%
C15.4 Malignant neoplasm of middle third of oesophagus	87	1,010	1,097	0.0021%
C15.5 Malignant neoplasm of lower third of oesophagus	283	1,934	2,217	0.0043%
C15.8 Malignant neoplasm overlapping lesion of oesophagus	4	22	26	0.0001%
C15.9 Malignant neoplasm of oesophagus unspecified	351	2,135	2,498	0.0048%
C16.0 Malignant neoplasm of cardia of stomach	98	913	1,011	0.0019%
C16.1 Malignant neoplasm of fundus of stomach	6	41	47	0.0001%
C16.2 Malignant neoplasm of body of stomach	4	62	66	0.0001%
C16.3 Malignant neoplasm of pyloric antrum	5	30	35	0.0001%
C16.4 Malignant neoplasm of pylorus	5	21	26	0.0001%
C16.5 Malignant neoplasm of lesser curvature of stomach, unsp	5	16	21	0.0000%
C16.6 Malignant neoplasm of greater curvature of stomach, unsp	2	11	13	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
C16.8 Malignant neoplasm overlapping lesion of stomach	2	56	58	0.0001%
C16.9 Malignant neoplasm of stomach, unspecified	273	1,650	1,923	0.0037%
C17.0 Malignant neoplasm of small intestine, duodenum	16	90	106	0.0002%
C17.1 Malignant neoplasm of small intestine, jejunum	3	22	25	0.0000%
C17.2 Malignant neoplasm of small intestine, ileum	5	31	36	0.0001%
C17.8 Malignant neoplasm overlapping lesion of small intestine	2	9	11	0.0000%
C17.9 Malignant neoplasm of small intestine, unspecified	21	111	132	0.0003%
C18.0 Malignant neoplasm of caecum	155	1,829	1,984	0.0038%
C18.1 Malignant neoplasm of appendix	9	121	130	0.0003%
C18.2 Malignant neoplasm of ascending colon	79	626	705	0.0014%
C18.3 Malignant neoplasm of hepatic flexure	22	183	205	0.0004%
C18.4 Malignant neoplasm of transverse colon	49	434	483	0.0009%
C18.5 Malignant neoplasm of splenic flexure	26	298	324	0.0006%
C18.6 Malignant neoplasm of descending colon	38	326	364	0.0007%
C18.7 Malignant neoplasm of sigmoid colon	316	3,122	3,438	0.0066%
C18.8 Malignant neoplasm overlapping lesion of colon	1	5	6	0.0000%
C18.9 Malignant neoplasm of colon, unspecified	608	3,612	4,225	0.0081%
C19.X Malignant neoplasm of rectosigmoid junction	155	2,212	2,367	0.0046%
C20.X Malignant neoplasm of rectum	986	12,661	13,653	0.0263%
C21.0 Malignant neoplasm of anus, unspecified	39	810	849	0.0016%
C21.1 Malignant neoplasm of anal canal	52	1,148	1,200	0.0023%
C21.2 Malignant neoplasm of cloacogenic zone	0	1	1	0.0000%
C21.8 Malig neo, overlapping lesion of rectum, anus and anal canal	13	363	376	0.0007%
C22.0 Malignant neoplasm, liver cell carcinoma	58	286	344	0.0007%
C22.1 Malignant neoplasm, intrahep bile duct carcinoma	16	165	181	0.0003%
C22.2 Malignant neoplasm, hepatoblastoma	1	4	5	0.0000%
C22.9 Malignant neoplasm, liver, unspecified	12	77	89	0.0002%
C23.X Malignant neoplasm of gallbladder	24	101	125	0.0002%
C24.0 Malignant neoplasm of extrahepatic bile duct	25	197	222	0.0004%
C24.1 Malignant neoplasm of Ampulla of Vater	16	196	212	0.0004%
C24.8 Malignant neoplasm overlapping lesion of biliary tract	1	2	3	0.0000%
C24.9 Malignant neoplasm of biliary tract, unspecified	2	2	4	0.0000%
C25.0 Malignant neoplasm of head of pancreas	47	487	534	0.0010%
C25.1 Malignant neoplasm of body of pancreas	0	25	25	0.0000%
C25.2 Malignant neoplasm of tail of pancreas	5	52	57	0.0001%
C25.3 Malignant neoplasm of pancreatic duct	1	1	2	0.0000%
C25.4 Malignant neoplasm of endocrine pancreas	1	18	19	0.0000%
C25.8 Malignant neoplasm, overlapping lesion of pancreas	0	58	58	0.0001%
C25.9 Malignant neoplasm of pancreas, unspecified	204	1,684	1,888	0.0036%
C26.0 Malignant neoplasm of intestinal tract, part unsp	2	22	24	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C26.9 Malignant neoplasm of ill-def sites within digestive system	5	118	123	0.0002%
C30.0 Malignant neoplasm of nasal cavity	24	548	572	0.0011%
C30.1 Malignant neoplasm of middle ear	1	50	51	0.0001%
C31.0 Malignant neoplasm of maxillary sinus	19	299	318	0.0006%
C31.1 Malignant neoplasm of ethmoidal sinus	5	120	125	0.0002%
C31.2 Malignant neoplasm of frontal sinus	2	8	10	0.0000%
C31.3 Malignant neoplasm of sphenoidal sinus	1	1	2	0.0000%
C31.8 Malignant neoplasm, overlapping lesion accessory sinuses	0	4	4	0.0000%
C31.9 Malignant neoplasm of accessory sinus, unsp	1	25	26	0.0001%
C32.0 Malignant neoplasm of glottis	145	3,148	3,293	0.0063%
C32.1 Malignant neoplasm of supraglottis	57	1,347	1,404	0.0027%
C32.2 Malignant neoplasm of subglottis	7	114	121	0.0002%
C32.3 Malignant neoplasm of laryngeal cartilage	2	20	22	0.0000%
C32.8 Malignant neoplasm, overlapping lesion of larynx	3	30	33	0.0001%
C32.9 Malignant neoplasm of larynx, unspecified	76	1,188	1,264	0.0024%
C33.X Malignant neoplasm of trachea	5	71	76	0.0001%
C34.0 Malignant neoplasm of main bronchus	20	408	428	0.0008%
C34.1 Malignant neoplasm of upper lobe, bronchus or lung	509	7,442	7,951	0.0153%
C34.2 Malignant neoplasm of middle lobe, bronchus or lung	27	507	534	0.0010%
C34.3 Malignant neoplasm of lower lobe, bronchus or lung	139	2,950	3,089	0.0059%
C34.8 Malignant neoplasm of overlap les of bronchus & lung	0	15	15	0.0000%
C34.9 Malignant neoplasm of bronchus or lung, unsp	1,974	16,382	18,361	0.0354%
C37.X Malignant neoplasm of thymus	17	321	338	0.0007%
C38.0 Malignant neoplasm of heart, mediastinum & pleura, heart	2	21	23	0.0000%
C38.1 Malignant neoplasm of anterior mediastinum	6	22	28	0.0001%
C38.2 Malignant neoplasm of posterior mediastinum	0	16	16	0.0000%
C38.3 Malig neo heart, mediastinum & pleura,mediastinum,part unsp	3	65	68	0.0001%
C38.4 Malignant neoplasm of pleura	26	157	183	0.0004%
C39.9 Malignant neoplasm of ill-def sites within the resp sys	7	7	14	0.0000%
C40.0 Malignant neoplasm of scapula and long bones of upper limb	7	110	117	0.0002%
C40.1 Malignant neoplasm of short bones of upper limb	0	4	4	0.0000%
C40.2 Malignant neoplasm of long bones of lower limb	8	175	183	0.0004%
C41.0 Malignant neoplasm of bones of skull and face	18	242	260	0.0005%
C41.1 Malignant neoplasm of mandible	11	143	154	0.0003%
C41.2 Malignant neoplasm of vertebral column	13	151	164	0.0003%
C41.3 Malignant neoplasm of ribs, sternum and clavicle	6	24	30	0.0001%
C41.4 Malignant neoplasm of sacrum and coccyx	10	129	139	0.0003%
C41.9 Malignant neoplasm of bone and articular cartilage, unsp	21	369	390	0.0008%
C43.0 Malignant melanoma of lip	1	3	4	0.0000%
C43.1 Malignant melanoma of eyelid, including canthus	0	3	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C43.2 Malignant melanoma of ear and ext auricular canal	6	90	96	0.0002%
C43.3 Malignant melanoma of other and unspecified parts of face	25	300	325	0.0006%
C43.4 Malignant melanoma of scalp and neck	10	124	134	0.0003%
C43.5 Malignant melanoma of trunk	49	441	490	0.0009%
C43.6 Malignant melanoma of upper limb, including shoulder	37	478	515	0.0010%
C43.7 Malignant melanoma of lower limb, including hip	89	855	944	0.0018%
C43.8 Malignant melanoma of skin	0	3	3	0.0000%
C43.9 Malignant melanoma of skin, unsp	87	725	812	0.0016%
C44.0 Other malignant neoplasms of skin of lip	49	332	381	0.0007%
C44.1 Other malignant neoplasms of skin of eyelid, incl canthus	189	467	656	0.0013%
C44.2 Oth malignant neoplasms of skin of ear & ext auricular canal	133	957	1,090	0.0021%
C44.3 Oth malignant neoplasm of skin of oth & unsp parts of face	1,383	5,290	6,673	0.0128%
C44.4 Other malignant neoplasms of skin of scalp and neck	169	1,436	1,605	0.0031%
C44.5 Other malignant neoplasms of skin of trunk	121	1,029	1,150	0.0022%
C44.6 Oth malignant neoplasms of skin of upper limb, incl shoulder	91	671	762	0.0015%
C44.7 Other malignant neoplasms of skin of lower limb, incl hip	101	560	662	0.0013%
C44.9 Other malignant neoplasms of skin, unspecified	929	2,313	3,242	0.0062%
C45.0 Mesothelioma of pleura	87	789	876	0.0017%
C45.1 Mesothelioma of peritoneum	8	17	25	0.0000%
C45.7 Mesothelioma of other sites	4	10	14	0.0000%
C45.9 Mesothelioma, unspecified	15	11	26	0.0001%
C46.0 Kaposi's sarcoma of skin	3	22	25	0.0000%
C46.9 Kaposi's sarcoma, unspecified	2	28	30	0.0001%
C47.0 Malignant neoplasm of peripheral nerve of head, face & neck	1	0	1	0.0000%
C47.1 Malignant neoplasm of peripheral nerve, upp limb, incl should	0	5	5	0.0000%
C47.3 Malignant neoplasm of peripheral nerve of thorax	0	4	4	0.0000%
C47.9 Malignant neoplasm periph nerve & autonomic ns, unsp	3	18	21	0.0000%
C48.0 Malignant neoplasm of retroperitoneum	33	393	426	0.0008%
C48.1 Malignant neoplasm of spec parts of peritoneum	22	143	165	0.0003%
C48.2 Malignant neoplasm of peritoneum, unsp	10	335	345	0.0007%
C49.0 Malignant neoplasm of conn and soft tiss head, face & neck	14	309	323	0.0006%
C49.1 Malignant neoplasm of conn and soft tiss upp limb, inc should	35	586	621	0.0012%
C49.2 Malignant neoplasm of conn and soft tiss, lower limb, inc hip	105	1,343	1,448	0.0028%
C49.3 Malignant neoplasm of conn and soft tiss of thorax	29	297	326	0.0006%
C49.4 Malignant neoplasm of conn and soft tiss of abdomen	21	215	236	0.0005%
C49.5 Malignant neoplasm of conn and soft tiss of pelvis	25	325	350	0.0007%
C49.6 Malignant neoplasm of conn and soft tiss of trunk, unsp	3	18	21	0.0000%
C49.8 Malignant neoplasm, overlap lesion connective & soft tiss	6	45	51	0.0001%
C49.9 Malignant neoplasm of connective and soft tissue, unsp	34	598	632	0.0012%
C50.0 Malignant neoplasm of nipple and areola	8	169	177	0.0003%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C50.1	13	393	406	0.0008%
C50.2	55	1,136	1,191	0.0023%
C50.3	33	451	484	0.0009%
C50.4	218	3,881	4,099	0.0079%
C50.5	34	672	706	0.0014%
C50.6	753	1,911	2,664	0.0051%
C50.8	60	996	1,056	0.0020%
C50.9	4,802	85,858	90,660	0.1745%
C51.0	2	15	17	0.0000%
C51.2	1	0	1	0.0000%
C51.9	57	776	833	0.0016%
C52.X	39	457	496	0.0010%
C53.0	5	128	133	0.0003%
C53.8	0	2	2	0.0000%
C53.9	275	4,513	4,788	0.0092%
C54.1	304	5,123	5,427	0.0104%
C54.2	0	2	2	0.0000%
C54.9	66	649	715	0.0014%
C55.X	33	325	358	0.0007%
C56.X	537	7,511	8,048	0.0155%
C57.0	1	146	147	0.0003%
C57.1	1	11	12	0.0000%
C57.3	0	4	4	0.0000%
C57.8	0	3	3	0.0000%
C57.9	3	36	39	0.0001%
C60.0	0	7	7	0.0000%
C60.1	1	15	16	0.0000%
C60.2	0	3	3	0.0000%
C60.8	0	8	8	0.0000%
C60.9	9	100	109	0.0002%
C61.X	2,652	41,349	44,001	0.0847%
C62.0	0	3	3	0.0000%
C62.1	0	72	72	0.0001%
C62.9	257	3,392	3,649	0.0070%
C63.0	0	1	1	0.0000%
C63.1	5	30	35	0.0001%
C63.2	2	22	24	0.0000%
C63.7	0	1	1	0.0000%
C63.9	6	14	20	0.0000%
C64.X	260	3,083	3,343	0.0064%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C65.X Malignant neoplasm of renal pelvis	14	147	161	0.0003%
C66.X Malignant neoplasm of ureter	12	127	139	0.0003%
C67.0 Malignant neoplasm of trigone of bladder	0	24	24	0.0000%
C67.1 Malignant neoplasm of dome of bladder	1	67	68	0.0001%
C67.2 Malignant neoplasm of lateral wall of bladder	5	132	137	0.0003%
C67.3 Malignant neoplasm of anterior wall of bladder	1	48	49	0.0001%
C67.4 Malignant neoplasm of posterior wall of bladder	2	67	69	0.0001%
C67.5 Malignant neoplasm of bladder neck	3	58	61	0.0001%
C67.6 Malignant neoplasm of ureteric orifice	5	11	16	0.0000%
C67.7 Malignant neoplasm of urachus	0	19	19	0.0000%
C67.8 Malignant neoplasm, overlapping lesion of bladder	2	58	60	0.0001%
C67.9 Malignant neoplasm of bladder, unspecified	587	6,681	7,270	0.0140%
C68.0 Malignant neoplasm of urethra	4	70	74	0.0001%
C68.9 Malignant neoplasm of urinary organ, unspecified	0	16	16	0.0000%
C69.0 Malignant neoplasm of conjunctiva	2	8	10	0.0000%
C69.3 Malignant neoplasm of choroid	156	424	580	0.0011%
C69.4 Malignant neoplasm of ciliary body	50	98	148	0.0003%
C69.5 Malignant neoplasm of lacrimal gland and duct	1	0	1	0.0000%
C69.6 Malignant neoplasm of orbit	7	72	79	0.0002%
C69.9 Malignant neoplasm of eye, unspecified	8	104	112	0.0002%
C70.0 Malignant neoplasm of, cerebral meninges	32	572	604	0.0012%
C70.9 Malignant neoplasm of meninges, unspecified	2	2	4	0.0000%
C71.0 Malignant neoplasm of cerebrum, except lobes & ventricles	83	1,178	1,261	0.0024%
C71.1 Malignant neoplasm of cerebrum, frontal lobe	73	851	924	0.0018%
C71.2 Malignant neoplasm of cerebrum, temporal lobe	42	592	634	0.0012%
C71.3 Malignant neoplasm of cerebrum, parietal lobe	32	430	462	0.0009%
C71.4 Malignant neoplasm of cerebrum, occipital lobe	6	62	68	0.0001%
C71.5 Malignant neoplasm of cerebrum, cerebral ventricle	8	142	150	0.0003%
C71.6 Malignant neoplasm of cerebrum, cerebellum	8	260	268	0.0005%
C71.7 Malignant neoplasm of cerebrum, brain stem	11	322	333	0.0006%
C71.8 Malignant neoplasm of cerebrum, overlapping lesion of brain	4	104	108	0.0002%
C71.9 Malignant neoplasm of cerebrum, brain, unspecified	267	5,565	5,832	0.0112%
C72.0 Malignant neoplasm of spinal cord	8	226	234	0.0005%
C72.2 Malignant neoplasm of Olfactory nerve	0	4	4	0.0000%
C72.3 Malignant neoplasm of Optic nerve	3	9	12	0.0000%
C72.4 Malignant neoplasm of Acoustic nerve	15	219	234	0.0005%
C72.5 Malignant neoplasm of other and unspecified cranial nerves	5	89	94	0.0002%
C72.9 Malignant neoplasm of Central Nervous System, unspecified	10	69	79	0.0002%
C73.X Malignant neoplasm of thyroid gland	104	1,849	1,953	0.0038%
C74.0 Malignant neoplasm of cortex of adrenal gland	1	2	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
C74.9	15	287	302	0.0006%
C75.0	3	67	70	0.0001%
C75.1	13	313	326	0.0006%
C75.2	1	0	1	0.0000%
C75.3	1	49	50	0.0001%
C75.4	0	2	2	0.0000%
C75.5	0	3	3	0.0000%
C75.9	1	1	2	0.0000%
C76.0	142	477	619	0.0012%
C76.1	15	148	163	0.0003%
C76.2	13	302	315	0.0006%
C76.3	9	107	116	0.0002%
C76.4	8	41	49	0.0001%
C76.5	5	26	31	0.0001%
C76.7	2	3	5	0.0000%
C77.0	48	771	819	0.0016%
C77.1	33	427	460	0.0009%
C77.2	26	576	602	0.0012%
C77.3	16	332	348	0.0007%
C77.4	14	177	191	0.0004%
C77.5	4	177	181	0.0003%
C77.9	82	949	1,031	0.0020%
C78.0	177	1,759	1,936	0.0037%
C78.1	7	38	45	0.0001%
C78.2	7	71	78	0.0002%
C78.3	1	6	7	0.0000%
C78.4	1	6	7	0.0000%
C78.5	3	63	66	0.0001%
C78.6	47	535	582	0.0011%
C78.7	234	2,347	2,581	0.0050%
C78.8	5	54	59	0.0001%
C79.0	3	34	37	0.0001%
C79.1	2	2	4	0.0000%
C79.2	12	134	146	0.0003%
C79.3	152	1,027	1,179	0.0023%
C79.4	6	71	77	0.0001%
C79.5	565	3,984	4,549	0.0088%
C79.6	5	59	64	0.0001%
C79.7	9	43	52	0.0001%
C79.8	44	376	420	0.0008%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
C80.X Malignant neoplasm without specification of site	761	6,483	7,244	0.0139%
C81.0 Hodgkin's disease, lymphocytic predominance	2	26	28	0.0001%
C81.1 Hodgkin's disease, nodular sclerosis	41	937	978	0.0019%
C81.2 Hodgkin's disease, mixed cellularity	3	58	61	0.0001%
C81.3 Hodgkin's disease, lymphocytic depletion	0	7	7	0.0000%
C81.7 Hodgkin's disease, other Hodgkin's disease	0	24	24	0.0000%
C81.9 Hodgkin's disease, Hodgkin's disease, unspecified	147	2,844	2,991	0.0058%
C82.0 Follicular non-Hodgkin's small cleaved cell lymphoma	1	32	33	0.0001%
C82.1 Follicular non-Hodg mixed sml cleavd & lge cell lymphoma	2	49	51	0.0001%
C82.2 Follicular non-Hodgkin's large cell lymphoma	0	21	21	0.0000%
C82.7 Follicular non-Hodgkin's other types of lymphoma	5	211	216	0.0004%
C82.9 Follicular non-Hodgkin's unspecified lymphoma	42	1,194	1,236	0.0024%
C83.0 Diffuse non-Hodgkin's small cell (diffuse)lymphoma	3	334	337	0.0006%
C83.1 Diffuse non-Hodgkin's small cleaved cell (diffuse) lymphoma	0	36	36	0.0001%
C83.2 Diffuse non-Hodgkin mixed sml & lge cell (diffuse) lymphoma	1	51	52	0.0001%
C83.3 Diffuse non-Hodgkin's large cell (diffuse) lymphoma	20	848	868	0.0017%
C83.4 Diffuse non-Hodgkin's immunoblastic (diffuse) lymphoma	1	6	7	0.0000%
C83.5 Diffuse non-Hodgkin's lymphoblastic (diffuse) lymphoma	1	99	100	0.0002%
C83.7 Diffuse non-Hodgkin's lymphoma, Burkitt's tumour	5	82	87	0.0002%
C83.8 Other types of diffuse non-Hodgkin's lymphoma	6	303	313	0.0006%
C83.9 Diffuse non-Hodgkin's lymphoma, unspecified	0	21	21	0.0000%
C84.0 Peripheral and cutaneous T-cell lymphomas, mycosis fungoides	12	344	356	0.0007%
C84.1 Peripheral and cutaneous T-cell lymphomas, Sezary's disease	0	11	11	0.0000%
C84.4 Periph & cutan T-cell lymphomas, peripheral T-cell lymphoma	5	125	130	0.0003%
C84.5 Periph & cutan T-cell lymphomas, oth & unsp T-cell lymphomas	5	350	355	0.0007%
C85.0 Oth & unsp types of non-Hodgkin's lymphoma, lymphosarcoma	0	12	12	0.0000%
C85.1 Oth & unsp types non-Hodgkin's B-cell lymphoma, unsp	16	453	469	0.0009%
C85.7 Oth specified types of non-Hodgkin's lymphoma	9	172	181	0.0003%
C85.9 Non-Hodgkin's lymphoma, unspecified type	325	7,132	7,462	0.0144%
C88.0 Waldenstrom's macroglobulinaemia	3	110	113	0.0002%
C88.3 Malignant immunoproliferative small intestinal disease	0	13	13	0.0000%
C88.9 Malignant immunoproliferative disease, unspecified	0	1	1	0.0000%
C90.0 Multiple myeloma	214	6,098	6,312	0.0122%
C90.1 Plasma cell leukaemia	3	3	6	0.0000%
C90.2 Malignant plasma cell neoplasm, extramedullary plasmacytoma	24	315	340	0.0007%
C91.0 Acute lymphoblastic leukaemia	69	2,034	2,103	0.0040%
C91.1 Chronic lymphocytic leukaemia	69	2,407	2,499	0.0048%
C91.2 Subacute lymphocytic leukaemia	0	44	44	0.0001%
C91.3 Prolymphocytic leukaemia	6	140	147	0.0003%
C91.4 Hairy-cell leukaemia	8	277	286	0.0006%

Primary diagnosis*NHS Hospitals, England, 2006-07*

Primary diagnosis		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
NHS Hospitals, England, 2006-07					
C91.5	Adult T-cell leukaemia	0	19	19	0.0000%
C91.7	Other lymphoid leukaemia	0	1	1	0.0000%
C91.9	Lymphoid leukaemia, unspecified	2	72	74	0.0001%
C92.0	Acute myeloid leukaemia	58	2,212	2,270	0.0044%
C92.1	Chronic myeloid leukaemia	22	636	658	0.0013%
C92.3	Myeloid sarcoma	0	1	1	0.0000%
C92.4	Acute promyelocytic leukaemia	0	107	107	0.0002%
C92.5	Acute myelomonocytic leukaemia	0	3	3	0.0000%
C92.7	Other myeloid leukaemia	2	73	75	0.0001%
C92.9	Myeloid leukaemia, unspecified	1	5	6	0.0000%
C93.0	Acute monocytic leukaemia	1	1	2	0.0000%
C93.1	Chronic monocytic leukaemia	0	9	9	0.0000%
C94.0	Acute erythraemia & erythroleukaemia	0	2	2	0.0000%
C94.5	Acute myelofibrosis	0	36	36	0.0001%
C94.7	Other specified leukaemias	1	1	2	0.0000%
C95.0	Acute leukaemia of unsp cell type	0	138	138	0.0003%
C95.1	Chronic leukaemia unsp cell type	0	6	6	0.0000%
C95.2	Subacute leukaemia unsp cell type	0	3	3	0.0000%
C95.7	Other leukaemia unspecified cell type	0	1	1	0.0000%
C95.9	Leukaemia, unspecified	8	220	228	0.0004%
C96.1	Malignant histiocytosis	0	5	5	0.0000%
C96.2	Malignant mast cell tumour	0	1	1	0.0000%
C96.9	Malig neop lymphoid haematopoietic and related tissue unsp	7	204	211	0.0004%
D00.0	Carcinoma in situ of lip, oral cavity and pharynx	2	45	47	0.0001%
D00.1	Carcinoma in situ oesophagus	3	36	39	0.0001%
D01.0	Carcinoma in situ colon	0	1	1	0.0000%
D01.1	Carcinoma in situ rectosigmoid junction	2	0	2	0.0000%
D01.3	Carcinoma in situ anus and anal canal	0	4	4	0.0000%
D01.7	Carcinoma in situ other specified digestive organs	0	7	7	0.0000%
D01.9	Carcinoma in situ digestive organ, unspecified	1	6	7	0.0000%
D02.0	Carcinoma in situ larynx	0	61	61	0.0001%
D02.2	Carcinoma in situ bronchus and lung	0	4	4	0.0000%
D03.1	Melanoma in situ of eyelid, including canthus	0	2	2	0.0000%
D03.2	Melanoma in situ of ear and external auricular canal	1	7	8	0.0000%
D03.3	Melanoma in situ of other and unspecified parts of face	12	64	76	0.0001%
D03.5	Melanoma in situ of trunk	3	12	15	0.0000%
D03.6	Melanoma in situ of upper limb, including shoulder	5	11	16	0.0000%
D03.7	Melanoma in situ of lower limb, including hip	4	8	12	0.0000%
D03.8	Melanoma in situ of other sites	0	4	4	0.0000%
D03.9	Melanoma in situ, unspecified	1	23	24	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D04.0	3	3	6	0.0000%
D04.1	5	9	14	0.0000%
D04.2	4	32	36	0.0001%
D04.3	25	110	135	0.0003%
D04.4	6	63	69	0.0001%
D04.5	10	135	145	0.0003%
D04.6	15	91	106	0.0002%
D04.7	52	312	364	0.0007%
D04.8	2	8	10	0.0000%
D04.9	21	52	73	0.0001%
D05.1	42	879	921	0.0018%
D05.9	195	2,574	2,769	0.0053%
D06.0	16	6	22	0.0000%
D06.7	2	3	5	0.0000%
D06.9	519	519	1,039	0.0020%
D07.0	1	1	2	0.0000%
D07.1	15	31	46	0.0001%
D07.2	1	22	23	0.0000%
D07.3	0	1	1	0.0000%
D07.4	1	4	5	0.0000%
D07.5	5	41	46	0.0001%
D07.6	0	4	4	0.0000%
D09.0	3	86	89	0.0002%
D09.7	3	5	8	0.0000%
D09.9	0	2	2	0.0000%
D10.0	9	17	26	0.0001%
D10.1	8	21	29	0.0001%
D10.3	12	33	45	0.0001%
D10.5	1	2	3	0.0000%
D10.6	1	29	30	0.0001%
D11.0	22	214	236	0.0005%
D11.9	1	8	9	0.0000%
D12.0	47	20	67	0.0001%
D12.1	1	14	15	0.0000%
D12.2	33	19	53	0.0001%
D12.3	61	29	90	0.0002%
D12.4	32	18	50	0.0001%
D12.5	142	81	228	0.0004%
D12.6	227	81	310	0.0006%
D12.7	18	6	24	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D12.8 Benign neoplasm of rectum	138	77	221	0.0004%
D12.9 Benign neoplasm of anus and anal canal	4	4	8	0.0000%
D13.0 Benign neoplasm of oesophagus	9	6	15	0.0000%
D13.1 Benign neoplasm of stomach	59	21	83	0.0002%
D13.2 Benign neoplasm of duodenum	5	5	10	0.0000%
D13.3 Benign neoplasm of other and unsp parts of small intestine	0	1	1	0.0000%
D13.4 Benign neoplasm of liver	1	2	3	0.0000%
D13.6 Benign neoplasm of pancreas	1	14	15	0.0000%
D13.7 Benign neoplasm of endocrine pancreas	0	3	3	0.0000%
D13.9 Benign neoplasm of ill-defined site within the digestive sys	2	26	28	0.0001%
D14.0 Benign neoplasm of mid ear, nasal cav & accessory sinus	2	11	13	0.0000%
D14.1 Benign neoplasm of larynx	0	5	5	0.0000%
D14.3 Benign neoplasm of bronchus and lung	0	1	1	0.0000%
D14.4 Benign neoplasm of respiratory system, unspecified	1	0	1	0.0000%
D15.0 Benign neoplasm of thymus	0	32	32	0.0001%
D15.2 Benign neoplasm of mediastinum	6	9	15	0.0000%
D16.0 Benign neoplasm of scapula and long bones of upper limb	3	2	5	0.0000%
D16.1 Benign neoplasm of short bones of upper limb	0	2	2	0.0000%
D16.4 Benign neoplasm of bones of skull and face	2	11	13	0.0000%
D16.5 Benign neoplasm of lower jaw bone	0	12	12	0.0000%
D16.6 Benign neoplasm of vertebral column	22	186	208	0.0004%
D16.9 Benign neoplasm of bone and articular cartilage, unsp	1	8	9	0.0000%
D17.0 Benign lipomatous neop skin/subcut tis head face & neck	25	41	66	0.0001%
D17.1 Benign lipomatous neoplasm skin and subcut tissue of trunk	91	156	247	0.0005%
D17.2 Benign lipomatous neoplasm skin and subcut tissue of limbs	38	131	169	0.0003%
D17.3 Benign lipomatous neop skin/subcut tis other/unspec sites	7	11	18	0.0000%
D17.4 Benign lipomatous neoplasm of intrathoracic organs	14	10	24	0.0000%
D17.5 Benign lipomatous neoplasm of intra-abdominal organs	1	1	2	0.0000%
D17.7 Benign lipomatous neoplasm of other sites	9	11	20	0.0000%
D17.9 Benign lipomatous neoplasm, unspecified	10	43	53	0.0001%
D18.0 Haemangioma, any site	103	248	351	0.0007%
D18.1 Lymphangioma, any site	10	23	33	0.0001%
D19.0 Benign neoplasm of mesothelial tissue of pleura	2	2	4	0.0000%
D21.0 Benign neoplasm of conn & soft tiss of head, face and neck	16	92	108	0.0002%
D21.1 Benign neoplasm of conn & soft tiss of upp limb inc should	7	17	24	0.0000%
D21.2 Benign neoplasm of conn & soft tiss of lower limb, inc hip	8	21	29	0.0001%
D21.3 Benign neoplasm of conn & soft tiss of thorax	3	13	16	0.0000%
D21.4 Benign neoplasm of conn & soft tiss of abdomen	2	18	20	0.0000%
D21.5 Benign neoplasm of conn & soft tiss of pelvis	2	19	21	0.0000%
D21.6 Benign neoplasm of conn & soft tiss of trunk, unspecified	0	2	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D21.9	11	71	82	0.0002%
D22.0	9	35	44	0.0001%
D22.1	15	24	39	0.0001%
D22.2	6	17	23	0.0000%
D22.3	178	376	554	0.0011%
D22.4	48	98	146	0.0003%
D22.5	124	298	422	0.0008%
D22.6	30	78	108	0.0002%
D22.7	34	89	123	0.0002%
D22.9	217	243	460	0.0009%
D23.0	9	6	15	0.0000%
D23.1	287	282	571	0.0011%
D23.2	4	15	19	0.0000%
D23.3	60	119	179	0.0003%
D23.4	12	56	68	0.0001%
D23.5	30	82	112	0.0002%
D23.6	17	64	81	0.0002%
D23.7	35	132	167	0.0003%
D23.9	180	170	350	0.0007%
D24.X	2,684	1,480	4,164	0.0080%
D25.1	0	1	1	0.0000%
D25.9	25	69	94	0.0002%
D26.0	38	9	47	0.0001%
D26.1	1	0	1	0.0000%
D26.9	1	5	6	0.0000%
D27.X	6	63	69	0.0001%
D28.0	2	10	12	0.0000%
D28.1	0	1	1	0.0000%
D28.7	0	1	1	0.0000%
D28.9	2	0	2	0.0000%
D29.1	6	22	28	0.0001%
D29.2	5	19	24	0.0000%
D29.4	0	4	4	0.0000%
D30.0	2	21	23	0.0000%
D30.3	11	43	54	0.0001%
D30.9	1	0	1	0.0000%
D31.0	2	18	20	0.0000%
D31.2	11	51	62	0.0001%
D31.3	33	131	164	0.0003%
D31.4	5	14	19	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D31.5 Benign neoplasm of lacrimal gland and duct	3	2	5	0.0000%
D31.6 Benign neoplasm of orbit, unspecified	1	10	11	0.0000%
D31.9 Benign neoplasm of eye, unspecified	6	4	10	0.0000%
D32.0 Benign neoplasm of cerebral meninges	72	476	548	0.0011%
D32.1 Benign neoplasm of spinal meninges	1	6	7	0.0000%
D32.9 Benign neoplasm of meninges, unspecified	4	10	14	0.0000%
D33.0 Benign neoplasm of brain, supratentorial	6	32	38	0.0001%
D33.1 Benign neoplasm of brain, infratentorial	1	0	1	0.0000%
D33.2 Benign neoplasm of brain, unspecified	94	893	987	0.0019%
D33.3 Benign neoplasm of cranial nerves	11	22	33	0.0001%
D33.9 Benign neoplasm of central nervous system, unspecified	0	1	1	0.0000%
D34.X Benign neoplasm of thyroid gland	2	19	21	0.0000%
D35.0 Benign neoplasm of adrenal gland	5	55	60	0.0001%
D35.2 Benign neoplasm of pituitary gland	33	689	722	0.0014%
D35.6 Benign neoplasm of aortic body and other paraganglia	0	5	5	0.0000%
D36.0 Benign neoplasm of lymph nodes	1	0	1	0.0000%
D36.1 Benign neoplasm of periph nerves & autonomic nervous system	15	40	55	0.0001%
D36.7 Benign neoplasm of other specified sites	11	80	91	0.0002%
D36.9 Benign neoplasm of unspecified site	0	6	6	0.0000%
D37.0 Neoplasm uncert / unkn behav lip, oral cavity and pharynx	3	39	42	0.0001%
D37.1 Neoplasm uncert / unkn behav stomach	12	96	110	0.0002%
D37.2 Neoplasm uncert / unkn behav small intestine	3	32	37	0.0001%
D37.3 Neoplasm uncert / unkn behav appendix	0	5	5	0.0000%
D37.4 Neoplasm uncert / unkn behav colon	8	16	25	0.0000%
D37.5 Neoplasm uncert / unkn behav rectum	18	14	32	0.0001%
D37.6 Neo uncert / unkn behav liver, gallbladder and bile ducts	2	16	18	0.0000%
D37.7 Neoplasm uncert / unkn behav other digestive organs	8	36	44	0.0001%
D37.9 Neoplasm uncert / unkn behav digestive organ, unspecified	2	41	43	0.0001%
D38.1 Neoplasm uncert / unkn behav trachea, bronchus and lung	3	25	29	0.0001%
D38.4 Neoplasm uncert / unkn behav thymus	6	1	7	0.0000%
D38.5 Neoplasm uncert / unkn behav other respiratory organs	2	3	5	0.0000%
D38.6 Neoplasm uncert / unkn behav respiratory organ, unspecified	1	1	2	0.0000%
D39.0 Neoplasm uncert / unkn behav uterus	1	7	8	0.0000%
D39.1 Neoplasm uncert / unkn behav ovary	10	180	190	0.0004%
D39.2 Neoplasm uncert / unkn behav placenta	0	11	11	0.0000%
D39.7 Neoplasm uncert / unkn behav other female genital organs	1	5	6	0.0000%
D39.9 Neoplasm uncert / unkn behav female genital organ, unsp	1	0	1	0.0000%
D40.0 Neoplasm uncert / unkn behav prostate	3	11	14	0.0000%
D40.1 Neoplasm uncert / unkn behav testis	3	28	31	0.0001%
D41.0 Neoplasm uncert / unkn behav kidney	0	3	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D41.1	0	1	1	0.0000%
D41.2	1	2	3	0.0000%
D41.3	2	2	4	0.0000%
D41.4	44	146	190	0.0004%
D41.9	0	1	1	0.0000%
D42.0	3	29	32	0.0001%
D43.0	1	7	8	0.0000%
D43.1	1	7	8	0.0000%
D43.2	24	61	85	0.0002%
D43.4	2	5	7	0.0000%
D43.9	1	0	1	0.0000%
D44.2	1	1	2	0.0000%
D44.3	70	359	429	0.0008%
D44.4	9	138	147	0.0003%
D44.5	0	16	16	0.0000%
D44.6	0	1	1	0.0000%
D44.7	0	12	12	0.0000%
D44.8	1	18	19	0.0000%
D44.9	1	0	1	0.0000%
D45.X	16	626	642	0.0012%
D46.0	0	16	16	0.0000%
D46.1	0	26	26	0.0001%
D46.2	0	14	14	0.0000%
D46.3	0	1	1	0.0000%
D46.4	0	15	15	0.0000%
D46.7	0	34	34	0.0001%
D46.9	13	638	653	0.0013%
D47.1	3	199	202	0.0004%
D47.2	9	150	168	0.0003%
D47.3	3	314	319	0.0006%
D47.9	7	200	207	0.0004%
D48.0	2	11	13	0.0000%
D48.1	25	294	319	0.0006%
D48.2	1	31	32	0.0001%
D48.3	4	26	30	0.0001%
D48.4	1	8	9	0.0000%
D48.5	147	233	380	0.0007%
D48.6	1,417	469	1,886	0.0036%
D48.7	11	94	105	0.0002%
D48.9	59	297	356	0.0007%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D50.0 Iron deficiency anaemia secondary to blood loss (chronic)	2	19	21	0.0000%
D50.8 Other iron deficiency anaemias	84	75	170	0.0003%
D50.9 Iron deficiency anaemia, unspecified	295	1,023	1,328	0.0026%
D51.0 Vitamin B12 defic anaemia due to intrinsic factor deficiency	0	11	11	0.0000%
D51.3 Other dietary vitamin B12 deficiency anaemia	1	0	1	0.0000%
D51.9 Vitamin B12 deficiency anaemia, unspecified	2	3	5	0.0000%
D52.9 Folate deficiency anaemia, unspecified	3	20	27	0.0001%
D53.1 Other megaloblastic anaemias, not elsewhere classified	0	1	1	0.0000%
D53.9 Nutritional anaemia, unspecified	2	2	4	0.0000%
D56.0 Alpha thalassaemia	0	2	2	0.0000%
D56.1 Beta thalassaemia	2	67	69	0.0001%
D56.3 Thalassaemia trait	3	5	8	0.0000%
D56.4 Hereditary persistence of fetal haemoglobin [HPFH]	0	1	1	0.0000%
D56.9 Thalassaemia, unspecified	1	29	30	0.0001%
D57.0 Sickle-cell anaemia with crisis	5	8	13	0.0000%
D57.1 Sickle-cell anaemia without crisis	41	89	130	0.0003%
D57.2 Double heterozygous sickling disorders	0	1	1	0.0000%
D57.3 Sickle-cell trait	1	0	1	0.0000%
D57.8 Other sickle-cell disorders	1	1	2	0.0000%
D58.0 Hereditary spherocytosis	13	7	26	0.0001%
D58.2 Other haemoglobinopathies	2	1	3	0.0000%
D58.8 Other specified hereditary haemolytic anaemias	0	12	12	0.0000%
D58.9 Hereditary haemolytic anaemia, unspecified	0	3	3	0.0000%
D59.0 Drug-induced autoimmune haemolytic anaemia	0	1	1	0.0000%
D59.1 Other autoimmune haemolytic anaemias	3	123	130	0.0003%
D59.2 Drug-induced nonautoimmune haemolytic anaemia	0	9	9	0.0000%
D59.4 Other nonautoimmune haemolytic anaemias	0	2	2	0.0000%
D59.5 Paroxysmal nocturnal haemoglobinuria [Marchiafava-Micheli]	0	11	11	0.0000%
D59.9 Acquired haemolytic anaemia, unspecified	1	1	2	0.0000%
D60.9 Acquired pure red cell aplasia, unspecified	0	2	2	0.0000%
D61.0 Constitutional aplastic anaemia	9	9	18	0.0000%
D61.2 Aplastic anaemia due to other external agents	0	1	1	0.0000%
D61.3 Idiopathic aplastic anaemia	0	12	12	0.0000%
D61.9 Aplastic anaemia, unspecified	8	170	178	0.0003%
D62.X Acute posthaemorrhagic anaemia	1	0	1	0.0000%
D64.3 Other sideroblastic anaemias	0	13	13	0.0000%
D64.4 Congenital dyserythropoietic anaemia	0	9	9	0.0000%
D64.8 Other specified anaemias	4	12	16	0.0000%
D64.9 Anaemia, unspecified	908	768	1,692	0.0033%
D66.X Hereditary factor VIII deficiency	4	17	21	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D67.X Hereditary factor IX deficiency	0	5	5	0.0000%
D68.0 Von Willebrand's disease	3	9	12	0.0000%
D68.1 Hereditary factor XI deficiency	0	2	2	0.0000%
D68.2 Hereditary deficiency of other clotting factors	2	1	3	0.0000%
D68.8 Other specified coagulation defects	2	74	76	0.0001%
D68.9 Coagulation defect, unspecified	1	2	3	0.0000%
D69.0 Allergic purpura	7	12	19	0.0000%
D69.1 Qualitative platelet defects	1	3	4	0.0000%
D69.2 Other nonthrombocytopenic purpura	4	3	7	0.0000%
D69.3 Idiopathic thrombocytopenic purpura	7	264	273	0.0005%
D69.4 Other primary thrombocytopenia	0	4	4	0.0000%
D69.5 Secondary thrombocytopenia	0	2	2	0.0000%
D69.6 Thrombocytopenia, unspecified	22	146	201	0.0004%
D70.X Agranulocytosis	21	132	163	0.0003%
D72.1 Eosinophilia	0	22	22	0.0000%
D72.8 Other specified disorders of white blood cells	9	45	65	0.0001%
D73.1 Hypersplenism	0	18	18	0.0000%
D73.4 Cyst of spleen	1	0	1	0.0000%
D73.9 Disease of spleen, unspecified	1	4	5	0.0000%
D75.0 Familial erythrocytosis	3	225	228	0.0004%
D75.1 Secondary polycythaemia	4	128	132	0.0003%
D75.2 Essential thrombocytosis	5	79	85	0.0002%
D75.8 Other specified diseases of blood and blood-forming organs	2	25	27	0.0001%
D75.9 Disease of blood and blood-forming organs, unspecified	2	142	144	0.0003%
D76.0 Langerhans' cell histiocytosis, not elsewhere classified	3	24	27	0.0001%
D76.1 Haemophagocytic lymphohistiocytosis	0	1	1	0.0000%
D76.3 Other histiocytosis syndromes	4	18	22	0.0000%
D80.0 Hereditary hypogammaglobulinaemia	0	10	10	0.0000%
D80.1 Nonfamilial hypogammaglobulinaemia	1	96	97	0.0002%
D80.2 Selective deficiency of immunoglobulin A [IgA]	1	7	8	0.0000%
D80.3 Selective deficiency of immunoglobulin G [IgG] subclasses	0	3	3	0.0000%
D80.4 Selective deficiency of immunoglobulin M [IgM]	0	9	9	0.0000%
D80.5 immunodeficiency with increased immunoglobulin M [IgM]	0	1	1	0.0000%
D80.6 Antibod def with near-norm imunoglob/hyperimmunoglobulinaem	0	3	3	0.0000%
D80.8 Other immunodeficiencies with predominantly antibody defects	0	1	1	0.0000%
D80.9 immunodeficiency with predominantly antibody defects,unspec	0	5	5	0.0000%
D82.0 Wiskott-Aldrich syndrome	0	1	1	0.0000%
D82.1 Di George's syndrome	1	2	3	0.0000%
D82.3 Immunodef follow hereditary defect respon Epstein-Barr vir	2	7	9	0.0000%
D82.9 immunodeficiency associated with major defect, unspecified	1	5	6	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
D83.8 Other common variable immunodeficiencies	0	2	2	0.0000%
D83.9 Common variable immunodeficiency, unspecified	1	59	60	0.0001%
D84.1 Defects in the complement system	1	1	2	0.0000%
D84.8 Other specified immunodeficiencies	0	6	6	0.0000%
D84.9 immunodeficiency, unspecified	3	18	21	0.0000%
D86.0 Sarcoidosis of lung	5	41	46	0.0001%
D86.3 Sarcoidosis of skin	2	9	11	0.0000%
D86.8 Sarcoidosis of other and combined sites	2	14	16	0.0000%
D86.9 Sarcoidosis, unspecified	20	117	138	0.0003%
D89.0 Polyclonal hypergammaglobulinaemia	0	6	6	0.0000%
D89.1 Cryoglobulinaemia	1	18	19	0.0000%
D89.2 Hypergammaglobulinaemia, unspecified	6	76	100	0.0002%
D89.8 Oth specified disorders involving the immune mechanism NEC	1	0	1	0.0000%
D89.9 Disorder involving the immune mechanism, unspecified	1	13	14	0.0000%
E01.8 Other iodine-def-related thyroid disorders and allied conds	1	14	15	0.0000%
E03.0 Congenital hypothyroidism with diffuse goitre	1	9	10	0.0000%
E03.1 Congenital hypothyroidism without goitre	6	12	18	0.0000%
E03.2 Hypothyroidism due medicaments and oth exogenous substances	0	1	1	0.0000%
E03.8 Other specified hypothyroidism	1	3	4	0.0000%
E03.9 Hypothyroidism, unspecified	39	89	128	0.0002%
E04.0 Nontoxic diffuse goitre	2	0	2	0.0000%
E04.1 Nontoxic single thyroid nodule	24	74	98	0.0002%
E04.2 Nontoxic multinodular goitre	13	52	65	0.0001%
E04.8 Other specified nontoxic goitre	1	3	4	0.0000%
E04.9 Nontoxic goitre, unspecified	18	48	66	0.0001%
E05.0 Thyrotoxicosis with diffuse goitre	90	568	658	0.0013%
E05.2 Thyrotoxicosis with toxic multinodular goitre	8	69	77	0.0001%
E05.3 Thyrotoxicosis from ectopic thyroid tissue	0	1	1	0.0000%
E05.8 Other thyrotoxicosis	0	2	2	0.0000%
E05.9 Thyrotoxicosis, unspecified	69	588	657	0.0013%
E06.0 Acute thyroiditis	13	75	89	0.0002%
E06.2 Chronic thyroiditis with transient thyrotoxicosis	1	2	3	0.0000%
E06.3 Autoimmune thyroiditis	1	6	7	0.0000%
E06.9 Thyroiditis, unspecified	0	5	5	0.0000%
E07.8 Other specified disorders of thyroid	10	64	74	0.0001%
E07.9 Disorder of thyroid, unspecified	92	126	219	0.0004%
E10.0 Insulin-dependent diabetes mellitus with coma	0	2	2	0.0000%
E10.1 Insulin-dependent diabetes mellitus with ketoacidosis	10	1	11	0.0000%
E10.2 Insulin-dependent diabetes mellitus with renal complications	0	1	1	0.0000%
E10.3 Insulin-dependent diabetes mellitus with ophthalmic comps	99	1,225	1,324	0.0025%

Primary diagnosis*NHS Hospitals, England, 2006-07*

Primary diagnosis		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
NHS Hospitals, England, 2006-07					
E10.4	Insulin-dependent diabetes mellitus with neurological comps	5	3	8	0.0000%
E10.5	Insulin-dependent diabetes mellitus with periph circ comps	3	41	44	0.0001%
E10.6	Insulin-dependent diabetes mellitus with other spec comps	0	15	15	0.0000%
E10.7	Insulin-dependent diabetes mellitus with multiple comps	0	1	1	0.0000%
E10.8	Insulin-dependent diabetes mellitus with unspec comps	5	258	263	0.0005%
E10.9	Insulin-dependent diabetes mellitus without complications	37	411	448	0.0009%
E11.1	Non-insulin-dependent diabetes mellitus with ketoacidosis	0	1	1	0.0000%
E11.3	Non-insulin-dependent diabetes mellitus with ophthalm comps	222	2,496	2,718	0.0052%
E11.4	Non-insulin-dependent diabetes mellitus with neuro comps	6	19	25	0.0000%
E11.5	Non-insulin-depend diabetes mellitus with periph circ comp	1	20	21	0.0000%
E11.6	Non-insulin-depend diabetes mellitus with other spec comp	1	6	7	0.0000%
E11.7	Non-insulin-dependent diabetes mellitus with multiple comps	0	1	1	0.0000%
E11.8	Non-insulin-dependent diabetes mellitus with unspec comps	2	46	48	0.0001%
E11.9	Non-insulin-depend diabetes mellitus without complication	28	272	300	0.0006%
E14.0	Unspecified diabetes mellitus with coma	1	0	1	0.0000%
E14.1	Unspecified diabetes mellitus with ketoacidosis	0	7	7	0.0000%
E14.2	Unspecified diabetes mellitus with renal complications	53	171	224	0.0004%
E14.3	Unspecified diabetes mellitus with ophthalmic complications	898	8,630	9,532	0.0184%
E14.4	Unspecified diabetes mellitus with neurological comps	10	9	19	0.0000%
E14.5	Unspecified diabetes mellitus with periph circulatory comps	0	2	2	0.0000%
E14.6	Unspecified diabetes mellitus with other specified comps	94	1,075	1,170	0.0023%
E14.8	Unspecified diabetes mellitus with unspecified complications	1	4	5	0.0000%
E14.9	Unspecified diabetes mellitus without complications	33	1,599	1,632	0.0031%
E16.0	Drug-induced hypoglycaemia without coma	3	0	3	0.0000%
E16.1	Other hypoglycaemia	0	1	1	0.0000%
E16.2	Hypoglycaemia, unspecified	8	15	23	0.0000%
E21.0	Primary hyperparathyroidism	0	10	10	0.0000%
E21.3	Hyperparathyroidism, unspecified	2	32	34	0.0001%
E21.5	Disorder of parathyroid gland, unspecified	2	2	4	0.0000%
E22.0	Acromegaly and pituitary gigantism	3	49	52	0.0001%
E22.1	Hyperprolactinaemia	10	36	46	0.0001%
E22.9	Hyperfunction of pituitary gland, unspecified	0	1	1	0.0000%
E23.0	Hypopituitarism	2	19	21	0.0000%
E23.2	Diabetes insipidus	2	6	8	0.0000%
E23.6	Other disorders of pituitary gland	5	16	21	0.0000%
E23.7	Disorder of pituitary gland, unspecified	0	11	11	0.0000%
E24.0	Pituitary-dependent Cushing's disease	1	8	9	0.0000%
E24.1	Nelson's syndrome	0	1	1	0.0000%
E24.9	Cushing's syndrome, unspecified	4	6	10	0.0000%
E25.0	Congenital adrenogenital disorders associated enzyme def	2	1	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
E25.8	4	3	7	0.0000%
E26.0	0	1	1	0.0000%
E26.8	4	2	6	0.0000%
E26.9	1	0	1	0.0000%
E27.0	4	4	8	0.0000%
E27.1	3	10	13	0.0000%
E27.4	1	3	4	0.0000%
E27.9	0	6	6	0.0000%
E28.2	14	24	38	0.0001%
E28.3	2	6	8	0.0000%
E29.1	3	62	65	0.0001%
E29.9	1	1	2	0.0000%
E30.0	1	7	8	0.0000%
E30.1	3	4	7	0.0000%
E30.8	3	2	5	0.0000%
E30.9	5	5	10	0.0000%
E34.0	0	7	7	0.0000%
E34.3	23	25	48	0.0001%
E34.4	1	0	1	0.0000%
E34.8	23	52	75	0.0001%
E34.9	9	40	49	0.0001%
E51.2	2	0	2	0.0000%
E53.8	5	3	8	0.0000%
E53.9	1	0	1	0.0000%
E55.0	4	3	7	0.0000%
E55.9	1	3	4	0.0000%
E61.1	5	2	7	0.0000%
E63.9	0	2	2	0.0000%
E64.9	0	6	6	0.0000%
E65.X	36	47	83	0.0002%
E66.0	3	2	5	0.0000%
E66.1	0	1	1	0.0000%
E66.8	2	0	2	0.0000%
E66.9	12	24	36	0.0001%
E70.0	0	1	1	0.0000%
E70.1	0	1	1	0.0000%
E70.2	1	0	1	0.0000%
E70.3	3	6	9	0.0000%
E71.3	1	0	1	0.0000%
E72.0	0	5	5	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

Primary diagnosis		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
NHS Hospitals, England, 2006-07					
E73.9	Lactose intolerance, unspecified	0	1	1	0.0000%
E74.0	Glycogen storage disease	1	1	2	0.0000%
E75.5	Other lipid storage disorders	2	0	2	0.0000%
E76.0	Mucopolysaccharidosis, type I	0	79	79	0.0002%
E76.2	Other mucopolysaccharidoses	0	1	1	0.0000%
E77.0	Defects in post-translational modif'n of lysosomal enzymes	0	4	4	0.0000%
E77.1	Defects in glycoprotein degradation	0	2	2	0.0000%
E78.0	Pure hypercholesterolaemia	1	7	8	0.0000%
E78.5	Hyperlipidaemia, unspecified	0	2	2	0.0000%
E78.8	Other disorders of lipoprotein metabolism	0	1	1	0.0000%
E79.0	Hyperuricaem without sign inflamm arthritis+tophaceous dis	3	9	12	0.0000%
E80.1	Porphyria cutanea tarda	1	18	19	0.0000%
E80.2	Other porphyria	0	4	4	0.0000%
E80.4	Gilbert's syndrome	2	0	2	0.0000%
E80.6	Other disorders of bilirubin metabolism	1	1	2	0.0000%
E83.0	Disorders of copper metabolism	3	0	3	0.0000%
E83.1	Disorders of iron metabolism	9	450	459	0.0009%
E83.3	Disorders of phosphorus metabolism	1	8	9	0.0000%
E83.4	Disorders of magnesium metabolism	0	16	16	0.0000%
E83.5	Disorders of calcium metabolism	5	17	22	0.0000%
E84.0	Cystic fibrosis with pulmonary manifestations	1	68	69	0.0001%
E84.1	Cystic fibrosis with intestinal manifestations	0	13	13	0.0000%
E84.9	Cystic fibrosis, unspecified	103	895	998	0.0019%
E85.0	Non-neuropathic heredofamilial amyloidosis	1	5	6	0.0000%
E85.2	Heredofamilial amyloidosis, unspecified	0	1	1	0.0000%
E85.4	Organ-limited amyloidosis	1	0	1	0.0000%
E85.9	Amyloidosis, unspecified	4	26	30	0.0001%
E86.X	Volume depletion	10	5	15	0.0000%
E87.1	Hypo-osmolality and hyponatraemia	3	4	7	0.0000%
E87.2	Acidosis	14	1	15	0.0000%
E87.3	Alkalosis	0	1	1	0.0000%
E87.5	Hyperkalaemia	1	7	8	0.0000%
E87.6	Hypokalaemia	0	1	1	0.0000%
E87.7	Fluid overload	1	0	1	0.0000%
E88.0	Disorders of plasma-protein metabolism NEC	1	1	2	0.0000%
E88.1	Lipodystrophy, not elsewhere classified	0	1	1	0.0000%
E88.2	Lipomatosis, not elsewhere classified	1	6	7	0.0000%
E88.9	Metabolic disorder, unspecified	3	3	6	0.0000%
E89.0	Postprocedural hypothyroidism	0	8	8	0.0000%
E89.1	Postprocedural hypoinsulinaemia	0	3	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
E89.3	0	3	3	0.0000%
E89.4	0	23	23	0.0000%
E89.5	0	5	5	0.0000%
F00.0	67	329	396	0.0008%
F00.1	275	1,066	1,341	0.0026%
F00.2	79	339	418	0.0008%
F00.9	69	142	211	0.0004%
F01.0	73	159	232	0.0004%
F01.1	143	238	381	0.0007%
F01.2	11	42	53	0.0001%
F01.3	50	87	137	0.0003%
F01.8	2	7	9	0.0000%
F01.9	236	507	743	0.0014%
F02.0	6	64	70	0.0001%
F02.2	2	4	6	0.0000%
F02.3	38	99	137	0.0003%
F02.4	0	1	1	0.0000%
F02.8	32	30	62	0.0001%
F03.X	304	420	724	0.0014%
F04.X	8	10	18	0.0000%
F05.0	12	7	19	0.0000%
F05.1	1	2	3	0.0000%
F05.8	1	0	1	0.0000%
F05.9	10	20	30	0.0001%
F06.0	33	53	86	0.0002%
F06.1	2	3	5	0.0000%
F06.2	20	64	84	0.0002%
F06.3	28	71	99	0.0002%
F06.4	3	20	23	0.0000%
F06.5	0	3	3	0.0000%
F06.6	0	2	2	0.0000%
F06.7	81	246	327	0.0006%
F06.8	3	20	23	0.0000%
F06.9	11	32	43	0.0001%
F07.0	24	91	115	0.0002%
F07.1	1	4	5	0.0000%
F07.2	6	16	22	0.0000%
F07.8	15	9	24	0.0000%
F07.9	13	17	30	0.0001%
F09.X	71	28	99	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F10.0 Mental & behav dis due to use of alcohol: acute intoxication	55	280	335	0.0006%
F10.1 Mental and behav dis due to use of alcohol: harmful use	103	166	269	0.0005%
F10.2 Mental and behav dis due to use of alcohol: dependence synd	714	1,157	1,871	0.0036%
F10.3 Mental and behav dis due to use of alcohol: withdrawal state	13	17	30	0.0001%
F10.4 Men & behav dis due alcohol: withdrawl state with delirium	6	5	11	0.0000%
F10.5 Mental & behav dis due to use of alcohol: psychotic disorder	35	70	105	0.0002%
F10.6 Mental and behav dis due to use of alcohol: amnesic syndrome	17	52	69	0.0001%
F10.7 Men & behav dis due use alc: resid & late-onset psychot dis	2	26	28	0.0001%
F10.8 Men & behav dis due to use of alcohol: oth men & behav dis	3	2	5	0.0000%
F10.9 Ment & behav dis due use alcohol: unsp ment & behav dis	94	115	210	0.0004%
F11.0 Mental & behav dis due to use of opiods; acute intoxication	24	26	50	0.0001%
F11.1 Mental & behav dis due to use of opiods; harmful use	9	10	19	0.0000%
F11.2 Mental & behav dis due to use of opiods; dependence syndrome	774	1,300	2,074	0.0040%
F11.3 Mental & behav dis due to use of opiods; withdrawal state	2	5	7	0.0000%
F11.4 Men & behav dis due opiods; withdrawl state with delirium	0	2	2	0.0000%
F11.5 Mental & behav dis due to use of opiods; psychotic disorder	3	6	9	0.0000%
F11.8 Men & behav dis due to use of opiods; other men & behav dis	1	1	2	0.0000%
F11.9 Mental & behav dis due use opiods; unsp mental & behav dis	126	73	199	0.0004%
F12.0 Mental & behav dis due use cannabinoids; acute intoxication	13	43	56	0.0001%
F12.1 Mental & behav dis due use cannabinoids; harmful use	24	56	80	0.0002%
F12.2 Mental & behav dis due use cannabinoids; dependence syndrome	16	12	28	0.0001%
F12.3 Mental & behav dis due use cannabinoids; withdrawal state	0	1	1	0.0000%
F12.5 Mental & behav dis due use cannabinoids; psychotic disorder	27	78	105	0.0002%
F12.6 Mental & behav dis due use cannabinoids; amnesic syndrome	1	0	1	0.0000%
F12.9 Mental & behav dis due cannabinoids; unsp mental & behav dis	14	19	33	0.0001%
F13.0 Men & behav dis due use seds/hypnotics: acute intoxication	9	1	10	0.0000%
F13.1 Men & behav dis due use seds/hypnotics: harmful use	1	3	4	0.0000%
F13.2 Men & behav dis due use seds/hypnotics: dependence syndrome	4	27	31	0.0001%
F13.3 Men & behav dis due use seds/hypnotics: withdrawal state	0	1	1	0.0000%
F13.5 Men & behav dis due use seds/hypnotics: psychotic disorder	0	6	6	0.0000%
F13.9 Men & behav dis due seds/hypnotics: unsp men & behav dis	1	6	7	0.0000%
F14.0 Mental & behav dis due use cocaine: acute intoxication	3	11	14	0.0000%
F14.1 Mental & behav dis due use cocaine: harmful use	6	5	11	0.0000%
F14.2 Mental & behav dis due use cocaine: dependence syndrome	3	17	20	0.0000%
F14.5 Mental & behav dis due use cocaine: psychotic disorder	2	7	9	0.0000%
F14.8 Mental & behav dis due use cocaine: other mental & behav dis	1	1	2	0.0000%
F14.9 Mental & behav dis due use cocaine: unsp mental & behav dis	6	4	10	0.0000%
F15.0 Men & behav dis due oth stims inc cafein: acute intoxication	6	7	13	0.0000%
F15.1 Men & behav dis due use oth stims inc caffeine: harmful use	4	17	21	0.0000%
F15.2 Men & behav dis due oth stims inc caffeine: dependence synd	14	40	54	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F15.5 Men & behav dis due oth stims inc caffeine: psychotic dis	7	22	29	0.0001%
F15.7 Men&beh dis due oth stims inc caff:res & late-ons psych dis	0	1	1	0.0000%
F15.9 Men & beh dis due oth stims inc caffeine: unsp men & beh dis	2	2	4	0.0000%
F16.0 Men & behav dis due use hallucinogens: acute intoxication	3	6	9	0.0000%
F16.5 Men & behav dis due use hallucinogens: psychotic disorder	2	3	5	0.0000%
F16.8 Men & behav dis due use hallucinogens: oth men & behav dis	3	0	3	0.0000%
F17.1 Men & behav dis due use tobacco: harmful use	1	0	1	0.0000%
F18.0 Men & behav dis due use volatil solvs: acute intoxication	1	0	1	0.0000%
F18.1 Men & behav dis due use volatil solvs: harmful use	1	1	2	0.0000%
F18.2 Men & behav dis due use volatil solvs: dependence syndrome	0	1	1	0.0000%
F19.0 Men & behav dis multiple/psychoact drug: acute intox	22	75	97	0.0002%
F19.1 Men & behav dis multiple/psychoact drug: harmful use	19	48	67	0.0001%
F19.2 Men & behav dis multiple/psychoact drug: dependence syndrome	38	156	194	0.0004%
F19.3 Men & behav dis multiple/psychoact drug: withdrawal state	1	0	1	0.0000%
F19.4 Men & behav dis multiple/psychoact drug: withdrawal stat + de	0	3	3	0.0000%
F19.5 Men & behav dis multiple/psychoact drug: psychotic disorder	49	152	201	0.0004%
F19.6 Men & behav dis multiple/psychoact drug: amnesic syndrome	1	1	2	0.0000%
F19.7 Men & behav dis multiple/psychoact drug: res & late-ons psy	14	9	23	0.0000%
F19.8 Men & behav dis multiple/psychoact drug: oth men & behav dis	4	10	14	0.0000%
F19.9 Men & behav dis multiple/psychoact drug: unsp men & behav di	49	32	81	0.0002%
F20.0 Paranoid schizophrenia	2,493	12,172	14,665	0.0282%
F20.1 Hebephrenic schizophrenia	70	396	466	0.0009%
F20.2 Catatonic schizophrenia	13	86	99	0.0002%
F20.3 Undifferentiated schizophrenia	73	206	279	0.0005%
F20.4 Post-schizophrenic depression	20	127	147	0.0003%
F20.5 Residual schizophrenia	59	467	526	0.0010%
F20.6 Simple schizophrenia	8	81	89	0.0002%
F20.8 Other schizophrenia	22	52	74	0.0001%
F20.9 Schizophrenia, unspecified	1,184	9,076	10,260	0.0198%
F21.X Schizotypal disorder	32	113	145	0.0003%
F22.0 Delusional disorder	200	986	1,186	0.0023%
F22.8 Other persistent delusional disorders	8	23	31	0.0001%
F22.9 Persistent delusional disorder, unspecified	27	145	172	0.0003%
F23.0 Acute polymorphic psychot disord without symp of schizoph'a	72	176	248	0.0005%
F23.1 Acute polymorphic psychot disord with symp of schizophrenia	64	111	175	0.0003%
F23.2 Acute schizophrenia-like psychotic disorder	39	137	176	0.0003%
F23.3 Other acute predominantly delusional psychotic disorders	12	68	80	0.0002%
F23.8 Other acute and transient psychotic disorders	20	42	62	0.0001%
F23.9 Acute and transient psychotic disorder, unspecified	414	1,005	1,419	0.0027%
F24.X Induced delusional disorder	0	10	10	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
F25.0 Schizoaffective disorder, manic type	210	844	1,054	0.0020%
F25.1 Schizoaffective disorder, depressive type	83	564	647	0.0012%
F25.2 Schizoaffective disorder, mixed type	87	327	414	0.0008%
F25.8 Other schizoaffective disorders	0	5	5	0.0000%
F25.9 Schizoaffective disorder, unspecified	391	1,748	2,139	0.0041%
F28.X Other nonorganic psychotic disorders	67	59	126	0.0002%
F29.X Unspecified nonorganic psychosis	148	585	733	0.0014%
F30.0 Hypomania	64	261	325	0.0006%
F30.1 Mania without psychotic symptoms	20	58	78	0.0002%
F30.2 Mania with psychotic symptoms	36	91	127	0.0002%
F30.8 Other manic episodes	1	11	12	0.0000%
F30.9 Manic episode, unspecified	81	215	296	0.0006%
F31.0 Bipolar affective disorder, current episode hypomanic	418	2,325	2,743	0.0053%
F31.1 Bipolar affect disorder cur epi manic without psychotic symp	201	720	921	0.0018%
F31.2 Bipolar affect disorder cur epi manic with psychotic symp	358	894	1,252	0.0024%
F31.3 Bipolar affect disorder cur epi mild or moderate depression	148	1,029	1,177	0.0023%
F31.4 Bipolar affect disorder cur epi sev depres without psyc symp	36	319	355	0.0007%
F31.5 Bipolar affect disorder cur epi severe depres with psyc symp	45	176	221	0.0004%
F31.6 Bipolar affective disorder, current episode mixed	115	423	538	0.0010%
F31.7 Bipolar affective disorder, currently in remission	244	1,921	2,165	0.0042%
F31.8 Other bipolar affective disorders	8	66	74	0.0001%
F31.9 Bipolar affective disorder, unspecified	1,004	5,691	6,695	0.0129%
F32.0 Mild depressive episode	512	1,699	2,211	0.0043%
F32.1 Moderate depressive episode	1,070	3,689	4,759	0.0092%
F32.2 Severe depressive episode without psychotic symptoms	259	1,176	1,435	0.0028%
F32.3 Severe depressive episode with psychotic symptoms	392	1,826	2,218	0.0043%
F32.8 Other depressive episodes	13	84	97	0.0002%
F32.9 Depressive episode, unspecified	1,378	5,857	7,235	0.0139%
F33.0 Recurrent depressive disorder, current episode mild	196	1,353	1,549	0.0030%
F33.1 Recurrent depressive disorder, current episode moderate	565	2,198	2,763	0.0053%
F33.2 Recurrent depress disorder cur epi severe without psyc symp	345	863	1,208	0.0023%
F33.3 Recurrent depress disorder cur epi severe with psyc symp	131	749	880	0.0017%
F33.4 Recurrent depressive disorder, currently in remission	120	928	1,048	0.0020%
F33.8 Other recurrent depressive disorders	6	38	44	0.0001%
F33.9 Recurrent depressive disorder, unspecified	447	2,102	2,549	0.0049%
F34.0 Cyclothymia	39	119	158	0.0003%
F34.1 Dysthymia	80	508	588	0.0011%
F34.8 Other persistent mood [affective] disorders	0	9	10	0.0000%
F34.9 Persistent mood [affective] disorder, unspecified	16	67	83	0.0002%
F38.0 Other single mood [affective] disorders	4	35	39	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F38.1 Other recurrent mood [affective] disorders	5	18	23	0.0000%
F38.8 Other specified mood [affective] disorders	1	16	17	0.0000%
F39.X Unspecified mood [affective] disorder	10	72	82	0.0002%
F40.0 Agoraphobia	51	246	297	0.0006%
F40.1 Social phobias	30	92	122	0.0002%
F40.2 Specific (isolated) phobias	4	6	10	0.0000%
F40.8 Other phobic anxiety disorders	1	3	4	0.0000%
F40.9 Phobic anxiety disorder, unspecified	5	44	49	0.0001%
F41.0 Panic disorder [episodic paroxysmal anxiety]	51	244	295	0.0006%
F41.1 Generalized anxiety disorder	141	742	883	0.0017%
F41.2 Mixed anxiety and depressive disorder	358	1,847	2,205	0.0042%
F41.3 Other mixed anxiety disorders	6	19	25	0.0000%
F41.8 Other specified anxiety disorders	0	6	6	0.0000%
F41.9 Anxiety disorder, unspecified	92	248	340	0.0007%
F42.0 Predominantly obsessional thoughts or ruminations	78	300	378	0.0007%
F42.1 Predominantly compulsive acts [obsessional rituals]	22	132	154	0.0003%
F42.2 Mixed obsessional thoughts and acts	28	149	177	0.0003%
F42.8 Other obsessive-compulsive disorders	2	5	7	0.0000%
F42.9 Obsessive-compulsive disorder, unspecified	58	355	413	0.0008%
F43.0 Acute stress reaction	105	146	251	0.0005%
F43.1 Post-traumatic stress disorder	235	691	926	0.0018%
F43.2 Adjustment disorders	414	856	1,270	0.0024%
F43.8 Other reactions to severe stress	19	14	33	0.0001%
F43.9 Reaction to severe stress, unspecified	24	131	155	0.0003%
F44.0 Dissociative amnesia	2	19	21	0.0000%
F44.1 Dissociative fugue	1	1	2	0.0000%
F44.2 Dissociative stupor	2	4	6	0.0000%
F44.4 Dissociative motor disorders	7	10	17	0.0000%
F44.5 Dissociative convulsions	3	19	22	0.0000%
F44.6 Dissociative anaesthesia and sensory loss	3	1	4	0.0000%
F44.7 Mixed dissociative [conversion] disorders	0	2	2	0.0000%
F44.8 Other dissociative [conversion] disorders	4	6	10	0.0000%
F44.9 Dissociative [conversion] disorder, unspecified	3	28	31	0.0001%
F45.0 Somatization disorder	9	58	67	0.0001%
F45.1 Undifferentiated somatoform disorder	1	8	9	0.0000%
F45.2 Hypochondriacal disorder	10	27	37	0.0001%
F45.3 Somatoform autonomic dysfunction	5	23	28	0.0001%
F45.4 Persistent somatoform pain disorder	6	44	50	0.0001%
F45.8 Other somatoform disorders	80	21	101	0.0002%
F45.9 Somatoform disorder, unspecified	13	11	24	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F48.0	6	14	20	0.0000%
F48.1	4	2	6	0.0000%
F48.8	5	9	14	0.0000%
F48.9	1	22	23	0.0000%
F50.0	74	803	877	0.0017%
F50.1	4	48	52	0.0001%
F50.2	20	80	100	0.0002%
F50.3	1	8	9	0.0000%
F50.4	1	6	7	0.0000%
F50.5	0	5	5	0.0000%
F50.8	1	2	3	0.0000%
F50.9	21	245	266	0.0005%
F51.0	8	11	19	0.0000%
F51.2	1	0	1	0.0000%
F51.3	1	1	2	0.0000%
F51.4	2	0	2	0.0000%
F51.5	0	3	3	0.0000%
F51.9	0	2	2	0.0000%
F52.0	1	9	10	0.0000%
F52.2	95	102	197	0.0004%
F52.3	9	9	18	0.0000%
F52.4	1	1	2	0.0000%
F52.5	0	2	2	0.0000%
F52.7	1	3	4	0.0000%
F53.0	10	36	46	0.0001%
F53.1	4	31	35	0.0001%
F53.9	4	22	26	0.0001%
F54.X	4	0	4	0.0000%
F55.X	2	8	10	0.0000%
F59.X	0	4	4	0.0000%
F60.0	47	177	224	0.0004%
F60.1	16	97	113	0.0002%
F60.2	159	152	311	0.0006%
F60.3	658	2,848	3,506	0.0068%
F60.4	2	11	13	0.0000%
F60.5	2	27	29	0.0001%
F60.6	14	127	141	0.0003%
F60.7	16	84	100	0.0002%
F60.8	11	13	24	0.0000%
F60.9	144	490	634	0.0012%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F61.X Mixed and other personality disorders	14	50	64	0.0001%
F62.0 Enduring personality change after catastrophic experience	2	3	5	0.0000%
F62.8 Other enduring personality changes	1	3	4	0.0000%
F62.9 Enduring personality change, unspecified	1	3	4	0.0000%
F63.1 Pathological fire-setting [pyromania]	0	4	4	0.0000%
F63.8 Other habit and impulse disorders	3	6	9	0.0000%
F63.9 Habit and impulse disorder, unspecified	17	60	77	0.0001%
F64.0 Transsexualism	3	9	12	0.0000%
F64.1 Dual-role transvestism	4	0	4	0.0000%
F64.8 Other gender identity disorders	1	0	1	0.0000%
F64.9 Gender identity disorder, unspecified	3	3	6	0.0000%
F65.4 Paedophilia	1	0	1	0.0000%
F65.5 Sadomasochism	1	0	1	0.0000%
F66.0 Sexual maturation disorder	0	1	1	0.0000%
F68.0 Elaboration of physical symptoms for psychological reasons	0	11	11	0.0000%
F68.1 Intent product/feign of symptom/disab eith physical/psychol	1	8	9	0.0000%
F69.X Unspecified disorder of adult personality and behaviour	15	53	68	0.0001%
F70.0 Mld mental retard with statement no or min impairm behav	24	342	366	0.0007%
F70.1 Mld mental retard sig impairment behav req attent /treat	14	194	208	0.0004%
F70.8 Mild mental retardation, other impairments of behaviour	2	58	60	0.0001%
F70.9 Mild mental retardation without mention of impairment behav	25	337	362	0.0007%
F71.0 Mod mental retard with statement no or min impairm behav	17	147	164	0.0003%
F71.1 Mod mental retard sig impairm of behav req attent /treat	7	171	178	0.0003%
F71.8 Moderate mental retardation, other impairments of behaviour	0	29	29	0.0001%
F71.9 Mod mental retard without mention of impairment of behav	18	248	266	0.0005%
F72.0 Sev mental retard with statement no or min impairm behav	7	146	153	0.0003%
F72.1 Sev mental retard sign impairm behav req attent /treatment	7	246	253	0.0005%
F72.8 Severe mental retardation, other impairments of behaviour	1	1	2	0.0000%
F72.9 Severe mental retard without mention of impairment of behav	12	213	225	0.0004%
F73.0 Prof mental retard with statement no or min impairm behav	1	15	16	0.0000%
F73.1 Prof mental retard sig impairm behav req attent/treatment	0	21	21	0.0000%
F73.8 Profound mental retardation, other impairments of behaviour	0	7	7	0.0000%
F73.9 Profound mental retard without mention of impairm behav	2	14	16	0.0000%
F78.0 Oth mental retard with statment of no or min impairm behav	0	4	4	0.0000%
F79.0 Unspec mental retard with statement no or min impair behav	0	3	3	0.0000%
F79.1 Unspec mental retard sign impairm behav requir attent/treat	0	3	3	0.0000%
F79.9 Unspec mental retard without mention of impairment of behav	25	23	48	0.0001%
F80.1 Expressive language disorder	1	0	1	0.0000%
F80.9 Developmental disorder of speech and language, unspecified	14	26	40	0.0001%
F81.0 Specific reading disorder	0	4	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F81.8 Other developmental disorders of scholastic skills	0	2	2	0.0000%
F81.9 Developmental disorder of scholastic skills, unspecified	18	52	70	0.0001%
F82.X Specific developmental disorder of motor function	2	3	5	0.0000%
F83.X Mixed specific developmental disorders	1	22	23	0.0000%
F84.0 Childhood autism	41	180	221	0.0004%
F84.1 Atypical autism	7	33	40	0.0001%
F84.3 Other childhood disintegrative disorder	0	1	1	0.0000%
F84.5 Asperger's syndrome	123	259	382	0.0007%
F84.8 Other pervasive developmental disorders	2	1	3	0.0000%
F84.9 Pervasive developmental disorder, unspecified	89	280	369	0.0007%
F89.X Unspecified disorder of psychological development	44	152	196	0.0004%
F90.0 Disturbance of activity and attention	39	208	247	0.0005%
F90.1 Hyperkinetic conduct disorder	11	90	101	0.0002%
F90.8 Other hyperkinetic disorders	2	1	3	0.0000%
F90.9 Hyperkinetic disorder, unspecified	228	1,203	1,431	0.0028%
F91.0 Conduct disorder confined to the family context	4	12	16	0.0000%
F91.1 Unsocialized conduct disorder	8	7	15	0.0000%
F91.2 Socialized conduct disorder	25	44	69	0.0001%
F91.3 Oppositional defiant disorder	2	12	14	0.0000%
F91.8 Other conduct disorders	1	1	2	0.0000%
F91.9 Conduct disorder, unspecified	32	159	191	0.0004%
F92.0 Depressive conduct disorder	1	1	2	0.0000%
F92.8 Other mixed disorders of conduct and emotions	4	9	13	0.0000%
F92.9 Mixed disorder of conduct and emotions, unspecified	31	20	51	0.0001%
F93.0 Separation anxiety disorder of childhood	1	0	1	0.0000%
F93.2 Social anxiety disorder of childhood	0	13	13	0.0000%
F93.8 Other childhood emotional disorders	0	3	3	0.0000%
F93.9 Childhood emotional disorder, unspecified	443	1,035	1,478	0.0028%
F94.0 Elective mutism	1	0	1	0.0000%
F94.1 Reactive attachment disorder of childhood	1	0	1	0.0000%
F94.2 Disinhibited attachment disorder of childhood	2	0	2	0.0000%
F94.9 Childhood disorder of social functioning, unspecified	0	3	3	0.0000%
F95.1 Chronic motor or vocal tic disorder	1	2	3	0.0000%
F95.2 Combined vocal multip motor tic disorder [de la Tourette]	9	141	150	0.0003%
F95.8 Other tic disorders	1	0	1	0.0000%
F95.9 Tic disorder, unspecified	6	17	23	0.0000%
F98.1 Nonorganic encopresis	1	56	57	0.0001%
F98.3 Pica of infancy and childhood	1	0	1	0.0000%
F98.8 Ot spc behav emotion disord onst usual ocur childhd adoles	1	5	6	0.0000%
F98.9 Unspec behav emotion disord onst usual ocur childhd adoles	3	0	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
F99.X Mental disorder, not otherwise specified	8,647	67,804	76,451	0.1472%
G00.1 Pneumococcal meningitis	0	1	1	0.0000%
G03.9 Meningitis, unspecified	8	18	26	0.0001%
G04.0 Acute disseminated encephalitis	0	1	1	0.0000%
G04.8 Other encephalitis, myelitis and encephalomyelitis	0	1	1	0.0000%
G04.9 Encephalitis, myelitis and encephalomyelitis, unspecified	10	7	17	0.0000%
G05.1 Encephalitis, myelitis & encephalomyelitis in viral dis CE	1	0	1	0.0000%
G06.0 Intracranial abscess and granuloma	4	8	12	0.0000%
G06.1 Intraspinal abscess and granuloma	1	1	2	0.0000%
G06.2 Extradural and subdural abscess, unspecified	0	3	3	0.0000%
G08.X Intracranial and intraspinal phlebitis and thrombophlebitis	1	3	4	0.0000%
G10.X Huntington's disease	11	297	308	0.0006%
G11.1 Early-onset cerebellar ataxia	3	9	12	0.0000%
G11.3 Cerebellar ataxia with defective DNA repair	1	1	2	0.0000%
G11.4 Hereditary spastic paraplegia	3	10	13	0.0000%
G11.9 Hereditary ataxia, unspecified	7	7	14	0.0000%
G12.1 Other inherited spinal muscular atrophy	0	1	1	0.0000%
G12.2 Motor neuron disease	80	245	326	0.0006%
G12.8 Other spinal muscular atrophies and related syndromes	2	1	3	0.0000%
G12.9 Spinal muscular atrophy, unspecified	6	5	11	0.0000%
G20.X Parkinson's disease	283	838	1,121	0.0022%
G21.1 Other drug-induced secondary parkinsonism	8	3	11	0.0000%
G21.9 Secondary parkinsonism, unspecified	1	0	1	0.0000%
G23.8 Other specified degenerative diseases of basal ganglia	1	0	1	0.0000%
G24.0 Drug-induced dystonia	2	0	2	0.0000%
G24.1 Idiopathic familial dystonia	16	0	16	0.0000%
G24.2 Idiopathic nonfamilial dystonia	1	0	1	0.0000%
G24.3 Spasmodic torticollis	42	534	576	0.0011%
G24.4 Idiopathic orofacial dystonia	2	14	16	0.0000%
G24.5 Blepharospasm	53	442	495	0.0010%
G24.8 Other dystonia	12	18	30	0.0001%
G24.9 Dystonia, unspecified	34	162	196	0.0004%
G25.0 Essential tremor	97	21	118	0.0002%
G25.2 Other specified forms of tremor	5	4	9	0.0000%
G25.3 Myoclonus	7	4	11	0.0000%
G25.4 Drug-induced chorea	0	1	1	0.0000%
G25.5 Other chorea	4	0	4	0.0000%
G25.8 Other specified extrapyramidal and movement disorders	31	13	44	0.0001%
G25.9 Extrapyramidal and movement disorder, unspecified	113	150	263	0.0005%
G30.0 Alzheimer's disease with early onset	30	141	171	0.0003%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
G30.1 Alzheimer's disease with late onset	124	718	842	0.0016%
G30.8 Other Alzheimer's disease	13	43	56	0.0001%
G30.9 Alzheimer's disease, unspecified	10	36	46	0.0001%
G31.0 Circumscribed brain atrophy	2	21	23	0.0000%
G31.2 Degeneration of nervous system due to alcohol	1	1	2	0.0000%
G31.8 Other specified degenerative diseases of nervous system	12	43	55	0.0001%
G31.9 Degenerative disease of nervous system, unspecified	11	6	17	0.0000%
G35.X Multiple sclerosis	366	1,434	1,800	0.0035%
G36.0 Neuromyelitis optica [Devic]	6	3	9	0.0000%
G36.8 Other specified acute disseminated demyelination	0	1	1	0.0000%
G37.3 Acute transverse myelitis in demyelinating disease of CNS	3	4	7	0.0000%
G37.9 Demyelinating disease of central nervous system, unspecified	16	19	35	0.0001%
G40.0 Loc-rel(foc)(part)idiop epilep/ epileptic syn seiz locl ons	13	90	103	0.0002%
G40.1 Loc-rel(foc)(part)symp epilep/ epileptic syn simple part seiz	214	924	1,138	0.0022%
G40.2 Loc-rel(foc)(part)symp epilep/epileptic syn complex part seiz	124	396	520	0.0010%
G40.3 Generalized idiopathic epilepsy and epileptic syndromes	117	411	528	0.0010%
G40.4 Other generalized epilepsy and epileptic syndromes	1	2	3	0.0000%
G40.7 Petit mal, unspecified, without grand mal seizures	0	1	1	0.0000%
G40.8 Other epilepsy	239	584	823	0.0016%
G40.9 Epilepsy, unspecified	278	495	773	0.0015%
G41.9 Status epilepticus, unspecified	1	1	2	0.0000%
G43.0 Migraine without aura [common migraine]	6	3	9	0.0000%
G43.1 Migraine with aura [classical migraine]	8	2	10	0.0000%
G43.8 Other migraine	22	8	30	0.0001%
G43.9 Migraine, unspecified	1,075	267	1,342	0.0026%
G44.0 Cluster headache syndrome	46	25	71	0.0001%
G44.1 Vascular headache, not elsewhere classified	1	0	1	0.0000%
G44.2 Tension-type headache	38	10	48	0.0001%
G44.3 Chronic post-traumatic headache	1	1	2	0.0000%
G44.4 Drug-induced headache, not elsewhere classified	2	0	2	0.0000%
G44.8 Other specified headache syndromes	17	2	19	0.0000%
G45.0 Vertebro-basilar artery syndrome	65	1	66	0.0001%
G45.1 Carotid artery syndrome (hemispheric)	119	1	120	0.0002%
G45.3 Amaurosis fugax	94	16	110	0.0002%
G45.4 Transient global amnesia	15	2	17	0.0000%
G45.8 Other transient cerebral ischaemic attacks and related synd	1	1	2	0.0000%
G45.9 Transient cerebral ischaemic attack, unspecified	172	57	229	0.0004%
G47.0 Disorders of initiating and maintaining sleep [insomnias]	51	57	108	0.0002%
G47.1 Disorders of excessive somnolence [hypersomnias]	8	2	10	0.0000%
G47.2 Disorders of the sleep-wake schedule	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
G47.3 Sleep apnoea	175	65	240	0.0005%
G47.4 Narcolepsy and cataplexy	17	36	53	0.0001%
G47.8 Other sleep disorders	84	57	141	0.0003%
G47.9 Sleep disorder, unspecified	21	13	34	0.0001%
G50.0 Trigeminal neuralgia	153	249	402	0.0008%
G50.1 Atypical facial pain	27	19	46	0.0001%
G50.8 Other disorders of trigeminal nerve	2	4	6	0.0000%
G50.9 Disorder of trigeminal nerve, unspecified	7	4	11	0.0000%
G51.0 Bell's palsy	52	83	135	0.0003%
G51.3 Clonic hemifacial spasm	46	592	638	0.0012%
G51.4 Facial myokymia	2	1	3	0.0000%
G51.9 Disorder of facial nerve, unspecified	14	4	18	0.0000%
G52.0 Disorders of olfactory nerve	0	1	1	0.0000%
G52.1 Disorders of glossopharyngeal nerve	3	2	5	0.0000%
G52.3 Disorders of hypoglossal nerve	1	0	1	0.0000%
G52.8 Disorders of other specified cranial nerves	1	1	2	0.0000%
G52.9 Cranial nerve disorder, unspecified	15	4	19	0.0000%
G53.1 Multiple cranial nerve palsies in infect & parasit dis EC	1	0	1	0.0000%
G54.0 Brachial plexus disorders	14	13	27	0.0001%
G54.1 Lumbosacral plexus disorders	2	0	2	0.0000%
G54.2 Cervical root disorders, not elsewhere classified	0	1	1	0.0000%
G54.3 Thoracic root disorders, not elsewhere classified	1	0	1	0.0000%
G54.4 Lumbosacral root disorders, not elsewhere classified	1	1	2	0.0000%
G54.6 Phantom limb syndrome with pain	0	1	1	0.0000%
G54.7 Phantom limb syndrome without pain	1	0	1	0.0000%
G54.8 Other nerve root and plexus disorders	2	0	2	0.0000%
G54.9 Nerve root and plexus disorder, unspecified	3	22	25	0.0000%
G56.0 Carpal tunnel syndrome	696	560	1,256	0.0024%
G56.1 Other lesions of median nerve	1	8	9	0.0000%
G56.2 Lesion of ulnar nerve	29	8	37	0.0001%
G56.3 Lesion of radial nerve	3	3	6	0.0000%
G56.8 Other mononeuropathies of upper limb	146	41	187	0.0004%
G56.9 Mononeuropathy of upper limb, unspecified	4	0	4	0.0000%
G57.0 Lesion of sciatic nerve	1	1	2	0.0000%
G57.1 Meralgia paraesthetica	6	17	23	0.0000%
G57.2 Lesion of femoral nerve	2	0	2	0.0000%
G57.3 Lesion of lateral popliteal nerve	6	1	7	0.0000%
G57.5 Tarsal tunnel syndrome	2	0	2	0.0000%
G57.6 Lesion of plantar nerve	21	102	123	0.0002%
G57.8 Other mononeuropathies of lower limb	29	78	107	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
G57.9 Mononeuropathy of lower limb, unspecified	54	25	79	0.0002%
G58.0 Intercostal neuropathy	3	2	5	0.0000%
G58.7 Mononeuritis multiplex	0	1	1	0.0000%
G58.8 Other specified mononeuropathies	28	4	32	0.0001%
G58.9 Mononeuropathy, unspecified	68	78	152	0.0003%
G60.0 Hereditary motor and sensory neuropathy	18	46	64	0.0001%
G60.2 Neuropathy in association with hereditary ataxia	0	1	1	0.0000%
G60.3 Idiopathic progressive neuropathy	0	2	2	0.0000%
G60.8 Other hereditary and idiopathic neuropathies	13	4	17	0.0000%
G60.9 Hereditary and idiopathic neuropathy, unspecified	6	12	18	0.0000%
G61.0 Guillain-Barre syndrome	11	41	52	0.0001%
G61.8 Other inflammatory polyneuropathies	8	21	29	0.0001%
G61.9 Inflammatory polyneuropathy, unspecified	0	10	10	0.0000%
G62.1 Alcoholic polyneuropathy	3	0	3	0.0000%
G62.8 Other specified polyneuropathies	35	60	95	0.0002%
G62.9 Polyneuropathy, unspecified	267	83	350	0.0007%
G70.0 Myasthenia gravis	82	267	349	0.0007%
G70.1 Toxic myoneural disorders	0	1	1	0.0000%
G70.2 Congenital and developmental myasthenia	9	15	24	0.0000%
G70.8 Other specified myoneural disorders	1	3	4	0.0000%
G70.9 Myoneural disorder, unspecified	19	40	59	0.0001%
G71.0 Muscular dystrophy	32	164	196	0.0004%
G71.1 Myotonic disorders	26	114	140	0.0003%
G71.2 Congenital myopathies	2	3	5	0.0000%
G71.3 Mitochondrial myopathy, not elsewhere classified	1	5	6	0.0000%
G72.0 Drug-induced myopathy	0	3	3	0.0000%
G72.4 Inflammatory myopathy, not elsewhere classified	1	0	1	0.0000%
G72.8 Other specified myopathies	19	39	58	0.0001%
G72.9 Myopathy, unspecified	3	11	14	0.0000%
G73.1 Eaton-Lambert syndrome	0	1	1	0.0000%
G80.0 Spastic cerebral palsy	3	12	15	0.0000%
G80.1 Spastic diplegia	1	10	11	0.0000%
G80.2 Infantile hemiplegia	2	10	12	0.0000%
G80.3 Dyskinetic cerebral palsy	3	2	5	0.0000%
G80.8 Other infantile cerebral palsy	1	6	7	0.0000%
G80.9 Infantile cerebral palsy, unspecified	21	61	82	0.0002%
G81.1 Spastic hemiplegia	0	1	1	0.0000%
G81.9 Hemiplegia, unspecified	10	8	18	0.0000%
G82.1 Spastic paraplegia	12	11	23	0.0000%
G82.2 Paraplegia, unspecified	3	2	5	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
G82.4	1	3	4	0.0000%
G82.5	0	1	1	0.0000%
G83.4	11	42	53	0.0001%
G83.8	1	0	1	0.0000%
G83.9	2	1	3	0.0000%
G90.2	7	0	7	0.0000%
G90.3	3	5	8	0.0000%
G90.9	0	1	1	0.0000%
G91.2	2	5	7	0.0000%
G91.9	75	515	590	0.0011%
G93.0	14	35	49	0.0001%
G93.1	0	1	1	0.0000%
G93.2	22	65	87	0.0002%
G93.3	91	132	223	0.0004%
G93.4	1	0	1	0.0000%
G93.8	1	1	2	0.0000%
G93.9	2	7	9	0.0000%
G95.0	13	35	48	0.0001%
G95.1	2	5	7	0.0000%
G95.2	2	2	4	0.0000%
G95.8	0	1	1	0.0000%
G95.9	63	104	167	0.0003%
G96.0	0	7	7	0.0000%
G96.1	1	1	2	0.0000%
G96.9	1	2	3	0.0000%
G97.0	0	3	3	0.0000%
G98.X	54	41	95	0.0002%
H00.0	56	44	100	0.0002%
H00.1	532	235	767	0.0015%
H01.0	259	308	567	0.0011%
H01.1	12	28	40	0.0001%
H01.8	6	16	22	0.0000%
H01.9	104	143	247	0.0005%
H02.0	138	304	445	0.0009%
H02.1	78	169	251	0.0005%
H02.2	4	7	11	0.0000%
H02.3	29	44	73	0.0001%
H02.4	134	290	425	0.0008%
H02.5	4	4	8	0.0000%
H02.6	31	41	72	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H02.7 Other degenerative disorders of eyelid and periocular area	2	3	5	0.0000%
H02.8 Other specified disorders of eyelid	424	191	615	0.0012%
H02.9 Disorder of eyelid, unspecified	278	304	585	0.0011%
H04.0 Dacryoadenitis	0	3	3	0.0000%
H04.1 Other disorders of lacrimal gland	257	766	1,025	0.0020%
H04.2 Epiphora	267	397	667	0.0013%
H04.3 Acute and unspecified inflammation of lacrimal passages	6	17	23	0.0000%
H04.4 Chronic inflammation of lacrimal passages	17	19	36	0.0001%
H04.5 Stenosis and insufficiency of lacrimal passages	111	192	303	0.0006%
H04.8 Other disorders of lacrimal system	0	13	13	0.0000%
H04.9 Disorder of lacrimal system, unspecified	175	318	494	0.0010%
H05.0 Acute inflammation of orbit	23	26	49	0.0001%
H05.1 Chronic inflammatory disorders of orbit	3	6	9	0.0000%
H05.2 Exophthalmic conditions	7	17	24	0.0000%
H05.4 Enophthalmos	0	3	3	0.0000%
H05.5 Retained (old) foreign body following penetrating wound orbit	1	0	1	0.0000%
H05.8 Other disorders of orbit	2	6	8	0.0000%
H05.9 Disorder of orbit, unspecified	29	79	108	0.0002%
H06.2 Dysthyroid exophthalmos	11	0	11	0.0000%
H10.0 Mucopurulent conjunctivitis	69	95	164	0.0003%
H10.1 Acute atopic conjunctivitis	52	55	107	0.0002%
H10.2 Other acute conjunctivitis	6	13	19	0.0000%
H10.3 Acute conjunctivitis, unspecified	1	2	3	0.0000%
H10.4 Chronic conjunctivitis	1	1	2	0.0000%
H10.5 Blepharoconjunctivitis	55	140	195	0.0004%
H10.8 Other conjunctivitis	3	5	8	0.0000%
H10.9 Conjunctivitis, unspecified	127	148	275	0.0005%
H11.0 Pterygium	119	193	313	0.0006%
H11.1 Conjunctival degenerations and deposits	26	11	37	0.0001%
H11.2 Conjunctival scars	0	2	2	0.0000%
H11.3 Conjunctival haemorrhage	31	23	54	0.0001%
H11.4 Other conjunctival vascular disorders and cysts	26	19	45	0.0001%
H11.8 Other specified disorders of conjunctiva	39	47	86	0.0002%
H11.9 Disorder of conjunctiva, unspecified	35	62	97	0.0002%
H15.0 Scleritis	22	62	84	0.0002%
H15.1 Episcleritis	68	98	166	0.0003%
H15.8 Other disorders of sclera	0	1	1	0.0000%
H15.9 Disorder of sclera, unspecified	1	1	2	0.0000%
H16.0 Corneal ulcer	128	375	503	0.0010%
H16.1 Other superficial keratitis without conjunctivitis	5	16	21	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H16.2 Keratoconjunctivitis	83	121	204	0.0004%
H16.3 Interstitial and deep keratitis	3	30	34	0.0001%
H16.4 Corneal neovascularization	1	8	9	0.0000%
H16.8 Other keratitis	28	79	107	0.0002%
H16.9 Keratitis, unspecified	127	287	415	0.0008%
H17.1 Other central corneal opacity	3	7	10	0.0000%
H17.8 Other corneal scars and opacities	142	387	530	0.0010%
H17.9 Corneal scar and opacity, unspecified	97	325	422	0.0008%
H18.0 Corneal pigmentations and deposits	9	13	22	0.0000%
H18.1 Bullous keratopathy	6	79	85	0.0002%
H18.2 Other corneal oedema	3	7	10	0.0000%
H18.3 Changes in corneal membranes	0	6	6	0.0000%
H18.4 Corneal degeneration	25	113	138	0.0003%
H18.5 Hereditary corneal dystrophies	48	205	253	0.0005%
H18.6 Keratoconus	88	124	212	0.0004%
H18.7 Other corneal deformities	0	4	4	0.0000%
H18.8 Other specified disorders of cornea	57	166	223	0.0004%
H18.9 Disorder of cornea, unspecified	65	379	444	0.0009%
H19.1 Herpesviral keratitis and keratoconjunctivitis	0	6	6	0.0000%
H20.0 Acute and subacute iridocyclitis	129	565	696	0.0013%
H20.1 Chronic iridocyclitis	0	2	2	0.0000%
H20.8 Other iridocyclitis	7	19	26	0.0001%
H20.9 Iridocyclitis, unspecified	249	632	881	0.0017%
H21.0 Hyphaema	3	4	7	0.0000%
H21.1 Other vascular disorders of iris and ciliary body	0	12	12	0.0000%
H21.2 Degeneration of iris and ciliary body	0	2	2	0.0000%
H21.3 Cyst of iris, ciliary body and anterior chamber	2	10	12	0.0000%
H21.4 Pupillary membranes	0	1	1	0.0000%
H21.5 Other adhesions and disruptions of iris and ciliary body	0	1	1	0.0000%
H21.8 Other specified disorders of iris and ciliary body	5	23	28	0.0001%
H21.9 Disorder of iris and ciliary body, unspecified	1	24	25	0.0000%
H25.0 Senile incipient cataract	39	167	207	0.0004%
H25.1 Senile nuclear cataract	12	347	359	0.0007%
H25.2 Senile cataract, morgagnian type	0	1	1	0.0000%
H25.8 Other senile cataract	22	206	228	0.0004%
H25.9 Senile cataract, unspecified	318	903	1,222	0.0024%
H26.0 Infantile, juvenile and presenile cataract	3	11	14	0.0000%
H26.1 Traumatic cataract	6	22	29	0.0001%
H26.2 Complicated cataract	1	0	1	0.0000%
H26.4 After-cataract	900	660	1,560	0.0030%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H26.8 Other specified cataract	418	756	1,287	0.0025%
H26.9 Cataract, unspecified	2,766	5,252	8,083	0.0156%
H27.0 Aphakia	0	17	17	0.0000%
H27.1 Dislocation of lens	2	13	15	0.0000%
H27.8 Other specified disorders of lens	2	16	18	0.0000%
H27.9 Disorder of lens, unspecified	38	236	274	0.0005%
H28.1 Cataract in other endocrine, nutritional and metabolic dis	1	1	2	0.0000%
H28.8 Other disorders of lens in diseases classified elsewhere	1	0	1	0.0000%
H30.0 Focal chorioretinal inflammation	14	13	27	0.0001%
H30.1 Disseminated chorioretinal inflammation	0	5	5	0.0000%
H30.2 Posterior cyclitis	3	21	24	0.0000%
H30.8 Other chorioretinal inflammations	0	9	9	0.0000%
H30.9 Chorioretinal inflammation, unspecified	36	210	246	0.0005%
H31.0 Chorioretinal scars	17	22	39	0.0001%
H31.1 Choroidal degeneration	2	2	4	0.0000%
H31.8 Other specified disorders of choroid	20	30	50	0.0001%
H31.9 Disorder of choroid, unspecified	282	396	678	0.0013%
H33.0 Retinal detachment with retinal break	121	376	497	0.0010%
H33.1 Retinoschisis and retinal cysts	29	18	47	0.0001%
H33.2 Serous retinal detachment	27	201	228	0.0004%
H33.3 Retinal breaks without detachment	129	310	440	0.0008%
H33.4 Traction detachment of retina	0	6	6	0.0000%
H33.5 Other retinal detachments	2	97	99	0.0002%
H34.0 Transient retinal artery occlusion	21	133	154	0.0003%
H34.1 Central retinal artery occlusion	20	110	130	0.0003%
H34.2 Other retinal artery occlusions	60	150	210	0.0004%
H34.8 Other retinal vascular occlusions	234	1,002	1,238	0.0024%
H34.9 Retinal vascular occlusion, unspecified	38	125	163	0.0003%
H35.0 Background retinopathy and retinal vascular changes	225	2,115	2,340	0.0045%
H35.1 Retinopathy of prematurity	14	32	46	0.0001%
H35.2 Other proliferative retinopathy	37	251	288	0.0006%
H35.3 Degeneration of macula and posterior pole	1,381	5,063	6,452	0.0124%
H35.4 Peripheral retinal degeneration	70	87	157	0.0003%
H35.5 Hereditary retinal dystrophy	52	96	148	0.0003%
H35.6 Retinal haemorrhage	7	49	56	0.0001%
H35.7 Separation of retinal layers	400	825	1,225	0.0024%
H35.8 Other specified retinal disorders	154	565	719	0.0014%
H35.9 Retinal disorder, unspecified	310	895	1,211	0.0023%
H40.0 Glaucoma suspect	871	2,746	3,618	0.0070%
H40.1 Primary open-angle glaucoma	426	5,760	6,189	0.0119%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H40.2 Primary angle-closure glaucoma	100	642	742	0.0014%
H40.3 Glaucoma secondary to eye trauma	14	88	102	0.0002%
H40.4 Glaucoma secondary to eye inflammation	6	94	100	0.0002%
H40.5 Glaucoma secondary to other eye disorders	33	338	372	0.0007%
H40.6 Glaucoma secondary to drugs	3	24	27	0.0001%
H40.8 Other glaucoma	28	174	203	0.0004%
H40.9 Glaucoma, unspecified	1,371	7,262	8,636	0.0166%
H43.0 Vitreous prolapse	17	11	28	0.0001%
H43.1 Vitreous haemorrhage	18	184	202	0.0004%
H43.3 Other vitreous opacities	2	21	23	0.0000%
H43.8 Other disorders of vitreous body	467	252	720	0.0014%
H43.9 Disorder of vitreous body, unspecified	154	72	226	0.0004%
H44.0 Purulent endophthalmitis	3	10	13	0.0000%
H44.1 Other endophthalmitis	128	135	263	0.0005%
H44.2 Degenerative myopia	26	57	83	0.0002%
H44.3 Other degenerative disorders of globe	0	1	1	0.0000%
H44.4 Hypotony of eye	1	0	1	0.0000%
H44.5 Degenerated conditions of globe	2	3	5	0.0000%
H44.7 Retained (old) intraocular foreign body, nonmagnetic	1	0	1	0.0000%
H44.8 Other disorders of globe	1	0	1	0.0000%
H44.9 Disorder of globe, unspecified	1	0	2	0.0000%
H46.X Optic neuritis	85	128	213	0.0004%
H47.0 Disorders of optic nerve, not elsewhere classified	42	62	104	0.0002%
H47.1 Papilloedema, unspecified	27	46	73	0.0001%
H47.2 Optic atrophy	39	109	148	0.0003%
H47.3 Other disorders of optic disc	21	61	82	0.0002%
H47.6 Disorders of visual cortex	6	14	20	0.0000%
H47.7 Disorder of visual pathways, unspecified	88	128	216	0.0004%
H49.0 Third [oculomotor] nerve palsy	115	192	307	0.0006%
H49.1 Fourth [trochlear] nerve palsy	76	185	261	0.0005%
H49.2 Sixth [abducent] nerve palsy	96	227	323	0.0006%
H49.4 Progressive external ophthalmoplegia	1	9	10	0.0000%
H49.8 Other paralytic strabismus	20	16	36	0.0001%
H49.9 Paralytic strabismus, unspecified	9	18	27	0.0001%
H50.0 Convergent concomitant strabismus	303	2,191	2,495	0.0048%
H50.1 Divergent concomitant strabismus	222	943	1,166	0.0022%
H50.2 Vertical strabismus	16	73	89	0.0002%
H50.3 Intermittent heterotropia	15	79	94	0.0002%
H50.4 Other and unspecified heterotropia	46	115	161	0.0003%
H50.5 Heterophoria	634	1,465	2,099	0.0040%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H50.6	29	86	115	0.0002%
H50.8	12	57	69	0.0001%
H50.9	660	1,951	2,612	0.0050%
H51.0	6	10	16	0.0000%
H51.1	28	82	110	0.0002%
H51.2	9	10	19	0.0000%
H51.8	2	2	4	0.0000%
H51.9	4	5	10	0.0000%
H52.0	122	893	1,015	0.0020%
H52.1	63	171	234	0.0005%
H52.2	19	153	172	0.0003%
H52.3	20	181	201	0.0004%
H52.4	7	1	8	0.0000%
H52.5	47	128	175	0.0003%
H52.7	168	309	477	0.0009%
H53.0	62	174	236	0.0005%
H53.1	5	53	58	0.0001%
H53.2	47	91	138	0.0003%
H53.3	1	15	16	0.0000%
H53.4	81	266	347	0.0007%
H53.5	1	3	4	0.0000%
H53.8	32	30	62	0.0001%
H53.9	432	1,717	2,149	0.0041%
H54.0	0	3	3	0.0000%
H54.2	97	96	193	0.0004%
H54.3	6	13	19	0.0000%
H54.4	4	9	13	0.0000%
H54.5	86	97	183	0.0004%
H54.6	1	1	2	0.0000%
H54.7	5	7	12	0.0000%
H55.X	36	153	189	0.0004%
H57.0	12	8	20	0.0000%
H57.1	3	3	6	0.0000%
H57.8	123	416	540	0.0010%
H57.9	1,533	1,831	3,370	0.0065%
H59.0	1	3	4	0.0000%
H59.8	236	393	629	0.0012%
H59.9	72	981	1,053	0.0020%
H60.1	6	6	12	0.0000%
H60.2	0	1	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H60.3	0	2	2	0.0000%
H60.4	0	4	4	0.0000%
H60.5	1	3	4	0.0000%
H60.8	1	0	1	0.0000%
H60.9	197	598	795	0.0015%
H61.0	18	49	67	0.0001%
H61.1	7	10	17	0.0000%
H61.2	844	3,215	4,059	0.0078%
H61.3	0	2	2	0.0000%
H61.8	1	3	4	0.0000%
H61.9	8	43	51	0.0001%
H62.1	0	1	1	0.0000%
H65.2	0	6	6	0.0000%
H65.3	186	443	629	0.0012%
H65.4	1	8	9	0.0000%
H65.9	11	2	13	0.0000%
H66.1	1	0	1	0.0000%
H66.3	27	41	68	0.0001%
H66.4	1	0	1	0.0000%
H66.9	553	1,313	1,868	0.0036%
H69.8	5	0	5	0.0000%
H69.9	39	59	98	0.0002%
H70.9	2	19	21	0.0000%
H71.X	2	26	28	0.0001%
H72.0	1	1	2	0.0000%
H72.9	8	4	12	0.0000%
H73.1	0	1	1	0.0000%
H73.8	2	1	3	0.0000%
H74.2	0	1	1	0.0000%
H74.4	1	3	4	0.0000%
H74.8	0	8	8	0.0000%
H74.9	6	76	82	0.0002%
H80.9	0	1	1	0.0000%
H81.0	10	12	22	0.0000%
H81.1	9	3	12	0.0000%
H81.2	1	0	1	0.0000%
H81.3	1	0	1	0.0000%
H81.8	4	0	4	0.0000%
H81.9	27	7	34	0.0001%
H83.0	3	2	5	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
H83.8 Other specified diseases of inner ear	1	0	1	0.0000%
H83.9 Disease of inner ear, unspecified	1	3	4	0.0000%
H90.0 Conductive hearing loss, bilateral	72	125	197	0.0004%
H90.1 Conduct hear loss unilat unrestric hearing contralat side	71	83	154	0.0003%
H90.2 Conductive hearing loss, unspecified	0	1	1	0.0000%
H90.3 Sensorineural hearing loss, bilateral	2	15	17	0.0000%
H90.4 Sensneurl hear loss unilat unrestrict hear contralat side	1	8	9	0.0000%
H90.5 Sensorineural hearing loss, unspecified	12	10	22	0.0000%
H90.6 Mixed conductive and sensorineural hearing loss, bilateral	0	1	1	0.0000%
H90.7 Mix cond/sensneurl hear loss unlat unrestrict hear contra sd	0	1	1	0.0000%
H90.8 Mixed conductive and sensorineural hearing loss, unspecified	0	3	3	0.0000%
H91.1 Presbycusis	14	1	15	0.0000%
H91.2 Sudden idiopathic hearing loss	1	1	2	0.0000%
H91.3 Deaf mutism, not elsewhere classified	1	2	3	0.0000%
H91.9 Hearing loss, unspecified	1,006	1,019	2,030	0.0039%
H92.0 Ootalgia	34	14	48	0.0001%
H92.1 Otorrhoea	56	102	158	0.0003%
H92.2 Otorrhagia	3	2	5	0.0000%
H93.1 Tinnitus	98	92	192	0.0004%
H93.8 Other specified disorders of ear	2	0	2	0.0000%
H93.9 Disorder of ear, unspecified	73	120	193	0.0004%
H95.1 Other disorders following mastoidectomy	7	46	53	0.0001%
H95.8 Other postprocedural disorders of ear and mastoid process	0	3	3	0.0000%
H95.9 Postprocedural disorder of ear and mastoid process unspec	2	38	40	0.0001%
I00.X Rheumatic fever without mention of heart involvement	0	1	1	0.0000%
I05.0 Mitral stenosis	0	1	1	0.0000%
I06.9 Rheumatic aortic valve disease, unspecified	1	0	1	0.0000%
I08.1 Disorders of both mitral and tricuspid valves	0	1	1	0.0000%
I08.9 Multiple valve disease, unspecified	1	0	1	0.0000%
I10.X Essential (primary) hypertension	65	150	215	0.0004%
I11.0 Hypertensive heart disease with (congestive) heart failure	1	0	1	0.0000%
I12.0 Hypertensive renal disease with renal failure	1	2	3	0.0000%
I12.9 Hypertensive renal disease without renal failure	1	6	7	0.0000%
I15.8 Other secondary hypertension	0	1	1	0.0000%
I15.9 Secondary hypertension, unspecified	0	2	2	0.0000%
I20.0 Unstable angina	3	44	47	0.0001%
I20.1 Angina pectoris with documented spasm	1	0	1	0.0000%
I20.9 Angina pectoris, unspecified	563	136	699	0.0013%
I21.9 Acute myocardial infarction, unspecified	8	18	26	0.0001%
I24.8 Other forms of acute ischaemic heart disease	0	5	5	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
I24.9 Acute ischaemic heart disease, unspecified	0	24	24	0.0000%
I25.1 Atherosclerotic heart disease	35	103	138	0.0003%
I25.8 Other forms of chronic ischaemic heart disease	1	0	1	0.0000%
I25.9 Chronic ischaemic heart disease, unspecified	4	11	15	0.0000%
I26.9 Pulmonary embolism without mention of acute cor pulmonale	77	331	408	0.0008%
I27.0 Primary pulmonary hypertension	1	5	6	0.0000%
I27.9 Pulmonary heart disease, unspecified	1	1	2	0.0000%
I31.9 Disease of pericardium, unspecified	0	1	1	0.0000%
I33.0 Acute and subacute infective endocarditis	0	1	1	0.0000%
I33.9 Acute endocarditis, unspecified	0	1	1	0.0000%
I34.0 Mitral (valve) insufficiency	0	1	1	0.0000%
I35.0 Aortic (valve) stenosis	0	18	18	0.0000%
I35.1 Aortic (valve) insufficiency	0	1	1	0.0000%
I38.X Endocarditis, valve unspecified	0	7	7	0.0000%
I42.0 Dilated cardiomyopathy	0	2	2	0.0000%
I42.1 Obstructive hypertrophic cardiomyopathy	1	0	1	0.0000%
I42.9 Cardiomyopathy, unspecified	2	2	4	0.0000%
I44.0 Atrioventricular block, first degree	0	2	2	0.0000%
I44.7 Left bundle-branch block, unspecified	0	1	1	0.0000%
I45.1 Other and unspecified right bundle-branch block	0	1	1	0.0000%
I45.5 Other specified heart block	0	1	1	0.0000%
I47.1 Supraventricular tachycardia	1	3	4	0.0000%
I47.2 Ventricular tachycardia	0	2	2	0.0000%
I48.X Atrial fibrillation and flutter	394	1,782	2,176	0.0042%
I49.9 Cardiac arrhythmia, unspecified	16	3	19	0.0000%
I50.0 Congestive heart failure	2	38	40	0.0001%
I50.1 Left ventricular failure	55	138	193	0.0004%
I50.9 Heart failure, unspecified	21	42	63	0.0001%
I51.1 Rupture of chordae tendineae, not elsewhere classified	1	0	1	0.0000%
I51.4 Myocarditis, unspecified	0	1	1	0.0000%
I51.6 Cardiovascular disease, unspecified	1	4	5	0.0000%
I51.7 Cardiomegaly	0	1	1	0.0000%
I51.8 Other ill-defined heart diseases	3	13	16	0.0000%
I51.9 Heart disease, unspecified	97	90	187	0.0004%
I60.3 Subarachnoid haemorrhage from posterior communicating artery	0	1	1	0.0000%
I60.7 Subarachnoid haemorrhage from intracranial artery, unspec	0	2	2	0.0000%
I60.8 Other subarachnoid haemorrhage	1	0	1	0.0000%
I60.9 Subarachnoid haemorrhage, unspecified	13	64	77	0.0001%
I61.4 Intracerebral haemorrhage in cerebellum	0	2	2	0.0000%
I61.9 Intracerebral haemorrhage, unspecified	5	17	22	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
I62.0 Subdural haemorrhage (acute)(nontraumatic)	10	51	61	0.0001%
I62.1 Nontraumatic extradural haemorrhage	0	1	1	0.0000%
I62.9 Intracranial haemorrhage (nontraumatic), unspecified	1	5	6	0.0000%
I63.3 Cerebral infarction due to thrombosis of cerebral arteries	0	1	1	0.0000%
I63.9 Cerebral infarction, unspecified	105	5	110	0.0002%
I64.X Stroke, not specified as haemorrhage or infarction	136	198	334	0.0006%
I65.2 Occlusion and stenosis of carotid artery	39	5	44	0.0001%
I66.4 Occlusion and stenosis of multiple and bilat cerebri arts	0	1	1	0.0000%
I67.0 Dissection of cerebral arteries, nonruptured	4	0	4	0.0000%
I67.1 Cerebral aneurysm, nonruptured	106	673	779	0.0015%
I67.7 Cerebral arteritis, not elsewhere classified	1	1	2	0.0000%
I67.8 Other specified cerebrovascular diseases	3	2	5	0.0000%
I67.9 Cerebrovascular disease, unspecified	91	38	129	0.0002%
I69.4 Sequelae of stroke, not spec as haemorrhage or infarction	1	4	5	0.0000%
I70.0 Atherosclerosis of aorta	0	1	1	0.0000%
I70.9 Generalized and unspecified atherosclerosis	1	0	1	0.0000%
I71.4 Abdominal aortic aneurysm, without mention of rupture	11	18	29	0.0001%
I71.9 Aortic aneurysm of unspec site, without mention of rupture	2	6	8	0.0000%
I72.0 Aneurysm of carotid artery	2	0	2	0.0000%
I72.4 Aneurysm of artery of lower extremity	0	1	1	0.0000%
I72.8 Aneurysm of other specified arteries	10	79	89	0.0002%
I72.9 Aneurysm of unspecified site	2	7	9	0.0000%
I73.0 Raynaud's syndrome	23	78	101	0.0002%
I73.8 Other specified peripheral vascular diseases	2	2	4	0.0000%
I73.9 Peripheral vascular disease, unspecified	112	132	244	0.0005%
I74.3 Embolism and thrombosis of arteries of lower extremities	2	6	8	0.0000%
I74.8 Embolism and thrombosis of other arteries	0	1	1	0.0000%
I77.0 Arteriovenous fistula, acquired	2	12	14	0.0000%
I77.6 Arteritis, unspecified	14	115	129	0.0002%
I77.8 Other specified disorders of arteries and arterioles	2	0	2	0.0000%
I77.9 Disorder of arteries and arterioles, unspecified	17	27	44	0.0001%
I78.0 Hereditary haemorrhagic telangiectasia	3	39	42	0.0001%
I78.1 Naevus, non-neoplastic	335	889	1,225	0.0024%
I78.8 Other diseases of capillaries	2	0	2	0.0000%
I78.9 Disease of capillaries, unspecified	1	0	1	0.0000%
I80.0 Phlebitis/thrombophlebitis superficial vessels lower extremities	1	0	1	0.0000%
I80.1 Phlebitis and thrombophlebitis of femoral vein	0	12	12	0.0000%
I80.2 Phlebitis/thrombophlebitis of deep vessels lower extremities	83	938	1,021	0.0020%
I80.3 Phlebitis and thrombophlebitis of lower extremities, unspecified	0	3	3	0.0000%
I80.8 Phlebitis and thrombophlebitis of other sites	0	22	22	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
I80.9 Phlebitis and thrombophlebitis of unspecified site	70	25	95	0.0002%
I81.X Portal vein thrombosis	0	2	2	0.0000%
I82.2 Embolism and thrombosis of vena cava	1	1	2	0.0000%
I82.8 Embolism and thrombosis of other specified veins	0	1	1	0.0000%
I82.9 Embolism and thrombosis of unspecified vein	4	8	12	0.0000%
I83.0 Varicose veins of lower extremities with ulcer	6	8	14	0.0000%
I83.1 Varicose veins of lower extremities with inflammation	16	43	59	0.0001%
I83.2 Varicose veins low extremities with both ulcer and inflamm	1	6	7	0.0000%
I83.9 Varicose veins lower extremities without ulcer or inflamm	285	195	480	0.0009%
I84.0 Internal thrombosed haemorrhoids	7	6	13	0.0000%
I84.1 Internal haemorrhoids with other complications	47	27	74	0.0001%
I84.2 Internal haemorrhoids without complication	118	26	149	0.0003%
I84.3 External thrombosed haemorrhoids	2	0	2	0.0000%
I84.4 External haemorrhoids with other complications	6	5	11	0.0000%
I84.5 External haemorrhoids without complication	13	3	17	0.0000%
I84.6 Residual haemorrhoidal skin tags	35	17	53	0.0001%
I84.7 Unspecified thrombosed haemorrhoids	6	9	15	0.0000%
I84.8 Unspecified haemorrhoids with other complications	122	39	163	0.0003%
I84.9 Unspecified haemorrhoids without complication	1,568	853	2,438	0.0047%
I85.0 Oesophageal varices with bleeding	3	10	13	0.0000%
I85.9 Oesophageal varices without bleeding	99	120	224	0.0004%
I86.4 Gastric varices	13	10	23	0.0000%
I86.8 Varicose veins of other specified sites	1	3	4	0.0000%
I87.1 Compression of vein	0	3	3	0.0000%
I87.2 Venous insufficiency (chronic)(peripheral)	1	3	4	0.0000%
I87.8 Other specified disorders of veins	1	2	3	0.0000%
I87.9 Disorder of vein, unspecified	1	2	3	0.0000%
I88.0 Nonspecific mesenteric lymphadenitis	1	1	2	0.0000%
I88.1 Chronic lymphadenitis, except mesenteric	2	0	2	0.0000%
I88.9 Nonspecific lymphadenitis, unspecified	10	15	25	0.0000%
I89.0 Lymphoedema, not elsewhere classified	306	821	1,127	0.0022%
I89.1 Lymphangitis	1	0	1	0.0000%
I89.8 Oth spec noninfectiv disord lymphatic vessl and lymph node	0	1	1	0.0000%
I89.9 Noninfective disord lymphatic vessl and lymph node unspec	1	2	3	0.0000%
I95.1 Orthostatic hypotension	3	11	14	0.0000%
I95.9 Hypotension, unspecified	4	3	7	0.0000%
I97.0 Postcardiotomy syndrome	0	2	2	0.0000%
I97.2 Postmastectomy lymphoedema syndrome	23	342	365	0.0007%
I97.8 Other postprocedural disorders of circulatory system NEC	10	523	533	0.0010%
I99.X Other and unspecified disorders of circulatory system	360	508	868	0.0017%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
J00.X Acute nasopharyngitis [common cold]	6	0	6	0.0000%
J01.0 Acute maxillary sinusitis	0	1	1	0.0000%
J01.9 Acute sinusitis, unspecified	1	0	1	0.0000%
J02.8 Acute pharyngitis due to other specified organisms	1	1	2	0.0000%
J02.9 Acute pharyngitis, unspecified	114	78	192	0.0004%
J03.9 Acute tonsillitis, unspecified	68	25	93	0.0002%
J04.0 Acute laryngitis	13	17	30	0.0001%
J04.1 Acute tracheitis	1	2	3	0.0000%
J05.0 Acute obstructive laryngitis [croup]	26	2	28	0.0001%
J06.0 Acute laryngopharyngitis	0	2	2	0.0000%
J06.9 Acute upper respiratory infection, unspecified	49	27	76	0.0001%
J15.9 Bacterial pneumonia, unspecified	0	1	1	0.0000%
J18.0 Bronchopneumonia, unspecified	3	3	6	0.0000%
J18.1 Lobar pneumonia, unspecified	22	17	39	0.0001%
J18.9 Pneumonia, unspecified	23	34	61	0.0001%
J20.9 Acute bronchitis, unspecified	5	4	9	0.0000%
J21.0 Acute bronchiolitis due to respiratory syncytial virus	4	4	8	0.0000%
J21.8 Acute bronchiolitis due to other specified organisms	2	2	4	0.0000%
J21.9 Acute bronchiolitis, unspecified	70	26	96	0.0002%
J22.X Unspecified acute lower respiratory infection	56	85	141	0.0003%
J30.1 Allergic rhinitis due to pollen	8	20	28	0.0001%
J30.2 Other seasonal allergic rhinitis	0	6	6	0.0000%
J30.3 Other allergic rhinitis	6	5	11	0.0000%
J30.4 Allergic rhinitis, unspecified	36	48	84	0.0002%
J31.0 Chronic rhinitis	99	69	168	0.0003%
J31.2 Chronic pharyngitis	3	4	7	0.0000%
J32.0 Chronic maxillary sinusitis	1	3	4	0.0000%
J32.1 Chronic frontal sinusitis	0	4	4	0.0000%
J32.4 Chronic pansinusitis	0	1	1	0.0000%
J32.9 Chronic sinusitis, unspecified	44	57	101	0.0002%
J33.0 Polyp of nasal cavity	11	19	30	0.0001%
J33.1 Polypoid sinus degeneration	1	0	1	0.0000%
J33.8 Other polyp of sinus	0	1	1	0.0000%
J33.9 Nasal polyp, unspecified	82	170	252	0.0005%
J34.0 Abscess, furuncle and carbuncle of nose	2	1	3	0.0000%
J34.1 Cyst and mucocele of nose and nasal sinus	0	3	3	0.0000%
J34.2 Deviated nasal septum	20	29	49	0.0001%
J34.8 Other specified disorders of nose and nasal sinuses	1,272	1,868	3,165	0.0061%
J35.0 Chronic tonsillitis	1	0	1	0.0000%
J35.1 Hypertrophy of tonsils	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
J35.2 Hypertrophy of adenoids	2	0	2	0.0000%
J35.3 Hypertrophy of tonsils with hypertrophy of adenoids	138	101	239	0.0005%
J35.8 Other chronic diseases of tonsils and adenoids	3	26	29	0.0001%
J35.9 Chronic disease of tonsils and adenoids, unspecified	7	1	8	0.0000%
J36.X Peritonsillar abscess	1	13	14	0.0000%
J37.0 Chronic laryngitis	3	1	4	0.0000%
J38.0 Paralysis of vocal cords and larynx	6	45	51	0.0001%
J38.1 Polyp of vocal cord and larynx	2	6	8	0.0000%
J38.2 Nodules of vocal cords	4	18	22	0.0000%
J38.3 Other diseases of vocal cords	2	35	37	0.0001%
J38.4 Oedema of larynx	1	3	4	0.0000%
J38.5 Laryngeal spasm	1	0	1	0.0000%
J38.6 Stenosis of larynx	2	9	11	0.0000%
J38.7 Other diseases of larynx	680	391	1,071	0.0021%
J39.0 Retropharyngeal and parapharyngeal abscess	2	1	3	0.0000%
J39.2 Other diseases of pharynx	722	641	1,364	0.0026%
J39.8 Other specified diseases of upper respiratory tract	112	48	160	0.0003%
J39.9 Disease of upper respiratory tract, unspecified	143	96	239	0.0005%
J40.X Bronchitis, not specified as acute or chronic	1	6	7	0.0000%
J42.X Unspecified chronic bronchitis	1	3	4	0.0000%
J43.9 Emphysema, unspecified	6	5	11	0.0000%
J44.0 Chronic obstruct pulmonary dis with acute lower resp infec	4	24	28	0.0001%
J44.1 Chron obstruct pulmonary dis wth acute exacerbation, unspec	1	38	39	0.0001%
J44.8 Other specified chronic obstructive pulmonary disease	7	32	39	0.0001%
J44.9 Chronic obstructive pulmonary disease, unspecified	802	528	1,330	0.0026%
J45.0 Predominantly allergic asthma	8	18	26	0.0001%
J45.1 Nonallergic asthma	16	19	35	0.0001%
J45.8 Mixed asthma	2	1	3	0.0000%
J45.9 Asthma, unspecified	331	497	828	0.0016%
J46.X Status asthmaticus	0	2	2	0.0000%
J47.X Bronchiectasis	65	316	381	0.0007%
J61.X Pneumoconiosis due to asbestos and other mineral fibres	2	1	3	0.0000%
J67.9 Hypersensitivity pneumonitis due to unspecified organic dust	0	6	6	0.0000%
J69.0 Pneumonitis due to food and vomit	1	0	1	0.0000%
J70.0 Acute pulmonary manifestations due to radiation	0	3	3	0.0000%
J70.8 Resp conditions due to other specified external agents	1	4	5	0.0000%
J81.X Pulmonary oedema	0	2	2	0.0000%
J82.X Pulmonary eosinophilia, not elsewhere classified	1	1	2	0.0000%
J84.1 Other interstitial pulmonary diseases with fibrosis	19	160	179	0.0003%
J84.9 Interstitial pulmonary disease, unspecified	0	8	8	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
J85.2 Abscess of lung without pneumonia	2	1	3	0.0000%
J86.9 Pyothorax without fistula	2	2	4	0.0000%
J90.X Pleural effusion, not elsewhere classified	15	49	64	0.0001%
J92.9 Pleural plaque without asbestos	0	2	2	0.0000%
J93.1 Other spontaneous pneumothorax	1	4	5	0.0000%
J93.9 Pneumothorax, unspecified	2	6	8	0.0000%
J94.8 Other specified pleural conditions	0	1	1	0.0000%
J94.9 Pleural condition, unspecified	1	0	1	0.0000%
J95.0 Tracheostomy malfunction	1	1	2	0.0000%
J95.1 Acute pulmonary insufficiency following thoracic surgery	0	1	1	0.0000%
J95.9 Postprocedural respiratory disorder, unspecified	0	2	2	0.0000%
J96.9 Respiratory failure, unspecified	129	354	483	0.0009%
J98.0 Diseases of bronchus, not elsewhere classified	0	3	3	0.0000%
J98.1 Pulmonary collapse	3	5	8	0.0000%
J98.2 Interstitial emphysema	0	1	1	0.0000%
J98.4 Other disorders of lung	11	37	48	0.0001%
J98.8 Other specified respiratory disorders	6	5	11	0.0000%
J98.9 Respiratory disorder, unspecified	92	142	234	0.0005%
K00.1 Supernumerary teeth	2	2	4	0.0000%
K00.4 Disturbances in tooth formation	0	1	1	0.0000%
K00.6 Disturbances in tooth eruption	2	2	4	0.0000%
K00.8 Other disorders of tooth development	0	5	5	0.0000%
K00.9 Disorder of tooth development, unspecified	0	5	5	0.0000%
K01.0 Embedded teeth	6	18	24	0.0000%
K01.1 Impacted teeth	1,200	569	1,769	0.0034%
K02.0 Caries limited to enamel	2	2	4	0.0000%
K02.1 Caries of dentine	0	3	3	0.0000%
K02.2 Caries of cementum	2	2	4	0.0000%
K02.8 Other dental caries	3	9	12	0.0000%
K02.9 Dental caries, unspecified	410	843	1,253	0.0024%
K03.2 Erosion of teeth	0	2	2	0.0000%
K03.3 Pathological resorption of teeth	0	1	1	0.0000%
K03.9 Disease of hard tissues of teeth, unspecified	1	1	2	0.0000%
K04.0 Pulpitis	8	21	29	0.0001%
K04.5 Chronic apical periodontitis	5	38	43	0.0001%
K04.6 Periapical abscess with sinus	0	5	5	0.0000%
K04.7 Periapical abscess without sinus	49	187	236	0.0005%
K04.8 Radicular cyst	4	19	23	0.0000%
K04.9 Other and unspec diseases of pulp and periapical tissues	9	37	46	0.0001%
K05.1 Chronic gingivitis	2	5	7	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
K05.2 Acute periodontitis	9	37	46	0.0001%
K05.3 Chronic periodontitis	73	184	257	0.0005%
K05.5 Other periodontal diseases	0	2	2	0.0000%
K05.6 Periodontal disease, unspecified	6	36	42	0.0001%
K06.1 Gingival enlargement	1	11	12	0.0000%
K06.2 Gingival and edentulous alveolar ridge les assoc with traum	0	10	10	0.0000%
K06.8 Oth spec disorder of gingiva and edentulous alveolar ridge	11	20	31	0.0001%
K06.9 Disorder of gingiva and edentulous alveolar ridge, unspec	1,321	401	1,722	0.0033%
K07.0 Major anomalies of jaw size	0	1	1	0.0000%
K07.1 Anomalies of jaw-cranial base relationship	1	0	1	0.0000%
K07.3 Anomalies of tooth position	55	1,812	1,867	0.0036%
K07.4 Malocclusion, unspecified	3	1	4	0.0000%
K07.6 Temporomandibular joint disorders	234	203	437	0.0008%
K07.8 Other dentofacial anomalies	0	1	1	0.0000%
K07.9 Dentofacial anomaly, unspecified	719	808	1,528	0.0029%
K08.0 Exfoliation of teeth due to systemic causes	1	2	3	0.0000%
K08.1 Loss of teeth accident extraction or local periodontal dis	2	7	9	0.0000%
K08.2 Atrophy of edentulous alveolar ridge	2	1	3	0.0000%
K08.3 Retained dental root	58	300	358	0.0007%
K08.8 Other specified disorders of teeth and supporting structures	64	638	702	0.0014%
K08.9 Disorder of teeth and supporting structures, unspecified	32	254	286	0.0006%
K09.0 Developmental odontogenic cysts	1	10	11	0.0000%
K09.1 Developmental (nonodontogenic) cysts of oral region	0	3	3	0.0000%
K09.2 Other cysts of jaw	0	6	6	0.0000%
K09.8 Other cysts of oral region, not elsewhere classified	1	9	10	0.0000%
K09.9 Cyst of oral region, unspecified	2	10	12	0.0000%
K10.0 Developmental disorders of jaws	0	2	2	0.0000%
K10.1 Giant cell granuloma, central	1	1	2	0.0000%
K10.2 Inflammatory conditions of jaws	1	2	3	0.0000%
K10.3 Alveolitis of jaws	1	4	5	0.0000%
K10.8 Other specified diseases of jaws	0	4	4	0.0000%
K10.9 Disease of jaws, unspecified	0	5	5	0.0000%
K11.1 Hypertrophy of salivary gland	2	4	6	0.0000%
K11.2 Sialoadenitis	5	16	21	0.0000%
K11.5 Sialolithiasis	3	12	15	0.0000%
K11.6 Mucocele of salivary gland	6	9	15	0.0000%
K11.7 Disturbances of salivary secretion	0	2	2	0.0000%
K11.8 Other diseases of salivary glands	4	10	14	0.0000%
K11.9 Disease of salivary gland, unspecified	111	112	223	0.0004%
K12.0 Recurrent oral aphthae	2	1	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
K12.1 Other forms of stomatitis	13	51	64	0.0001%
K12.2 Cellulitis and abscess of mouth	2	6	8	0.0000%
K13.0 Diseases of lips	34	169	203	0.0004%
K13.2 Leukoplakia and oth disturbance oral epithelium incl tongue	6	46	52	0.0001%
K13.3 Hairy leukoplakia	0	1	1	0.0000%
K13.4 Granuloma and granuloma-like lesions of oral mucosa	1	4	5	0.0000%
K13.5 Oral submucous fibrosis	1	6	7	0.0000%
K13.6 Irritative hyperplasia of oral mucosa	0	5	5	0.0000%
K13.7 Other and unspecified lesions of oral mucosa	132	498	630	0.0012%
K14.0 Glossitis	7	67	74	0.0001%
K14.1 Geographic tongue	1	2	3	0.0000%
K14.2 Median rhomboid glossitis	1	2	3	0.0000%
K14.3 Hypertrophy of tongue papillae	3	3	6	0.0000%
K14.6 Glossodynia	1	1	2	0.0000%
K14.8 Other diseases of tongue	23	125	148	0.0003%
K14.9 Disease of tongue, unspecified	22	67	89	0.0002%
K20.X Oesophagitis	442	114	578	0.0011%
K21.0 Gastro-oesophageal reflux disease with oesophagitis	563	512	1,086	0.0021%
K21.9 Gastro-oesophageal reflux disease without oesophagitis	392	342	748	0.0014%
K22.0 Achalasia of cardia	7	10	20	0.0000%
K22.1 Ulcer of oesophagus	472	437	946	0.0018%
K22.2 Oesophageal obstruction	103	150	262	0.0005%
K22.3 Perforation of oesophagus	1	1	2	0.0000%
K22.4 Dyskinesia of oesophagus	7	4	11	0.0000%
K22.5 Diverticulum of oesophagus, acquired	9	4	13	0.0000%
K22.6 Gastro-oesophageal laceration-haemorrhage syndrome	1	2	3	0.0000%
K22.8 Other specified diseases of oesophagus	61	66	128	0.0002%
K22.9 Disease of oesophagus, unspecified	15	11	28	0.0001%
K25.0 Gastric ulcer, acute with haemorrhage	1	2	3	0.0000%
K25.3 Gastric ulcer, acute without haemorrhage or perforation	19	3	23	0.0000%
K25.4 Gastric ulcer, chronic or unspecified with haemorrhage	5	2	7	0.0000%
K25.7 Gastric ulcer, chronic without haemorrhage or perforation	35	24	63	0.0001%
K25.9 Unspec as acute or chronic w/out haemorrhage or perforation	134	119	262	0.0005%
K26.0 Duodenal ulcer, acute with haemorrhage	2	0	2	0.0000%
K26.1 Duodenal ulcer, acute with perforation	1	0	1	0.0000%
K26.3 Duodenal ulcer, acute without haemorrhage or perforation	6	1	8	0.0000%
K26.4 Duodenal ulcer, chronic or unspecified with haemorrhage	0	2	2	0.0000%
K26.5 Duodenal ulcer, chronic or unspecified with perforation	2	0	2	0.0000%
K26.7 Duodenal ulcer, chronic without haemorrhage or perforation	22	5	29	0.0001%
K26.9 Unspec as acute or chronic w/out haemorrhage or perforation	41	22	70	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
K27.4 Peptic ulcer, chronic or unspecified with haemorrhage	0	1	1	0.0000%
K27.7 Peptic ulcer, chronic without haemorrhage or perforation	1	0	1	0.0000%
K27.9 Unspec as acute or chronic w/out haemorrhage or perforation	5	3	8	0.0000%
K28.0 Gastrojejunal ulcer, acute with haemorrhage	1	0	1	0.0000%
K28.3 Acute without haemorrhage or perforation	0	1	1	0.0000%
K28.9 Unspec as acute or chronic w/out haemorrhage or perforation	2	0	2	0.0000%
K29.0 Acute haemorrhagic gastritis	28	3	31	0.0001%
K29.1 Other acute gastritis	11	6	18	0.0000%
K29.2 Alcoholic gastritis	2	1	3	0.0000%
K29.3 Chronic superficial gastritis	33	3	36	0.0001%
K29.4 Chronic atrophic gastritis	9	4	13	0.0000%
K29.5 Chronic gastritis, unspecified	173	87	260	0.0005%
K29.6 Other gastritis	51	25	77	0.0001%
K29.7 Gastritis, unspecified	800	313	1,154	0.0022%
K29.8 Duodenitis	201	60	264	0.0005%
K29.9 Gastroduodenitis, unspecified	136	16	152	0.0003%
K30.X Dyspepsia	717	384	1,138	0.0022%
K31.1 Adult hypertrophic pyloric stenosis	7	5	12	0.0000%
K31.2 Hourglass stricture and stenosis of stomach	0	1	1	0.0000%
K31.3 Pylorospasm, not elsewhere classified	1	0	1	0.0000%
K31.4 Gastric diverticulum	20	1	21	0.0000%
K31.5 Obstruction of duodenum	5	7	12	0.0000%
K31.6 Fistula of stomach and duodenum	1	0	1	0.0000%
K31.7 Polyp of stomach and duodenum	121	101	225	0.0004%
K31.8 Other specified diseases of stomach and duodenum	40	35	75	0.0001%
K31.9 Disease of stomach and duodenum, unspecified	83	168	251	0.0005%
K35.9 Acute appendicitis, unspecified	0	1	1	0.0000%
K36.X Other appendicitis	1	0	1	0.0000%
K37.X Unspecified appendicitis	0	1	1	0.0000%
K40.0 Bilat inguinal hernia with obstruction without gangrene	2	0	2	0.0000%
K40.9 Unilat or unspec inguin hernia without obstruct or gangrene	38	4	42	0.0001%
K42.9 Umbilical hernia without obstruction or gangrene	8	1	11	0.0000%
K43.9 Ventral hernia without obstruction or gangrene	6	92	98	0.0002%
K44.0 Diaphragmatic hernia with obstruction, without gangrene	1	0	1	0.0000%
K44.1 Diaphragmatic hernia with gangrene	1	0	1	0.0000%
K44.9 Diaphragmatic hernia without obstruction or gangrene	712	535	1,305	0.0025%
K46.9 Unspecified abdominal hernia without obstruction or gangrene	499	396	895	0.0017%
K50.0 Crohn's disease of small intestine	4	26	30	0.0001%
K50.1 Crohn's disease of large intestine	21	53	75	0.0001%
K50.8 Other Crohn's disease	32	73	105	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
K50.9 Crohn's disease, unspecified	137	359	503	0.0010%
K51.0 Ulcerative (chronic) enterocolitis	17	21	38	0.0001%
K51.2 Ulcerative (chronic) proctitis	19	19	38	0.0001%
K51.3 Ulcerative (chronic) rectosigmoiditis	6	12	18	0.0000%
K51.4 Pseudopolypoidosis of colon	3	8	11	0.0000%
K51.5 Mucosal proctocolitis	12	3	15	0.0000%
K51.8 Other ulcerative colitis	0	1	2	0.0000%
K51.9 Ulcerative colitis, unspecified	269	460	749	0.0014%
K52.0 Gastroenteritis and colitis due to radiation	2	1	3	0.0000%
K52.2 Allergic and dietetic gastroenteritis and colitis	3	4	8	0.0000%
K52.8 Other specified noninfective gastroenteritis and colitis	9	14	23	0.0000%
K52.9 Noninfective gastroenteritis and colitis, unspecified	1,349	871	2,264	0.0044%
K55.2 Angiodysplasia of colon	7	4	12	0.0000%
K55.9 Vascular disorder of intestine, unspecified	3	2	5	0.0000%
K56.2 Volvulus	6	4	11	0.0000%
K56.4 Other impaction of intestine	2	0	2	0.0000%
K56.6 Other and unspecified intestinal obstruction	23	37	62	0.0001%
K57.1 Diverticular dis of small intestine without perf or abscess	8	11	19	0.0000%
K57.2 Diverticular dis of large intestine with perf and abscess	3	2	5	0.0000%
K57.3 Diverticular dis of large intestine without perf or abscess	688	409	1,114	0.0021%
K57.5 Divertic dis both sml and lge intest without perf or absces	5	0	5	0.0000%
K57.8 Diverticular dis of intest part unspec with perf and absces	9	2	11	0.0000%
K57.9 Divertic dis of intest part unspec without perf or abscess	380	131	539	0.0010%
K58.0 Irritable bowel syndrome with diarrhoea	14	7	21	0.0000%
K58.9 Irritable bowel syndrome without diarrhoea	145	62	213	0.0004%
K59.0 Constipation	457	234	700	0.0013%
K59.1 Functional diarrhoea	4	2	6	0.0000%
K59.4 Anal spasm	3	3	6	0.0000%
K59.8 Other specified functional intestinal disorders	0	3	3	0.0000%
K59.9 Functional intestinal disorder, unspecified	3	4	7	0.0000%
K60.0 Acute anal fissure	1	0	1	0.0000%
K60.1 Chronic anal fissure	3	2	5	0.0000%
K60.2 Anal fissure, unspecified	83	38	123	0.0002%
K60.3 Anal fistula	43	13	57	0.0001%
K60.4 Rectal fistula	3	1	4	0.0000%
K60.5 Anorectal fistula	3	2	5	0.0000%
K61.0 Anal abscess	14	12	26	0.0001%
K61.1 Rectal abscess	0	0	1	0.0000%
K62.0 Anal polyp	55	17	75	0.0001%
K62.1 Rectal polyp	432	152	598	0.0012%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
K62.2	1	0	1	0.0000%
K62.3	33	19	53	0.0001%
K62.4	4	9	13	0.0000%
K62.5	3,105	861	3,994	0.0077%
K62.6	12	4	17	0.0000%
K62.7	14	6	20	0.0000%
K62.8	207	140	347	0.0007%
K62.9	141	29	170	0.0003%
K63.0	3	4	7	0.0000%
K63.1	2	0	2	0.0000%
K63.2	0	1	1	0.0000%
K63.3	9	3	12	0.0000%
K63.4	1	1	2	0.0000%
K63.5	361	210	602	0.0012%
K63.8	97	47	144	0.0003%
K63.9	1,236	1,114	2,352	0.0045%
K65.9	1	3	4	0.0000%
K66.0	0	1	1	0.0000%
K66.1	11	0	11	0.0000%
K70.0	3	0	3	0.0000%
K70.1	0	3	3	0.0000%
K70.3	6	5	11	0.0000%
K70.9	11	61	72	0.0001%
K72.9	0	6	6	0.0000%
K73.0	1	1	2	0.0000%
K73.2	0	5	5	0.0000%
K73.9	0	1	1	0.0000%
K74.0	0	2	2	0.0000%
K74.3	2	3	5	0.0000%
K74.5	0	0	1	0.0000%
K74.6	4	21	25	0.0000%
K75.0	1	0	1	0.0000%
K75.2	0	1	1	0.0000%
K75.3	1	2	3	0.0000%
K75.4	0	1	1	0.0000%
K75.8	0	1	1	0.0000%
K75.9	1	5	6	0.0000%
K76.0	19	0	19	0.0000%
K76.1	0	1	1	0.0000%
K76.6	2	2	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
K76.7 Hepatorenal syndrome	0	1	1	0.0000%
K76.8 Other specified diseases of liver	5	0	5	0.0000%
K76.9 Liver disease, unspecified	4	54	59	0.0001%
K80.0 Calculus of gallbladder with acute cholecystitis	1	0	1	0.0000%
K80.1 Calculus of gallbladder with other cholecystitis	1	1	2	0.0000%
K80.2 Calculus of gallbladder without cholecystitis	27	24	51	0.0001%
K80.3 Calculus of bile duct with cholangitis	2	0	2	0.0000%
K80.5 Calculus of bile duct without cholangitis or cholecystitis	35	30	65	0.0001%
K80.8 Other cholelithiasis	0	2	2	0.0000%
K81.1 Chronic cholecystitis	0	3	3	0.0000%
K81.9 Cholecystitis, unspecified	1	4	5	0.0000%
K82.9 Disease of gallbladder, unspecified	1	1	2	0.0000%
K83.0 Cholangitis	3	3	6	0.0000%
K83.1 Obstruction of bile duct	5	3	8	0.0000%
K83.3 Fistula of bile duct	0	1	1	0.0000%
K83.8 Other specified diseases of biliary tract	3	15	18	0.0000%
K83.9 Disease of biliary tract, unspecified	227	362	589	0.0011%
K85.X Acute pancreatitis	8	6	14	0.0000%
K86.1 Other chronic pancreatitis	4	24	28	0.0001%
K86.2 Cyst of pancreas	1	1	2	0.0000%
K86.3 Pseudocyst of pancreas	3	1	4	0.0000%
K86.8 Other specified diseases of pancreas	8	21	29	0.0001%
K86.9 Disease of pancreas, unspecified	1	2	3	0.0000%
K90.0 Coeliac disease	122	49	177	0.0003%
K90.4 Malabsorption due to intolerance, not elsewhere classified	3	0	3	0.0000%
K90.9 Intestinal malabsorption, unspecified	0	1	2	0.0000%
K91.0 Vomiting following gastrointestinal surgery	0	2	2	0.0000%
K91.1 Postgastric surgery syndromes	1	0	1	0.0000%
K91.4 Colostomy and enterostomy malfunction	6	73	79	0.0002%
K91.8 Other postprocedural disorders of digestive system NEC	10	14	24	0.0000%
K92.0 Haematemesis	74	27	104	0.0002%
K92.1 Melaena	66	42	111	0.0002%
K92.2 Gastrointestinal haemorrhage, unspecified	12	22	34	0.0001%
K92.8 Other specified diseases of digestive system	9	7	16	0.0000%
K92.9 Disease of digestive system, unspecified	57	95	152	0.0003%
L01.0 Impetigo [any organism] [any site]	4	6	10	0.0000%
L02.0 Cutaneous abscess, furuncle and carbuncle of face	8	6	14	0.0000%
L02.1 Cutaneous abscess, furuncle and carbuncle of neck	1	9	10	0.0000%
L02.2 Cutaneous abscess, furuncle and carbuncle of trunk	3	6	9	0.0000%
L02.3 Cutaneous abscess, furuncle and carbuncle of buttock	2	4	6	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
L02.4 Cutaneous abscess, furuncle and carbuncle of limb	5	12	17	0.0000%
L02.9 Cutaneous abscess, furuncle and carbuncle, unspecified	2	2	4	0.0000%
L03.0 Cellulitis of finger and toe	4	20	24	0.0000%
L03.1 Cellulitis of other parts of limb	12	45	57	0.0001%
L03.2 Cellulitis of face	8	7	15	0.0000%
L03.8 Cellulitis of other sites	1	0	1	0.0000%
L03.9 Cellulitis, unspecified	13	41	54	0.0001%
L04.0 Acute lymphadenitis of face, head and neck	10	2	12	0.0000%
L04.9 Acute lymphadenitis, unspecified	4	13	17	0.0000%
L05.9 Pilonidal cyst without abscess	26	21	47	0.0001%
L08.0 Pyoderma	1	13	14	0.0000%
L08.1 Erythrasma	1	2	3	0.0000%
L08.8 Other spec local infections of skin and subcutaneous tissue	2	4	6	0.0000%
L08.9 Local infection of skin and subcutaneous tissue, unspecified	39	123	162	0.0003%
L10.0 Pemphigus vulgaris	1	2	3	0.0000%
L10.8 Other pemphigus	1	0	1	0.0000%
L10.9 Pemphigus, unspecified	6	11	17	0.0000%
L11.0 Acquired keratosis follicularis	8	3	11	0.0000%
L12.0 Bullous pemphigoid	10	63	73	0.0001%
L12.1 Cicatricial pemphigoid	12	59	71	0.0001%
L12.9 Pemphigoid, unspecified	4	7	11	0.0000%
L13.0 Dermatitis herpetiformis	0	7	7	0.0000%
L13.1 Subcorneal pustular dermatitis	1	1	2	0.0000%
L20.8 Other atopic dermatitis	2	11	13	0.0000%
L20.9 Atopic dermatitis, unspecified	72	147	219	0.0004%
L21.0 Seborrhoea capitis	1	0	1	0.0000%
L21.8 Other seborrhoeic dermatitis	3	14	17	0.0000%
L21.9 Seborrhoeic dermatitis, unspecified	10	6	16	0.0000%
L22.X Diaper [napkin] dermatitis	2	1	3	0.0000%
L23.0 Allergic contact dermatitis due to metals	3	7	10	0.0000%
L23.2 Allergic contact dermatitis due to cosmetics	1	1	2	0.0000%
L23.3 Allergic contact dermatitis due drugs in contact with skin	0	1	1	0.0000%
L23.4 Allergic contact dermatitis due to dyes	2	6	8	0.0000%
L23.5 Allergic contact dermatitis due to other chemical products	0	1	1	0.0000%
L23.8 Allergic contact dermatitis due to other agents	4	7	11	0.0000%
L23.9 Allergic contact dermatitis, unspecified cause	5	10	15	0.0000%
L25.1 Unspec contact dermatitis due to drugs in contact with skin	1	3	4	0.0000%
L25.9 Unspecified contact dermatitis, unspecified cause	8	53	61	0.0001%
L27.0 Generalized skin eruption due to drugs and medicaments	2	3	5	0.0000%
L27.2 Dermatitis due to ingested food	2	0	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
L28.0	25	52	77	0.0001%
L28.1	9	69	78	0.0002%
L28.2	0	11	11	0.0000%
L29.0	33	12	45	0.0001%
L29.2	41	47	88	0.0002%
L29.8	1	0	1	0.0000%
L29.9	16	27	43	0.0001%
L30.1	4	4	8	0.0000%
L30.2	1	0	1	0.0000%
L30.3	6	34	40	0.0001%
L30.4	6	2	8	0.0000%
L30.5	3	5	8	0.0000%
L30.8	3	3	6	0.0000%
L30.9	559	1,645	2,204	0.0042%
L40.0	3	25	28	0.0001%
L40.1	2	4	6	0.0000%
L40.2	1	3	4	0.0000%
L40.4	4	2	6	0.0000%
L40.5	176	1,651	1,827	0.0035%
L40.8	8	31	39	0.0001%
L40.9	306	2,617	2,923	0.0056%
L41.0	2	3	5	0.0000%
L41.1	1	4	5	0.0000%
L41.2	0	3	3	0.0000%
L41.3	0	2	2	0.0000%
L41.4	1	0	1	0.0000%
L41.9	0	1	1	0.0000%
L42.X	4	1	5	0.0000%
L43.0	1	1	2	0.0000%
L43.8	5	38	43	0.0001%
L43.9	32	150	182	0.0004%
L44.0	2	21	23	0.0000%
L44.1	1	0	1	0.0000%
L44.4	1	6	7	0.0000%
L44.9	2	1	3	0.0000%
L50.0	2	7	9	0.0000%
L50.1	2	6	8	0.0000%
L50.2	0	1	1	0.0000%
L50.3	3	3	6	0.0000%
L50.5	2	0	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
L50.8 Other urticaria	8	6	14	0.0000%
L50.9 Urticaria, unspecified	39	94	133	0.0003%
L51.0 Nonbullous erythema multiforme	0	2	2	0.0000%
L51.1 Bullous erythema multiforme	2	18	20	0.0000%
L51.9 Erythema multiforme, unspecified	1	0	1	0.0000%
L52.X Erythema nodosum	7	12	19	0.0000%
L53.1 Erythema annulare centrifugum	2	1	3	0.0000%
L53.8 Other specified erythematous conditions	3	0	3	0.0000%
L53.9 Erythematous condition, unspecified	17	29	46	0.0001%
L55.9 Sunburn, unspecified	1	0	1	0.0000%
L56.2 Photocontact dermatitis [berloque dermatitis]	1	1	2	0.0000%
L56.3 Solar urticaria	2	7	9	0.0000%
L56.4 Polymorphous light eruption	2	6	8	0.0000%
L56.8 Other spec acute skin changes due to ultraviolet radiation	22	64	86	0.0002%
L56.9 Acute skin change due to ultraviolet radiation, unspecified	1	0	1	0.0000%
L57.0 Actinic keratosis	643	1,717	2,360	0.0045%
L57.1 Actinic reticuloid	2	2	4	0.0000%
L57.3 Poikiloderma of Civatte	3	6	9	0.0000%
L57.4 Cutis laxa senilis	1	2	3	0.0000%
L57.5 Actinic granuloma	0	1	1	0.0000%
L57.8 Oth skin change due chron expos to nonionizing radiation	9	24	33	0.0001%
L57.9 Skin change due chron expos to nonioniz radiation unspec	66	222	288	0.0006%
L58.9 Radiodermatitis, unspecified	0	1	1	0.0000%
L59.8 Oth spec disorders of skin and subcut tis related radiation	0	2	2	0.0000%
L60.0 Ingrowing nail	6	59	65	0.0001%
L60.1 Onycholysis	1	2	3	0.0000%
L60.2 Onychogryphosis	0	1	1	0.0000%
L60.3 Nail dystrophy	4	4	8	0.0000%
L60.8 Other nail disorders	1	2	3	0.0000%
L60.9 Nail disorder, unspecified	26	3	29	0.0001%
L63.0 Alopecia (capitis) totalis	1	2	3	0.0000%
L63.9 Alopecia areata, unspecified	24	50	74	0.0001%
L64.9 Androgenic alopecia, unspecified	3	3	6	0.0000%
L65.0 Telogen effluvium	4	1	5	0.0000%
L65.9 Nonscarring hair loss, unspecified	17	12	29	0.0001%
L66.2 Folliculitis decalvans	1	2	3	0.0000%
L66.4 Folliculitis ulerythematososa reticulata	1	0	1	0.0000%
L66.9 Cicatricial alopecia, unspecified	0	1	1	0.0000%
L68.0 Hirsutism	242	1,338	1,580	0.0030%
L68.1 Acquired hypertrichosis lanuginosa	0	1	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
L68.8 Other hypertrichosis	2	0	2	0.0000%
L68.9 Hypertrichosis, unspecified	0	10	10	0.0000%
L70.0 Acne vulgaris	23	68	91	0.0002%
L70.1 Acne conglobata	0	1	1	0.0000%
L70.8 Other acne	5	4	9	0.0000%
L70.9 Acne, unspecified	203	707	910	0.0018%
L71.0 Perioral dermatitis	1	0	1	0.0000%
L71.1 Rhinophyma	3	23	26	0.0001%
L71.8 Other rosacea	0	12	12	0.0000%
L71.9 Rosacea, unspecified	42	101	143	0.0003%
L72.0 Epidermal cyst	113	254	367	0.0007%
L72.1 Trichilemmal cyst	144	278	422	0.0008%
L72.2 Steatocystoma multiplex	1	4	5	0.0000%
L72.8 Other follicular cysts of skin and subcutaneous tissue	5	20	25	0.0000%
L72.9 Follicular cyst of skin and subcutaneous tissue, unspecified	66	127	193	0.0004%
L73.0 Acne keloid	1	3	4	0.0000%
L73.1 Pseudofolliculitis barbae	0	2	2	0.0000%
L73.2 Hidradenitis suppurativa	12	39	51	0.0001%
L73.8 Other specified follicular disorders	4	48	52	0.0001%
L73.9 Follicular disorder, unspecified	14	29	43	0.0001%
L74.3 Miliaria, unspecified	1	4	5	0.0000%
L75.1 Chromhidrosis	0	1	1	0.0000%
L80.X Vitiligo	28	285	313	0.0006%
L81.0 Postinflammatory hyperpigmentation	2	5	7	0.0000%
L81.1 Chloasma	8	5	13	0.0000%
L81.2 Freckles	1	6	7	0.0000%
L81.3 Cafe au lait spots	1	19	20	0.0000%
L81.4 Other melanin hyperpigmentation	62	110	172	0.0003%
L81.6 Other disorders of diminished melanin formation	1	6	7	0.0000%
L81.7 Pigmented purpuric dermatosis	1	10	11	0.0000%
L81.8 Other specified disorders of pigmentation	7	59	66	0.0001%
L81.9 Disorder of pigmentation, unspecified	16	56	72	0.0001%
L82.X Seborrhoeic keratosis	647	690	1,337	0.0026%
L83.X Acanthosis nigricans	8	10	18	0.0000%
L84.X Corns and callosities	3	21	24	0.0000%
L85.0 Acquired ichthyosis	2	1	3	0.0000%
L85.1 Acquired keratosis [keratoderma] palmaris et plantaris	6	59	65	0.0001%
L85.8 Other specified epidermal thickening	29	76	105	0.0002%
L85.9 Epidermal thickening, unspecified	23	57	80	0.0002%
L88.X Pyoderma gangrenosum	2	19	21	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
L89.X Decubitus ulcer	1	1	2	0.0000%
L90.0 Lichen sclerosus et atrophicus	62	99	161	0.0003%
L90.2 Anetoderma of Jadassohn-Pellizzari	1	0	1	0.0000%
L90.4 Acrodermatitis chronica atrophicans	0	1	1	0.0000%
L90.5 Scar conditions and fibrosis of skin	139	497	636	0.0012%
L90.6 Striae atrophicae	1	0	1	0.0000%
L90.8 Other atrophic disorders of skin	0	1	1	0.0000%
L90.9 Atrophic disorder of skin, unspecified	3	10	13	0.0000%
L91.0 Keloid scar	187	815	1,002	0.0019%
L91.8 Other hypertrophic disorders of skin	76	88	164	0.0003%
L91.9 Hypertrophic disorder of skin, unspecified	1	2	3	0.0000%
L92.0 Granuloma annulare	10	20	30	0.0001%
L92.1 Necrobiosis lipoidica, not elsewhere classified	0	2	2	0.0000%
L92.2 Granuloma faciale [eosinophilic granuloma of skin]	1	4	5	0.0000%
L92.3 Foreign body granuloma of skin and subcutaneous tissue	3	10	13	0.0000%
L92.8 Other granulomatous disorders of skin and subcut tissue	11	45	56	0.0001%
L92.9 Granulomatous disorder of skin and subcut tissue unspec	13	70	83	0.0002%
L93.0 Discoid lupus erythematosus	3	62	65	0.0001%
L93.1 Subacute cutaneous lupus erythematosus	0	4	4	0.0000%
L93.2 Other local lupus erythematosus	4	73	77	0.0001%
L94.0 Localized scleroderma [morphea]	14	37	51	0.0001%
L94.3 Sclerodactyly	1	0	1	0.0000%
L94.8 Other specified localized connective tissue disorders	0	5	5	0.0000%
L95.0 Livedoid vasculitis	0	4	4	0.0000%
L95.8 Other vasculitis limited to skin	5	12	17	0.0000%
L95.9 Vasculitis limited to skin, unspecified	4	24	28	0.0001%
L97.X Ulcer of lower limb, not elsewhere classified	30	152	183	0.0004%
L98.0 Pyogenic granuloma	33	55	88	0.0002%
L98.1 Factitial dermatitis	2	4	6	0.0000%
L98.2 Febrile neutrophilic dermatosis [Sweet]	1	1	2	0.0000%
L98.3 Eosinophilic cellulitis [Wells]	1	1	2	0.0000%
L98.4 Chronic ulcer of skin, not elsewhere classified	7	100	107	0.0002%
L98.5 Mucinosis of skin	1	1	2	0.0000%
L98.6 Other infiltrative disorders of skin and subcutaneous tissue	2	0	2	0.0000%
L98.8 Other specified disorders of skin and subcutaneous tissue	68	242	310	0.0006%
L98.9 Disorder of skin and subcutaneous tissue, unspecified	1,414	2,266	3,680	0.0071%
L99.0 Amyloidosis of skin	0	1	1	0.0000%
M00.9 Pyogenic arthritis, unspecified	5	26	31	0.0001%
M02.3 Reiter's disease	12	41	53	0.0001%
M02.8 Other reactive arthropathies	1	8	9	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
M02.9 Reactive arthropathy, unspecified	25	78	103	0.0002%
M05.0 Felty's syndrome	1	21	22	0.0000%
M05.1 Rheumatoid lung disease	0	1	1	0.0000%
M05.2 Rheumatoid vasculitis	4	34	38	0.0001%
M05.3 Rheumatoid arthritis with involvement of oth organs and sys	0	4	4	0.0000%
M05.9 Seropositive rheumatoid arthritis, unspecified	323	4,642	4,965	0.0096%
M06.0 Seronegative rheumatoid arthritis	56	433	489	0.0009%
M06.1 Adult-onset Still's disease	1	22	23	0.0000%
M06.3 Rheumatoid nodule	2	3	5	0.0000%
M06.4 Inflammatory polyarthropathy	68	447	515	0.0010%
M06.8 Other specified rheumatoid arthritis	4	46	50	0.0001%
M06.9 Rheumatoid arthritis, unspecified	280	5,862	6,143	0.0118%
M07.1 Arthritis mutilans	0	2	2	0.0000%
M07.3 Other psoriatic arthropathies	0	9	9	0.0000%
M07.5 Arthropathy in ulcerative colitis	0	1	1	0.0000%
M08.0 Juvenile rheumatoid arthritis	0	12	12	0.0000%
M08.1 Juvenile ankylosing spondylitis	1	2	3	0.0000%
M08.2 Juvenile arthritis with systemic onset	1	7	8	0.0000%
M08.3 Juvenile polyarthritis (seronegative)	3	23	26	0.0001%
M08.4 Pauciarticular juvenile arthritis	0	9	9	0.0000%
M08.8 Other juvenile arthritis	4	21	25	0.0000%
M08.9 Juvenile arthritis, unspecified	36	162	198	0.0004%
M10.0 Idiopathic gout	0	2	2	0.0000%
M10.2 Drug-induced gout	1	1	2	0.0000%
M10.9 Gout, unspecified	85	254	339	0.0007%
M11.1 Familial chondrocalcinosis	1	13	14	0.0000%
M11.2 Other chondrocalcinosis	8	7	15	0.0000%
M11.8 Other specified crystal arthropathies	2	13	15	0.0000%
M11.9 Crystal arthropathy, unspecified	11	12	23	0.0000%
M12.2 Villonodular synovitis (pigmented)	1	3	4	0.0000%
M12.3 Palindromic rheumatism	28	245	273	0.0005%
M12.8 Other specific arthropathies, not elsewhere classified	2	2	4	0.0000%
M13.0 Polyarthritis, unspecified	26	117	143	0.0003%
M13.1 Monoarthritis, not elsewhere classified	18	33	51	0.0001%
M13.8 Other specified arthritis	12	3,271	3,283	0.0063%
M13.9 Arthritis, unspecified	144	447	592	0.0011%
M14.1 Crystal arthropathy in other metabolic disorders	0	1	1	0.0000%
M15.0 Primary generalized (osteo)arthrosis	6	26	32	0.0001%
M15.2 Bouchard's nodes (with arthropathy)	2	6	8	0.0000%
M15.4 Erosive (osteo)arthrosis	1	3	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
M15.8 Other polyarthrosis	1	1	2	0.0000%
M15.9 Polyarthrosis, unspecified	509	1,051	1,560	0.0030%
M16.0 Primary coxarthrosis, bilateral	1	11	12	0.0000%
M16.1 Other primary coxarthrosis	1	48	49	0.0001%
M16.6 Other secondary coxarthrosis, bilateral	0	1	1	0.0000%
M16.9 Coxarthrosis, unspecified	232	814	1,046	0.0020%
M17.0 Primary gonarthrosis, bilateral	18	151	169	0.0003%
M17.1 Other primary gonarthrosis	72	516	588	0.0011%
M17.9 Gonarthrosis, unspecified	695	2,316	3,012	0.0058%
M18.0 Primary arthrosis of first carpometacarpal joints, bilateral	2	6	8	0.0000%
M18.1 Other primary arthrosis of first carpometacarpal joint	5	14	19	0.0000%
M18.9 Arthrosis of first carpometacarpal joint, unspecified	32	81	113	0.0002%
M19.0 Primary arthrosis of other joints	29	150	179	0.0003%
M19.1 Post-traumatic arthrosis of other joints	1	29	30	0.0001%
M19.8 Other specified arthrosis	1	5	6	0.0000%
M19.9 Arthrosis, unspecified	432	1,241	1,673	0.0032%
M20.0 Deformity of finger(s)	24	12	36	0.0001%
M20.1 Hallux valgus (acquired)	9	42	51	0.0001%
M20.2 Hallux rigidus	3	2	5	0.0000%
M20.3 Other deformity of hallux (acquired)	4	63	67	0.0001%
M20.4 Other hammer toe(s) (acquired)	1	0	1	0.0000%
M20.5 Other deformities of toe(s) (acquired)	1	8	9	0.0000%
M20.6 Acquired deformity of toe(s), unspecified	0	14	14	0.0000%
M21.0 Valgus deformity, not elsewhere classified	1	1	2	0.0000%
M21.1 Varus deformity, not elsewhere classified	1	0	1	0.0000%
M21.2 Flexion deformity	2	1	3	0.0000%
M21.3 Wrist or foot drop (acquired)	2	2	4	0.0000%
M21.4 Flat foot [pes planus] (acquired)	2	4	6	0.0000%
M21.6 Other acquired deformities of ankle and foot	1	6	7	0.0000%
M21.7 Unequal limb length (acquired)	0	2	2	0.0000%
M21.8 Other specified acquired deformities of limbs	1	0	1	0.0000%
M21.9 Acquired deformity of limb, unspecified	1	3	4	0.0000%
M22.4 Chondromalacia patellae	0	1	1	0.0000%
M22.9 Disorder of patella, unspecified	1	4	5	0.0000%
M23.0 Cystic meniscus	1	1	2	0.0000%
M23.2 Derangement of meniscus due to old tear or injury	1	4	5	0.0000%
M23.3 Other meniscus derangements	0	6	6	0.0000%
M23.4 Loose body in knee	0	7	7	0.0000%
M23.6 Other spontaneous disruption of ligament(s) of knee	0	1	1	0.0000%
M23.8 Other internal derangements of knee	3	18	21	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
M23.9 Internal derangement of knee, unspecified	601	1,356	1,970	0.0038%
M24.2 Disorder of ligament	0	1	1	0.0000%
M24.4 Recurrent dislocation and subluxation of joint	1	4	5	0.0000%
M24.5 Contracture of joint	0	3	3	0.0000%
M24.6 Ankylosis of joint	0	1	1	0.0000%
M24.8 Other specific joint derangements, not elsewhere classified	4	4	8	0.0000%
M25.0 Haemarthrosis	1	4	5	0.0000%
M25.1 Fistula of joint	1	0	1	0.0000%
M25.2 Flail joint	0	3	3	0.0000%
M25.3 Other instability of joint	1	3	4	0.0000%
M25.4 Effusion of joint	31	122	153	0.0003%
M25.5 Pain in joint	1,110	3,243	4,383	0.0084%
M25.6 Stiffness of joint, not elsewhere classified	2	2	4	0.0000%
M25.7 Osteophyte	0	9	9	0.0000%
M25.8 Other specified joint disorders	569	1,738	2,313	0.0045%
M25.9 Joint disorder, unspecified	1,402	2,931	4,340	0.0084%
M30.0 Polyarteritis nodosa	1	9	10	0.0000%
M30.1 Polyarteritis with lung involvement [Churg-Strauss]	1	37	38	0.0001%
M30.3 Mucocutaneous lymph node syndrome [Kawasaki]	1	1	2	0.0000%
M31.1 Thrombotic microangiopathy	0	1	1	0.0000%
M31.3 Wegener's granulomatosis	1	71	72	0.0001%
M31.4 Aortic arch syndrome [Takayasu]	0	9	9	0.0000%
M31.5 Giant cell arteritis with polymyalgia rheumatica	1	7	8	0.0000%
M31.6 Other giant cell arteritis	22	138	160	0.0003%
M31.9 Necrotizing vasculopathy, unspecified	1	0	1	0.0000%
M32.0 Drug-induced systemic lupus erythematosus	0	2	2	0.0000%
M32.1 Systemic lupus erythematosus with organ or sys involv	0	6	6	0.0000%
M32.8 Other forms of systemic lupus erythematosus	0	2	2	0.0000%
M32.9 Systemic lupus erythematosus, unspecified	72	649	721	0.0014%
M33.0 Juvenile dermatomyositis	0	3	3	0.0000%
M33.1 Other dermatomyositis	4	53	57	0.0001%
M33.2 Polymyositis	18	110	128	0.0002%
M33.9 Dermatopolymyositis, unspecified	0	1	1	0.0000%
M34.1 CR(E)ST syndrome	3	11	14	0.0000%
M34.8 Other forms of systemic sclerosis	0	4	4	0.0000%
M34.9 Systemic sclerosis, unspecified	25	222	247	0.0005%
M35.0 Sicca syndrome [Sjogren]	30	151	181	0.0003%
M35.1 Other overlap syndromes	3	109	112	0.0002%
M35.2 Behcet's disease	7	41	48	0.0001%
M35.3 Polymyalgia rheumatica	96	606	702	0.0014%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
M35.5	0	1	1	0.0000%
M35.7	51	30	81	0.0002%
M35.8	4	21	25	0.0000%
M35.9	41	161	202	0.0004%
M40.2	7	1	8	0.0000%
M41.9	9	11	20	0.0000%
M42.0	0	1	1	0.0000%
M42.9	1	0	1	0.0000%
M43.0	0	3	3	0.0000%
M43.1	1	14	15	0.0000%
M43.4	0	1	1	0.0000%
M43.6	27	575	602	0.0012%
M45.X	173	928	1,101	0.0021%
M46.0	0	2	2	0.0000%
M46.1	3	13	16	0.0000%
M46.2	0	3	3	0.0000%
M46.4	1	2	3	0.0000%
M46.9	4	16	20	0.0000%
M47.0	1	2	3	0.0000%
M47.1	8	0	8	0.0000%
M47.2	1	0	1	0.0000%
M47.8	122	209	331	0.0006%
M47.9	49	305	354	0.0007%
M48.0	42	107	149	0.0003%
M48.1	4	7	11	0.0000%
M48.5	2	2	4	0.0000%
M48.8	1	1	2	0.0000%
M48.9	14	22	36	0.0001%
M49.4	0	1	1	0.0000%
M50.0	103	311	414	0.0008%
M50.1	0	20	20	0.0000%
M50.2	114	216	330	0.0006%
M50.3	0	6	6	0.0000%
M50.8	0	8	8	0.0000%
M50.9	97	17	114	0.0002%
M51.0	2	0	2	0.0000%
M51.1	1	20	21	0.0000%
M51.2	301	533	834	0.0016%
M51.3	55	87	142	0.0003%
M51.8	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
M51.9 Intervertebral disc disorder, unspecified	26	90	116	0.0002%
M53.1 Cervicobrachial syndrome	0	1	1	0.0000%
M53.2 Spinal instabilities	1	4	5	0.0000%
M53.3 Sacrococcygeal disorders, not elsewhere classified	13	37	50	0.0001%
M53.8 Other specified dorsopathies	76	13	89	0.0002%
M53.9 Dorsopathy, unspecified	14	18	32	0.0001%
M54.1 Radiculopathy	143	149	292	0.0006%
M54.2 Cervicalgia	542	993	1,555	0.0030%
M54.3 Sciatica	109	193	302	0.0006%
M54.4 Lumbago with sciatica	10	48	58	0.0001%
M54.5 Low back pain	944	2,160	3,148	0.0061%
M54.6 Pain in thoracic spine	33	64	104	0.0002%
M54.8 Other dorsalgia	2	20	22	0.0000%
M54.9 Dorsalgia, unspecified	1,021	1,572	2,663	0.0051%
M60.0 Infective myositis	1	0	1	0.0000%
M60.8 Other myositis	1	26	27	0.0001%
M60.9 Myositis, unspecified	15	42	57	0.0001%
M61.9 Calcification and ossification of muscle, unspecified	1	2	3	0.0000%
M62.2 Ischaemic infarction of muscle	26	1	27	0.0001%
M62.5 Muscle wasting and atrophy, not elsewhere classified	1	5	6	0.0000%
M62.6 Muscle strain	6	7	13	0.0000%
M62.8 Other specified disorders of muscle	11	15	26	0.0001%
M62.9 Disorder of muscle, unspecified	26	30	56	0.0001%
M65.2 Calcific tendinitis	2	1	3	0.0000%
M65.3 Trigger finger	174	312	487	0.0009%
M65.4 Radial styloid tenosynovitis [de Quervain]	25	29	54	0.0001%
M65.8 Other synovitis and tenosynovitis	0	1	1	0.0000%
M65.9 Synovitis and tenosynovitis, unspecified	64	159	223	0.0004%
M66.0 Rupture of popliteal cyst	2	2	4	0.0000%
M66.3 Spontaneous rupture of flexor tendons	1	0	1	0.0000%
M67.1 Other contracture of tendon (sheath)	0	6	6	0.0000%
M67.4 Ganglion	58	86	145	0.0003%
M67.8 Other specified disorders of synovium and tendon	1	2	3	0.0000%
M67.9 Disorder of synovium and tendon, unspecified	1	7	8	0.0000%
M70.0 Chronic crepitant synovitis of hand and wrist	3	0	3	0.0000%
M70.2 Olecranon bursitis	1	0	1	0.0000%
M70.3 Other bursitis of elbow	3	8	11	0.0000%
M70.4 Prepatellar bursitis	3	5	8	0.0000%
M70.5 Other bursitis of knee	7	3	10	0.0000%
M70.6 Trochanteric bursitis	116	296	412	0.0008%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
M70.7 Other bursitis of hip	6	18	24	0.0000%
M70.8 Oth soft tiss disorder related to use overuse and pressure	2	9	11	0.0000%
M70.9 Unsp soft tis disorder related to use overuse and pressure	16	7	23	0.0000%
M71.2 Synovial cyst of popliteal space [Baker]	7	15	22	0.0000%
M71.3 Other bursal cyst	4	5	9	0.0000%
M71.8 Other specified bursopathies	1	0	1	0.0000%
M71.9 Bursopathy, unspecified	43	63	106	0.0002%
M72.0 Palmar fascial fibromatosis [Dupuytren]	10	29	39	0.0001%
M72.2 Plantar fascial fibromatosis	79	119	198	0.0004%
M72.5 Fasciitis, not elsewhere classified	8	44	52	0.0001%
M72.9 Fibroblastic disorder, unspecified	1	2	5	0.0000%
M75.0 Adhesive capsulitis of shoulder	78	102	180	0.0003%
M75.1 Rotator cuff syndrome	113	194	307	0.0006%
M75.2 Bicipital tendinitis	0	8	8	0.0000%
M75.3 Calcific tendinitis of shoulder	1	3	4	0.0000%
M75.4 Impingement syndrome of shoulder	141	277	418	0.0008%
M75.5 Bursitis of shoulder	1	19	20	0.0000%
M75.8 Other shoulder lesions	296	882	1,178	0.0023%
M75.9 Shoulder lesion, unspecified	1	7	8	0.0000%
M76.1 Psoas tendinitis	0	2	2	0.0000%
M76.3 Iliotibial band syndrome	1	4	5	0.0000%
M76.5 Patellar tendinitis	0	6	6	0.0000%
M76.6 Achilles tendinitis	22	35	57	0.0001%
M76.7 Peroneal tendinitis	0	1	1	0.0000%
M76.8 Other enthesopathies of lower limb, excluding foot	2	2	4	0.0000%
M76.9 Enthesopathy of lower limb, unspecified	3	8	11	0.0000%
M77.0 Medial epicondylitis	11	17	28	0.0001%
M77.1 Lateral epicondylitis	75	153	228	0.0004%
M77.2 Periarthritis of wrist	0	1	1	0.0000%
M77.3 Calcaneal spur	1	9	10	0.0000%
M77.4 Metatarsalgia	6	10	16	0.0000%
M77.5 Other enthesopathy of foot	0	3	3	0.0000%
M77.8 Other enthesopathies, not elsewhere classified	1	1	2	0.0000%
M77.9 Enthesopathy, unspecified	48	82	130	0.0003%
M79.0 Rheumatism, unspecified	304	509	813	0.0016%
M79.1 Myalgia	41	67	108	0.0002%
M79.2 Neuralgia and neuritis, unspecified	69	122	198	0.0004%
M79.3 Panniculitis, unspecified	1	3	4	0.0000%
M79.5 Residual foreign body in soft tissue	5	3	8	0.0000%
M79.6 Pain in limb	752	1,923	2,711	0.0052%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
M79.8 Other specified soft tissue disorders	24	219	243	0.0005%
M79.9 Soft tissue disorder, unspecified	95	135	230	0.0004%
M80.8 Other osteoporosis with pathological fracture	0	1	1	0.0000%
M80.9 Unspecified osteoporosis with pathological fracture	1	8	9	0.0000%
M81.0 Postmenopausal osteoporosis	0	1	1	0.0000%
M81.1 Postophorectomy osteoporosis	0	1	1	0.0000%
M81.2 Osteoporosis of disuse	0	1	1	0.0000%
M81.4 Drug-induced osteoporosis	1	11	12	0.0000%
M81.5 Idiopathic osteoporosis	0	1	1	0.0000%
M81.6 Localized osteoporosis [Lequesne]	1	0	1	0.0000%
M81.8 Other osteoporosis	1	3	4	0.0000%
M81.9 Osteoporosis, unspecified	798	3,636	4,434	0.0085%
M83.9 Adult osteomalacia, unspecified	2	30	32	0.0001%
M84.0 Malunion of fracture	1	9	10	0.0000%
M84.1 Nonunion of fracture [pseudarthrosis]	6	52	58	0.0001%
M84.3 Stress fracture, not elsewhere classified	2	2	4	0.0000%
M85.4 Solitary bone cyst	0	1	1	0.0000%
M85.6 Other cyst of bone	1	2	3	0.0000%
M85.8 Other specified disorders of bone density and structure	940	203	1,143	0.0022%
M85.9 Disorder of bone density and structure, unspecified	8	16	24	0.0000%
M86.6 Other chronic osteomyelitis	1	9	10	0.0000%
M86.8 Other osteomyelitis	0	4	4	0.0000%
M86.9 Osteomyelitis, unspecified	5	26	31	0.0001%
M87.1 Osteonecrosis due to drugs	1	0	1	0.0000%
M87.9 Osteonecrosis, unspecified	1	7	8	0.0000%
M88.8 Paget's disease of other bones	3	15	18	0.0000%
M88.9 Paget's disease of bone, unspecified	25	289	314	0.0006%
M89.0 Algoneurodystrophy	96	90	186	0.0004%
M89.3 Hypertrophy of bone	1	0	1	0.0000%
M89.4 Other hypertrophic osteoarthropathy	0	1	1	0.0000%
M89.5 Osteolysis	1	0	1	0.0000%
M89.6 Osteopathy after poliomyelitis	1	2	3	0.0000%
M89.8 Other specified disorders of bone	7	21	28	0.0001%
M89.9 Disorder of bone, unspecified	4	20	24	0.0000%
M91.1 Juv osteochondrosis head of femur [Legg-Calvé-Perthes]	1	2	3	0.0000%
M92.0 Juvenile osteochondrosis of humerus	1	0	1	0.0000%
M92.2 Juvenile osteochondrosis of hand	1	2	3	0.0000%
M92.5 Juvenile osteochondrosis of tibia and fibula	2	0	2	0.0000%
M92.6 Juvenile osteochondrosis of tarsus	0	1	1	0.0000%
M92.7 Juvenile osteochondrosis of metatarsus	0	6	6	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
M93.9 Osteochondropathy, unspecified	3	3	6	0.0000%
M94.0 Chondrocostal junction syndrome [Tietze]	2	2	4	0.0000%
M94.2 Chondromalacia	0	1	1	0.0000%
M94.8 Other specified disorders of cartilage	3	8	11	0.0000%
M94.9 Disorder of cartilage, unspecified	5	15	20	0.0000%
M95.0 Acquired deformity of nose	0	1	1	0.0000%
M95.1 Cauliflower ear	0	2	2	0.0000%
M95.2 Other acquired deformity of head	10	50	60	0.0001%
M95.3 Acquired deformity of neck	0	2	2	0.0000%
M95.4 Acquired deformity of chest and rib	0	1	1	0.0000%
M96.8 Other postprocedural musculoskeletal disorders	0	6	6	0.0000%
M96.9 Postprocedural musculoskeletal disorder, unspecified	1	1	2	0.0000%
M99.7 Connective tis and disc stenosis of intervertebral foramina	0	6	6	0.0000%
N02.8 Recurrent and persistent haematuria, other	1	0	1	0.0000%
N02.9 Recurrent and persistent haematuria, unspecified	44	122	169	0.0003%
N03.8 Chronic nephritic syndrome, other	1	0	1	0.0000%
N03.9 Chronic nephritic syndrome, unspecified	0	1	1	0.0000%
N04.9 Nephrotic syndrome, unspecified	6	21	27	0.0001%
N05.9 Unspecified nephritic syndrome, unspecified	6	53	59	0.0001%
N06.9 Unspecified morphological changes	1	0	1	0.0000%
N11.1 Chronic obstructive pyelonephritis	0	1	1	0.0000%
N12.X Tubulo-interstitial nephritis not spec as acute or chronic	3	1	4	0.0000%
N13.0 Hydronephrosis with ureteropelvic junction obstruction	1	1	2	0.0000%
N13.1 Hydronephrosis with ureteral stricture NEC	2	3	5	0.0000%
N13.2 Hydronephrosis with renal and ureteral calculous obstruction	0	2	2	0.0000%
N13.3 Other and unspecified hydronephrosis	27	49	76	0.0001%
N13.5 Kinking and stricture of ureter without hydronephrosis	2	5	7	0.0000%
N13.6 Pyonephrosis	1	1	2	0.0000%
N13.8 Other obstructive and reflux uropathy	1	9	10	0.0000%
N13.9 Obstructive and reflux uropathy, unspecified	0	22	22	0.0000%
N14.0 Analgesic nephropathy	1	0	1	0.0000%
N17.9 Acute renal failure, unspecified	2	0	2	0.0000%
N18.0 End-stage renal disease	3	8	11	0.0000%
N18.8 Other chronic renal failure	0	2	2	0.0000%
N18.9 Chronic renal failure, unspecified	185	452	637	0.0012%
N19.X Unspecified renal failure	1	5	6	0.0000%
N20.0 Calculus of kidney	32	142	177	0.0003%
N20.1 Calculus of ureter	7	17	24	0.0000%
N20.2 Calculus of kidney with calculus of ureter	7	4	11	0.0000%
N20.9 Urinary calculus, unspecified	35	85	120	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
N21.0	14	66	80	0.0002%
N21.1	3	3	6	0.0000%
N21.9	2	3	5	0.0000%
N23.X	7	25	32	0.0001%
N25.9	1	0	1	0.0000%
N26.X	1	0	1	0.0000%
N27.0	0	1	1	0.0000%
N28.1	3	11	14	0.0000%
N28.8	13	27	40	0.0001%
N28.9	3	9	12	0.0000%
N30.0	2	2	4	0.0000%
N30.1	7	92	99	0.0002%
N30.2	6	64	70	0.0001%
N30.3	69	105	174	0.0003%
N30.4	0	4	4	0.0000%
N30.8	13	28	41	0.0001%
N30.9	59	358	418	0.0008%
N31.2	1	16	17	0.0000%
N31.8	64	125	190	0.0004%
N31.9	9	93	102	0.0002%
N32.0	24	105	130	0.0003%
N32.1	3	7	10	0.0000%
N32.2	2	4	6	0.0000%
N32.3	20	106	126	0.0002%
N32.4	1	1	2	0.0000%
N32.8	112	454	567	0.0011%
N32.9	166	406	572	0.0011%
N34.2	3	6	9	0.0000%
N34.3	1	1	2	0.0000%
N35.8	0	4	4	0.0000%
N35.9	129	613	742	0.0014%
N36.0	1	2	3	0.0000%
N36.1	1	2	3	0.0000%
N36.2	2	2	4	0.0000%
N36.3	0	1	1	0.0000%
N36.8	11	29	40	0.0001%
N36.9	11	33	44	0.0001%
N39.0	664	1,069	1,738	0.0033%
N39.1	8	16	24	0.0000%
N39.2	3	16	19	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
N39.3 Stress incontinence	364	559	923	0.0018%
N39.4 Other specified urinary incontinence	26	157	183	0.0004%
N39.8 Other specified disorders of urinary system	37	203	240	0.0005%
N39.9 Disorder of urinary system, unspecified	1,520	2,055	3,582	0.0069%
N40.X Hyperplasia of prostate	419	1,698	2,119	0.0041%
N41.0 Acute prostatitis	12	26	38	0.0001%
N41.1 Chronic prostatitis	21	67	88	0.0002%
N41.2 Abscess of prostate	1	0	1	0.0000%
N41.3 Prostatocystitis	0	1	1	0.0000%
N41.8 Other inflammatory diseases of prostate	1	1	2	0.0000%
N41.9 Inflammatory disease of prostate, unspecified	30	67	97	0.0002%
N42.0 Calculus of prostate	2	6	8	0.0000%
N42.1 Congestion and haemorrhage of prostate	43	41	84	0.0002%
N42.2 Atrophy of prostate	9	6	15	0.0000%
N42.8 Other specified disorders of prostate	25	89	114	0.0002%
N42.9 Disorder of prostate, unspecified	32	98	130	0.0003%
N43.0 Encysted hydrocele	0	1	1	0.0000%
N43.2 Other hydrocele	2	1	3	0.0000%
N43.3 Hydrocele, unspecified	15	23	38	0.0001%
N43.4 Spermatocoele	0	1	1	0.0000%
N44.X Torsion of testis	1	0	1	0.0000%
N45.9 Orchitis epididymitis and epididymo-orchitis without absces	6	8	14	0.0000%
N46.X Male infertility	23	19	42	0.0001%
N47.X Redundant prepuce, phimosis and paraphimosis	140	99	239	0.0005%
N48.1 Balanoposthitis	2	13	15	0.0000%
N48.4 Impotence of organic origin	99	92	191	0.0004%
N48.6 Balanitis xerotica obliterans	4	5	9	0.0000%
N48.8 Other specified disorders of penis	5	12	17	0.0000%
N48.9 Disorder of penis, unspecified	54	52	106	0.0002%
N49.2 Inflammatory disorders of scrotum	0	1	1	0.0000%
N49.9 Inflammatory disorder of unspecified male genital organ	18	10	28	0.0001%
N50.0 Atrophy of testis	1	1	2	0.0000%
N50.1 Vascular disorders of male genital organs	31	48	79	0.0002%
N50.8 Other specified disorders of male genital organs	347	362	709	0.0014%
N50.9 Disorder of male genital organs, unspecified	152	91	243	0.0005%
N60.0 Solitary cyst of breast	1,129	623	1,752	0.0034%
N60.1 Diffuse cystic mastopathy	602	798	1,400	0.0027%
N60.2 Fibroadenosis of breast	32	79	111	0.0002%
N60.3 Fibrosclerosis of breast	33	41	74	0.0001%
N60.4 Mammary duct ectasia	35	32	67	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
N60.8 Other benign mammary dysplasias	26	45	71	0.0001%
N60.9 Benign mammary dysplasia, unspecified	166	1,623	1,789	0.0034%
N61.X Inflammatory disorders of breast	138	288	426	0.0008%
N62.X Hypertrophy of breast	225	254	479	0.0009%
N63.X Unspecified lump in breast	2,446	1,999	4,445	0.0086%
N64.0 Fissure and fistula of nipple	7	1	8	0.0000%
N64.1 Fat necrosis of breast	43	47	90	0.0002%
N64.4 Mastodynia	593	233	826	0.0016%
N64.5 Other signs and symptoms in breast	1,261	693	1,954	0.0038%
N64.8 Other specified disorders of breast	111	175	286	0.0006%
N64.9 Disorder of breast, unspecified	1,928	2,105	4,033	0.0078%
N70.9 Salpingitis and oophoritis, unspecified	0	3	3	0.0000%
N71.0 Acute inflammatory disease of uterus	0	1	1	0.0000%
N71.1 Chronic inflammatory disease of uterus	0	2	2	0.0000%
N71.9 Inflammatory disease of uterus, unspecified	1	2	3	0.0000%
N72.X Inflammatory disease of cervix uteri	108	95	203	0.0004%
N73.6 Female pelvic peritoneal adhesions	0	1	1	0.0000%
N73.9 Female pelvic inflammatory disease, unspecified	6	14	20	0.0000%
N75.0 Cyst of Bartholin's gland	5	2	7	0.0000%
N75.1 Abscess of Bartholin's gland	11	1	12	0.0000%
N76.0 Acute vaginitis	12	8	20	0.0000%
N76.1 Subacute and chronic vaginitis	1	4	5	0.0000%
N76.2 Acute vulvitis	4	7	11	0.0000%
N76.3 Subacute and chronic vulvitis	0	3	3	0.0000%
N76.4 Abscess of vulva	12	0	12	0.0000%
N76.5 Ulceration of vagina	2	2	4	0.0000%
N76.6 Ulceration of vulva	2	3	5	0.0000%
N76.8 Other specified inflammation of vagina and vulva	9	4	13	0.0000%
N80.0 Endometriosis of uterus	6	2	8	0.0000%
N80.1 Endometriosis of ovary	0	1	1	0.0000%
N80.3 Endometriosis of pelvic peritoneum	8	5	13	0.0000%
N80.6 Endometriosis in cutaneous scar	0	1	1	0.0000%
N80.8 Other endometriosis	3	2	5	0.0000%
N80.9 Endometriosis, unspecified	68	96	164	0.0003%
N81.1 Cystocele	33	50	83	0.0002%
N81.2 Incomplete uterovaginal prolapse	31	42	73	0.0001%
N81.3 Complete uterovaginal prolapse	3	19	22	0.0000%
N81.4 Uterovaginal prolapse, unspecified	45	136	182	0.0004%
N81.5 Vaginal enterocele	0	3	3	0.0000%
N81.6 Rectocele	6	8	14	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
N81.8 Other female genital prolapse	2	1	3	0.0000%
N81.9 Female genital prolapse, unspecified	422	1,226	1,656	0.0032%
N82.0 Vesicovaginal fistula	0	1	1	0.0000%
N82.3 Fistula of vagina to large intestine	1	1	2	0.0000%
N82.4 Other female intestinal-genital tract fistulae	1	1	2	0.0000%
N83.0 Follicular cyst of ovary	1	0	1	0.0000%
N83.2 Other and unspecified ovarian cysts	25	41	66	0.0001%
N83.8 Oth noninflammatory disord ovary fallop tube and broad lig	0	1	1	0.0000%
N83.9 Noninflammatory disord ovary fallop tube/broad lig unspec	6	7	13	0.0000%
N84.0 Polyp of corpus uteri	44	71	115	0.0002%
N84.1 Polyp of cervix uteri	308	101	409	0.0008%
N84.2 Polyp of vagina	9	4	13	0.0000%
N84.3 Polyp of vulva	2	5	7	0.0000%
N84.8 Polyp of other parts of female genital tract	0	1	1	0.0000%
N84.9 Polyp of female genital tract, unspecified	1	1	3	0.0000%
N85.0 Endometrial glandular hyperplasia	2	9	11	0.0000%
N85.1 Endometrial adenomatous hyperplasia	1	0	1	0.0000%
N85.2 Hypertrophy of uterus	1	2	3	0.0000%
N85.4 Malposition of uterus	1	0	1	0.0000%
N85.6 Intrauterine synechiae	1	0	1	0.0000%
N85.8 Other specified noninflammatory disorders of uterus	1	3	4	0.0000%
N85.9 Noninflammatory disorder of uterus, unspecified	152	369	521	0.0010%
N86.X Erosion and ectropion of cervix uteri	177	141	318	0.0006%
N87.0 Mild cervical dysplasia	972	1,141	2,114	0.0041%
N87.1 Moderate cervical dysplasia	423	552	975	0.0019%
N87.2 Severe cervical dysplasia, not elsewhere classified	98	84	182	0.0004%
N87.9 Dysplasia of cervix uteri, unspecified	270	262	532	0.0010%
N88.0 Leukoplakia of cervix uteri	4	11	15	0.0000%
N88.1 Old laceration of cervix uteri	1	0	1	0.0000%
N88.2 Stricture and stenosis of cervix uteri	3	4	7	0.0000%
N88.8 Other specified noninflammatory disorders of cervix uteri	258	178	436	0.0008%
N88.9 Noninflammatory disorder of cervix uteri, unspecified	576	699	1,279	0.0025%
N89.0 Mild vaginal dysplasia	3	7	10	0.0000%
N89.1 Moderate vaginal dysplasia	1	6	7	0.0000%
N89.3 Dysplasia of vagina, unspecified	3	7	10	0.0000%
N89.4 Leukoplakia of vagina	2	0	2	0.0000%
N89.5 Stricture and atresia of vagina	1	2	3	0.0000%
N89.8 Other specified noninflammatory disorders of vagina	124	115	239	0.0005%
N89.9 Noninflammatory disorder of vagina, unspecified	35	27	62	0.0001%
N90.0 Mild vulvar dysplasia	0	11	11	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
N90.1	1	5	6	0.0000%
N90.2	0	2	2	0.0000%
N90.3	3	23	26	0.0001%
N90.4	10	17	27	0.0001%
N90.5	0	2	2	0.0000%
N90.6	1	0	1	0.0000%
N90.7	10	7	17	0.0000%
N90.8	11	17	28	0.0001%
N90.9	179	160	339	0.0007%
N91.0	2	0	2	0.0000%
N91.1	16	1	17	0.0000%
N91.2	8	7	15	0.0000%
N91.5	3	1	4	0.0000%
N92.0	730	621	1,419	0.0027%
N92.1	209	97	306	0.0006%
N92.3	53	34	87	0.0002%
N92.4	3	7	10	0.0000%
N92.5	3	4	7	0.0000%
N92.6	474	319	836	0.0016%
N93.0	381	226	607	0.0012%
N93.8	58	16	74	0.0001%
N93.9	180	67	247	0.0005%
N94.0	1	1	2	0.0000%
N94.1	32	14	47	0.0001%
N94.2	1	0	1	0.0000%
N94.3	1	1	2	0.0000%
N94.4	1	2	3	0.0000%
N94.6	13	10	23	0.0000%
N94.8	763	613	1,406	0.0027%
N94.9	951	821	1,801	0.0035%
N95.0	1,015	687	1,728	0.0033%
N95.1	97	432	529	0.0010%
N95.2	6	26	32	0.0001%
N95.3	2	86	88	0.0002%
N95.8	4	3	7	0.0000%
N95.9	81	47	128	0.0002%
N96.X	21	9	30	0.0001%
N97.1	3	4	7	0.0000%
N97.2	1	0	1	0.0000%
N97.9	457	700	1,158	0.0022%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
N99.3 Prolapse of vaginal vault after hysterectomy	1	7	8	0.0000%
N99.8 Other postprocedural disorders of genitourinary system	3	1	4	0.0000%
O00.1 Tubal pregnancy	1	0	1	0.0000%
O00.9 Ectopic pregnancy, unspecified	11	5	16	0.0000%
O01.9 Hydatidiform mole, unspecified	2	2	4	0.0000%
O02.0 Blighted ovum and nonhydatidiform mole	26	25	51	0.0001%
O02.1 Missed abortion	99	52	151	0.0003%
O03.1 Incomplete spont abort comp by delay/excess haemor'ge	3	1	4	0.0000%
O03.3 Incomplete spont abort with other and unspec complication	2	0	2	0.0000%
O03.4 Incomplete spont abort, without complication	121	51	172	0.0003%
O03.6 Complete or unsp spont abort comp by delay/excess haemor'ge	1	0	1	0.0000%
O03.8 Complete or unsp spont abort comp with other & unsp comp	3	0	3	0.0000%
O03.9 Complete or unsp spont abort comp without complication	209	82	291	0.0006%
O04.1 Incomplete med abort comp by delay/excess haemor'ge	*	*	*	0.0000%
O04.4 Incomplete med abort, without complication	*	*	*	0.0000%
O04.7 Complete or unspec med abort comp by by embolism	*	*	*	0.0000%
O04.8 Complete or unspec med abort comp by with other & unsp comp	*	*	160	0.0003%
O04.9 Complete or unspec med abort comp by without complication	149	19	169	0.0003%
O08.1 Delay/ exces haem follow abort and ectop and molar preg	*	*	*	0.0000%
O08.2 Embolism following abortion and ectopic and molar pregnancy	*	*	*	0.0000%
O10.0 Pre-exist essen hypertens comp preg childbirth and puerp	53	9	62	0.0001%
O10.9 Unspec pre-exist hypertens compl pregn childbth puerprum	271	494	765	0.0015%
O12.0 Gestational oedema	18	3	21	0.0000%
O12.1 Gestational proteinuria	25	4	29	0.0001%
O12.2 Gestational oedema with proteinuria	2	0	2	0.0000%
O13.X Gest [pregnancy-induced] hypertens without sig proteinuria	171	1,568	1,739	0.0033%
O14.0 Moderate pre-eclampsia	360	64	424	0.0008%
O14.1 Severe pre-eclampsia	26	2	28	0.0001%
O14.9 Pre-eclampsia, unspecified	7	15	22	0.0000%
O15.0 Eclampsia in pregnancy	0	1	1	0.0000%
O16.X Unspecified maternal hypertension	31	33	64	0.0001%
O20.0 Threatened abortion	73	7	80	0.0002%
O20.8 Other haemorrhage in early pregnancy	0	3	3	0.0000%
O20.9 Haemorrhage in early pregnancy, unspecified	409	456	865	0.0017%
O21.0 Mild hyperemesis gravidarum	79	185	264	0.0005%
O21.1 Hyperemesis gravidarum with metabolic disturbance	2	2	4	0.0000%
O21.2 Late vomiting of pregnancy	4	2	6	0.0000%
O21.9 Vomiting of pregnancy, unspecified	12	1	13	0.0000%
O22.0 Varicose veins of lower extremity in pregnancy	1	0	1	0.0000%
O22.3 Deep phlebothrombosis in pregnancy	0	4	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
O22.9	0	3	3	0.0000%
O23.4	13	1	14	0.0000%
O23.5	6	2	8	0.0000%
O23.9	0	4	4	0.0000%
O24.0	92	303	395	0.0008%
O24.1	5	32	37	0.0001%
O24.4	34	497	531	0.0010%
O24.9	0	5	5	0.0000%
O26.0	1	1	2	0.0000%
O26.2	0	1	1	0.0000%
O26.5	2	0	2	0.0000%
O26.6	5	256	261	0.0005%
O26.7	3	0	3	0.0000%
O26.8	447	194	641	0.0012%
O26.9	292	1,949	2,241	0.0043%
O28.0	0	2	2	0.0000%
O28.1	1	0	1	0.0000%
O28.3	2	4	6	0.0000%
O28.8	7	0	7	0.0000%
O30.0	26	26	52	0.0001%
O30.1	3	9	12	0.0000%
O30.8	17	14	31	0.0001%
O30.9	0	47	47	0.0001%
O31.2	1	0	1	0.0000%
O32.0	0	2	2	0.0000%
O32.1	195	444	639	0.0012%
O32.2	3	2	5	0.0000%
O32.4	0	1	1	0.0000%
O32.9	0	6	6	0.0000%
O33.8	1	0	1	0.0000%
O34.2	0	6	6	0.0000%
O34.3	4	11	15	0.0000%
O34.4	2	0	2	0.0000%
O34.8	2	4	6	0.0000%
O34.9	2	1	3	0.0000%
O35.0	2	0	2	0.0000%
O35.1	329	103	432	0.0008%
O35.2	0	1	1	0.0000%
O35.3	1	4	5	0.0000%
O35.8	224	66	290	0.0006%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
O35.9 Mat care for (suspected) fet abnormality and damage	1,406	645	2,051	0.0039%
O36.0 Maternal care for rhesus isoimmunization	62	212	274	0.0005%
O36.1 Maternal care for other isoimmunization	0	1	1	0.0000%
O36.2 Maternal care for hydrops fetalis	2	4	6	0.0000%
O36.3 Maternal care for signs of fetal hypoxia	2	1	3	0.0000%
O36.4 Maternal care for intrauterine death	4	27	31	0.0001%
O36.5 Maternal care for poor fetal growth	303	1,611	1,914	0.0037%
O36.6 Maternal care for excessive fetal growth	21	85	106	0.0002%
O36.8 Maternal care for other specified fetal problems	1,822	2,529	4,351	0.0084%
O36.9 Maternal care for fetal problem, unspecified	374	1,302	1,676	0.0032%
O40.X Polyhydramnios	7	10	17	0.0000%
O41.0 Oligohydramnios	6	8	14	0.0000%
O41.1 Infection of amniotic sac and membranes	3	0	3	0.0000%
O41.8 Other specified disorders of amniotic fluid and membranes	142	1,084	1,226	0.0024%
O41.9 Disorder of amniotic fluid and membranes, unspecified	2	3	5	0.0000%
O42.0 Prem rupture of membranes onset of labour within 24 hours	1	0	1	0.0000%
O42.1 Prem rupture of membranes onset of labour after 24 hours	6	3	9	0.0000%
O42.2 Premature rupture of membranes, labour delayed by therapy	1	0	1	0.0000%
O42.9 Premature rupture of membranes, unspecified	82	473	555	0.0011%
O43.0 Placental transfusion syndromes	0	1	1	0.0000%
O44.0 Placenta praevia specified as without haemorrhage	2	6	8	0.0000%
O44.1 Placenta praevia with haemorrhage	0	1	1	0.0000%
O46.0 Antepartum haemorrhage with coagulation defect	0	2	2	0.0000%
O46.8 Other antepartum haemorrhage	0	5	5	0.0000%
O46.9 Antepartum haemorrhage, unspecified	69	482	551	0.0011%
O47.0 False labour before 37 completed weeks of gestation	40	262	302	0.0006%
O47.1 False labour at or after 37 completed weeks of gestation	323	868	1,191	0.0023%
O47.9 False labour, unspecified	8	5	13	0.0000%
O48.X Prolonged pregnancy	58	150	208	0.0004%
O60.X Preterm delivery	0	1	1	0.0000%
O61.0 Failed medical induction of labour	0	1	1	0.0000%
O62.0 Primary inadequate contractions	93	3,163	3,256	0.0063%
O68.0 Labour and delivery complicated by fetal heart rate anomaly	0	1	1	0.0000%
O68.8 Labour and delivery comp by other evidence of fetal stress	1	0	1	0.0000%
O68.9 Labour and delivery complicated by fetal stress, unspecified	1	0	1	0.0000%
O70.0 First degree perineal laceration during delivery	0	1	1	0.0000%
O71.6 Obstetric damage to pelvic joints and ligaments	1	0	1	0.0000%
O72.1 Other immediate postpartum haemorrhage	5	0	5	0.0000%
O72.2 Delayed and secondary postpartum haemorrhage	21	1	22	0.0000%
O73.0 Retained placenta without haemorrhage	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
O73.1 Ret portions of placenta and membranes without haemorrhage	1	0	1	0.0000%
O75.4 Other complications of obstetric surgery and procedures	1	4	5	0.0000%
O86.0 Infection of obstetric surgical wound	6	1	7	0.0000%
O86.2 Urinary tract infection following delivery	1	0	1	0.0000%
O86.8 Other specified puerperal infections	0	1	1	0.0000%
O87.0 Superficial thrombophlebitis in the puerperium	1	0	1	0.0000%
O90.0 Disruption of caesarean section wound	2	22	24	0.0000%
O90.1 Disruption of perineal obstetric wound	2	1	3	0.0000%
O90.2 Haematoma of obstetric wound	1	0	1	0.0000%
O90.5 Postpartum thyroiditis	1	0	1	0.0000%
O90.8 Other complications of the puerperium	20	0	20	0.0000%
O90.9 Complication of the puerperium, unspecified	7	276	283	0.0005%
O92.6 Galactorrhoea	2	3	5	0.0000%
O98.4 Viral hepatitis comp pregnancy, childbirth & the puerperium	0	1	1	0.0000%
O99.0 Anaemia comp pregnancy, childbirth and the puerperium	3	12	15	0.0000%
O99.2 Endocrine nutritional metabolic dis comp preg birth puerp	0	1	1	0.0000%
O99.3 Mental disord dis of nervous system comp preg/birth/puerp	8	10	18	0.0000%
O99.4 Dis circulatory sys comp pregnancy, childbirth/puerperium	45	8	53	0.0001%
O99.5 Dis resp syst comp pregnancy, childbirth & puerperium	2	0	2	0.0000%
O99.6 Dis of the digestive sys comp preg childbirth and puerp	40	8	48	0.0001%
O99.7 Dis of the skin and subcut tis comp preg childbirth puerp	0	1	1	0.0000%
O99.8 Other spec dis and conditions comp preg childbirth puerp	64	61	125	0.0002%
P05.1 Small for gestational age	0	3	3	0.0000%
P05.9 Slow fetal growth, unspecified	1	0	1	0.0000%
P07.0 Extremely low birth weight	0	3	3	0.0000%
P07.1 Other low birth weight	1	0	1	0.0000%
P07.3 Other preterm infants	12	2	14	0.0000%
P12.0 Cephalhaematoma due to birth injury	0	1	1	0.0000%
P14.0 Erb's paralysis due to birth injury	3	1	4	0.0000%
P26.8 Oth pulmonary haemorrhages originating in perinatal period	0	1	1	0.0000%
P38.X Omphalitis of newborn with or without mild haemorrhage	0	2	2	0.0000%
P55.1 ABO isoimmunization of fetus and newborn	1	0	1	0.0000%
P57.9 Kernicterus, unspecified	1	0	1	0.0000%
P59.0 Neonatal jaundice associated with preterm delivery	5	7	12	0.0000%
P59.9 Neonatal jaundice, unspecified	12	4	16	0.0000%
P91.2 Neonatal cerebral leukomalacia	0	2	2	0.0000%
P91.4 Neonatal cerebral depression	2	2	4	0.0000%
P92.8 Other feeding problems of newborn	6	2	8	0.0000%
Q01.2 Occipital encephalocele	1	0	1	0.0000%
Q01.8 Encephalocele of other sites	0	1	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Q01.9	0	2	2	0.0000%
Q02.X	1	2	3	0.0000%
Q03.0	3	1	4	0.0000%
Q03.1	1	0	1	0.0000%
Q03.9	1	0	1	0.0000%
Q04.0	1	0	1	0.0000%
Q04.2	0	2	2	0.0000%
Q04.5	0	2	2	0.0000%
Q04.6	1	6	7	0.0000%
Q04.8	1	0	1	0.0000%
Q05.4	4	6	10	0.0000%
Q05.9	10	69	79	0.0002%
Q06.0	0	1	1	0.0000%
Q06.2	2	3	5	0.0000%
Q06.8	3	16	19	0.0000%
Q06.9	0	1	1	0.0000%
Q07.0	25	155	180	0.0003%
Q07.8	4	14	18	0.0000%
Q10.0	17	25	42	0.0001%
Q10.3	0	1	1	0.0000%
Q10.5	16	10	26	0.0001%
Q10.6	1	0	1	0.0000%
Q10.7	3	7	10	0.0000%
Q11.1	0	8	8	0.0000%
Q11.2	1	8	9	0.0000%
Q12.0	31	98	129	0.0002%
Q12.1	2	3	5	0.0000%
Q12.9	0	2	2	0.0000%
Q13.0	5	19	24	0.0000%
Q13.1	0	5	5	0.0000%
Q13.2	2	0	2	0.0000%
Q13.5	1	0	1	0.0000%
Q13.9	1	4	5	0.0000%
Q14.1	5	8	13	0.0000%
Q14.2	4	1	5	0.0000%
Q14.3	1	0	1	0.0000%
Q15.0	4	30	34	0.0001%
Q15.8	0	1	1	0.0000%
Q17.5	20	46	66	0.0001%
Q18.0	1	5	6	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Q18.1 Preauricular sinus and cyst	51	16	67	0.0001%
Q18.5 Microstomia	1	1	2	0.0000%
Q18.8 Other specified congenital malformations of face and neck	1	3	4	0.0000%
Q18.9 Congenital malformation of face and neck, unspecified	77	16	93	0.0002%
Q20.2 Double outlet left ventricle	1	0	1	0.0000%
Q21.0 Ventricular septal defect	13	2	15	0.0000%
Q21.3 Tetralogy of Fallot	1	0	1	0.0000%
Q22.1 Congenital pulmonary valve stenosis	0	1	1	0.0000%
Q24.9 Congenital malformation of heart, unspecified	0	1	1	0.0000%
Q25.0 Patent ductus arteriosus	1	0	1	0.0000%
Q25.6 Stenosis of pulmonary artery	1	0	1	0.0000%
Q27.2 Other congenital malformations of renal artery	0	1	1	0.0000%
Q27.3 Peripheral arteriovenous malformation	6	7	13	0.0000%
Q27.9 Cong malformation of peripheral vascular system unspecified	0	5	5	0.0000%
Q28.0 Arteriovenous malformation of precerebral vessels	1	17	18	0.0000%
Q28.2 Arteriovenous malformation of cerebral vessels	39	203	242	0.0005%
Q28.9 Congenital malformation of circulatory system, unspecified	6	20	26	0.0001%
Q30.8 Other congenital malformations of nose	0	1	1	0.0000%
Q30.9 Congenital malformation of nose, unspecified	0	3	3	0.0000%
Q31.1 Congenital subglottic stenosis	0	1	1	0.0000%
Q32.4 Other congenital malformations of bronchus	1	0	1	0.0000%
Q35.9 Cleft palate, unspecified	2	9	11	0.0000%
Q36.0 Cleft lip, bilateral	0	1	1	0.0000%
Q37.9 Unspecified cleft palate with unilateral cleft lip	0	25	25	0.0000%
Q38.0 Congenital malformations of lips, not elsewhere classified	1	1	2	0.0000%
Q38.1 Ankyloglossia	8	8	16	0.0000%
Q38.5 Congenital malformations of palate, not elsewhere classified	1	0	1	0.0000%
Q38.6 Other congenital malformations of mouth	0	1	1	0.0000%
Q38.7 Pharyngeal pouch	1	1	2	0.0000%
Q39.3 Congenital stenosis and stricture of oesophagus	0	1	1	0.0000%
Q39.4 Oesophageal web	3	2	5	0.0000%
Q40.0 Congenital hypertrophic pyloric stenosis	0	1	1	0.0000%
Q40.3 Congenital malformation of stomach, unspecified	1	0	1	0.0000%
Q43.1 Hirschsprung's disease	1	0	1	0.0000%
Q43.8 Other specified congenital malformations of intestine	1	0	1	0.0000%
Q53.1 Undescended testicle, unilateral	11	27	38	0.0001%
Q53.2 Undescended testicle, bilateral	12	7	19	0.0000%
Q53.9 Undescended testicle, unspecified	18	10	28	0.0001%
Q54.0 Hypospadias, balanic	0	2	2	0.0000%
Q54.1 Hypospadias, penile	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Q54.9 Hypospadias, unspecified	9	36	45	0.0001%
Q55.4 Oth cong malform vas def epidid sem vesicle and prostate	10	11	21	0.0000%
Q55.5 Congenital absence and aplasia of penis	1	0	1	0.0000%
Q55.8 Other specified congen malformations of male genital organs	0	1	1	0.0000%
Q61.0 Congenital single renal cyst	0	1	1	0.0000%
Q61.2 Polycystic kidney, adult type	0	1	1	0.0000%
Q61.3 Polycystic kidney, unspecified	7	26	33	0.0001%
Q61.4 Renal dysplasia	2	1	3	0.0000%
Q61.8 Other cystic kidney diseases	1	1	2	0.0000%
Q62.0 Congenital hydronephrosis	0	1	1	0.0000%
Q62.7 Congenital vesico-uretero-renal reflux	2	6	8	0.0000%
Q63.0 Accessory kidney	0	1	1	0.0000%
Q65.0 Congenital dislocation of hip, unilateral	0	1	1	0.0000%
Q66.7 Pes cavus	2	0	2	0.0000%
Q66.8 Other congenital deformities of feet	3	1	4	0.0000%
Q67.0 Facial asymmetry	1	6	7	0.0000%
Q67.3 Plagiocephaly	24	31	55	0.0001%
Q67.4 Other congenital deformities of skull, face and jaw	0	1	1	0.0000%
Q67.6 Pectus excavatum	0	1	1	0.0000%
Q70.9 Syndactyly, unspecified	0	1	1	0.0000%
Q72.8 Other reduction defects of lower limb(s)	1	0	1	0.0000%
Q74.0 Oth cong malformation of upper limb(s) inc shoulder girdle	4	6	10	0.0000%
Q74.2 Other cong malformation of lower limb(s) incl pelvic girdle	1	0	1	0.0000%
Q75.0 Craniosynostosis	14	170	184	0.0004%
Q75.1 Craniofacial dysostosis	3	22	25	0.0000%
Q75.2 Hypertelorism	1	3	4	0.0000%
Q75.3 Macrocephaly	0	2	2	0.0000%
Q75.4 Mandibulofacial dysostosis	0	1	1	0.0000%
Q75.8 Other spec congenital malformations of skull and face bones	3	5	8	0.0000%
Q75.9 Congenital malformation of skull and face bones, unspecified	30	12	42	0.0001%
Q76.0 Spina bifida occulta	1	1	2	0.0000%
Q76.1 Klippel-Feil syndrome	2	6	8	0.0000%
Q76.4 Oth cong malformation of spine not associated with scoliosis	1	6	7	0.0000%
Q76.6 Other congenital malformations of ribs	1	0	1	0.0000%
Q76.7 Congenital malformation of sternum	0	1	1	0.0000%
Q76.8 Other congenital malformations of bony thorax	0	1	1	0.0000%
Q77.4 Achondroplasia	1	1	2	0.0000%
Q77.6 Chondroectodermal dysplasia	0	1	1	0.0000%
Q78.0 Osteogenesis imperfecta	7	33	40	0.0001%
Q78.1 Polyostotic fibrous dysplasia	0	9	9	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

Primary diagnosis		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
NHS Hospitals, England, 2006-07					
Q78.3	Progressive diaphyseal dysplasia	0	1	1	0.0000%
Q78.6	Multiple congenital exostoses	0	1	1	0.0000%
Q78.8	Other specified osteochondrodysplasias	10	137	147	0.0003%
Q79.6	Ehlers-Danlos syndrome	3	1	4	0.0000%
Q82.0	Hereditary lymphoedema	0	1	1	0.0000%
Q82.1	Xeroderma pigmentosum	0	1	1	0.0000%
Q82.2	Mastocytosis	5	11	16	0.0000%
Q82.4	Ectodermal dysplasia (anhidrotic)	1	0	1	0.0000%
Q82.5	Congenital non-neopastic naevus	79	576	655	0.0013%
Q82.8	Other specified congenital malformations of skin	8	38	46	0.0001%
Q82.9	Congenital malformation of skin, unspecified	1	5	6	0.0000%
Q83.1	Accessory breast	8	3	11	0.0000%
Q83.3	Accessory nipple	3	3	6	0.0000%
Q83.8	Other congenital malformations of breast	1	1	2	0.0000%
Q83.9	Congenital malformation of breast, unspecified	22	28	50	0.0001%
Q84.2	Other congenital malformations of hair	1	6	7	0.0000%
Q84.8	Other specified congenital malformations of integument	1	1	2	0.0000%
Q85.0	Neurofibromatosis (nonmalignant)	22	55	77	0.0001%
Q85.1	Tuberous sclerosis	1	4	5	0.0000%
Q85.8	Other phakomatoses, not elsewhere classified	5	6	11	0.0000%
Q85.9	Phakomatosis, unspecified	1	0	1	0.0000%
Q86.8	Oth cong malform syndromes due to known exogen causes	1	4	5	0.0000%
Q87.0	Cong malform syndromes predom affect facial appearance	2	51	53	0.0001%
Q87.1	Cong malform syndromes predomin assoc with short stature	0	5	5	0.0000%
Q87.3	Congenital malformation syndromes involving early overgrowth	1	0	1	0.0000%
Q87.4	Marfan's syndrome	5	15	20	0.0000%
Q87.5	Other cong malform syndromes with other skeletal changes	0	1	1	0.0000%
Q87.8	Other specified congenital malformation syndromes NEC	8	26	34	0.0001%
Q89.1	Congenital malformations of adrenal gland	0	1	1	0.0000%
Q89.2	Congenital malformations of other endocrine glands	2	2	4	0.0000%
Q90.0	Trisomy 21, meiotic nondisjunction	0	5	5	0.0000%
Q90.2	Trisomy 21, translocation	0	1	1	0.0000%
Q90.9	Down's syndrome, unspecified	15	71	86	0.0002%
Q93.4	Deletion of short arm of chromosome 5	0	1	1	0.0000%
Q93.5	Other deletions of part of a chromosome	0	1	1	0.0000%
Q96.9	Turner's syndrome, unspecified	1	27	28	0.0001%
Q98.4	Klinefelter's syndrome, unspecified	0	5	5	0.0000%
Q99.2	Fragile X chromosome	2	0	2	0.0000%
Q99.8	Other specified chromosome abnormalities	1	2	3	0.0000%
Q99.9	Chromosomal abnormality, unspecified	2	2	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
R00.0	2	5	7	0.0000%
R00.1	1	2	3	0.0000%
R00.2	219	193	412	0.0008%
R00.8	1	4	5	0.0000%
R01.0	42	7	49	0.0001%
R01.1	44	67	111	0.0002%
R01.2	2	0	2	0.0000%
R02.X	0	7	7	0.0000%
R03.0	2	1	3	0.0000%
R03.1	2	0	2	0.0000%
R04.0	343	290	633	0.0012%
R04.1	3	2	5	0.0000%
R04.2	40	100	146	0.0003%
R04.9	1	0	1	0.0000%
R05.X	229	197	433	0.0008%
R06.0	201	153	354	0.0007%
R06.1	4	10	14	0.0000%
R06.2	79	16	95	0.0002%
R06.3	1	0	1	0.0000%
R06.4	8	4	12	0.0000%
R06.5	71	44	115	0.0002%
R06.8	18	22	40	0.0001%
R07.0	23	8	31	0.0001%
R07.1	0	5	5	0.0000%
R07.2	5	46	51	0.0001%
R07.3	9	37	46	0.0001%
R07.4	1,292	394	1,687	0.0032%
R09.0	1	0	1	0.0000%
R09.1	1	1	2	0.0000%
R09.8	9	4	13	0.0000%
R10.0	2	10	12	0.0000%
R10.1	183	228	415	0.0008%
R10.2	189	59	248	0.0005%
R10.3	125	182	308	0.0006%
R10.4	1,670	1,759	3,455	0.0067%
R11.X	369	115	485	0.0009%
R12.X	16	26	42	0.0001%
R13.X	528	388	934	0.0018%
R14.X	28	21	50	0.0001%
R15.X	60	36	96	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

Primary diagnosis		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
NHS Hospitals, England, 2006-07					
R16.0	Hepatomegaly, not elsewhere classified	1	0	1	0.0000%
R16.1	Splenomegaly, not elsewhere classified	2	3	5	0.0000%
R16.2	Hepatomegaly with splenomegaly, not elsewhere classified	0	2	2	0.0000%
R17.X	Unspecified jaundice	252	327	579	0.0011%
R18.X	Ascites	4	25	29	0.0001%
R19.0	Intra-abdominal and pelvic swelling, mass and lump	139	190	329	0.0006%
R19.3	Abdominal rigidity	1	0	1	0.0000%
R19.4	Change in bowel habit	2,344	565	2,911	0.0056%
R19.5	Other faecal abnormalities	22	9	31	0.0001%
R19.6	Halitosis	1	3	4	0.0000%
R19.8	Oth spec symptoms and signs involv digestive sys and abdomen	848	411	1,273	0.0025%
R20.2	Paraesthesia of skin	11	13	24	0.0000%
R20.8	Other and unspecified disturbances of skin sensation	62	8	70	0.0001%
R21.X	Rash and other nonspecific skin eruption	272	369	641	0.0012%
R22.0	Localized swelling, mass and lump, head	18	17	35	0.0001%
R22.1	Localized swelling, mass and lump, neck	325	436	761	0.0015%
R22.2	Localized swelling, mass and lump, trunk	24	12	36	0.0001%
R22.3	Localized swelling, mass and lump, upper limb	4	10	14	0.0000%
R22.4	Localized swelling, mass and lump, lower limb	3	1	4	0.0000%
R22.9	Localized swelling, mass and lump, unspecified	12	51	63	0.0001%
R23.0	Cyanosis	12	2	14	0.0000%
R23.1	Pallor	15	3	18	0.0000%
R23.3	Spontaneous ecchymoses	9	7	16	0.0000%
R23.4	Changes in skin texture	2	7	9	0.0000%
R23.8	Other and unspecified skin changes	15	18	33	0.0001%
R25.0	Abnormal head movements	2	0	2	0.0000%
R25.1	Tremor, unspecified	65	8	73	0.0001%
R25.2	Cramp and spasm	26	126	152	0.0003%
R25.3	Fasciculation	8	8	16	0.0000%
R25.8	Other and unspecified abnormal involuntary movements	12	76	88	0.0002%
R26.0	Ataxic gait	3	1	4	0.0000%
R26.2	Difficulty in walking, not elsewhere classified	1	4	5	0.0000%
R26.8	Other and unspecified abnormalities of gait and mobility	28	76	104	0.0002%
R27.0	Ataxia, unspecified	16	16	32	0.0001%
R27.8	Other and unspecified lack of coordination	2	0	2	0.0000%
R29.2	Abnormal reflex	1	0	1	0.0000%
R29.3	Abnormal posture	1	1	2	0.0000%
R29.8	Other spec symptoms signs involv nervous/musculoskel systs	53	10	63	0.0001%
R30.0	Dysuria	13	46	59	0.0001%
R30.1	Vesical tenesmus	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
R30.9 Painful micturition, unspecified	7	11	18	0.0000%
R31.X Unspecified haematuria	2,542	2,974	5,517	0.0106%
R32.X Unspecified urinary incontinence	403	832	1,295	0.0025%
R33.X Retention of urine	81	298	381	0.0007%
R35.X Polyuria	454	1,212	1,666	0.0032%
R36.X Urethral discharge	0	4	4	0.0000%
R39.0 Extravasation of urine	6	7	13	0.0000%
R39.1 Other difficulties with micturition	177	285	462	0.0009%
R39.2 Extrarenal uraemia	0	1	1	0.0000%
R39.8 Other and unspecf symptoms and signs involv urinary syst	872	1,901	2,960	0.0057%
R40.0 Somnolence	1	2	3	0.0000%
R41.0 Disorientation, unspecified	4	2	6	0.0000%
R41.3 Other amnesia	13	4	17	0.0000%
R41.8 Oth/unsp sympt & signs involv cognitive funct & awareness	8	21	29	0.0001%
R42.X Dizziness and giddiness	494	367	864	0.0017%
R43.0 Anosmia	4	5	9	0.0000%
R43.1 Parosmia	2	11	13	0.0000%
R43.2 Parageusia	1	0	1	0.0000%
R43.8 Other and unspecified disturbances of smell and taste	3	8	11	0.0000%
R44.0 Auditory hallucinations	2	2	4	0.0000%
R44.1 Visual hallucinations	3	2	5	0.0000%
R44.2 Other hallucinations	1	0	1	0.0000%
R44.3 Hallucinations, unspecified	3	2	5	0.0000%
R44.8 Oth and unspec sympt/signs inv gen sensations/percept	11	2	13	0.0000%
R45.1 Restlessness and agitation	0	1	1	0.0000%
R45.4 Irritability and anger	1	2	3	0.0000%
R45.8 Other symptoms and signs involving emotional state	1	0	1	0.0000%
R46.2 Strange and inexplicable behaviour	1	0	1	0.0000%
R46.3 Overactivity	1	0	1	0.0000%
R47.0 Dysphasia and aphasia	9	2	11	0.0000%
R47.1 Dysarthria and anarthria	5	0	5	0.0000%
R47.8 Other and unspecified speech disturbances	3	1	4	0.0000%
R48.2 Apraxia	1	0	1	0.0000%
R48.8 Other and unspecified symbolic dysfunctions	0	2	2	0.0000%
R49.0 Dysphonia	262	327	589	0.0011%
R49.1 Aphonia	3	2	5	0.0000%
R49.8 Other and unspecified voice disturbances	117	159	276	0.0005%
R50.9 Fever, unspecified	310	39	349	0.0007%
R51.X Headache	1,116	542	1,658	0.0032%
R52.0 Acute pain	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
R52.1 Chronic intractable pain	143	24	167	0.0003%
R52.2 Other chronic pain	63	133	196	0.0004%
R52.9 Pain, unspecified	298	415	713	0.0014%
R53.X Malaise and fatigue	139	113	252	0.0005%
R54.X Senility	1	1	2	0.0000%
R55.X Syncope and collapse	378	351	729	0.0014%
R56.0 Febrile convulsions	43	4	47	0.0001%
R56.8 Other and unspecified convulsions	275	113	388	0.0007%
R57.9 Shock, unspecified	1	0	1	0.0000%
R58.X Haemorrhage, not elsewhere classified	2	4	6	0.0000%
R59.0 Localized enlarged lymph nodes	147	223	370	0.0007%
R59.1 Generalized enlarged lymph nodes	123	292	415	0.0008%
R59.9 Enlarged lymph nodes, unspecified	18	62	80	0.0002%
R60.0 Localized oedema	3	25	28	0.0001%
R60.9 Oedema, unspecified	3	10	13	0.0000%
R61.0 Localized hyperhidrosis	7	59	66	0.0001%
R61.1 Generalized hyperhidrosis	1	1	2	0.0000%
R61.9 Hyperhidrosis, unspecified	17	12	29	0.0001%
R62.0 Delayed milestone	7	15	22	0.0000%
R62.8 Other lack of expected normal physiological development	51	52	103	0.0002%
R62.9 Lack of expected normal physiologic development unspec	28	56	84	0.0002%
R63.0 Anorexia	15	5	21	0.0000%
R63.1 Polydipsia	6	3	9	0.0000%
R63.2 Polyphagia	2	1	3	0.0000%
R63.3 Feeding difficulties and mismanagement	49	11	60	0.0001%
R63.4 Abnormal weight loss	236	128	370	0.0007%
R63.5 Abnormal weight gain	3	2	5	0.0000%
R63.8 Other symptoms and signs concerning food and fluid intake	3	0	3	0.0000%
R68.1 Nonspecific symptoms peculiar to infancy	29	0	29	0.0001%
R68.2 Dry mouth, unspecified	5	6	11	0.0000%
R68.8 Other specified general symptoms and signs	10,670	21,996	32,700	0.0630%
R69.X Unknown and unspecified causes of morbidity	15,051,986	35,362,561	50,666,371	97.5482%
R70.0 Elevated erythrocyte sedimentation rate	3	6	17	0.0000%
R71.X Abnormality of red blood cells	0	12	12	0.0000%
R72.X Abnormality of white blood cells, not elsewhere classified	1	3	4	0.0000%
R73.9 Hyperglycaemia, unspecified	0	3	3	0.0000%
R74.8 Abnormal levels of other serum enzymes	0	74	74	0.0001%
R74.9 Abnormal level of unspecified serum enzyme	2	0	2	0.0000%
R76.0 Raised antibody titre	0	1	1	0.0000%
R78.9 Finding of unspec substance not normally found in blood	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
R79.0 Abnormal level of blood mineral	0	1	1	0.0000%
R79.8 Other specified abnormal findings of blood chemistry	212	835	1,047	0.0020%
R79.9 Abnormal finding of blood chemistry, unspecified	4	13	17	0.0000%
R80.X Isolated proteinuria	19	51	70	0.0001%
R81.X Glycosuria	1	1	2	0.0000%
R82.4 Acetonuria	1	0	1	0.0000%
R82.8 Abnorm find on cytological and histological examin of urine	1	2	3	0.0000%
R82.9 Other and unspecified abnormal findings in urine	2	0	3	0.0000%
R86.0 Abn find specs fm male genital org abn level enzymes	7	50	57	0.0001%
R86.1 Abn find specs fm male genital org abn level hormones	0	6	6	0.0000%
R86.6 Abn find specs fm male genital org abn cytol find	0	6	6	0.0000%
R86.7 Abn find specs fm male genital org abn histol find	2	7	9	0.0000%
R86.8 Oth abn find in specs from male genital organs	0	1	1	0.0000%
R86.9 Unspec abn find in specs from male genital organs	77	362	439	0.0008%
R87.0 Abn find in specs from female genital organs abn lev enzymes	2	0	2	0.0000%
R87.1 Abn find in specs from fem genital org abn lev of hormones	2	3	5	0.0000%
R87.3 Abn find female genital org abn lev subs chief nonmed sorce	1	1	2	0.0000%
R87.4 Abn find in specs from female genital org abn immunol find	4	2	6	0.0000%
R87.5 Abn find in specs from female genital org abn microbiol find	0	1	1	0.0000%
R87.6 Abn find in specs from female genital org abn cytol findings	1,821	2,597	4,424	0.0085%
R87.7 Abn find in specs from female genital organs abn histol find	0	2	2	0.0000%
R87.8 Oth abn find in specs from female genital organs	1	0	1	0.0000%
R87.9 Unspec abn find in specs from female genital organs	1,432	1,517	2,950	0.0057%
R89.7 Abn finds specs oth organs abn histol finds	1	0	1	0.0000%
R91.X Abnormal findings on diagnostic imaging of lung	98	188	321	0.0006%
R92.X Abnormal findings on diagnostic imaging of breast	7	0	7	0.0000%
R93.0 Abnormal findings on diagnostic imaging of skull and head	0	1	1	0.0000%
R93.3 Abn finds diagnostic imaging of oth parts of digestive tract	57	25	90	0.0002%
R93.4 Abnormal findings on diagnostic imaging of urinary organs	5	17	22	0.0000%
R93.5 Abn finds diag imaging oth abdo region inc retroperitoneum	0	2	2	0.0000%
R93.8 Abn finds on diag imaging of other spec body structures	2	6	8	0.0000%
R94.4 Abnormal results of kidney function studies	0	1	1	0.0000%
R94.5 Abnormal results of liver function studies	10	17	27	0.0001%
R94.6 Abnormal results of thyroid function studies	1	0	1	0.0000%
R94.7 Abnormal results of other endocrine function studies	0	12	12	0.0000%
R94.8 Abn results of function studies of other organs and systems	6	137	143	0.0003%
S00.1 Contusion of eyelid and periocular area	8	4	12	0.0000%
S00.2 Other superficial injuries of eyelid and periocular area	5	2	7	0.0000%
S00.4 Superficial injury of ear	3	5	8	0.0000%
S00.5 Superficial injury of lip and oral cavity	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S00.8	1	3	4	0.0000%
S00.9	1	0	1	0.0000%
S01.0	6	2	8	0.0000%
S01.1	17	10	27	0.0001%
S01.2	17	11	28	0.0001%
S01.3	20	7	27	0.0001%
S01.4	11	1	12	0.0000%
S01.5	76	27	103	0.0002%
S01.8	41	13	54	0.0001%
S01.9	4	2	6	0.0000%
S02.0	1	2	3	0.0000%
S02.1	0	3	3	0.0000%
S02.2	32	16	48	0.0001%
S02.3	14	8	22	0.0000%
S02.4	1	0	1	0.0000%
S02.5	23	26	49	0.0001%
S02.6	2	1	3	0.0000%
S02.7	0	1	1	0.0000%
S02.8	4	9	13	0.0000%
S02.9	7	11	18	0.0000%
S03.0	0	3	3	0.0000%
S04.0	0	1	1	0.0000%
S05.0	66	56	122	0.0002%
S05.1	2	2	4	0.0000%
S05.2	0	1	1	0.0000%
S05.3	1	2	3	0.0000%
S05.5	3	2	5	0.0000%
S05.6	6	26	32	0.0001%
S05.8	50	81	131	0.0003%
S05.9	18	57	75	0.0001%
S06.0	1	1	2	0.0000%
S06.4	0	4	4	0.0000%
S06.5	2	1	3	0.0000%
S06.8	0	3	3	0.0000%
S06.9	7	58	65	0.0001%
S08.1	1	0	1	0.0000%
S09.0	1	1	2	0.0000%
S09.1	1	3	4	0.0000%
S09.2	1	0	1	0.0000%
S09.8	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S09.9 Unspecified injury of head	110	96	206	0.0004%
S10.8 Superficial injury of other parts of neck	0	1	1	0.0000%
S11.2 Open wound involving pharynx and cervical oesophagus	1	1	2	0.0000%
S12.1 Fracture of second cervical vertebra	0	2	2	0.0000%
S12.2 Fracture of other specified cervical vertebra	0	4	4	0.0000%
S12.9 Fracture of neck, part unspecified	0	3	3	0.0000%
S13.2 Dislocation of other and unspecified parts of neck	0	1	1	0.0000%
S13.4 Sprain and strain of cervical spine	11	5	16	0.0000%
S14.1 Other and unspecified injuries of cervical spinal cord	1	0	1	0.0000%
S14.3 Injury of brachial plexus	3	0	3	0.0000%
S15.1 Injury of vertebral artery	0	4	4	0.0000%
S15.8 Injury of other blood vessels at neck level	2	0	2	0.0000%
S15.9 Injury of unspecified blood vessel at neck level	1	1	2	0.0000%
S19.9 Unspecified injury of neck	0	2	2	0.0000%
S20.2 Contusion of thorax	0	1	1	0.0000%
S21.1 Open wound of front wall of thorax	1	0	1	0.0000%
S21.2 Open wound of back wall of thorax	0	1	1	0.0000%
S22.3 Fracture of rib	0	2	2	0.0000%
S27.0 Traumatic pneumothorax	0	1	1	0.0000%
S29.9 Unspecified injury of thorax	0	3	3	0.0000%
S30.0 Contusion of lower back and pelvis	1	0	1	0.0000%
S30.1 Contusion of abdominal wall	0	1	1	0.0000%
S30.8 Other superficial injuries of abdomen, lower back and pelvis	0	27	27	0.0001%
S30.9 Superficial inj of abdomen lower back and pelvis part unspec	1	15	16	0.0000%
S31.0 Open wound of lower back and pelvis	2	1	3	0.0000%
S31.1 Open wound of abdominal wall	2	1	3	0.0000%
S31.4 Open wound of vagina and vulva	2	0	2	0.0000%
S32.0 Fracture of lumbar vertebra	0	5	5	0.0000%
S32.1 Fracture of sacrum	1	5	6	0.0000%
S32.5 Fracture of pubis	0	1	1	0.0000%
S33.3 Dislocation oth and unspec parts of lumbar spine and pelvis	1	0	1	0.0000%
S33.7 Sprain and strain oth and unspec parts lumbar spine pelvis	1	2	3	0.0000%
S37.1 Injury of ureter	0	1	1	0.0000%
S37.2 Injury of bladder	0	1	1	0.0000%
S37.3 Injury of urethra	1	0	1	0.0000%
S39.9 Unspecified injury of abdomen, lower back and pelvis	4	0	4	0.0000%
S40.0 Contusion of shoulder and upper arm	9	1	10	0.0000%
S40.9 Superficial injury of shoulder and upper arm, unspecified	2	6	8	0.0000%
S41.1 Open wound of upper arm	0	1	1	0.0000%
S41.7 Multiple open wounds of shoulder and upper arm	0	4	4	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S41.8 Open wound of other and unspecified parts of shoulder girdle	0	6	6	0.0000%
S42.0 Fracture of clavicle	22	12	34	0.0001%
S42.1 Fracture of scapula	1	0	1	0.0000%
S42.2 Fracture of upper end of humerus	10	3	13	0.0000%
S42.3 Fracture of shaft of humerus	8	22	30	0.0001%
S42.4 Fracture of lower end of humerus	8	18	26	0.0001%
S42.8 Fracture of other parts of shoulder and upper arm	1	5	6	0.0000%
S42.9 Fracture of shoulder girdle, part unspecified	53	9	62	0.0001%
S43.0 Dislocation of shoulder joint	24	9	33	0.0001%
S43.2 Dislocation of sternoclavicular joint	1	2	3	0.0000%
S43.3 Dislocation of other and unspec parts of shoulder girdle	0	4	4	0.0000%
S43.4 Sprain and strain of shoulder joint	1	3	5	0.0000%
S43.7 Sprain and strain of oth and unspec part of shoulder girdle	48	1	49	0.0001%
S44.9 Injury of unspecified nerve at shoulder and upper arm level	1	1	2	0.0000%
S45.8 Injury of oth blood vessels at shoulder and upper arm level	0	2	2	0.0000%
S45.9 Injury unspec blood vessel at shoulder and upper arm level	0	1	1	0.0000%
S46.0 Injury of tendon of the rotator cuff of shoulder	8	12	20	0.0000%
S46.9 Inj unspec muscle and tendon at shoulder and upper arm level	1	0	1	0.0000%
S48.0 Traumatic amputation at shoulder joint	0	11	11	0.0000%
S49.8 Other specified injuries of shoulder and upper arm	1	1	2	0.0000%
S49.9 Unspecified injury of shoulder and upper arm	8	8	16	0.0000%
S50.0 Contusion of elbow	4	2	6	0.0000%
S50.1 Contusion of other and unspecified parts of forearm	5	2	7	0.0000%
S50.9 Superficial injury of forearm, unspecified	0	1	1	0.0000%
S51.0 Open wound of elbow	17	6	23	0.0000%
S51.8 Open wound of other parts of forearm	10	11	21	0.0000%
S51.9 Open wound of forearm, part unspecified	2	4	6	0.0000%
S52.0 Fracture of upper end of ulna	30	15	45	0.0001%
S52.1 Fracture of upper end of radius	5	4	9	0.0000%
S52.2 Fracture of shaft of ulna	10	19	29	0.0001%
S52.3 Fracture of shaft of radius	3	0	3	0.0000%
S52.4 Fracture of shafts of both ulna and radius	4	1	5	0.0000%
S52.5 Fracture of lower end of radius	165	311	476	0.0009%
S52.6 Fracture of lower end of both ulna and radius	21	18	39	0.0001%
S52.7 Multiple fractures of forearm	7	5	12	0.0000%
S52.8 Fracture of other parts of forearm	11	32	43	0.0001%
S52.9 Fracture of forearm, part unspecified	760	87	847	0.0016%
S53.0 Dislocation of radial head	3	0	3	0.0000%
S53.1 Dislocation of elbow, unspecified	10	3	13	0.0000%
S53.4 Sprain and strain of elbow	48	4	52	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S54.0	0	1	1	0.0000%
S56.0	0	2	2	0.0000%
S56.2	1	0	1	0.0000%
S56.3	2	5	7	0.0000%
S57.0	0	1	1	0.0000%
S59.8	1	0	1	0.0000%
S59.9	17	16	33	0.0001%
S60.0	3	9	12	0.0000%
S60.1	0	1	1	0.0000%
S60.2	32	5	37	0.0001%
S60.8	4	0	4	0.0000%
S60.9	20	7	27	0.0001%
S61.0	185	132	317	0.0006%
S61.1	29	22	51	0.0001%
S61.8	36	12	48	0.0001%
S61.9	28	31	59	0.0001%
S62.0	42	81	123	0.0002%
S62.1	7	9	16	0.0000%
S62.2	6	0	6	0.0000%
S62.3	113	78	191	0.0004%
S62.4	6	11	17	0.0000%
S62.5	32	38	70	0.0001%
S62.6	170	123	293	0.0006%
S62.8	403	193	596	0.0011%
S63.0	3	5	8	0.0000%
S63.1	27	20	47	0.0001%
S63.5	206	22	228	0.0004%
S63.6	107	11	118	0.0002%
S63.7	88	10	98	0.0002%
S64.1	0	1	1	0.0000%
S64.3	2	3	5	0.0000%
S66.0	11	3	14	0.0000%
S66.1	2	1	3	0.0000%
S66.3	2	2	4	0.0000%
S66.8	1	1	2	0.0000%
S66.9	1	1	2	0.0000%
S67.0	18	30	48	0.0001%
S67.8	1	2	3	0.0000%
S68.0	1	2	3	0.0000%
S68.1	8	19	27	0.0001%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S69.8 Other specified injuries of wrist and hand	2	1	3	0.0000%
S69.9 Unspecified injury of wrist and hand	34	75	109	0.0002%
S70.0 Contusion of hip	0	2	2	0.0000%
S70.1 Contusion of thigh	8	22	30	0.0001%
S70.8 Other superficial injuries of hip and thigh	2	3	5	0.0000%
S70.9 Superficial injury of hip and thigh, unspecified	0	3	3	0.0000%
S71.1 Open wound of thigh	4	0	4	0.0000%
S72.0 Fracture of neck of femur	0	13	13	0.0000%
S72.3 Fracture of shaft of femur	0	1	1	0.0000%
S72.4 Fracture of lower end of femur	2	6	8	0.0000%
S72.9 Fracture of femur, part unspecified	1	0	1	0.0000%
S73.1 Sprain and strain of hip	6	0	6	0.0000%
S76.1 Injury of quadriceps muscle and tendon	0	2	2	0.0000%
S79.9 Unspecified injury of hip and thigh	0	1	1	0.0000%
S80.0 Contusion of knee	5	1	6	0.0000%
S80.1 Contusion of other and unspecified parts of lower leg	31	5	36	0.0001%
S80.9 Superficial injury of lower leg, unspecified	1	0	1	0.0000%
S81.0 Open wound of knee	13	1	14	0.0000%
S81.8 Open wound of other parts of lower leg	25	42	67	0.0001%
S82.0 Fracture of patella	9	25	34	0.0001%
S82.1 Fracture of upper end of tibia	5	32	37	0.0001%
S82.2 Fracture of shaft of tibia	12	105	117	0.0002%
S82.3 Fracture of lower end of tibia	19	5	24	0.0000%
S82.4 Fracture of fibula alone	20	34	54	0.0001%
S82.5 Fracture of medial malleolus	8	13	21	0.0000%
S82.6 Fracture of lateral malleolus	30	41	71	0.0001%
S82.8 Fractures of other parts of lower leg	48	215	263	0.0005%
S82.9 Fracture of lower leg, part unspecified	392	59	451	0.0009%
S83.0 Dislocation of patella	2	1	3	0.0000%
S83.1 Dislocation of knee	0	2	2	0.0000%
S83.2 Tear of meniscus, current	0	4	4	0.0000%
S83.3 Tear of articular cartilage of knee, current	1	0	1	0.0000%
S83.4 Sprain and strain involving (fib)(tib) collateral lig knee	13	3	16	0.0000%
S83.5 Sprain and strain involving (ant)(post) cruciate lig knee	5	2	7	0.0000%
S83.6 Sprain and strain of other and unspecified parts of knee	76	11	87	0.0002%
S83.7 Injury to multiple structures of knee	1	3	4	0.0000%
S86.0 Injury of Achilles tendon	5	11	16	0.0000%
S88.0 Traumatic amputation at knee level	0	1	1	0.0000%
S88.1 Traumatic amputation at level between knee and ankle	0	2	2	0.0000%
S89.9 Unspecified injury of lower leg	7	15	22	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
S90.1	0	3	3	0.0000%
S90.2	0	1	1	0.0000%
S90.3	11	1	12	0.0000%
S90.9	0	8	8	0.0000%
S91.0	0	1	1	0.0000%
S91.1	5	4	9	0.0000%
S91.3	11	14	25	0.0000%
S92.0	8	14	22	0.0000%
S92.1	6	4	10	0.0000%
S92.2	17	23	40	0.0001%
S92.3	104	130	234	0.0005%
S92.4	10	1	11	0.0000%
S92.5	28	11	39	0.0001%
S92.7	3	7	10	0.0000%
S92.9	186	23	209	0.0004%
S93.1	1	10	11	0.0000%
S93.4	160	39	199	0.0004%
S93.5	1	0	1	0.0000%
S93.6	112	1	113	0.0002%
S95.9	1	3	4	0.0000%
S96.1	0	1	1	0.0000%
S99.9	9	19	28	0.0001%
T00.9	0	1	1	0.0000%
T01.9	8	1	9	0.0000%
T02.1	0	1	1	0.0000%
T02.9	2	0	2	0.0000%
T08.X	1	1	2	0.0000%
T09.3	5	6	11	0.0000%
T10.X	3	20	23	0.0000%
T11.1	0	3	3	0.0000%
T11.4	1	1	2	0.0000%
T11.9	0	7	7	0.0000%
T12.X	0	1	1	0.0000%
T13.0	3	0	3	0.0000%
T13.1	0	7	7	0.0000%
T13.6	0	1	1	0.0000%
T13.9	0	5	5	0.0000%
T14.0	3	11	14	0.0000%
T14.1	26	4	30	0.0001%
T14.2	2	7	9	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
T14.3 Dislocation, sprain and strain of unspecified body region	2	3	5	0.0000%
T14.5 Injury of blood vessel(s) of unspecified body region	0	1	1	0.0000%
T14.6 Injury of muscles and tendons of unspecified body region	0	1	1	0.0000%
T14.9 Injury, unspecified	0	29	29	0.0001%
T15.0 Foreign body in cornea	212	70	282	0.0005%
T15.1 Foreign body in conjunctival sac	3	0	3	0.0000%
T15.8 Foreign body in other and multiple parts of external eye	3	0	3	0.0000%
T15.9 Foreign body on external eye, part unspecified	5	10	15	0.0000%
T16.X Foreign body in ear	15	10	25	0.0000%
T17.1 Foreign body in nostril	1	1	2	0.0000%
T17.2 Foreign body in pharynx	2	1	3	0.0000%
T18.0 Foreign body in mouth	2	4	6	0.0000%
T18.1 Foreign body in oesophagus	3	0	4	0.0000%
T18.2 Foreign body in stomach	3	2	5	0.0000%
T18.8 Foreign body in other and multiple parts of alimentary tract	1	0	1	0.0000%
T18.9 Foreign body in alimentary tract, part unspecified	2	0	2	0.0000%
T19.1 Foreign body in bladder	1	1	2	0.0000%
T19.2 Foreign body in vulva and vagina	0	1	1	0.0000%
T19.8 Foreign body in oth and multiple part of genitourinary tract	1	3	4	0.0000%
T20.1 Burn of first degree of head and neck	1	2	3	0.0000%
T20.2 Burn of second degree of head and neck	4	1	5	0.0000%
T21.0 Burn of unspecified degree of trunk	0	2	2	0.0000%
T21.1 Burn of first degree of trunk	1	2	3	0.0000%
T21.2 Burn of second degree of trunk	12	1	13	0.0000%
T22.0 Burn unspec degree should and upp limb excpt wrist and hand	0	4	4	0.0000%
T22.2 Burn sec deg of shoulder and upr limb exc wrist/hand	22	5	27	0.0001%
T22.3 Burn third deg shoulder and upper limb excpt wrist and hand	0	1	1	0.0000%
T23.0 Burn of unspecified degree of wrist and hand	1	6	7	0.0000%
T23.1 Burn of first degree of wrist and hand	1	1	2	0.0000%
T23.2 Burn of second degree of wrist and hand	72	10	82	0.0002%
T23.3 Burn of third degree of wrist and hand	1	1	2	0.0000%
T24.0 Burn unspec degree hip and lower limb except ankle and foot	0	5	5	0.0000%
T24.2 Burn second degree hip and lower limb except ankle and foot	26	16	42	0.0001%
T24.3 Burn third degree hip and lower limb except ankle and foot	3	1	4	0.0000%
T25.0 Burn of unspecified degree of ankle and foot	0	1	1	0.0000%
T26.0 Burn of eyelid and periocular area	11	3	14	0.0000%
T26.9 Corrosion of eye and adnexa, part unspecified	5	1	6	0.0000%
T29.0 Burns of multiple regions, unspecified degree	0	2	2	0.0000%
T30.0 Burn of unspecified body region, unspecified degree	1	2	3	0.0000%
T38.3 Poisoning by insulin & oral hypoglycaemic [antidiabet] drugs	2	1	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
T39.1 Poisoning by 4-Aminophenol derivatives	13	4	17	0.0000%
T39.2 Poisoning by Pyrazolone derivatives	3	4	7	0.0000%
T39.3 Poisoning by oth nonsteroid anti-inflammatory drugs [NSAID]	3	0	3	0.0000%
T40.1 Poisoning by Heroin	0	1	1	0.0000%
T40.2 Poisoning by other opioids	1	0	1	0.0000%
T42.4 Poisoning by Benzodiazepines	1	0	1	0.0000%
T43.2 Poisoning by other and unspecified antidepressants	4	0	4	0.0000%
T45.0 Poisoning by antiallergic and antiemetic drugs	1	0	1	0.0000%
T45.2 Poisoning by vitamins, not elsewhere classified	1	0	1	0.0000%
T45.5 Poisoning by anticoagulants	0	16	16	0.0000%
T48.5 Poisoning by anti-common-cold drugs	1	0	1	0.0000%
T49.2 Poisoning by local astringents and local detergents	2	0	2	0.0000%
T49.9 Poisoning by topical agent, unspecified	0	2	2	0.0000%
T50.9 Poisoning by oth & unsp drugs medicaments & biological subs	10	4	14	0.0000%
T51.9 Toxic effect of alcohol, unspecified	1	2	3	0.0000%
T54.9 Toxic effect of corrosive substance, unspecified	1	0	1	0.0000%
T59.0 Toxic effect of nitrogen oxides	1	0	1	0.0000%
T63.4 Toxic effect of venom of other arthropods	9	3	12	0.0000%
T65.9 Toxic effect of unspecified substance	0	5	5	0.0000%
T66.X Unspecified effects of radiation	11	50	61	0.0001%
T68.X Hypothermia	1	0	1	0.0000%
T69.1 Chilblains	1	1	2	0.0000%
T73.0 Effects of hunger	1	0	1	0.0000%
T75.1 Drowning and nonfatal submersion	2	0	2	0.0000%
T75.4 Effects of electric current	2	0	2	0.0000%
T78.1 Other adverse food reactions, not elsewhere classified	10	10	20	0.0000%
T78.2 Anaphylactic shock, unspecified	0	2	2	0.0000%
T78.3 Angioneurotic oedema	22	9	31	0.0001%
T78.4 Allergy, unspecified	101	66	168	0.0003%
T79.3 Post-traumatic wound infection, not elsewhere classified	3	12	15	0.0000%
T79.6 Traumatic ischaemia of muscle	3	1	4	0.0000%
T79.8 Other early complications of trauma	0	4	4	0.0000%
T80.8 Oth comps following infusion transfusion & therap inject	0	20	20	0.0000%
T81.0 Haemorrhage and haematoma complicating a procedure NEC	46	323	369	0.0007%
T81.3 Disruption of operation wound, not elsewhere classified	6	9	15	0.0000%
T81.4 Infection following a procedure, not elsewhere classified	18	81	99	0.0002%
T81.5 FB accident left in body cav or op wound following a proced	1	4	5	0.0000%
T81.8 Other complications of procedures, not elsewhere classified	2	9	11	0.0000%
T81.9 Unspecified complication of procedure	0	13	13	0.0000%
T82.5 Mech compl of other cardiac & vascular devices and implants	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
T82.6	1	4	5	0.0000%
T82.7	3	1	4	0.0000%
T83.0	2	5	7	0.0000%
T83.1	0	2	2	0.0000%
T83.3	3	2	5	0.0000%
T83.4	0	1	1	0.0000%
T83.5	0	1	1	0.0000%
T83.6	0	1	1	0.0000%
T83.8	2	2	4	0.0000%
T83.9	0	3	3	0.0000%
T84.0	26	136	162	0.0003%
T84.5	0	7	7	0.0000%
T84.6	0	9	9	0.0000%
T84.8	19	81	100	0.0002%
T84.9	0	11	11	0.0000%
T85.0	0	1	1	0.0000%
T85.2	9	29	38	0.0001%
T85.3	0	52	52	0.0001%
T85.4	0	8	8	0.0000%
T85.5	0	1	1	0.0000%
T85.6	2	2	4	0.0000%
T85.7	0	3	3	0.0000%
T85.8	5	7	12	0.0000%
T85.9	3	68	71	0.0001%
T86.8	0	5	5	0.0000%
T87.0	1	4	5	0.0000%
T87.6	0	2	2	0.0000%
T88.1	1	0	1	0.0000%
T88.4	20	3	23	0.0000%
T88.5	0	2	2	0.0000%
T88.7	1	6	7	0.0000%
T90.5	1	0	1	0.0000%
T92.2	0	3	3	0.0000%
V40.9	0	1	1	0.0000%
V58.3	0	6	6	0.0000%
V89.9	2	0	2	0.0000%
W10.9	0	2	2	0.0000%
W19.0	0	8	8	0.0000%
W19.1	1	0	1	0.0000%
W19.5	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
W19.8	0	1	1	0.0000%
W19.9	1	9	10	0.0000%
W28.3	0	2	2	0.0000%
W30.3	0	1	1	0.0000%
W38.8	3	1	4	0.0000%
W81.8	1	0	1	0.0000%
W90.1	0	1	1	0.0000%
W90.3	18	9	27	0.0001%
W91.9	0	1	1	0.0000%
X03.8	4	0	4	0.0000%
X08.0	0	1	1	0.0000%
X15.9	0	1	1	0.0000%
X29.8	1	1	2	0.0000%
X30.1	0	1	1	0.0000%
X30.8	0	3	3	0.0000%
X36.3	3	7	10	0.0000%
X36.8	1	0	1	0.0000%
X36.9	0	3	3	0.0000%
X37.8	0	4	4	0.0000%
X37.9	1	8	9	0.0000%
X38.1	7	0	7	0.0000%
X38.2	3	16	19	0.0000%
X38.5	0	1	1	0.0000%
X38.6	0	3	3	0.0000%
X38.8	0	1	1	0.0000%
X38.9	0	1	1	0.0000%
X39.2	1	0	1	0.0000%
X47.8	0	8	8	0.0000%
X48.0	1	2	3	0.0000%
X48.1	39	43	82	0.0002%
X48.2	1	6	7	0.0000%
X48.3	10	21	35	0.0001%
X48.8	0	0	1	0.0000%
X49.1	3	0	3	0.0000%
X49.3	0	2	2	0.0000%
X49.5	1	0	1	0.0000%
X49.6	3	1	4	0.0000%
X49.8	4	0	4	0.0000%
X60.0	0	2	2	0.0000%
X60.1	0	1	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
X60.9	0	1	1	0.0000%
X61.9	1	0	1	0.0000%
X64.9	3	0	3	0.0000%
X67.9	0	4	4	0.0000%
X80.0	0	4	4	0.0000%
X84.9	1	0	1	0.0000%
X85.1	0	1	1	0.0000%
X90.1	0	4	4	0.0000%
X96.1	0	3	4	0.0000%
X99.9	104	260	364	0.0007%
Y41.9	0	4	4	0.0000%
Y49.8	1	2	3	0.0000%
Y71.1	0	4	4	0.0000%
Y82.2	3	1	4	0.0000%
Y83.6	0	2	2	0.0000%
Y88.2	2	0	2	0.0000%
Y90.3	1	0	1	0.0000%
Y90.8	0	1	1	0.0000%
Y90.9	3	4	7	0.0000%
Z00.0	37	40	78	0.0002%
Z00.1	60	62	122	0.0002%
Z00.4	81	303	384	0.0007%
Z00.5	0	1	1	0.0000%
Z00.6	0	1	1	0.0000%
Z00.8	0	1	1	0.0000%
Z01.0	3,454	11,520	15,686	0.0302%
Z01.1	2,233	2,237	4,470	0.0086%
Z01.2	46	309	355	0.0007%
Z01.3	918	2,617	3,535	0.0068%
Z01.4	2,600	3,075	5,675	0.0109%
Z01.5	25	146	171	0.0003%
Z01.6	7,816	973	8,789	0.0169%
Z01.7	559	166	732	0.0014%
Z01.8	101	119	220	0.0004%
Z01.9	85	136	221	0.0004%
Z02.0	0	2	2	0.0000%
Z02.1	50	27	77	0.0001%
Z02.3	0	1	1	0.0000%
Z02.4	0	3	6	0.0000%
Z02.5	1	1	2	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
Z02.8 Other examinations for administrative purposes	15	2	17	0.0000%
Z03.1 Observation for suspected malignant neoplasm	29	978	1,007	0.0019%
Z03.2 Observation for suspected mental and behavioural disorders	46	56	102	0.0002%
Z03.3 Observation for suspected nervous system disorder	718	199	917	0.0018%
Z03.4 Observation for suspected myocardial infarction	0	4	4	0.0000%
Z03.5 Observation for other suspected cardiovascular diseases	317	529	846	0.0016%
Z03.6 Observation for suspected toxic effect from ingested subs	4	6	10	0.0000%
Z03.8 Observation for other suspected diseases and conditions	1,533	1,664	3,206	0.0062%
Z03.9 Observation for suspected disease or condition, unspecified	280	421	701	0.0013%
Z04.0 Blood-alcohol and blood-drug test	1	32	33	0.0001%
Z04.2 Examination and observation following work accident	1	0	1	0.0000%
Z04.3 Examination and observation following other accident	6	3	9	0.0000%
Z04.4 Exam and observation following alleged rape and seduction	1	0	1	0.0000%
Z04.5 Examination and observation following other inflicted injury	3	0	3	0.0000%
Z04.6 General psychiatric examination, requested by authority	4	0	4	0.0000%
Z04.8 Examination and observation for other specified reasons	3,278	2,431	5,709	0.0110%
Z04.9 Examination and observation for unspecified reason	283	445	728	0.0014%
Z08.0 Follow-up examination after surgery for malignant neoplasm	240	2,222	2,488	0.0048%
Z08.1 Follow-up exam after radiotherapy for malignant neoplasm	2	12	14	0.0000%
Z08.2 Follow-up exam after chemotherapy for malignant neoplasm	3	14	17	0.0000%
Z08.7 Follow-up exam after combined treatment for malign neoplasm	23	1,692	1,715	0.0033%
Z08.8 Follow-up exam after other treatment for malignant neoplasm	5	44	49	0.0001%
Z08.9 Follow-up exam after unspec treatment for malignant neoplasm	25	930	956	0.0018%
Z09.0 Follow-up examination after surgery for other conditions	357	2,793	3,172	0.0061%
Z09.1 Follow-up examination after radiotherapy for oth conditions	4	37	41	0.0001%
Z09.2 Follow-up examination after chemotherapy for oth conditions	38	119	163	0.0003%
Z09.3 Follow-up examination after psychotherapy	0	1	1	0.0000%
Z09.4 Follow-up examination after treatment of fracture	1	1	2	0.0000%
Z09.7 Follow-up exam after combined treatment for other conditions	1	15	16	0.0000%
Z09.8 Follow-up exam after other treatment for other conditions	369	2,506	2,875	0.0055%
Z09.9 Follow-up exam after unspec treatment for other conditions	210	2,295	2,505	0.0048%
Z10.1 Routine gen health check-up of inhabitants of institutions	1	0	1	0.0000%
Z10.3 Routine general health check-up of sports teams	0	1	1	0.0000%
Z11.0 Special screening exam for intestinal infectious diseases	1	0	1	0.0000%
Z11.1 Special screening examination for respiratory tuberculosis	100	67	167	0.0003%
Z11.2 Special screening examination for other bacterial diseases	167	39	206	0.0004%
Z11.3 Spec screen exam in infect with predom sexual mode transmis	1	0	1	0.0000%
Z11.4 Spec screening exam for human immunodeficiency virus [HIV]	0	1	1	0.0000%
Z11.8 Spec screen exam for oth infectious and parasitic diseases	1	0	2	0.0000%
Z11.9 Spec screen exam for infectious and parasitic dis unspec	0	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
Z12.0 Special screening examination for neoplasm of stomach	241	135	376	0.0007%
Z12.1 Special screening exam for neoplasm of intestinal tract	671	436	1,121	0.0022%
Z12.2 Special screening exam for neoplasm of respiratory organs	94	50	144	0.0003%
Z12.3 Special screening examination for neoplasm of breast	669	1,619	2,288	0.0044%
Z12.4 Special screening examination for neoplasm of cervix	376	476	852	0.0016%
Z12.5 Special screening examination for neoplasm of prostate	1	0	1	0.0000%
Z12.6 Special screening examination for neoplasm of bladder	151	139	290	0.0006%
Z12.8 Special screening examination for neoplasms of other sites	667	637	1,304	0.0025%
Z12.9 Special screening examination for neoplasm, unspecified	4	1	5	0.0000%
Z13.0 Sp screen exam dis blood/bld fm org & cer dis inv immune mec	1	10	11	0.0000%
Z13.1 Special screening examination for diabetes mellitus	19	67	86	0.0002%
Z13.2 Special screening examination for nutritional disorders	3	0	3	0.0000%
Z13.3 Special screening exam for mental and behavioural disorders	0	1	1	0.0000%
Z13.4 Spec screen exam certain development disorders in childhood	10	2	14	0.0000%
Z13.5 Special screening examination for eye and ear disorders	906	3,289	6,516	0.0125%
Z13.6 Special screening examination for cardiovascular disorders	841	7,135	7,976	0.0154%
Z13.7 Sp screening exam for cong malfs deform'ns & chromos'l abn's	1	6	7	0.0000%
Z13.8 Special screening exam for oth spec diseases and disorders	3,677	2,780	6,457	0.0124%
Z13.9 Special screening examination, unspecified	44	99	214	0.0004%
Z20.6 Contact with and exposure to human immunodef virus [HIV]	1	0	1	0.0000%
Z20.8 Contact with and exposure to other communicable diseases	2	0	2	0.0000%
Z20.9 Contact with and exposure to unspec communicable disease	0	2	2	0.0000%
Z22.3 Carrier of other specified bacterial diseases	1	0	1	0.0000%
Z22.5 Carrier of viral hepatitis	4	0	4	0.0000%
Z23.1 Need for immuniz against typhoid-paratyphoid alone [TAB]	1	0	1	0.0000%
Z23.2 Need for immunization against tuberculosis [BCG]	14	30	44	0.0001%
Z23.3 Need for immunization against plague	0	1	1	0.0000%
Z23.8 Need for immunization against other single bacterial dis	1	0	1	0.0000%
Z24.6 Need for immunization against viral hepatitis	3	1	4	0.0000%
Z25.1 Need for immunization against influenza	0	1	1	0.0000%
Z25.8 Need for immunization against oth spec single viral dis	3	0	3	0.0000%
Z26.9 Need for immunization against unspecified infectious disease	3	18	21	0.0000%
Z27.1 Need immuniz against diphtheria-tetanus-pertussis comb [DTP]	0	2	2	0.0000%
Z27.2 Need immuniz diphth-tetanus-pertussis with typhoid-paratyph	1	1	2	0.0000%
Z27.4 Need for immunization against measles-mumps-rubella [MMR]	10	2	12	0.0000%
Z27.8 Need for immunization against other combs of infectious dis	97	21	118	0.0002%
Z27.9 Need for immunization against unspec combs of infectious dis	4	7	11	0.0000%
Z29.1 Prophylactic immunotherapy	0	1	1	0.0000%
Z29.2 Other prophylactic chemotherapy	0	73	73	0.0001%
Z29.8 Other specified prophylactic measures	677	525	1,202	0.0023%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Z29.9 Prophylactic measure, unspecified	0	1	1	0.0000%
Z30.0 General counselling and advice on contraception	1	0	1	0.0000%
Z30.1 Insertion of (intrauterine) contraceptive device	72	165	237	0.0005%
Z30.2 Sterilization	189	41	230	0.0004%
Z30.3 Menstrual extraction	128	109	237	0.0005%
Z30.5 Surveillance of (intrauterine) contraceptive device	78	77	155	0.0003%
Z30.8 Other contraceptive management	144	100	244	0.0005%
Z30.9 Contraceptive management, unspecified	87	43	130	0.0003%
Z31.0 Tuboplasty or vasoplasty after previous sterilization	13	3	16	0.0000%
Z31.1 Artificial insemination	86	1,482	1,568	0.0030%
Z31.2 In vitro fertilization	111	894	1,005	0.0019%
Z31.3 Other assisted fertilization methods	1	82	83	0.0002%
Z31.4 Procreative investigation and testing	473	677	1,150	0.0022%
Z31.5 Genetic counselling	120	80	201	0.0004%
Z31.6 General counselling and advice on procreation	256	189	445	0.0009%
Z31.8 Other procreative management	24	117	141	0.0003%
Z31.9 Procreative management, unspecified	7	1	8	0.0000%
Z32.0 Pregnancy, not (yet) confirmed	425	143	568	0.0011%
Z32.1 Pregnancy confirmed	874	192	1,066	0.0021%
Z33.X Pregnant state, incidental	1	0	1	0.0000%
Z34.0 Supervision of normal first pregnancy	35	46	81	0.0002%
Z34.8 Supervision of other normal pregnancy	1,846	305	2,151	0.0041%
Z34.9 Supervision of normal pregnancy, unspecified	1,226	2,315	3,541	0.0068%
Z35.0 Supervision of pregnancy with history of infertility	1	5	6	0.0000%
Z35.1 Supervision of pregnancy with history of abortive outcome	4	49	53	0.0001%
Z35.2 Supervision of pregnancy with oth poor repro or obstet hist	402	401	803	0.0015%
Z35.4 Supervision of pregnancy with grand multiparity	6	12	18	0.0000%
Z35.7 Supervision of high-risk pregnancy due to social problems	2	2	4	0.0000%
Z35.8 Supervision of other high-risk pregnancies	33	84	117	0.0002%
Z35.9 Supervision of high-risk pregnancy, unspecified	3,805	7,017	10,822	0.0208%
Z36.0 Antenatal screening for chromosomal anomalies	77	185	262	0.0005%
Z36.1 Antenatal screening for raised alphafetoprotein level	4	0	4	0.0000%
Z36.2 Other antenatal screening based on amniocentesis	2	24	26	0.0001%
Z36.4 A/N screen fetal gwth retard using ultrasound oth phys meth	2	0	2	0.0000%
Z36.8 Other antenatal screening	2	7	9	0.0000%
Z36.9 Antenatal screening, unspecified	3,685	6,785	10,470	0.0202%
Z38.0 Singleton, born in hospital	0	1	1	0.0000%
Z38.1 Singleton, born outside hospital	1	0	1	0.0000%
Z39.0 Care and examination immediately after delivery	5	63	68	0.0001%
Z39.2 Routine postpartum follow-up	81	78	159	0.0003%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
Z40.0	0	2	2	0.0000%
Z40.8	0	1	1	0.0000%
Z40.9	1	0	1	0.0000%
Z41.1	1	26	27	0.0001%
Z41.9	2	0	2	0.0000%
Z42.0	1	18	19	0.0000%
Z42.1	32	159	191	0.0004%
Z42.2	1	0	1	0.0000%
Z42.8	2	6	8	0.0000%
Z42.9	54	65	119	0.0002%
Z43.0	6	25	31	0.0001%
Z43.1	20	17	41	0.0001%
Z43.2	0	2	2	0.0000%
Z43.3	0	1	1	0.0000%
Z43.4	3	2	5	0.0000%
Z43.5	1	28	29	0.0001%
Z43.6	4	55	61	0.0001%
Z43.8	1	11	12	0.0000%
Z43.9	15	217	232	0.0004%
Z44.3	23	17	40	0.0001%
Z45.0	34	987	1,021	0.0020%
Z45.2	2	7	9	0.0000%
Z45.3	25	288	313	0.0006%
Z45.8	15	414	430	0.0008%
Z45.9	0	18	18	0.0000%
Z46.1	716	4,032	4,748	0.0091%
Z46.2	0	1	1	0.0000%
Z46.3	0	9	9	0.0000%
Z46.4	0	3	3	0.0000%
Z46.5	0	2	2	0.0000%
Z46.6	39	577	618	0.0012%
Z46.8	51	427	478	0.0009%
Z46.9	17	148	165	0.0003%
Z47.0	66	1,083	1,149	0.0022%
Z47.8	674	2,891	3,581	0.0069%
Z47.9	1	1	2	0.0000%
Z48.0	851	9,118	10,080	0.0194%
Z48.8	55	125	180	0.0003%
Z48.9	52	382	434	0.0008%
Z49.0	9	97	106	0.0002%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Z50.0 Cardiac rehabilitation	0	3	3	0.0000%
Z50.1 Other physical therapy	29	306	335	0.0006%
Z50.2 Alcohol rehabilitation	9	25	34	0.0001%
Z50.3 Drug rehabilitation	1	0	1	0.0000%
Z51.0 Radiotherapy session	0	2	2	0.0000%
Z51.1 Chemotherapy session for neoplasm	0	1	1	0.0000%
Z51.2 Other chemotherapy	0	1	1	0.0000%
Z51.3 Blood transfusion without reported diagnosis	0	1	1	0.0000%
Z51.4 Preparatory care for subsequent treatment NEC	85	455	540	0.0010%
Z51.5 Palliative care	0	17	17	0.0000%
Z51.6 Desensitization to allergens	6	119	125	0.0002%
Z51.8 Other specified medical care	2	1	3	0.0000%
Z51.9 Medical care, unspecified	4	8	12	0.0000%
Z52.3 Bone marrow donor	24	26	50	0.0001%
Z52.8 Donor of other organs and tissues	0	1	1	0.0000%
Z52.9 Donor of unspecified organ or tissue	0	1	1	0.0000%
Z53.0 Procedure not carried out because of contraindication	4	8	12	0.0000%
Z53.2 Proc not carried out because pat's dec oth unspec reasons	0	5	5	0.0000%
Z53.8 Procedure not carried out for other reasons	36	45	81	0.0002%
Z53.9 Procedure not carried out, unspecified reason	85	893	978	0.0019%
Z55.2 Failed examinations	1	0	1	0.0000%
Z56.0 Unemployment, unspecified	0	1	1	0.0000%
Z56.3 Stressful work schedule	1	0	1	0.0000%
Z56.7 Other and unspecified problems related to employment	3	0	3	0.0000%
Z57.7 Occupational exposure to vibration	0	1	1	0.0000%
Z59.9 Problem related to housing and economic circumstances unspec	2	0	2	0.0000%
Z60.0 Problems of adjustment to life-cycle transitions	1	0	1	0.0000%
Z60.1 Atypical parenting situation	3	26	29	0.0001%
Z60.2 Living alone	1	1	2	0.0000%
Z60.5 Target of perceived adverse discrimination and persecution	0	1	1	0.0000%
Z61.3 Events resulting in loss of self-esteem in childhood	1	3	4	0.0000%
Z61.4 Probs rel alleged sex abuse child by person in prim sup grp	0	2	2	0.0000%
Z61.6 Problems related to alleged physical abuse of child	1	3	4	0.0000%
Z62.0 Inadequate parental supervision and control	0	8	8	0.0000%
Z62.4 Emotional neglect of child	0	9	9	0.0000%
Z62.5 Other problems related to neglect in upbringing	0	13	13	0.0000%
Z62.8 Other specified problems related to upbringing	0	1	1	0.0000%
Z63.0 Problems in relationship with spouse or partner	7	9	16	0.0000%
Z63.1 Problems in relationship with parents and in-laws	2	7	9	0.0000%
Z63.2 Inadequate family support	1	0	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Z63.4 Disappearance and death of family member	2	2	4	0.0000%
Z63.7 Other stressful life events affecting family and household	0	6	6	0.0000%
Z63.8 Other specified problems related to primary support group	1	0	1	0.0000%
Z65.2 Problems related to release from prison	0	1	1	0.0000%
Z65.9 Problem related to unspecified psychosocial circumstances	0	1	1	0.0000%
Z71.0 Person consulting on behalf of another person	5	0	5	0.0000%
Z71.1 Person with feared complaint in whom no diagnosis is made	1,047	710	1,757	0.0034%
Z71.2 Person consulting for explanation of investigation findings	286	1,592	1,878	0.0036%
Z71.3 Dietary counselling and surveillance	1	2	3	0.0000%
Z71.4 Alcohol abuse counselling and surveillance	0	1	1	0.0000%
Z71.5 Drug abuse counselling and surveillance	1	2	3	0.0000%
Z71.6 Tobacco abuse counselling	4	3	7	0.0000%
Z71.8 Other specified counselling	839	193	1,032	0.0020%
Z71.9 Counselling, unspecified	5,078	2,175	7,253	0.0140%
Z72.0 Tobacco use	0	6	6	0.0000%
Z72.1 Alcohol use	5	6	11	0.0000%
Z72.2 Drug use	1	3	4	0.0000%
Z72.6 Gambling and betting	1	0	1	0.0000%
Z72.8 Other problems related to lifestyle	1	0	1	0.0000%
Z72.9 Problem related to lifestyle, unspecified	1	3	4	0.0000%
Z73.0 Burn-out	2	0	2	0.0000%
Z73.1 Accentuation of personality traits	3	6	9	0.0000%
Z73.2 Lack of relaxation and leisure	0	1	1	0.0000%
Z73.3 Stress, not elsewhere classified	1	1	2	0.0000%
Z73.9 Problem related to life-management difficulty, unspecified	0	3	3	0.0000%
Z75.5 Holiday relief care	1	2	3	0.0000%
Z76.0 Issue of repeat prescription	0	2	2	0.0000%
Z76.3 Healthy person accompanying sick person	0	1	1	0.0000%
Z76.5 Malingering [conscious simulation]	0	4	4	0.0000%
Z76.8 Persons encountering health servs in oth spec circumstances	83	31	114	0.0002%
Z80.0 Family history of malignant neoplasm of digestive organs	22	37	59	0.0001%
Z80.1 Family history mal neop of trachea bronchus and lung	1	0	1	0.0000%
Z80.3 Family history of malignant neoplasm of breast	353	3,617	3,970	0.0076%
Z80.4 Family history of malignant neoplasm of genital organs	0	8	8	0.0000%
Z80.5 Family history of malignant neoplasm of urinary tract	1	7	8	0.0000%
Z80.8 Family history of malignant neoplasm of other organs or sys	29	243	272	0.0005%
Z80.9 Family history of malignant neoplasm, unspecified	10	197	207	0.0004%
Z81.1 Family history of alcohol abuse	0	1	1	0.0000%
Z81.8 Family history of other mental and behavioural disorders	0	1	1	0.0000%
Z82.0 Family history of epilepsy and other dis of the nervous sys	0	1	1	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

	Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown)	Percentage of all attendances
Z82.4 Fam hist ischaemic heart dis oth dis of the circulatory sys	4	1	5	0.0000%
Z82.8 Fam hist of disabilities and chron dis lead disablement NEC	1	0	1	0.0000%
Z83.7 Family history of diseases of the digestive system	3	0	3	0.0000%
Z84.8 Family history of other specified conditions	1	0	1	0.0000%
Z85.0 Personal history of malignant neoplasm of digestive organs	22	20	42	0.0001%
Z85.1 Personal history of malig neoplasm trachea bronchus & lung	1	0	1	0.0000%
Z85.3 Personal history of malignant neoplasm of breast	67	151	218	0.0004%
Z85.4 Personal history of malignant neoplasm of genital organs	2	11	13	0.0000%
Z85.5 Personal history of malignant neoplasm of urinary tract	1	185	186	0.0004%
Z85.6 Personal history of leukaemia	0	3	3	0.0000%
Z85.7 Personal hist oth malig neo lymphoid h'poietic & rel tissues	1	9	10	0.0000%
Z85.8 Personal history of malig neoplasms of other organs and sys	0	39	39	0.0001%
Z85.9 Personal history of malignant neoplasm, unspecified	0	1	1	0.0000%
Z86.0 Personal history of other neoplasms	24	196	220	0.0004%
Z86.1 Personal history of infectious and parasitic diseases	16	2	18	0.0000%
Z86.4 Personal history of psychoactive substance abuse	0	6	6	0.0000%
Z86.6 Personal history of dis of the nervous sys and sense organs	1	16	17	0.0000%
Z86.7 Personal history of diseases of the circulatory system	1	5	6	0.0000%
Z87.1 Personal history of diseases of the digestive system	21	25	46	0.0001%
Z87.4 Personal history of diseases of the genitourinary system	3	12	15	0.0000%
Z88.8 Personal history allergy oth drugs medicaments/biol subs	1	0	1	0.0000%
Z89.5 Acquired absence of leg at or below knee	0	1	1	0.0000%
Z90.0 Acquired absence of part of head and neck	1	1	2	0.0000%
Z90.1 Acquired absence of breast(s)	0	10	10	0.0000%
Z90.4 Acquired absence of other parts of digestive tract	0	15	15	0.0000%
Z90.5 Acquired absence of kidney	0	5	5	0.0000%
Z90.7 Acquired absence of genital organ(s)	0	1	1	0.0000%
Z91.0 Personal hist of allergy oth than to drugs and biol subs	5	7	12	0.0000%
Z91.4 Personal history of psychological trauma NEC	68	0	68	0.0001%
Z91.5 Personal history of self-harm	29	55	84	0.0002%
Z92.1 Personal history long -term (current) use of anticoagulants	43	291	334	0.0006%
Z92.2 Personal history long -term (current) use of oth medicaments	0	4	4	0.0000%
Z92.3 Personal history of irradiation	0	1	1	0.0000%
Z92.8 Personal history of other medical treatment	0	4	4	0.0000%
Z94.0 Kidney transplant status	6	10	16	0.0000%
Z94.4 Liver transplant status	0	6	6	0.0000%
Z94.7 Corneal transplant status	3	8	11	0.0000%
Z94.9 Transplanted organ and tissue status, unspecified	2	1	3	0.0000%
Z95.0 Presence of cardiac pacemaker	0	1	1	0.0000%
Z95.1 Presence of aortocoronary bypass graft	0	3	3	0.0000%

Primary diagnosis*NHS Hospitals, England, 2006-07*

		Attended first appointment	Attended subsequent appointment	All (inc. first/subsequent unknown	Percentage of all attendances
Z95.2	Presence of prosthetic heart valve	7	145	152	0.0003%
Z95.3	Presence of xenogenic heart valve	0	3	3	0.0000%
Z96.1	Presence of intraocular lens	7	76	85	0.0002%
Z96.6	Presence of orthopaedic joint implants	1	16	17	0.0000%
Z96.8	Presence of other specified functional implants	1	0	1	0.0000%
Z97.4	Presence of external hearing-aid	1	0	1	0.0000%
Z97.5	Presence of (intrauterine) contraceptive device	0	2	2	0.0000%
Z98.2	Presence of cerebrospinal fluid drainage device	0	1	1	0.0000%
Z99.9	Dependence on unspecified enabling machine and device	4	1	5	0.0000%

Small numbers

To protect patient confidentiality, figures between 1 and 5 (zero to 10, in the case of abortion-related procedures and diagnoses) have been suppressed and replaced with “*” (an asterisk). Where it was possible to identify numbers from the total due to a single suppressed number in a row or column, an additional number (the next smallest) has been suppressed.